

A Machine-Learning Enabled Study of 2D Superconductivity

Application of the XGBoost Algorithm and
Self-Organizing Maps

Rajeev Atla

John P. Stevens High School

July 23, 2020

- Was used to process data from Large Hadron Collider (LHC) [1]

Introduction

XGBoost

A
Machine-Learning
Enabled Study of
2D
Superconductivity

Rajeev Atla

Introduction

XGBoost

Self-Organizing Maps

2D Superconductivity

Methods

Discussion

Acknowledgements

Introduction

Self-Organizing Maps

A
Machine-Learning
Enabled Study of
2D
Superconductivity

Rajeev Atla

Introduction

XGBoost

Self-Organizing Maps

2D Superconductivity

Methods

Discussion

Acknowledgements

Introduction

2D Superconductivity

A
Machine-Learning
Enabled Study of
2D
Superconductivity

Rajeev Atla

Introduction

XGBoost

Self-Organizing Maps

2D Superconductivity

Methods

Discussion

Acknowledgements

Methods

A
Machine-Learning
Enabled Study of
2D
Superconductivity

Rajeev Atla

Introduction

XGBoost

Self-Organizing Maps

2D Superconductivity

Methods

Discussion

Acknowledgements

Discussion

A
Machine-Learning
Enabled Study of
2D
Superconductivity

Rajeev Atla

Introduction

XGBoost

Self-Organizing Maps

2D Superconductivity

Methods

Discussion

Acknowledgements

Acknowledgements

A
Machine-Learning
Enabled Study of
2D
Superconductivity

Rajeev Atla

Introduction

XGBoost

Self-Organizing Maps

2D Superconductivity

Methods

Discussion

Acknowledgements

I would like to thank Leo Lo and Dr. Serena McCalla for their mentorship through the iResearch Institute.

