

Rajeev Atla

~~Settlers of Catan~~ A board game is played on a hexagonal grid of 19 tiles. A 'traveler' token starts on the center tile. Each turn a die is rolled to determine what neighboring tile the traveler moves to (all six directions equally likely). The turn that the traveler leaves the board, the game ends. What is the expected number of turns of the game?

A hexagonal grid of 37 cells, numbered 0 to 36. Cell 0 is the central cell. Cells 1 through 6 form a ring around cell 0. Cells 7 through 12 form the next ring. Cells 13 through 18 form the fourth ring. Cells 19 through 24 form the fifth ring. Cells 25 through 30 form the sixth ring. Cells 31 through 36 form the seventh ring. Each cell contains a red dot and is labeled with its number. The grid is surrounded by green dots and numbers 21 through 30, which are not part of the grid itself.

We wish to find the expected value of the number of turns in the game, which we denote N .

The dice is truly random, so there is no upper bound on N . We note that this game is really akin to a Markov chain, in that it doesn't matter what the past states are.

Page 2 of 4

[illegible]

$$t = N\mathbf{1}$$
$$t = \begin{pmatrix} 213 \\ \frac{29}{184} \\ \frac{29}{184} \\ \frac{29}{184} \\ \frac{29}{184} \\ \frac{29}{184} \\ \frac{29}{124} \\ \frac{29}{101} \\ \frac{29}{124} \\ \frac{29}{101} \\ \frac{29}{124} \\ \frac{29}{101} \\ \frac{29}{124} \\ \frac{29}{101} \\ \frac{29}{124} \\ \frac{29}{101} \end{pmatrix}$$

Finally, we see that $t_0 = \boxed{\frac{213}{29} \approx 7.345}$