PFA day 11 test case:

Description	Pre-condition	Test Steps	Validation
Description	Manually set the priorities	 Navigate onto admin panel -> Catalog -> Tabs Populate Only Tab Name and Save Populate the other 	1. Validate the presence of Tabs header 2. Validate the error message 3.1. Validate the success message 3.2. Validate the presence of record in the admin panel table 3.3 Validate the presence of record in the DB table 3.4 Validate the presence of newly
Add a tab	of all other tabs to value above 2	fields with priority set to 1 and Save	added tab in first position on the user page

Below is the java file of "BaseTest.java"

package com.ibm.test;		
import java.io.FileInputStream;		
import java.io.lOException;		
import java.sql.SQLException;		
import java.util.HashMap;		
import java.util.concurrent.TimeUnit;		
import org.apache.poi.xssf.usermodel.XSSFCell;		
import org.apache.poi.xssf.usermodel.XSSFRow;		
import org.apache.poi.xssf.usermodel.XSSFSheet;		
import org.apache.poi.xssf.usermodel.XSSFWorkbook;		
import org.junit.Assert;		
import org.openqa.selenium.WebDriver;		
import org.openqa.selenium.chrome.ChromeDriver;		
import org.openqa.selenium.support.ui.WebDriverWait;		

```
import org.testng.annotations.Test;
import com.ibm.pages.AdminPage;
import com.ibm.pages.BannerPage;
import com.ibm.pages.CouponPage;
import com.ibm.pages.CustomerPage;
import com.ibm.pages.DB;
import com.ibm.pages.LoginPage;
import com.ibm.pages.ProductPage;
import com.ibm.pages.ReturnPage;
import com.ibm.pages.ShippingPage;
import com.ibm.pages.TabPage;
import com.ibm.pages.UserPage;
import com.ibm.utilities.DBUtil;
import com.ibm.utilities.PropertiesFileHandler;
public class BaseTest {
      public void Day11Testcase() throws IOException, InterruptedException,
SQLException
             String file="./TestData/magentodata.properties";
             PropertiesFileHandler propFileHandler = new PropertiesFileHandler();
             HashMap<String, String> data= propFileHandler.getPropertiesAsMap(file);
             String url = data.get("url");
             String email = data.get("email");
             String password = data.get("password");
             String tabname = data.get("tabname");
             String sortorder = data.get("sortorder");
             System.setProperty("webdriver.chrome.driver",
"./drivers/chromedriver.exe");
             WebDriver driver = new ChromeDriver();
             WebDriverWait wait=new WebDriverWait(driver, 60);
```

```
driver.manage().window().maximize();
             driver.manage().timeouts().implicitlyWait(30,TimeUnit.SECONDS);
             driver.get(url);
             LoginPage login = new LoginPage(driver);
             login.enterEmailAddress(email);
             login.enterPassword(password);
             login.clickOnLogin();
             DBUtil db = new DBUtil();
             int expectedcount = db.countQuery("SELECT count(tab id) from as tabs");
             System.out.println("The total count of records in DB for Tabs before
creating new record: " +expectedcount);
             AdminPage apage=new AdminPage(driver, wait);
             TabPage tp = new TabPage(driver, wait);
             tp.clickOnLinkCatalog();
             tp.clickOnLinkTabs();
             tp.clickOnIconAddNew();
             tp.getHeaderMessage();
             tp.clickOnIconSave();
             tp.validationOnMisingField();
             Thread.sleep(2000);
             tp.enterTabName(tabname);
             tp.enterSortOrder(sortorder);
             tp.selectStatus();
             tp.clickOnIconSave();
             Thread.sleep(2000);
             tp.validationOnSuccessMessage();
             tp.validationOnRecord();
             String actualname = db.singleDataQuery("SELECT name from as tabs where
sort=1");
             System.out.println("The new tab added on DB as: " +actualname);
             Assert.assertEquals(tabname, actualname);
             int actualcount = db.countQuery("SELECT count(tab_id) from as_tabs");
             System.out.println("The total count of records in DB after creating new
tab: " +actualcount);
             Assert.assertEquals(expectedcount+1, actualcount);
             apage.clickOnLogOut();
             UserPage up = new UserPage (driver, wait);
             up.verifytab();
             driver.close();
             System.out.println("End of program!");
      }
```

Below is the java file of "TabPage.java"



```
public TabPage(WebDriver driver, WebDriverWait wait)
       {
       this.driver=driver;
       this.wait=wait;
       PageFactory.initElements(driver,this);
//WebElement for link Catalog
               @FindBy(xpath="//a[contains(text(),'Catalog')]")
               WebElement catalogEle;
//WebElement for link Tabs
               @FindBy(xpath="//a[contains(text(),'Tabs')]")
               WebElement tabsEle;
//WebElement for icon Add New
               @FindBy(xpath="//a[@title='Add New']")
               WebElement addnewEle;
//WebElement for field Tab Name
               @FindBy(xpath="//input[@name='name']")
               WebElement tabnameEle;
//WebElement for field Sort
```

```
@FindBy(xpath="//input[@name='sort']")
                       WebElement sortEle;
       //WebElement for field Status
                       @FindBy(xpath="//select[@name='status']")
                       WebElement statusddEle;
       //WebElement for icon Save
                       @FindBy(xpath="//button[@title='Save']")
                       WebElement saveEle;
       //WebElement for title of panel - Add Tab
                       @FindBy(xpath="//div[@class='panel-title']/h4")
                       WebElement headerEle;
       //WebElement for success message after saving a new record
                       //@FindBy(xpath="//div[@class='alert alert-success alert-
dismissible']/text()[1]")
                       @FindBy(xpath="//div[contains(text(),'Success')]")
                       WebElement successmsgEle;
       //This is a method to click on link Catalog on Admin page
                       public void clickOnLinkCatalog()
                       {
                              catalogEle.click();
                       }
```

```
//This is a method to click on link Tabs under Catalog on Admin page
                public void clickOnLinkTabs()
                {
                        tabsEle.click();
                }
//This is a method to click on icon Add New on Tabs List of Admin page
                public void clickOnIconAddNew()
                {
                        addnewEle.click();
                }
//This is a method to enter value on field Tab Name using properties file
                public void enterTabName(String tabname)
                {
                        tabnameEle.sendKeys(tabname);
                }
//This is a method to enter value on field Sort Order using properties file
                public void enterSortOrder(String sortorder)
                {
                        sortEle.sendKeys(sortorder);
                }
//This is a method to select value on field Status
                public void selectStatus()
                {
                        statusddEle.click();
                        Select statusEle = new Select(statusddEle);
```

```
statusEle.selectByVisibleText("Enabled");
                       }
       //This is a method to click on icon Save
                       public void clickOnIconSave()
                       {
                               saveEle.click();
                       }
       //This is a method to validate the header of Add Tab page
                       public String getHeaderMessage() throws IOException
                       {
                               String file="./TestData/magentodata.properties";
                               PropertiesFileHandler propFileHandler = new PropertiesFileHandler();
                               HashMap<String, String> data=
propFileHandler.getPropertiesAsMap(file);
                               String expectedtabheadermsg = data.get("expectedtabheader");
                               String actualtabheadermsg = headerEle.getText();
                               System.out.println("The first validation on presence of Tabs header....");
                               System.out.println("The header of Add Tab page: "
+actualtabheadermsg);
                               Assert.assertEquals(expectedtabheadermsg, actualtabheadermsg);
                               return(actualtabheadermsg);
                       }
```

```
//This is a method to validate the error message on missing mandatory field
                       public String validationOnMisingField() throws IOException
                       {
                               String file="./TestData/magentodata.properties";
                               PropertiesFileHandler propFileHandler = new PropertiesFileHandler();
                               HashMap<String, String> data=
propFileHandler.getPropertiesAsMap(file);
                               String expectedmissingtabmessage =
data.get("expectedmissingtabmessage");
                               JavascriptExecutor js=(JavascriptExecutor) driver;
                               String actualmissingtabmessage = (String) js.executeScript("return
document.getElementsByName('name')[0].validationMessage;");
                               System.out.println("The second validation on error message of missing
field...");
                               System.out.println("The error message on mising tab name: "
+actualmissingtabmessage);
                               Assert.assertEquals(expectedmissingtabmessage,
actualmissingtabmessage);
                               return(actualmissingtabmessage);
                       }
       //This is a method to validate the success message after saving the record
                       public String validationOnSuccessMessage() throws IOException
                       {
                               /*String file="./TestData/magentodata.properties";
                               PropertiesFileHandler propFileHandler = new PropertiesFileHandler();
```

```
HashMap<String, String> data=
propFileHandler.getPropertiesAsMap(file);
                               String expectedtabmessage = data.get("expectedtabmessage");*/
                               String actualtabmessage = successmsgEle.getText().trim().replace("x",
"");
                               System.out.println("The third validation on success message after saving
record...");
                               System.out.println("The success message on saving the record: "
+actualtabmessage);
                               //Assert.assertEquals(expectedtabmessage, actualtabmessage);
                               return(actualtabmessage);
                       }
       //This is a method to validate that record is inserted into the list
                       public void validationOnRecord() throws FileNotFoundException, IOException
                       {
                               Properties p = new Properties();
                               p.load(new FileInputStream("./TestData/magentodata.properties"));
                               String pagesource = driver.getPageSource();
                               if(pagesource.contains(p.getProperty("tabname"))) {
                                       System.out.println("The validation on presence of record in the
Admin panel table is confirmed!");
                                       Assert.assertTrue(true);
```

Below is the java file of "UserPage.java"

```
package com.ibm.pages;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.IOException;
import java.util.HashMap;
import java.util.List;
import java.util.Properties;
import java.util.concurrent.TimeUnit;
import org.junit.Assert;
import org.openqa.selenium.Alert;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
```

```
import org.openqa.selenium.support.FindBy;
import org.openqa.selenium.support.PageFactory;
import org.openqa.selenium.support.ui.WebDriverWait;
import org.testng.Reporter;
import com.ibm.utilities.PropertiesFileHandler;
public class UserPage
       WebDriver driver;
       WebDriverWait wait;
       public UserPage(WebDriver driver,WebDriverWait wait)
       {
               this.driver=driver;
               this.wait=wait;
               PageFactory.initElements(driver,this);
       }
       public void launchUserPage () throws IOException, InterruptedException
       {
               String file="./TestData/magentodata.properties";
```

```
PropertiesFileHandler propFileHandler = new PropertiesFileHandler();
       HashMap<String, String> data= propFileHandler.getPropertiesAsMap(file);
       String userurl = data.get("userurl");
       //WebDriverWait wait=new WebDriverWait(driver, 60);
       driver.manage().window().maximize();
       driver.manage().timeouts().implicitlyWait(30,TimeUnit.SECONDS);
       driver.get(userurl);
}
public void verifytab() throws IOException, InterruptedException
{
       String file="./TestData/magentodata.properties";
       PropertiesFileHandler propFileHandler = new PropertiesFileHandler();
       HashMap<String, String> data= propFileHandler.getPropertiesAsMap(file);
       String userurl = data.get("userurl");
       System.setProperty("webdriver.chrome.driver", "./drivers/chromedriver.exe");
       WebDriver driver = new ChromeDriver();
       WebDriverWait wait = new WebDriverWait(driver, 60);
```

```
driver.manage().window().maximize();
        driver.manage().timeouts().implicitlyWait(30,TimeUnit.SECONDS);
        driver.get(userurl);
        Properties p = new Properties();
        p.load(new FileInputStream("./TestData/magentodata.properties"));
        String title = driver.getTitle();
        Assert.assertEquals("AtoZ Grocery | Wholesaler in Bangalore", title);
        String pagesource = driver.getPageSource();
        if(pagesource.contains(p.getProperty("tabname")))
        {
                System.out.println("The presence of tab name is confirmed on User page!");
                Assert.assertTrue(true);
        }
        else {
                System.out.println("The tab name doesn't exist on User page");
                Assert.fail();
        }
}
//WebElement for link SignUp
```

```
@FindBy(xpath="//a[contains(text(),'SignUp')]")
       WebElement signupEle;
//WebElement for field Full Name
       @FindBy(xpath="//input[@id='name']")
       WebElement nameEle;
//WebElement for field Phone Number
       @FindBy(xpath="//input[@id='pnum']")
       WebElement pnumEle;
//WebElement for field Password
       @FindBy(xpath="//input[@id='password']")
       WebElement pwdEle;
//WebElement for field Confirm Password
       @FindBy(xpath="//input[@id='cpassword']")
       WebElement cpwdEle;
//WebElement for checkbox Term & Conditions
       @FindBy(xpath="//input[@id='tccheckbox']")
       WebElement tccEle;
//WebElement for button SignUp
       @FindBy(xpath="//button[@id='mem_signup']")
       WebElement bsignupEle;
//WebElement for link My Account
       @FindBy(xpath="(//i[@class='flaticon-user-outline'])[1]")
       WebElement myacctEle;
//WebElement for link Logout
       @FindBy(xpath="//a[contains(text(),'Log Out')]")
```

```
WebElement logoutEle;
//WebElement for link Login
       @FindBy(xpath="//a[contains(text(),'Login')]")
       WebElement loginlinkEle;
//WebElement for field Phone Number
       @FindBy(xpath="//input[@id='pnum2']")
       WebElement mobileEle;
//WebElement for field Password
       @FindBy(xpath="//input[@id='pword2']")
       WebElement passwordEle;
//WebElement for button Login
       @FindBy(xpath="//button[@id='mem_login']")
       WebElement loginbuttonEle;
//WebElement for field 1st Search
       @FindBy(xpath="//input[@id='search-box']")
       WebElement searchEle;
//WebElement for icon Add to Cart
       @FindBy(xpath="//a[contains(text(),'Add To Cart')]")
       WebElement addcartEle;
//WebElement for icon Cart
       @FindBy(xpath="//p[@id='bigCart']")
       WebElement cartEle;
```

```
//WebElement for icon Checkout
        @FindBy(xpath="//a[contains(text(),'Check Out')]")
       WebElement checkoutEle;
//WebElement for icon Continue to Payment
       /*@FindBy(xpath="(//a[@class='btn orange'])[1]")
       WebElement ctopaymentEle;*/
//WebElement for icon Confirm Orders
        @FindBy(xpath="//a[@id='confirm-order-id']")
       WebElement corderEle;
//WebElement for icon My Order
        @FindBy(xpath="(//a[contains(text(),'My Orders')])[2]")
       WebElement myorderEle;
//WebElement for Customer name on My Order
        @FindBy(xpath="//*[@class='table table-bordered table-hover']/tbody/tr/td[2]")
       WebElement custnameEle;
       public void clickOnLinkSignUp()
       {
               signupEle.click();
       }
       public void enterFullName(String fullname)
       {
               nameEle.sendKeys(fullname);
       }
       public void enterPhoneNo(String pno)
```

```
{
        pnumEle.sendKeys(pno);
}
public void enterPassword(String cpassword)
{
        pwdEle.sendKeys(cpassword);
}
public void enterConfirmPassword(String confpassword)
{
        cpwdEle.sendKeys(confpassword);
}
public void clickOnTermCondition()
{
        tccEle.click();
}
public void clickOnButtonSignUp()
{
        bsignupEle.click();
}
public void clickOnAlertBox()
{
        Alert alertBox = driver.switchTo().alert();
        String alertmsg = alertBox.getText();
        System.out.println(alertmsg);
        alertBox.accept();
```

```
}
public void clickOnLogout()
{
        myacctEle.click();
        logoutEle.click();
}
public void clickOnLinkLogin()
{
        loginlinkEle.click();
}
public void enterMobileNo(String cpno)
{
        mobileEle.sendKeys(cpno);
}
public void enterUserPassword(String cpassword)
{
        passwordEle.sendKeys(cpassword);
}
public void clickOnButtonLogin()
{
        loginbuttonEle.click();
}
public void performSearch() throws InterruptedException
{
```

```
//driver.findElement(By.xpath("(//*[@placeholder='Search for
products...'])[1]")).click();
                        searchEle.click();
                        Thread.sleep(3000);
                       driver.findElement(By.xpath("(//*[@placeholder='Search for
products...'])[2]")).sendKeys("rice");
                        Thread.sleep(3000);
                        List<WebElement> searchProductLinks=
driver.findElements(By.xpath("//*[@id='searchproducts-div']/a"));
                       int linkCount=searchProductLinks.size();
                       System.out.println(linkCount);
                        Reporter.log("Links available"+ linkCount);
                       if(linkCount != 0)
                        {
                               System.out.println("Product Available");
                                Reporter.log("Product Available");
                        }
                        WebElement orangeRiceEle=null;
                        for(WebElement link: searchProductLinks)
                        {
                               System.out.println(link.getText());
                               if(link.getText().toLowerCase().contains("orange"))
                               {
                                       orangeRiceEle=link;
                               }
                       }
```

```
Thread.sleep(5000);
        orangeRiceEle.click();
}
public void clickOnAddToCart()
{
        addcartEle.click();
}
public void clickOnCart()
{
        cartEle.click();
}
public void clickOnCheckout()
{
        checkoutEle.click();
}
public void clickOnContinuePayment()
{
        driver.findElement(By.xpath("//input[@id='pincode']")).click();
        driver.findElement(By.xpath("(//a[@class='btn orange'])[1]")).click();
}
public void clickOnConfirmOrder()
{
        driver.findElement(By.xpath("//input[@id='tc']")).click();
        corderEle.click();
}
```

```
public void clickOnMyOrder()
{
        myorderEle.click();
}
public void validationOnOrder() throws FileNotFoundException, IOException
{
        Properties p = new Properties();
        p.load(new FileInputStream("./TestData/magentodata.properties"));
        String customername = custnameEle.getText();
        if(customername.equalsIgnoreCase(p.getProperty("fullname"))) {
                System.out.println("The placed order is available on the list!");
               Assert.assertTrue(true);
        }
        else {
                System.out.println("The placed order is not available on the list!");
               Assert.fail();
        }
}
```

Below is the java of "DBUtil.java"

```
package com.ibm.utilities;
import java.sql.Connection;
```

```
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
public class DBUtil {
        public int countQuery(String query) throws SQLException
       {
               int count=0;
               Connection con =
DriverManager.getConnection("jdbc:mysql://foodsonfinger.com:3306/foodsonfinger_atozgroceries",
"foodsonfinger_atoz", "welcome@123");
               Statement s = con.createStatement();
               ResultSet rs = s.executeQuery(query);
               if(rs.next())
               {
                       count = rs.getInt(1);
               }
               return count;
       }
        public String singleDataQuery(String query) throws SQLException
       {
               String text=null;
```

```
Connection con =
DriverManager.getConnection("jdbc:mysql://foodsonfinger.com:3306/foodsonfinger_atozgroceries",
"foodsonfinger_atoz", "welcome@123");
               Statement s = con.createStatement();
               ResultSet rs = s.executeQuery(query);
               if(rs.next())
               {
                       text = rs.getString(1);
               }
               return text;
       }
       public static Object[] lineDataQuery(String query,int[] cols) throws SQLException
       {
               Object[] data = new Object[cols.length];
               Connection con =
DriverManager.getConnection("jdbc:mysql://foodsonfinger.com:3306/foodsonfinger_atozgroceries",
"foodsonfinger_atoz", "welcome@123");
               Statement s = con.createStatement();
               ResultSet rs = s.executeQuery(query);
               int i=0;
               if(rs.next())
               {
                       for(int col:cols)
                       {
                               data[i] = rs.getObject(col);
                               i++;
```

```
}
return data;
}
```

Below is the java file "PropertiesFileHandler.java"

```
package com.ibm.utilities;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.IOException;
import java.util.HashMap;
import java.util.Properties;
import java.util.Set;
public class PropertiesFileHandler {
        public String getValue(String file, String key) throws IOException {
                FileInputStream fileIn = new FileInputStream(file);
                Properties prop = new Properties();
                prop.load(fileIn);
                String value = null;
                if (prop.containsKey(key)) {
```

```
value = prop.getProperty(key);
        }
        prop.clear();
        return value;
}
public HashMap<String, String> getPropertiesAsMap(String file) throws IOException {
        HashMap<String, String> magentoMap = new HashMap<String, String>();
        FileInputStream fileIn = new FileInputStream(file);
        Properties prop = new Properties();
        prop.load(fileIn);
        Set<Object> keysProp = prop.keySet();
        for (Object key : keysProp) {
                magentoMap.put(key.toString(), prop.getProperty(key.toString()));
        }
        prop.clear();
        return magentoMap;
}
public void setKeyAndValue(String file,String key,String value) throws IOException
{
        FileInputStream fileIn = new FileInputStream(file);
        Properties prop = new Properties();
```


```
prop.load(fileIn);
        prop.setProperty(key, value);
        FileOutputStream fOut=new FileOutputStream(file);
        prop.store(fOut, "Test Result");
        fOut.close();
        fileIn.close();
}
public void setKeysAndValues(String file,HashMap<String, String> map) throws IOException
{
        FileInputStream fileIn = new FileInputStream(file);
        Properties prop = new Properties();
        prop.load(fileIn);
        Set<String> keys = map.keySet();
        for (String key: keys) {
                prop.setProperty(key, map.get(key));
        }
        FileOutputStream fOut=new FileOutputStream(file);
        prop.store(fOut, "Test Result");
        fOut.close();
        fileIn.close();
```

```
}
```

Below is the Properties file "magentodata.properties"

```
expectedcouponmessage=Success\: You have successfully added new coupon\!
expectedpincodemessage=Please fill out this field.
expectedtabheader=Add Tab
expectedmissingtabmessage=Please fill out this field.
expectedtabmessage=Success: You have successfully inserted new tab!
model=Model Rajendra
expectedtitle=Dashboard | Admin Panel - Powered By A&S
usespercustomer=1
code=ABC123
url=http\://atozgroceries.com/admin/
amount=1000
IPaddress=100.1.0.11
cpincode=560045
ccity=MADIWALA
discount=15
usespercoupon=1
metatitle=MetaTitle_Rajendra
startdate=12/20/2018
gst=8
expectedbannermessage=Success\: You have successfully added banner\!
specialdiscount=5
email=demo@atozgroceries.com
sortorder=1
returnactionname=new_refunded
cemail=test@mail.com
enddate=12/30/2018
caddress=IBM India Pvt Ltd, Manyata Tech Park, Nagawara, Outer Ring Road
cpno=9810098101
price=100
TestResult=Test Passed
password=456789
productname=Product_Rajendra
discountprice=950
confpassword=123456
fullname=Rajendra Sahoo
couponname=Coupon Rajendra
bannername=Banner_Rajendra
imagepath=C\:\\Users\\IBM ADMIN\\Documents\\Training\\Selenium\\Proj
Day1\\SeleniumFramework\\TestData\\banner.jpg
cpassword=123456
tabname=Tab_Rajendra_TC11
userurl=http\://atozgroceries.com/
pno=9810098100
```

Sreen shot



Eclipse console:

[RemoteTestNG] detected TestNG version 6.14.3 Starting ChromeDriver 2.44.609538 (b655c5a60b0b544917107a59d4153d4bf78e1b90) on port 39038 Only local connections are allowed.

```
Dec 27, 2018 6:10:07 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: OSS
The total count of records in DB for Tabs before creating new record: 10
The first validation on presence of Tabs header....
The header of Add Tab page: Add Tab
The second validation on error message of missing field...
The error message on mising tab name: Please fill out this field.
The third validation on success message after saving record...
The success message on saving the record: Success: You have successfully inserted new
tab!
The validation on presence of record in the Admin panel table is confirmed!
The new tab added on DB as: Tab Rajendra TC11
The total count of records in DB after creating new tab: 11
Starting ChromeDriver 2.44.609538 (b655c5a60b0b544917107a59d4153d4bf78e1b90) on port
7781
Only local connections are allowed.
Dec 27, 2018 6:10:20 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: OSS
The presence of tab name is confirmed on User page!
End of program!
PASSED: Day11Testcase
_____
   Default test
   Tests run: 1, Failures: 0, Skips: 0
_____
_____
Default suite
Total tests run: 1, Failures: 0, Skips: 0
```

