

1. Which of the following is an invalid identifier in Python?

- A) `_count`
 - B) `count_1`
 - C) `class`
 - D) `__count`
-

2. What is the output?

```
a = 15  
b = 4  
print(a // b + a % b)
```

- A) 6
 - B) 7
 - C) 8
 - D) 9
-

3. Which of the following statements about variables is correct?

- A) Variables store the actual value.
 - B) Variables are labels (references) to objects.
 - C) Every variable has a fixed data type.
 - D) Variables must be declared before assignment.
-

4. What is the output?

```
x = True  
y = False  
print(x + y)
```

- A) True
 - B) False
 - C) 1
 - D) Error
-

5. Which expression returns True?

- A)

10 is 10.0

B)

10 == 10.0

C)

10 != 10.0

D)

10 > 10.0

6. Which operator has the highest precedence?

A) or

B) and

C) not

D) ==

7. What is the output?

a = 2

b = 3

c = 2

print(a == c and b > a)

A) False

B) True

C) Error

D) None

8. Which of the following is immutable?

A) List

B) Dictionary

C) Tuple

D) Set

9. What is the output?

```
a = 5
b = 2
print(a ** b ** 2)
```

A) 625

B) 100

C) 125

D) 25

10. Which of the following is a valid hexadecimal literal?

A) 0x1A

B) 0h1A

C) 1Ax

D) x01A

11. What is the output?

```
print(5 & 3)
```

A) 7

B) 1

C) 8

D) 2

12. Which statement about Python tokens is correct?

A) Tokens are only keywords.

B) Tokens are the smallest meaningful units in Python code.

C) Tokens include only operators and identifiers.

D) Tokens exclude literals.

13. What is the output?

```
a = [10, 20]
```

```
b = a
```

```
b += [30]
```

```
print(a)
```

A) [10, 20]

B) [10, 20, 30]

C) [30]

D) Error

14. Which operator checks whether two variables refer to the same object?

A) ==

B) =

C) is

D) in

15. What is the output?

```
print(bool([]), bool([0]))
```

A) True True

B) False False

C) False True

D) True False

16. Which assignment creates three different variable names referring to the same object?

A)

```
a, b, c = 10, 10, 10
```

B)

```
a = b = c = 10
```

C)

```
a = 10
```

```
b = 10
```

```
c = 10
```

D) All of the above

17. What is the output?

```
print(4 << 2)
```

- A) 8
 - B) 12
 - C) 16
 - D) 32
-

18. Which of the following is not a Python keyword?

- A) pass
 - B) yield
 - C) assert
 - D) eval
-

19. What is the output?

```
x = 7
print(x > 5 or x < 3 and x == 7)
```

- A) True
 - B) False
 - C) Error
 - D) None
-

20. What is the output?

```
a = [1, 2, 3]
b = a[:]
print(a is b, a == b)
```

- A) True True
- B) False True
- C) True False
- D) False False

21. What is the output?

```
x = 10
y = 20
x, y = y, x
print(x, y)
```

A) 10 20

B) 20 10

C) Error

D) None

22. Which of the following expressions evaluates to False?

A) $5 \geq 5$

B) $10 \neq 9$

C) $3 < 4 < 5$

D) $4 > 5 > 3$

23. What is the output?

```
print(10 % 3 * 2)
```

A) 1

B) 2

C) 4

D) 6

24. Which statement is correct regarding Python's dynamic typing?

A) A variable cannot change its type after assignment.

B) A variable name can refer to objects of different types during execution.

C) Variables must be declared with their type.

D) Python converts every value to a string internally.

25. What is the output?

```
a = 5
```

```
b = 2
```

```
print(a / b)
```

A) 2

B) 2.0

C) 2.5

D) Error

26. Which of the following is not a valid assignment operator?

A) /=

B) **=

C) %%=

D) >>=

27. What is the output?

```
print(True and False or True)
```

A) True

B) False

C) Error

D) None

28. What is the output?

```
print(5 | 3)
```

A) 1

B) 7

C) 8

D) 6

29. Which of the following creates a set?

A) {1, 2, 3}

B) (1, 2, 3)

C) [1, 2, 3]

D) {}

30. What is the output?

```
a = "Python"  
print("th" in a)
```

A) True

B) False

C) Error

D) None

31. Which of the following is not a numeric data type?

A) int

B) float

C) complex

D) tuple

32. What is the output?

```
print(not (5 > 2))
```

A) True

B) False

C) 5

D) Error

33. Which operator has the lowest precedence?

A) *

B) +

C) and

D) **

34. What is the output?

```
a = 8
```

```
a >>= 2
```

```
print(a)
```

A) 2

B) 4

C) 8

D) 16

35. Which of the following is a valid binary literal?

A) 0b1101

B) 0B1201

C) 0b2101

D) b1101

36. What is the output?

```
print(bool("False"))
```

A) False

B) True

C) Error

D) None

37. Which of the following expressions returns True?

A) [] == False

B) bool([]) == False

C) [] is False

D) None == False

38. What is the output?

```
x = 3
```

```
print(x << 1)
```

A) 3

B) 4

C) 6

D) 8

39. What is the output?

```
a = [1, 2]
b = [1, 2]
print(a == b, a is b)
```

- A) True True
 - B) False False
 - C) True False
 - D) False True
-

40. Which of the following statements is correct?

- A) == checks object identity.
- B) is checks object identity.
- C) is compares values.
- D) == compares memory addresses.

41. What is the output?

```
print(3 + 4 * 2 ** 3)
```

- A) 35
 - B) 56
 - C) 59
 - D) 64
-

42. Which of the following evaluates to True?

- A) 5 is 5.0
 - B) 5 == 5.0
 - C) 5 != 5.0
 - D) 5 > 5.0
-

43. What is the output?

```
x = 10
y = x
x += 1
print(y)
```

- A) 10

- B) 11
 - C) Error
 - D) None
-

44. Which of the following is not an assignment operator?

- A) &=
 - B) |=
 - C) :=
 - D) =>
-

45. What is the output?

`print(5 ^ 3)`

- A) 6
 - B) 8
 - C) 2
 - D) 15
-

46. Which expression evaluates to True?

- A) `bool("")`
 - B) `bool({})`
 - C) `bool(" ")`
 - D) `bool(0)`
-

47. What is the output?

`print(15 & 7)`

- A) 7
 - B) 8
 - C) 15
 - D) 0
-

48. Which of the following is immutable?

A) bytearray

B) set

C) frozenset

D) list

49. What is the output?

```
a = [1, 2]
```

```
b = a
```

```
a = a + [3]
```

```
print(b)
```

A) [1, 2, 3]

B) [1, 2]

C) [3]

D) Error

50. Which of the following is not a valid Python literal?

A) 3.14

B) 5j

C) "Hello"

D) 3i

51. What is the output?

```
print(10 > 5 == 5)
```

A) True

B) False

C) Error

D) None

52. Which operator has higher precedence?

A) +

B) *

C) //

D) **

53. What is the output?

a = True

b = False

print(not a or b)

A) True

B) False

C) Error

D) None

54. Which statement is correct?

A) Lists are hashable.

B) Tuples are always hashable.

C) Sets are mutable.

D) Dictionaries are immutable.

55. What is the output?

print(2 << 3)

A) 8

B) 12

C) 16

D) 32

56. Which expression returns False?

A) bool(-1)

B) bool([0])

C) bool(())

D) bool("0")

57. What is the output?

`print(10 | 6)`

A) 12

B) 14

C) 10

D) 16

58. Which of the following creates a dictionary?

A) {1, 2, 3}

B) {1: "A", 2: "B"}

C) (1, 2, 3)

D) [1, 2, 3]

59. What is the output?

`print(3 < 5 < 8)`

A) True

B) False

C) Error

D) None

60. Which of the following statements is correct?

A) is compares values.

B) == compares object identity.

C) is compares whether two references point to the same object.

D) == checks memory location.

61. What is the output?

`print(5 == 5.0, 5 is 5.0)`

A) True True

B) False False

C) True False

D) False True

62. What is the output?

```
a = [1, 2]
```

```
b = a
```

```
c = a[:]
```

```
print(a is b, a is c)
```

A) True True

B) False False

C) True False

D) False True

63. Which of the following operators has the highest precedence?

A) &

B) ==

C) +

D) **

64. What is the output?

```
print(bool(""), bool(" "))
```

A) True True

B) False False

C) False True

D) True False

65. Which of the following is mutable?

A) tuple

B) string

C) frozenset

D) list

66. What is the output?

```
print(8 >> 2)
```

A) 1

B) 2

C) 4

D) 8

67. Which statement about Python variables is correct?

A) Variables contain the object itself.

B) Variables are references bound to objects.

C) Variables have fixed memory addresses throughout execution.

D) Variables must be declared before use.

68. What is the output?

```
print(2 + 3 * 4 // 2)
```

A) 8

B) 14

C) 10

D) 12

69. Which expression evaluates to True?

A) `bool([])`

B) `bool({})`

C) `bool(set())`

D) `bool({1})`

70. What is the output?

```
a = (1, 2, 3)
print(type(a))
```

A) list

B) tuple

C) set

D) dict

71. What is the output?

```
print(~5)
```

A) -5

B) -6

C) 6

D) 5

72. Which of the following is not a Python token?

A) Operator

B) Literal

C) Compiler

D) Identifier

73. What is the output?

```
a = [10]
b = a
b.append(20)
print(len(a))
```

A) 1

B) 2

C) Error

D) 0

74. Which expression is equivalent to:

```
x = x + 5
```

A) x == 5

B) x += 5

C) `x := 5`

D) `x =+ 5`

75. What is the output?

```
print(7 & 5 | 2)
```

A) 5

B) 6

C) 7

D) 4

76. Which data type can store both real and imaginary parts?

A) float

B) complex

C) decimal

D) fraction

77. What is the output?

```
x = None
```

```
print(x is None)
```

A) True

B) False

C) None

D) Error

78. Which of the following is a valid octal literal?

A) `0o17`

B) `017`

C) `0a17`

D) `17o`

79. What is the output?

```
print(3 < 5 and 8 > 10 or 6 == 6)
```

A) True

B) False

C) Error

D) None

80. Which statement is correct?

A) == checks whether two objects have the same value.

B) is checks whether two objects have the same value.

C) is and == always produce the same result.

D) == compares memory addresses.

81. What is the output?

```
print(2 ** 3 ** 2)
```

A) 64

B) 512

C) 256

D) 729

82. What is the output?

```
a = [1, 2]
```

```
b = a
```

```
c = a.copy()
```

```
print(a == c, a is c)
```

A) True True

B) True False

C) False True

D) False False

83. Which of the following expressions evaluates to True?

A) bool(0.0)

B) bool("")

C) `bool({})`

D) `bool("0")`

84. What is the output?

```
print(20 // 3 * 2 + 1)
```

A) 13

B) 15

C) 14

D) 12

85. Which operator is used to test object identity?

A) `==`

B) `=`

C) `is`

D) `in`

86. What is the output?

```
print(9 ^ 5)
```

A) 12

B) 13

C) 14

D) 15

87. Which of the following is not mutable?

A) list

B) dictionary

C) tuple

D) set

88. What is the output?

`print(not False and False)`

A) True

B) False

C) Error

D) None

89. Which of the following is a valid assignment?

A)

`a, b = (10, 20)`

B)

`a, b = 10`

C)

`a + b = 10`

D)

`1a = 10`

90. What is the output?

`print(5 | 2 & 1)`

A) 1

B) 5

C) 7

D) 6

91. Which statement about None is correct?

A) It is the same as 0.

B) It is a string.

C) It is a singleton object of type `NoneType`.

D) It is equivalent to False.

92. What is the output?

```
print(bool("False") and bool(""))
```

A) True

B) False

C) Error

D) None

93. Which operator has the lowest precedence?

A) or

B) and

C) not

D) *

94. What is the output?

```
print(4 << 1 | 1)
```

A) 8

B) 9

C) 10

D) 7

95. Which of the following is a valid Python complex literal?

A) 5i

B) 3 + 4i

C) 3+4j

D) complex(3,4j)

96. What is the output?

```
a = [1]
```

```
b = a
```

```
a += [2]
```

```
print(b)
```

A) [1]

B) [2]

C) [1, 2]

D) Error

97. Which statement is correct?

A) Strings are mutable.

B) Tuples are mutable.

C) Lists are mutable.

D) Integers are mutable.

98. What is the output?

```
print(10 > 5 and not 3 > 4)
```

A) True

B) False

C) Error

D) None

99. Which of the following is not a valid token category?

A) Keywords

B) Operators

C) Delimiters

D) Functions

100. What is the output?

```
x = 5
```

```
y = 5
```

```
print(x == y, x is y)
```

A) True False

B) False True

C) True True

D) False False

101. What is the output?

```
print((15 // 4) * (15 % 4))
```

- A) 9
 - B) 10
 - C) 11
 - D) 12
-

102. Which of the following is a valid identifier?

- A) `__ alue2`
 - B) `2_value`
 - C) `value-name`
 - D) `continue`
-

103. What is the output?

```
x = 8  
y = 3  
print(x % y ** 2)
```

- A) 8
 - B) 2
 - C) 1
 - D) 5
-

104. Which expression evaluates to False?

- A) `bool("0")`
 - B) `bool([False])`
 - C) `bool({})`
 - D) `bool((1,))`
-

105. What is the output?

```
print(12 | 5)
```

- A) 9

B) 13

C) 12

D) 15

106. Which operator has higher precedence?

A) or

B) and

C) not

D) in

107. What is the output?

```
x = [100]
```

```
y = x
```

```
x.extend([200, 300])
```

```
print(len(y))
```

A) 1

B) 2

C) 3

D) Error

108. Which of the following is immutable?

A) Dictionary

B) List

C) Tuple

D) Set

109. What is the output?

```
print(25 // 6 + 25 % 6)
```

A) 5

B) 6

C) 8

D) 9

110. Which of the following is NOT a keyword?

A) assert

B) finally

C) switch

D) yield

111. What is the output?

```
print(3 << 4)
```

A) 24

B) 32

C) 48

D) 64

112. What is the data type of the result?

```
x = 10 // 4
```

A) float

B) int

C) bool

D) complex

113. What is the output?

```
print(bool("Python"), bool(""))
```

A) True False

B) False True

C) True True

D) False False

114. Which of the following is a valid octal literal?

A) 0o25

B) 025

C) 25o

D) 0q25

115. What is the output?

`print(11 ^ 6)`

A) 13

B) 14

C) 15

D) 17

116. Which function creates an empty dictionary?

A) []

B) {}

C) dict()

D) Both B and C

117. What is the output?

`print(not (8 > 2 or 5 < 1))`

A) True

B) False

C) None

D) Error

118. Which bitwise operator shifts bits to the right?

A) <<

B) >>

C) &

D) ^

119. What is the output?

```
x = "Programming"  
print(x[-5])
```

A) a

B) m

C) i

D) g

120. Which statement is correct?

A) Tuples support the append() method.

B) Sets allow duplicate values.

C) Dictionaries store key–value pairs.

D) Strings are mutable.

121. What is the output?

```
print(17 % 5 * 2 + 1)
```

A) 4

B) 5

C) 6

D) 7

122. Which of the following is a valid identifier?

A) student_01

B) 01student

C) student-name

D) return

123. What is the output?

```
x = 4  
y = 5  
print((x + y) * 2 // 3)
```

A) 5

B) 6

- C) 7
 - D) 8
-

124. Which expression evaluates to True?

- A) `bool([])`
 - B) `bool("")`
 - C) `bool({1})`
 - D) `bool(() )`
-

125. What is the output?

```
print(14 & 11)
```

- A) 8
 - B) 10
 - C) 12
 - D) 14
-

126. Which operator has the lowest precedence?

- A) `not`
 - B) `and`
 - C) `or`
 - D) `==`
-

127. What is the output?

```
a = [2, 4]
b = a.copy()
a.append(6)
print(len(b))
```

- A) 1
 - B) 2
 - C) 3
 - D) 4
-

128. Which of the following data types is immutable?

- A) `bytearray`
- B) `list`

C) tuple

D) set

129. What is the output?

```
print(5 + 2 ** 3 // 4)
```

A) 6

B) 7

C) 8

D) 9

130. Which of the following is not a Python keyword?

A) raise

B) except

C) static

D) pass

131. What is the output?

```
print(64 >> 3)
```

A) 4

B) 8

C) 16

D) 32

132. What is the output?

```
x = float(9)
```

```
print(type(x))
```

A) int

B) float

C) complex

D) str

133. What is the output?

```
print(bool(None), bool("Python"))
```

A) False False

B) True True

C) False True

D) True False

134. Which of the following is a valid hexadecimal literal?

A) 0xAF

B) AF0x

C) 0hAF

D) xAF

135. What is the output?

```
print(9 | 6)
```

A) 13

B) 14

C) 15

D) 16

136. Which expression creates an empty tuple?

A) []

B) {}

C) ()

D) set()

137. What is the output?

```
print(not False and not True)
```

A) True

B) False

C) None

D) Error

138. Which operator checks whether a value exists in a sequence?

A) is

B) in

C) ==

D) &

139. What is the output?

```
text = "Developer"  
print(text[2:7])
```

- A) velop
 - B) velope
 - C) elope
 - D) velope
-

140. Which statement is correct?

- A) A tuple can contain lists as elements.
- B) A list is immutable.
- C) A set supports indexing.
- D) Dictionary keys must always be strings.

141. What is the output?

```
print(6 + 2 * 5 ** 2 // 10)
```

- A) 10
 - B) 11
 - C) 12
 - D) 16
-

142. Which expression evaluates to False?

- A) bool({1})
 - B) bool("False")
 - C) bool(())
 - D) bool(-100)
-

143. What is the output?

```
print(14 ^ 9)
```

- A) 5
 - B) 7
 - C) 9
 - D) 11
-

144. Which of the following is a valid hexadecimal literal?

A) 0x1B

B) 1Bx

C) 0h1B

D) x1B

145. What is the output?

```
print(7 & 12 | 3)
```

A) 3

B) 7

C) 11

D) 15

146. Which operator has the highest precedence?

A) +

B) *

C) **

D) //

147. What is the output?

```
a = [1, 2]
```

```
b = a.copy()
```

```
b.append(3)
```

```
print(len(a), len(b))
```

A) 2 2

B) 2 3

C) 3 3

D) Error

148. Which of the following data types is mutable?

A) tuple

B) str

C) list

D) frozenset

149. What is the output?

```
print(20 % 6 + 20 // 6)
```

A) 3

B) 5

C) 7

D) 9

150. Which of the following is not a Python keyword?

A) async

B) await

C) goto

D) with

151. What is the output?

```
print(32 >> 2)
```

A) 4

B) 6

C) 8

D) 16

152. What is the result of the following?

```
x = int(7.9)
```

```
print(x)
```

A) 7

B) 8

C) 7.9

D) Error

153. What is the output?

`print(bool([0]), bool([]))`

A) True False

B) False True

C) True True

D) False False

154. Which operator checks whether an element exists in a collection?

A) is

B) ==

C) in

D) &

155. What is the output?

`print(13 | 10)`

A) 13

B) 14

C) 15

D) 16

156. Which of the following creates an empty list?

A) ()

B) {}

C) []

D) set()

157. What is the output?

`print(not (10 > 5 and 4 < 2))`

A) True

- B) False
 - C) Error
 - D) None
-

158. Which expression evaluates to True?

- A) "Py" in "Python"
 - B) "py" in "Python"
 - C) "thon" not in "Python"
 - D) "Pyt" not in "Python"
-

159. What is the output?

```
text = "Placement"  
print(text[3:8])
```

- A) cemen
 - B) cement
 - C) ceme
 - D) ement
-

160. Which statement is correct?

- A) Dictionary keys must be immutable.
- B) Lists can be dictionary keys.
- C) Sets preserve insertion order.
- D) Tuples are mutable.

161. What is the output?

```
print((18 // 5) ** 2 + 18 % 5)
```

- A) 9
 - B) 10
 - C) 11
 - D) 12
-

162. Which of the following evaluates to True?

- A) `bool([])`
 - B) `bool(set())`
 - C) `bool(" ")`
 - D) `bool(())`
-

163. What is the output?

`print(21 ^ 14)`

- A) 27
 - B) 25
 - C) 31
 - D) 19
-

164. Which of the following is a valid binary literal?

- A) `0b11101`
 - B) `0b1201`
 - C) `11101b`
 - D) `b11101`
-

165. What is the output?

`print(11 & 14 | 2)`

- A) 8
 - B) 10
 - C) 12
 - D) 14
-

166. Which operator has higher precedence?

- A) `+`
- B) `//`
- C) `%`
- D) `**`

167. What is the output?

```
a = [5]
b = a.copy()
a.extend([10])
print(len(a), len(b))
```

A) 1 1

B) 2 1

C) 2 2

D) Error

168. Which of the following is immutable?

A) bytearray

B) list

C) str

D) set

169. What is the output?

```
print(28 // 5 + 28 % 5)
```

A) 7

B) 8

C) 9

D) 10

170. Which of the following is NOT a Python keyword?

A) del

B) yield

C) repeat

D) elif

171. What is the output?

```
print(96 >> 4)
```

A) 4

B) 5

C) 6

D) 8

172. What is the output?

```
x = float(12)
print(type(x).__name__)
```

A) int

B) float

C) complex

D) number

173. What is the output?

```
print(bool("0"), bool(0))
```

A) True True

B) False False

C) True False

D) False True

174. Which operator checks whether an object is not present in a collection?

A) is not

B) !=

C) not in

D) <>

175. What is the output?

```
print(9 | 4 ^ 3)
```

A) 12

B) 14

C) 15

D) 10

176. Which of the following creates an empty tuple?

A) tuple()

B) []

C) {}

D) list()

177. What is the output?

```
print(not(True and False or False))
```

A) True

B) False

C) None

D) Error

178. Which expression evaluates to False?

A) "on" in "Python"

B) "Java" in "JavaScript"

C) "Py" not in "Python"

D) "Script" in "JavaScript"

179. What is the output?

```
word = "Interview"  
print(word[1:6])
```

A) nterv

B) nter

C) inter

D) tervi

180. Which statement is correct?

A) A dictionary cannot have duplicate keys.

B) Lists are immutable.

C) Strings support append().

D) Sets support indexing.

181. What is the output?

```
print((22 // 6) + (22 % 6) * 2)
```

A) 9

B) 11

C) 13

D) 15

182. Which expression evaluates to True?

A) bool({})

B) bool(())

C) bool("False")

D) bool([])

183. What is the output?

```
print(19 ^ 11)
```

A) 24

B) 25

C) 26

D) 27

184. Which of the following is a valid hexadecimal literal?

A) 0x2F

B) 2Fx

C) 0h2F

D) x2F

185. What is the output?

```
print(13 & 11 | 4)
```

- A) 8
 - B) 9
 - C) 12
 - D) 13
-

186. Which operator has the highest precedence?

- A) +
 - B) %
 - C) //
 - D) **
-

187. What is the output?

```
a = [2]
b = a.copy()
b.extend([4, 6])
print(len(a), len(b))
```

- A) 1 2
 - B) 1 3
 - C) 3 3
 - D) 2 3
-

188. Which of the following is immutable?

- A) dict
 - B) list
 - C) str
 - D) set
-

189. What is the output?

```
print(35 // 8 + 35 % 8)
```

A) 7

B) 8

C) 10

D) 11

190. Which of the following is not a Python keyword?

A) assert

B) finally

C) include

D) lambda

191. What is the output?

```
print(80 >> 3)
```

A) 8

B) 10

C) 12

D) 16

192. What is the output?

```
x = int(5.99)
print(type(x).__name__)
```

A) float

B) int

C) str

D) complex

193. What is the output?

```
print(bool([False]), bool(""))
```

A) True False

B) False False

C) True True

D) False True

194. Which operator is used to test membership?

A) is

B) ==

C) in

D) =

195. What is the output?

`print(10 | 7)`

A) 13

B) 14

C) 15

D) 16

196. Which expression creates an empty dictionary?

A) []

B) {}

C) set()

D) ()

197. What is the output?

`print(not (False or True and True))`

A) True

B) False

C) None

D) Error

198. Which expression evaluates to True?

A) "thon" in "Python"

- B) "Java" in "Python"
 - C) "Py" not in "Python"
 - D) "on" not in "Python"
-

199. What is the output?

```
text = "FullStack"  
print(text[4:])
```

- A) Stack
 - B) llStack
 - C) Stackk
 - D) tack
-

200. Which statement is correct?

- A) Tuples are mutable.
- B) Dictionary keys must be hashable (immutable/hashable objects).
- C) Sets support indexing.
- D) Strings support the append() method.