Implement Client Script & UI Policy (Incident)

Problem Statement

Incident records often require consistent and accurate data entry to ensure effective triage, routing, and resolution. However, relying solely on user awareness and manual checks can lead to incomplete, inconsistent, or incorrect data being submitted. This can impact reporting accuracy, SLA compliance, and overall service quality. To address this challenge, there is a need to enforce conditional field behavior and validation directly at the user interface level. Implementing standardized UI Policies and Client Scripts helps control field visibility, mandatory status, and save-time validation, ensuring that Incident records meet defined business rules before they are submitted.

Objective

The objective of the Implement Client Script & UI Policy (Incident) project is to demonstrate how ServiceNow client-side controls can be used to enforce data integrity on Incident records. This implementation showcases how UI Policies and Client Scripts can dynamically make fields mandatory, auto-populate values, control field behavior, and prevent record submission when required conditions are not met. The solution ensures that Incidents are created with complete and valid information, improving data quality and consistency across the platform.

Skills

Incident Management
UI Policy
UI Policy Actions
Client Scripts
Form Validation

Task 1: Create UI Policy on Incident

Activity 1: Create UI Policy

1. Log in to the **ServiceNow instance** with administrative or configuration access.

2. Navigate to:
   System UI → UI Policies

3. Click **New** to create a new UI Policy record.

4. Fill in the following details:

   - **Name**: High Impact Control
     This name clearly represents the purpose of the policy, which is to apply additional controls when an Incident has a high impact.

   - **Table**: Incident
     Specifies that the UI Policy applies to Incident records.

   - **Active**: true
     Enables the UI Policy so it is enforced on the Incident form.

5. Configure the **Conditions** section as follows:

   - **Field**: Impact

   - **Operator**: is


   - **Value**: 1 – High


6. This condition ensures the UI Policy is triggered only when the Incident impact is set to High.
7. And Ui policy action Assignment group
8. Check mandatory

9. Set **Reverse if false** to **true**.
   This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.

10. Review the configuration to ensure accuracy.

11. Click **Submit** to save the UI Policy.


servicenow
All
Favorites
History
Workspaces
Admin
UI Policies
Search
UI pol
FAVORITES
No Results
ALL RESULTS
System Mobile
Mobile UI
Mobile UI Policies
Service Catalog
Catalog Administration
Catalog UI Policies
System Diagnostics
Session Debug
Debug UI Policies
Disable UI Policies Debug
System UI
UI Policies
MID Server
MID Security Policy
System Web Services
SOAP Security Policies
UI Policies
Order
Search
Actions on selected rows...
New
All
Short description
Table
Conditions
Reverse if false
On load
Updated
Order
UI Policy to hide related feature flags when hidePagination set to true
UX List [sys_ux_list]
hide_pagination=true^EQ
true
true
2021-08-16 14:02:50
Mark fields as mandatory without DB override
Security tasks [sn_vsc_security_task]
false
true
2025-01-28 14:28:42
Always Hide Read-only Related List Field
Relationship [sys_relationship]
sys_idISNOTEMPTY^EQ
false
true
2015-08-21 17:28:31
Hide meta fields
label [sc_ic_question]
true
true
2014-01-21 12:43:35
Set Table column ReadOnly
To-dos Widget Mapping [sn_hr_sp_todos_widget_mapping]
true
true
2018-08-02 15:16:10
Clear save signature before action execution value - when precondition is not Signature
Function [sys_sg_button]
preconditions!=signature^EQ
true
true
2019-04-18 07:01:21
Content vs parameters
HTTP Method [sys_rest_message_fn]
http_method=get^ORhttp_method=delete^ORh...
true
true
2016-12-14 16:50:13
Instance Clone
1 to 20 of 2,842


servicenow
All
Favorites
History
Workspaces
Admin
UI Policy - High Impact Control
Search
UI pol
FAVORITES
No Results
ALL RESULTS
System Mobile
Mobile UI
Mobile UI Policies
Service Catalog
Catalog Administration
Catalog UI Policies
System Diagnostics
Session Debug
Debug UI Policies
Disable UI Policies Debug
System UI
UI Policies
MID Server
MID Security Policy
System Web Services
SOAP Security Policies
UI Policy
High Impact Control View: Advanced
Update
Delete
The field specified in the UI policy action is present on the specified form
More info
Table
Incident [incident]
Application
Global
Active
* Short description
High Impact Control
Order
100
When to Apply
Script
Conditions
Add Filter Condition
Add OR Clause
Impact
is
1 - High
AND
OR
If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific
Apply the UI policy actions when the form is loaded and when the user changes values on the form
Global
On load
Reverse the effects of the UI policy actions when the Conditions evaluate to false
Tables that extend the specified Table inherit this UI Policy
Reverse if false
Inherit