

Linux Commands (S1)

LINUX:

Linux is an free and Open-source operating system with high security. Linux is multi user based OS



os: operating system:

An Operating System (OS) is a software that acts as an interface between computer hardware components and the user.

types:



LINUX OS DISTRIBUTIONS:

RedHat

Ubuntu

Debian

Centos



Fedora


Opensuse

Kali Linux

Amazon Linux

Rocky Linux

```
yum install git -y ----->AZ
apt install git -y ----> ubuntu
git add *| I
```



- **Shell** - A **shell** is like a messenger between *you* and *Linux*. You type commands → the shell understands them → the shell tells the system what to do.
- **Hardware:** **Hardware** means the **physical parts of a computer** — the things you can touch. Hardware is **all the physical components** that make a computer work.
- **Kernel:** The **kernel** is the **core (center)** of an operating system like Linux. The **kernel** is the **main part of the OS** that connects **software** to **hardware**. It's like the **boss** that controls everything happening inside the computer.
- **Appliaction:** Application is nothing but the place wherever applications are Present.

```
SERVER-----> WHO-----> CLOUDE PRIVIDERS-----> AWS AZURE GCP  
BOOK --->PHN--->AZAMON---->ACCOUNT-----> BOOK-PHN  
SERVER--->AWS/AZURE/GCP-----> ACCOUNT-----> SERVER
```

- **ls** - Show Short Lists files

Syntax : **ls**

```
Editor  Tab 1  +  
ubuntu:~$ ls  
filesystem  
ubuntu:~$
```

- **ll** - Show Long Lists files

Syntax : **ll**

```
Editor  Tab 1  +  
ubuntu:~$ ls  
filesystem  
ubuntu:~$
```

- **touch** - Creates file

Syntax : **touch filename**

```
Editor  Tab 1  +  
ubuntu:~$ touch rajesh  
ubuntu:~$ ls  
filesystem rajesh  
ubuntu:~$
```

- **touch** - Creates file

Syntax : `touch filename filename filename`

```

Editor  Tab1  +
ubuntu:~$
ubuntu:~$ touch pwc aws gcp
ubuntu:~$
ubuntu:~$ ls
aws filesystem gcp pwc rajesh
ubuntu:~$

```

- **touch filename{1..10}** - create series of files

Syntax : `touch raja{1..10}`

```

Editor  Tab1  +
ubuntu:~$
ubuntu:~$ touch pwc{1..10}
ubuntu:~$
ubuntu:~$ ls
aws filesystem gcp pwc pwc1 pwc10 pwc2 pwc3 pwc4 pwc5 pwc6 pwc7 pwc8 pwc9 rajesh
ubuntu:~$

```

- **rm filename** - remove files.

Syntax : `rmdir raja5`

```

Editor  Tab1  +
ubuntu:~$
ubuntu:~$ ls
aws filesystem gcp pwc pwc1 pwc10 pwc2 pwc3 pwc4 pwc5 pwc6 pwc7 pwc8 pwc9 rajesh
ubuntu:~$
ubuntu:~$ rm pwc2
ubuntu:~$
ubuntu:~$ ls
aws filesystem gcp pwc pwc1 pwc10 pwc3 pwc4 pwc5 pwc6 pwc7 pwc8 pwc9 rajesh
ubuntu:~$

```

- **rm filename filename** - remove multiple directories.

Syntax : rmdir filename filename

```
ubuntu:~$
ubuntu:~$ ls
aws filesystem gcp pwc pwc1 pwc10 pwc3 pwc4 pwc5 pwc6 pwc7 pwc8 pwc9 rajesh
ubuntu:~$
ubuntu:~$ rm gcp rajesh filesystem
ubuntu:~$
ubuntu:~$ ls
aws pwc pwc1 pwc10 pwc3 pwc4 pwc5 pwc6 pwc7 pwc8 pwc9
ubuntu:~$
```

- **rm filename*** - remove series of files

Syntax : rm filename_startletter*

```
ubuntu:~$
ubuntu:~$ ls
aws pwc pwc1 pwc10 pwc3 pwc4 pwc5 pwc6 pwc7 pwc8 pwc9
ubuntu:~$
ubuntu:~$ rm p*
ubuntu:~$
ubuntu:~$ ls
aws
ubuntu:~$
```

- **rm -rf *** - remove all files and directories

Syntax : rm -rf*

```
Editor  Tab 1  +
ubuntu:~$
ubuntu:~$
ubuntu:~$ ls
aws azm gcp mnc raja wc
ubuntu:~$
ubuntu:~$ rm -rf *
ubuntu:~$
ubuntu:~$ ls
ubuntu:~$
ubuntu:~$
```