



Comment	Description	Designator	Footprint	LibRef	Quantity
0.1uF	Non Polarized Capacitor, SMD, 1206	C1, C2, C3	CAP_1206	CAPN 1206	3
LED-BLUE	BLUE LED, Case 1206	D1, D2, D3	LED1206B	SMD 1206 LED-BLUE	3
MINIASMDC030F-2	Fuse, PTC Reset,	F1	MINIASMDC030F-2	MINIASMDC030F-2	
	300mA Hold, 600mA				1
	Tripping, 30v, SMD				
Motor_1	Header, Plug,	P1	HDR1X2_AUT	HDR1X2V	1
	2.54mm, 2 Pins,				
	Straight				
Motor_2	Header, Plug,	P2	HDR1X2_AUT	HDR1X2V	1
	2.54mm, 2 Pins,				
	Straight				
Box Header 5X2/RA	Header, Box, 10 Way,	P3	FKV10SD_AUT	Box Header 5X2/RA	1
	2.54mm, Right Angle				
Line Following Board	Connectors for Line	P4	Line Folloing Board	Line Following Board	1
	Followinf Board				
330R	Resistor, SMD, 1206	R1, R2, R3, R4	RES_1206	Resistor 1206	4
120R	Resistor, SMD, 1206	R5	RES_1206	Resistor 1206	1
SW0167	Micro Switch	S1, S2	SW0167	SW0167	2
	Miniature 12mm	31, 32			
ATTINY1634-SU	8-bit AVR	U1	20S_M	ATTINY1634-SU	1
	Microcontroller, 1.8-				
	5.5V, 4KB Flash, 256				
	Bytes EEPROM, 256				
	Bytes SRAM				
L298HN	Dual Full Bridge	U2	Multiwatt15H	L298HN	1
	Driver, Horiz				1
MINI USB	MINI USB TYPE A/B,	USB1	USB-MINI-TH	USB-MINI-A/B TH	
	RECEPTACLE,				1
	THROUGH HOLE				