

Arch Angel Datalake

1.0.0 OAS 3.0

/api/schema/

Backend API endpoints of ArchAngel Datalake

Authorize

Risk Assessment

GET

/api/aml/risk/details/{entity_id}

Fetch Risk Score Details

Get detailed risk assessment information for a specific entity including sanctions, PEP status, geographic risk, and adverse media findings.

Parameters

Try it out

Name	Description
entity_id * required string (path)	Unique identifier for the entity entity_id

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	Examples Successful Response No links

Code	Description	Links
	<pre>{ "entity_id": "1001", "name": "John Doe", "risk_score": 0.87, "risk_category": "High Risk", "details": { "sanctions": { "status": "Flagged", "datasets": ["OFAC", "EU"], "confidence": 0.95 }, "pep": { "status": "Not Flagged" }, "geography": { "status": "High Risk", "country": "XYZ", "reason": "Listed as high-risk by FATF." }, "adverse_media": { "status": "Flagged", "reports": [{ "source": "News Article", "details": "Fraud accusation in 2023." }] } } }</pre>	
404	Media type application/json Examples Entity Not Found Example Value Schema <pre>{ "message": "Entity not found" }</pre>	No links

POST	/api/aml/risk/score	Submit Risk Scoring Request	 
Calculate risk score for an entity based on provided entity and transaction information.			
Parameters	Try it out		
No parameters			
Request body	required	application/json	

Examples:

Sample Request

Example Value Schema

```
{
  "entity": {
    "name": "John Doe",
    "date_of_birth": "1975-04-21",
    "nationality": "US",
    "id_number": "A12345678",
    "address": "123 Main Street, New York, USA"
  },
  "transactions": {
    "volume": 50000,
    "frequency": 5
  }
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Examples Successful Response Example Value Schema <pre>{ "entity_id": "1001", "risk_score": 0.87, "risk_category": "High Risk", "reasons": ["High confidence match on OFAC sanctions list.", "Located in high-risk jurisdiction (Country: XYZ).", "Adverse media reports found (e.g., fraud accusations)."], "breakdown": { "Sanctions Match": 0.4, "PEP": 0.1, "Geography": 0.2, "Adverse Media": 0.15, "Transactions": 0.02 } }</pre>	No links
400	Media type application/json Examples Validation Error Example Value Schema	No links

Code	Description	Links
	<pre>{ "errors": { "entity": { "name": ["This field is required."] } }}</pre>	
422	Media type application/json Example ValueSchema <pre>{ "error": "string", "details": "string"}</pre>	No links

Batch Processing



GET

/api/batch-status/{batch_id}/

Get the status of batch upload



API endpoint to get the satus of uploading

Parameters

Try it out

Name	Description
batch_id * required string(\$uuid) (path)	UUID of the batch upload batch_id

Responses

Code	Description	Links
200	Batch status retrieved successfully.	No links

Code	Description	Links
	Media type application/json Examples Batch Status Controls Accept header. Example Value Schema <pre>{ "batch_id": "123e4567-e89b-12d3-a456-426614174000", "status": "completed", "file_name": "entities.json", "success_count": 100, "created_at": "2023-10-01T12:34:56Z", "updated_at": "2023-10-01T12:35:10Z", "errors": [{ "line_number": 5, "error_message": "Invalid JSON format" }, { "line_number": 10, "error_message": "Missing required field" }]}</pre>	
404	Not Found Media type application/json Examples Batch Not Found Example Value Schema <pre>{ "error": "Batch ID not found."}</pre>	No links

POST

/api/batch-upload/

Upload ftm.json file as batch



API endpoint to upload entities file

Parameters

Try it out

No parameters

Request body

multipart/form-data

file JSON file containing entities data
string(\$binary)

Responses

Code	Description	Links
200	File processed successfully. Media type application/json Controls Accept header. Examples Successful Upload Example Value Schema <pre>{ "batch_id": "123e4567-e89b-12d3-a456-426614174000", "message": "File processed successfully.", "success_count": 100, "errors": 2}</pre>	No links
400	Bad Request Media type application/json Examples Invalid File Type Example Value Schema <pre>{ "error": "Invalid file type. Only JSON files are allowed."}</pre>	No links

Code	Description	Links
500	Internal Server Error	No links
	Media type	
	application/json	
	Example Value	Schema
	{ "error": "string", "batch_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6" }	

Sanction Query



GET

/api/entities/{entity_id}/
Fetch detailed information for a specific SanctionedEntity

^

API endpoint to fetch detailed information for a specific SanctionedEntity.

Parameters

Try it out

Name	Description
entity_id * required string (path)	Unique identifier of the entity (sanctionId). entity_id

Responses

Code	Description	Links
200	Entity details retrieved successfully.	No links
	Media type	Examples
	application/json Controls Accept header.	Entity Details
	Example Value	Schema

Code	Description	Links
	<pre>{ "id": "1001", "name": "John Doe", "attributes": { "birthDate": "1975-04-21", "nationality": "US", "address": "123 Main Street, NY" }, "linkedEntities": [{ "id": "2001", "type": "FamilyMember", "name": "Jane Doe" }] }</pre>	
404	Not Found	No links
Media type Examples application/json Entity Not Found Example Value Schema <pre>{ "detail": "Entity not found." }</pre>		

POST

/api/match/

Match entities against database records



Match provided entities against database records using flexible property matching.

For each entity query, specify:

- schema: The model/entity type to search against
- properties: Dictionary of field names and their possible values to match

Available Models and Their Fields:

- sanctionedentity:

- id: BigAutoField
- sanctionId: TextField
- caption: TextField (nullable)
- schema: TextField (nullable)
- referents: JSONField (nullable)
- datasets: JSONField (nullable)
- first_seen: DateTimeField (nullable)
- last_seen: DateTimeField (nullable)

- last_change: DateTimeField (nullable)
- target: BooleanField
- person:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - email: JSONField (nullable)
 - phone: JSONField (nullable)
 - website: JSONField (nullable)
 - legalForm: JSONField (nullable)
 - incorporationDate: JSONField (nullable)
 - dissolutionDate: JSONField (nullable)
 - status: JSONField (nullable)
 - sector: JSONField (nullable)
 - classification: JSONField (nullable)
 - registrationNumber: JSONField (nullable)
 - idNumber: JSONField (nullable)
 - taxNumber: JSONField (nullable)
 - vatCode: JSONField (nullable)
 - jurisdiction: JSONField (nullable)
 - mainCountry: JSONField (nullable)
 - opencorporatesUrl: JSONField (nullable)
 - icijId: JSONField (nullable)
 - okpoCode: JSONField (nullable)
 - innCode: JSONField (nullable)
 - ogrnCode: JSONField (nullable)
 - leiCode: JSONField (nullable)
 - dunsCode: JSONField (nullable)
 - uniqueEntityId: JSONField (nullable)
 - npicCode: JSONField (nullable)
 - swiftBic: JSONField (nullable)
 - parent: JSONField (nullable)
 - title: JSONField (nullable)
 - firstName: JSONField (nullable)
 - secondName: JSONField (nullable)
 - middleName: JSONField (nullable)
 - fatherName: JSONField (nullable)
 - motherName: JSONField (nullable)
 - lastName: JSONField (nullable)
 - nameSuffix: JSONField (nullable)
 - birthDate: JSONField (nullable)
 - birthPlace: JSONField (nullable)
 - birthCountry: JSONField (nullable)
 - deathDate: JSONField (nullable)
 - position: JSONField (nullable)
 - nationality: JSONField (nullable)
 - citizenship: JSONField (nullable)
 - passportNumber: JSONField (nullable)
 - socialSecurityNumber: JSONField (nullable)

- gender: JSONField (nullable)
 - ethnicity: JSONField (nullable)
 - height: JSONField (nullable)
 - weight: JSONField (nullable)
 - eyeColor: JSONField (nullable)
 - hairColor: JSONField (nullable)
 - appearance: JSONField (nullable)
 - religion: JSONField (nullable)
 - political: JSONField (nullable)
 - education: JSONField (nullable)
- sanction:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - entity: JSONField (nullable)
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: TextField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - authority: JSONField (nullable)
 - authorityId: JSONField (nullable)
 - unsclId: JSONField (nullable)
 - program: JSONField (nullable)
 - programId: JSONField (nullable)
 - programUrl: JSONField (nullable)
 - provisions: JSONField (nullable)
 - status: JSONField (nullable)
 - duration: JSONField (nullable)
 - reason: JSONField (nullable)
 - country: JSONField (nullable)
 - listingDate: JSONField (nullable)
- family:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - person: JSONField (nullable)
 - relative: JSONField (nullable)
 - relationship: JSONField (nullable)
- cryptowallet:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)

- keywords: JSONField (nullable)
- topics: JSONField (nullable)
- address: JSONField (nullable)
- addressEntity: JSONField (nullable)
- program: JSONField (nullable)
- notes: JSONField (nullable)
- createdAt: JSONField (nullable)
- modifiedAt: JSONField (nullable)
- amount: JSONField (nullable)
- currency: JSONField (nullable)
- amountUsd: JSONField (nullable)
- publicKey: JSONField (nullable)
- mangingExchange: JSONField (nullable)
- holder: JSONField (nullable)
- balance: JSONField (nullable)
- succession:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
 - predecessor: JSONField (nullable)
 - successor: JSONField (nullable)
- company:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - amount: JSONField (nullable)
 - currency: JSONField (nullable)
 - amountUsd: JSONField (nullable)
 - email: JSONField (nullable)
 - phone: JSONField (nullable)
 - website: JSONField (nullable)
 - legalForm: JSONField (nullable)
 - incorporationDate: JSONField (nullable)
 - dissolutionDate: JSONField (nullable)
 - status: JSONField (nullable)
 - sector: JSONField (nullable)
 - classification: JSONField (nullable)
 - registrationNumber: JSONField (nullable)

- idNumber: JSONField (nullable)
- taxNumber: JSONField (nullable)
- vatCode: JSONField (nullable)
- jurisdiction: JSONField (nullable)
- mainCountry: JSONField (nullable)
- opencorporatesUrl: JSONField (nullable)
- icijId: JSONField (nullable)
- okpoCode: JSONField (nullable)
- innCode: JSONField (nullable)
- ogrnCode: JSONField (nullable)
- leiCode: JSONField (nullable)
- dunsCode: JSONField (nullable)
- uniqueEntityId: JSONField (nullable)
- npicCode: JSONField (nullable)
- swiftBic: JSONField (nullable)
- parent: JSONField (nullable)
- cageCode: JSONField (nullable)
- permId: JSONField (nullable)
- imoNumber: JSONField (nullable)
- giiNumber: JSONField (nullable)
- cikCode: JSONField (nullable)
- kppCode: JSONField (nullable)
- bikCode: JSONField (nullable)
- ticker: JSONField (nullable)
- ricCode: JSONField (nullable)

- ownership:

- id: BigAutoField
- sanctionEntity: OneToOneField
- startDate: JSONField (nullable)
- endDate: JSONField (nullable)
- date: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- recordId: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- modifiedAt: JSONField (nullable)
- role: JSONField (nullable)
- status: JSONField (nullable)
- owner: JSONField (nullable)
- asset: JSONField (nullable)
- percentage: JSONField (nullable)
- sharesCount: JSONField (nullable)
- sharesValue: JSONField (nullable)
- sharesCurrency: JSONField (nullable)

- vessel:

- id: BigAutoField
- sanctionEntity: OneToOneField
- name: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- country: JSONField (nullable)
- alias: JSONField (nullable)
- previousName: JSONField (nullable)
- weakAlias: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- wikidataId: JSONField (nullable)
- keywords: JSONField (nullable)
- topics: JSONField (nullable)
- address: JSONField (nullable)
- addressEntity: JSONField (nullable)
- program: JSONField (nullable)
- notes: JSONField (nullable)
- createdAt: JSONField (nullable)

- modifiedAt: JSONField (nullable)
- amount: JSONField (nullable)
- currency: JSONField (nullable)
- amountUsd: JSONField (nullable)
- registrationNumber: JSONField (nullable)
- type: JSONField (nullable)
- model: JSONField (nullable)
- owner: JSONField (nullable)
- buildDate: JSONField (nullable)
- imoNumber: JSONField (nullable)
- flag: JSONField (nullable)
- tonnage: JSONField (nullable)
- grossRegisteredTonnage: JSONField (nullable)
- callSign: JSONField (nullable)
- pastFlags: JSONField (nullable)
- mmsi: JSONField (nullable)
- position:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - inceptionDate: JSONField (nullable)
 - dissolutionDate: JSONField (nullable)
 - subnationalArea: JSONField (nullable)
- asset:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - amount: JSONField (nullable)
 - currency: JSONField (nullable)
 - amountUsd: JSONField (nullable)

- associate:

- id: BigAutoField
- sanctionEntity: OneToOneField
- startDate: JSONField (nullable)
- endDate: JSONField (nullable)
- date: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- recordId: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- modifiedAt: JSONField (nullable)
- person: JSONField (nullable)
- associate: JSONField (nullable)
- relationship: JSONField (nullable)

- identification:

- id: BigAutoField
- sanctionEntity: OneToOneField
- startDate: JSONField (nullable)
- endDate: JSONField (nullable)
- date: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- recordId: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- modifiedAt: JSONField (nullable)
- holder: JSONField (nullable)
- type: JSONField (nullable)
- country: JSONField (nullable)
- number: JSONField (nullable)
- authority: JSONField (nullable)

- organization:

- id: BigAutoField
- sanctionEntity: OneToOneField
- name: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- country: JSONField (nullable)
- alias: JSONField (nullable)
- previousName: JSONField (nullable)
- weakAlias: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- wikidataId: JSONField (nullable)
- keywords: JSONField (nullable)
- topics: JSONField (nullable)
- address: JSONField (nullable)
- addressEntity: JSONField (nullable)
- program: JSONField (nullable)
- notes: JSONField (nullable)
- createdAt: JSONField (nullable)
- modifiedAt: JSONField (nullable)
- email: JSONField (nullable)
- phone: JSONField (nullable)
- website: JSONField (nullable)
- legalForm: JSONField (nullable)
- incorporationDate: JSONField (nullable)
- dissolutionDate: JSONField (nullable)
- status: JSONField (nullable)
- sector: JSONField (nullable)
- classification: JSONField (nullable)
- registrationNumber: JSONField (nullable)
- idNumber: JSONField (nullable)

- taxNumber: JSONField (nullable)
 - vatCode: JSONField (nullable)
 - jurisdiction: JSONField (nullable)
 - mainCountry: JSONField (nullable)
 - opencorporatesUrl: JSONField (nullable)
 - icijId: JSONField (nullable)
 - okpoCode: JSONField (nullable)
 - innCode: JSONField (nullable)
 - ogrnCode: JSONField (nullable)
 - leiCode: JSONField (nullable)
 - dunsCode: JSONField (nullable)
 - uniqueEntityId: JSONField (nullable)
 - npicCode: JSONField (nullable)
 - swiftBic: JSONField (nullable)
 - parent: JSONField (nullable)
 - cageCode: JSONField (nullable)
 - permId: JSONField (nullable)
 - imoNumber: JSONField (nullable)
 - giiNumber: JSONField (nullable)
- airplane:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - amount: JSONField (nullable)
 - currency: JSONField (nullable)
 - amountUsd: JSONField (nullable)
 - registrationNumber: JSONField (nullable)
 - type: JSONField (nullable)
 - model: JSONField (nullable)
 - owner: JSONField (nullable)
 - buildDate: JSONField (nullable)
 - serialNumber: JSONField (nullable)

- publicbody:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)

- addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - email: JSONField (nullable)
 - phone: JSONField (nullable)
 - website: JSONField (nullable)
 - legalForm: JSONField (nullable)
 - incorporationDate: JSONField (nullable)
 - dissolutionDate: JSONField (nullable)
 - status: JSONField (nullable)
 - sector: JSONField (nullable)
 - classification: JSONField (nullable)
 - registrationNumber: JSONField (nullable)
 - idNumber: JSONField (nullable)
 - taxNumber: JSONField (nullable)
 - vatCode: JSONField (nullable)
 - jurisdiction: JSONField (nullable)
 - mainCountry: JSONField (nullable)
 - opencorporatesUrl: JSONField (nullable)
 - icijId: JSONField (nullable)
 - okpoCode: JSONField (nullable)
 - innCode: JSONField (nullable)
 - ogrnCode: JSONField (nullable)
 - leiCode: JSONField (nullable)
 - dunsCode: JSONField (nullable)
 - uniqueEntityId: JSONField (nullable)
 - npicCode: JSONField (nullable)
 - swiftBic: JSONField (nullable)
 - parent: JSONField (nullable)
 - cageCode: JSONField (nullable)
 - permId: JSONField (nullable)
 - imoNumber: JSONField (nullable)
 - giiNumber: JSONField (nullable)
- employment:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - details: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
 - employer: JSONField (nullable)
 - employee: JSONField (nullable)
- payment:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - payer: JSONField (nullable)
 - beneficiary: JSONField (nullable)
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - amount: JSONField (nullable)
 - currency: JSONField (nullable)
 - amountUsd: JSONField (nullable)
- address:
 - id: BigAutoField
 - sanctionEntity: OneToOneField

- name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - full: JSONField (nullable)
 - remarks: JSONField (nullable)
 - postOfficeBox: JSONField (nullable)
 - street: JSONField (nullable)
 - city: JSONField (nullable)
 - postalCode: JSONField (nullable)
 - region: JSONField (nullable)
 - state: JSONField (nullable)
- debt:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - debtor: JSONField (nullable)
 - creditor: JSONField (nullable)
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - amount: JSONField (nullable)
 - currency: JSONField (nullable)
 - amountUsd: JSONField (nullable)
- unknownlink:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - subject: JSONField (nullable)
 - object: JSONField (nullable)
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
- passport:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - holder: JSONField (nullable)

- type: JSONField (nullable)
 - country: JSONField (nullable)
 - number: JSONField (nullable)
 - authority: JSONField (nullable)
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
- representation:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - agent: JSONField (nullable)
 - client: JSONField (nullable)
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
- occupancy:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - holder: JSONField (nullable)
 - post: JSONField (nullable)
 - status: JSONField (nullable)
- membership:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
 - member: JSONField (nullable)
 - organization: JSONField (nullable)
- directorship:

- id: BigAutoField
 - sanctionEntity: OneToOneField
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
 - director: JSONField (nullable)
 - organization: JSONField (nullable)
- legalentity:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - email: JSONField (nullable)
 - phone: JSONField (nullable)
 - website: JSONField (nullable)
 - legalForm: JSONField (nullable)
 - incorporationDate: JSONField (nullable)
 - dissolutionDate: JSONField (nullable)
 - status: JSONField (nullable)
 - sector: JSONField (nullable)
 - classification: JSONField (nullable)
 - registrationNumber: JSONField (nullable)
 - idNumber: JSONField (nullable)
 - taxNumber: JSONField (nullable)
 - vatCode: JSONField (nullable)
 - jurisdiction: JSONField (nullable)
 - mainCountry: JSONField (nullable)
 - opencorporatesUrl: JSONField (nullable)
 - icjId: JSONField (nullable)
 - okpoCode: JSONField (nullable)
 - innCode: JSONField (nullable)
 - ogrnCode: JSONField (nullable)
 - leiCode: JSONField (nullable)
 - dunsCode: JSONField (nullable)
 - uniqueEntityId: JSONField (nullable)
 - npicCode: JSONField (nullable)
 - swiftBic: JSONField (nullable)
 - parent: JSONField (nullable)
 - security:
 - id: BigAutoField
 - sanctionEntity: OneToOneField

- name: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- country: JSONField (nullable)
- alias: JSONField (nullable)
- previousName: JSONField (nullable)
- weakAlias: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- wikidataId: JSONField (nullable)
- keywords: JSONField (nullable)
- topics: JSONField (nullable)
- address: JSONField (nullable)
- addressEntity: JSONField (nullable)
- program: JSONField (nullable)
- notes: JSONField (nullable)
- createdAt: JSONField (nullable)
- modifiedAt: JSONField (nullable)
- amount: JSONField (nullable)
- currency: JSONField (nullable)
- amountUsd: JSONField (nullable)
- isin: JSONField (nullable)
- registrationNumber: JSONField (nullable)
- ticker: JSONField (nullable)
- figiCode: JSONField (nullable)
- issuer: JSONField (nullable)
- issueDate: JSONField (nullable)
- maturityDate: JSONField (nullable)
- type: JSONField (nullable)
- classification: JSONField (nullable)

- interval:

- id: BigAutoField
- sanctionEntity: OneToOneField
- startDate: JSONField (nullable)
- endDate: JSONField (nullable)
- date: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- recordId: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- modifiedAt: JSONField (nullable)

- thing:

- id: BigAutoField
- sanctionEntity: OneToOneField
- name: JSONField (nullable)
- summary: JSONField (nullable)
- description: JSONField (nullable)
- country: JSONField (nullable)
- alias: JSONField (nullable)
- previousName: JSONField (nullable)
- weakAlias: JSONField (nullable)
- sourceUrl: JSONField (nullable)
- publisher: JSONField (nullable)
- wikidataId: JSONField (nullable)
- keywords: JSONField (nullable)
- topics: JSONField (nullable)
- address: JSONField (nullable)
- addressEntity: JSONField (nullable)
- program: JSONField (nullable)
- notes: JSONField (nullable)
- createdAt: JSONField (nullable)
- modifiedAt: JSONField (nullable)

- value:

- id: BigAutoField
- sanctionEntity: OneToOneField
- amount: JSONField (nullable)
- currency: JSONField (nullable)
- amountUsd: JSONField (nullable)
- interest:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - startDate: JSONField (nullable)
 - endDate: JSONField (nullable)
 - date: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - recordId: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - role: JSONField (nullable)
 - status: JSONField (nullable)
- vehicle:
 - id: BigAutoField
 - sanctionEntity: OneToOneField
 - name: JSONField (nullable)
 - summary: JSONField (nullable)
 - description: JSONField (nullable)
 - country: JSONField (nullable)
 - alias: JSONField (nullable)
 - previousName: JSONField (nullable)
 - weakAlias: JSONField (nullable)
 - sourceUrl: JSONField (nullable)
 - publisher: JSONField (nullable)
 - wikidataId: JSONField (nullable)
 - keywords: JSONField (nullable)
 - topics: JSONField (nullable)
 - address: JSONField (nullable)
 - addressEntity: JSONField (nullable)
 - program: JSONField (nullable)
 - notes: JSONField (nullable)
 - createdAt: JSONField (nullable)
 - modifiedAt: JSONField (nullable)
 - amount: JSONField (nullable)
 - currency: JSONField (nullable)
 - amountUsd: JSONField (nullable)
 - registrationNumber: JSONField (nullable)
 - type: JSONField (nullable)
 - model: JSONField (nullable)
 - owner: JSONField (nullable)
 - buildDate: JSONField (nullable)
- batchupload:
 - batch_id: UUIDField
 - file_name: CharField
 - status: CharField
 - success_count: IntegerField
 - created_at: DateTimeField
 - updated_at: DateTimeField
- batcherror:
 - id: BigAutoField
 - batch: ForeignKey
 - line_number: IntegerField (nullable)
 - error_message: TextField
 - created_at: DateTimeField

Parameters

Try it out

No parameters

Request body required

application/json

Examples:

Valid Request with Dynamic Fields

Example Value Schema

```
{
  "queries": {
    "sanctionedentity": {
      "schema": "sanctionedentity",
      "properties": {
        "id": [
          "1",
          "2"
        ],
        "sanctionId": [
          "example_sanctionId",
          "another_sanctionId"
        ],
        "caption": [
          "example_caption",
          "another_caption"
        ],
        "schema": [
          "example_schema",
          "another_schema"
        ],
        "first_seen": [
          "2024-02-14T12:00:00Z"
        ],
        "last_seen": [
          "2024-02-14T12:00:00Z"
        ],
        "last_change": [
```

Example Description

Example request showing how to query different models

Responses

Code	Description	Links
200	Media type	No links

Examples

Code	Description	Links
	application/json Successful Response Controls Accept header. Example Value Schema <pre>{ "responses": { "example_entity": { "query": { "schema": "ExampleModel", "properties": { "name": ["test"], "description": ["example"] } } }, "results": [{ "id": 1, "attributes": { "id": 1, "name": "Test Entity", "description": "Example Description", "created_at": "2024-02-14T12:00:00Z" } }] }}</pre>	
400	Media type application/json Example Value Schema <pre>{ "error": "string"}</pre>	No links

GET	/api/search/	Search entities across models	 
Performs a case-insensitive search across text fields of entity models. Results are sorted by relevance score.			
Parameters			Try it out

Name	Description
country string (query)	Filter results by country country
entity_type string (query)	Filter results by specific entity type (model name) entity_type
limit integer (query)	Maximum number of results to return Default value : 10 10
q * required string (query)	Search query string Examples: Example Query example search
topics string (query)	Filter results by topics topics

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "limit": 10, "results": [{ "id": 0, "name": "string", "relevance": 0, "attributes": { "additionalProp1": {} } }]}</pre>	No links

Code	Description	Links
400	} } } } } Media type application/json Example Value Schema { "error": "The 'q' parameter is required." }	No links

OCR



POST	/api/ocr/extract/	Handle passport image upload and return extracted data	
Handle passport image upload and return extracted data			
Parameters	Try it out		
No parameters			
Request body	multipart/form-data		
image	Passport image file (JPEG, PNG, etc.)		
string(\$binary)			
Responses			
Code	Description	Links	
200	Passport information extracted successfully.	No links	

Code	Description	Links
	Media type application/json Examples Successful OCR Extraction Controls Accept header. Example Value Schema <pre>{ "Raw OCR Text": "Given Names: JOHN\nSurname: DOE\nPassport No.: A12345678\nNationality: USA\nDate of Birth: 21/04/1975\nDate of Expiry: 21/04/2025", "Parsed Text Data": { "Given Names": "JOHN", "Surname": "DOE", "Passport Number": "A12345678", "Nationality": "USA", "Date of Birth": "21/04/1975", "Date of Expiry": "21/04/2025" }, "MRZ Data": { "type": "TD3", "country": "USA", "number": "A12345678", "date_of_birth": "750421", "expiration_date": "250421", "nationality": "USA", "surname": "DOE", "given_names": "JOHN" }}</pre>	
400	Bad Request Media type application/json Examples Invalid Image File Example Value Schema <pre>{ "image": ["No file was submitted."]}</pre>	No links

POST	/api/ocr/lookup/ Handle passport image upload and return extracted data with matching person	 
Handle passport image upload and return extracted data with matching person		
Parameters		Try it out
No parameters		

Request body

multipart/form-data

image Passport image file (JPEG, PNG, etc.)
string(\$binary)

Responses

Code	Description	Links
200	Passport information extracted and matching person found (if applicable).	No links
	Media type application/json Controls Accept header. Examples Successful OCR Extraction with Ma Example Value Schema <pre>{ "Raw OCR Text": "Given Names: JOHN\nSurname: DOE\nPassport No.: A12345678\nNationality: USA\nDate of Birth: 21/04/1975\nDate of Expiry: 21/04/2025", "Parsed Text Data": { "Given Names": "JOHN", "Surname": "DOE", "Passport Number": "A12345678", "Nationality": "USA", "Date of Birth": "21/04/1975", "Date of Expiry": "21/04/2025" }, "MRZ Data": { "type": "TD3", "country": "USA", "number": "A12345678", "date_of_birth": "750421", "expiration_date": "250421", "nationality": "USA", "surname": "DOE", "given_names": "JOHN" }, "matching_person": { "id": 1, "firstName": "JOHN", "lastName": "DOE", "passportNumber": "A12345678", "birthDate": "1975-04-21", } }</pre>	
400	Bad Request	No links
	Media type Examples	

Code	Description	Links
	application/jsonInvalid Image File	
Example ValueSchema <pre>{ "image": ["No file was submitted."]}</pre>		

Reconciliation



GET

/api/reconcile/

Reconcile local data with external ftm.json data

Handle GET request for entity reconciliation.

Parameters

Try it out

Name	Description
entities * required array[string] (query)	List of entities to reconcile, provided as JSON strings.

Responses

Code	Description	Links
200	Reconciliation results for the provided entities.	No links

Media type

application/json

Controls Accept header.

Examples

Successful Reconciliation

Example Value

Schema

```
{  "reconciled_entities": [    {
```

Code	Description	Links
	<pre>"id": "1001", "name": "John Doe", "matched_score": 0.95, "match_details": { "name_match": 0.95, "birth_date_match": true, "nationality_match": true }, }, { "id": "1002", "name": "Jane Smith", "matched_score": 0.85, "match_details": { "name_match": 0.85, "birth_date_match": false, "nationality_match": false } }]</pre>	
400	Bad Request	No links
Media type application/json Examples No Entities Provided Example Value Schema { "error": "No entities provided for reconciliation." }		
500	Internal Server Error	No links
Media type application/json Examples Internal Server Error Example Value Schema { "error": "Reconciliation failed: <error_message>" }		

auth



POST	/auth/jwt/create/	^
Takes a set of user credentials and returns an access and refresh JSON web token pair to prove the		

authentication of those credentials.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "username": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "access": "string", "refresh": "string" }</pre>	No links

POST /auth/jwt/refresh/



Takes a refresh type JSON web token and returns an access type JSON web token if the refresh token is valid.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "refresh": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema<pre>{ "access": "string" }</pre>	No links

POST /auth/jwt/verify/



Takes a token and indicates if it is valid. This view provides no information about a token's fitness for a particular use.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "token": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema { }	No links

GET /auth/users/



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema [{ "email": "user@example.com", "id": 0, "username": "string" }	No links

Code	Description	Links
	<pre>}]</pre>	

POST

/auth/users/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "email": "user@example.com",
  "username": "jS4@tN0FATRj9khuue17Mw9oX12hag-kJ-qgk0IU1-vfH009",
  "password": "string"
}
```

Responses

Code	Description	Links
201	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com", "username": "bun3rgUkFJlZBlqwLGi-3PYcjTmu", "id": 0 }</pre>	No links

GET

/auth/users/{id}/



Parameters

Try it out

Name	Description
id * required integer (path)	A unique integer value identifying this user. id

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com", "id": 0, "username": "string"}</pre>	No links

PUT /auth/users/{id}/  

Parameters

Try it out

Name	Description
id * required integer (path)	A unique integer value identifying this user. id

Request body

application/json

Example Value Schema

```
{
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com", "id": 0, "username": "string" }</pre>	No links

PATCH /auth/users/{id}/



Parameters

Try it out

Name	Description
id * required integer (path)	A unique integer value identifying this user. id

Request body

application/json

Example Value

Schema

```
{
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com", "id": 0, "username": "string"}</pre>	No links

DELETE /auth/users/{id}/

lock icon ^

Parameters

Try it out

Name	Description
id * requiredinteger (path)	A unique integer value identifying this user. id

Responses

Code	Description	Links
204	No response body	No links

POST /auth/users/activation/

lock icon ^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "uid": "string",
  "token": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "uid": "string", "token": "string" }</pre>	No links

GET /auth/users/me/



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "email": "user@example.com", "id": 0, "username": "string"} </pre>	

PUT

/auth/users/me/



Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "email": "user@example.com"}  
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com", "id": 0, "username": "string"} </pre>	No links

PATCH

/auth/users/me/



Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com", "id": 0, "username": "string" }</pre>	No links

DELETE /auth/users/me/



Parameters

Try it out

No parameters

Responses

Code	Description	Links
204	No response body	No links

POST

/auth/users/resend_activation/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{  
  "email": "user@example.com"  
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com" }</pre>	No links

POST

/auth/users/reset_password/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "email": "user@example.com"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "email": "user@example.com" }</pre>	No links

POST /auth/users/reset_password_confirm/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "uid": "string",
  "token": "string",
  "new_password": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "uid": "string", "token": "string", "new_password": "string"}</pre>	No links

POST /auth/users/reset_username/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  "email": "user@example.com"}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example ValueSchema <pre>{ "email": "user@example.com" }</pre>	

POST

/auth/users/reset_username_confirm/



Parameters

Try it out

No parameters

Request body required

application/json

Example ValueSchema

```
{  
  "new_username": "JTZBPIb1Od00vLTCfgn@b@tQH0LteR14dbsj2BnCZZitEggwic-v689"  
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example ValueSchema <pre>{ "new_username": "jzYLy" }</pre>	No links

POST

/auth/users/set_password/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "new_password": "string",
  "current_password": "string"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "new_password": "string", "current_password": "string" }</pre>	No links

POST /auth/users/set_username/



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "current_password": "string",
  "new_username": "PNFaJhSlg72LbY8a7oYSLX0R1PqMuza_08YT9yGH6z5ebJD6+N0PEY875vTb5wj59LshK"
}
```

Responses

Code	Description	Links
200	Media type application/json Controls Accept header. Example Value Schema <pre>{ "current_password": "string", "new_username": ".xqyapxC0ypcR8Sa.puZqCM1o5SbQHW_6U4Sxq4zr5qqJVeYhRa0"}</pre>	No links

Schemas



Activation

AdverseMediaInfo

EntityDetails

GeographyInfo

MatchEntitiesError

MatchEntitiesRequest

MatchEntitiesResponse

NotFoundError

PasswordResetConfirm

PatchedUser

PepInfo

ProcessingError

Report

RiskDetails

RiskDetailsResponse

RiskScoringRequest

RiskScoringResponse

SanctionsInfo

SendEmailReset

SetPassword

SetUsername

TokenObtainPair

TokenRefresh

TokenVerify

TransactionDetails

User

UserCreate

UsernameResetConfirm

ValidationError