Practical 5b

Create a web application to demonstrate use of Master Page with applying Styles and Themes for page beautification.

```
Styles and Themes:
WebForm1.aspx:
Create a web page with following design:
<%@ Page Language="C#" Theme1" AutoEventWireup="true"
CodeBehind="WebForm1.aspx.cs"
Inherits="ThemesAndSkins.WebForm1" %>
<!DOCTYPE html>
<a href="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title></title>
</head>
<body>
  <form id="form1" runat="server">
    < div>
      <h1>Welcome To Rizvi College</h1>
      <asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
    </div>
  </form>
</body>
```

</html>

Design View:


WebForm1.aspx	4	X	StyleSheet1.css	Skin1.skin	Web.config
div					
Welcome To Rizvi College					
			1		

Site1.Master:

```
<!DOCTYPE html>
<html>
<head>
 <title>my layout</title>
  <link rel="stylesheet" type="text/css" href="css/StyleSheet1.css">
</head>
<body>
<header id="header">
<h1>Learn Programming </h1>
</header>
<nav id="nav">
  <ul>
    <a href="home.aspx">Home</a>
    <a href="#">About</a>
    <a href="#">Article</a>
    <a href="#">Contact</a>
  </nav>
```

```
<aside id="side">
  <h1>news</h1>
  <a href="#">creating html website</a>
  <a href="#">learn css</a>
  <a href="#">learn c#</a>
</aside>
  <div id="con">
    <asp:ContentPlaceHolder ID="ContentPlaceHolder1" runat="server">
    </asp:ContentPlaceHolder>
  </div>
<footer id="footer">
  copyright @Abhay More
</footer>
</body>
</html>
```

Design View:



Design View:




StyleSheet1.css:

```
#header {
  color: #247BA0;
  text-align: center;
  font-size: 20px;
}
#nav {
  background-color: #FF1654;
  padding: 5px;
```

```
}
ul {
  list-style-type: none;
}
li a {
  color: #F1FAEE;
  font-size: 30px;
  column-width: 5%;
}
li {
  display: inline;
  padding-left: 2px;
  column-width: 20px;
}
a {
  text-decoration: none;
  margin-left: 20px
}
li a:hover {
  background-color: #F3FFBD;
  color: #FF1654;
  padding: 1%;
```

```
}
#side {
 text-align: center;
  float: right;
  width: 15%;
  padding-bottom: 79%;
  background-color: #F1FAEE;
}
#article {
  background-color: #EEF5DB;
  padding: 10px;
  padding-bottom: 75%;
}
#footer {
  background-color: #C7EFCF;
  text-align: center;
  padding-bottom: 5%;
  font-size: 20px;
}
#con {
  border: double;
  border-color: burlywood;
}
```

Output:



Learn Programming

