Performance Optimization

Performance optimization ensures your modern applications deliver exceptional user experiences across all devices and network conditions. This section covers comprehensive techniques for bundle optimization, caching strategies, Progressive Web App features, and Core Web Vitals compliance.

Exercise 3.1: Bundle Optimization and Code Splitting

Create comprehensive bundle optimization configurations:

```
Design JavaScript bundle optimization strategy for our modular application:

1. Webpack configuration with code splitting
2. Dynamic imports for route-based splitting
3. Vendor bundle optimization
4. Tree shaking configuration
5. Bundle analysis setup

Configuration requirements:
- Main bundle under 200KB gzipped
- Route chunks under 100KB each
- Vendor chunk separation
- Development vs production configs

Provide webpack.config.js and explain each optimization.
```

```
// webpack.config.js - Production Bundle Optimization
const path = require('path');
const TerserPlugin = require('terser-webpack-plugin');
const CompressionPlugin = require('compression-webpack-plugin');
const BundleAnalyzerPlugin = require('webpack-bundle-analyzer').BundleAnalyzerPlugin;

module.exports = {
  mode: 'production',
  entry: {
    main: './src/index.js',
    vendor: ['react', 'react-dom', 'react-router-dom'],
  },
  output: {
    path: path.resolve(__dirname, 'dist'),
    filename: '[name].[contenthash:8].js',
    chunkFilename: '[name].[contenthash:8].chunk.js',
    clean: true,
  },
  optimization: {
    minimize: true,
    minimizer: [
      new TerserPlugin({
        terserOptions: {
          parse: { ecma: 8 },
          compress: {
            ecma: 5,
            warnings: false,
            comparisons: false,
            inline: 2,
            drop_console: true,
            drop_debugger: true,
            pure_funcs: ['console.log', 'console.info'],
          },
          mangle: { safari10: true },
          output: {
            ecma: 5,
            comments: false,
            ascii_only: true,
          },
        },
        parallel: true,
        extractComments: false,
      }),
    ],
    splitChunks: {
      chunks: 'all',
      minSize: 20000,
      maxSize: 100000,
      minChunks: 1,
      maxAsyncRequests: 30,
      maxInitialRequests: 30,
      enforceSizeThreshold: 50000,
      cacheGroups: {
        defaultVendors: {
          test: /[\\/]node_modules[\\/]/,
          priority: -10,
          reuseExistingChunk: true,
        },
        react: {
          test: /[\\/]node_modules[\\/](react|react-dom|react-router-dom)[\\/]/,
          name: 'react-vendor',
          priority: 20,
        },
        common: {
          name: 'common',
          minChunks: 2,
          priority: -20,
          reuseExistingChunk: true,
        },
      },
    },
    runtimeChunk: {
      name: 'runtime',
    },
    moduleIds: 'deterministic',
  },
  plugins: [
    new CompressionPlugin({
      algorithm: 'gzip',
      test: /\.(js|css|html|svg)$/,
      threshold: 8192,
      minRatio: 0.8,
    }),
    new BundleAnalyzerPlugin({
      analyzerMode: 'static',
      openAnalyzer: false,
      reportFilename: 'bundle-report.html',
    }),
  ],
};
```

```
// Dynamic Import Strategy for Route-Based Splitting
import React, { Suspense, lazy } from 'react';
import { BrowserRouter, Routes, Route } from 'react-router-dom';
import LoadingSpinner from './components/LoadingSpinner';

// Lazy load route components
const Home = lazy(() => import(/* webpackChunkName: "home" */ './pages/Home'));
const Products = lazy(() => import(/* webpackChunkName: "products" */ './pages/Products'));
const ProductDetail = lazy(() => import(/* webpackChunkName: "product-detail" */ './pages/ProductDetail'));
const Cart = lazy(() => import(/* webpackChunkName: "cart" */ './pages/Cart'));
const Checkout = lazy(() => import(/* webpackChunkName: "checkout" */ './pages/Checkout'));
const Profile = lazy(() => import(/* webpackChunkName: "profile" */ './pages/Profile'));

// Preload function for critical routes
const preloadRoute = (routeComponent) => {
  routeComponent.preload && routeComponent.preload();
};

// Enhanced lazy loading with retry logic
const lazyWithRetry = (componentImport, retries = 3) => {
  return lazy(() => {
    return new Promise((resolve, reject) => {
      const attemptImport = (attempt) => {
        componentImport()
          .then(resolve)
          .catch((error) => {
            if (attempt <= retries) {
              console.log(`Retrying import, attempt ${attempt}`);
              setTimeout(() => attemptImport(attempt + 1), 1000 * attempt);
            } else {
              reject(error);
            }
          });
      };
      attemptImport(1);
    });
  });
};

function App() {
  return (
    <BrowserRouter>
      <Suspense fallback={<LoadingSpinner />}>
        <Routes>
          <Route path="/" element={<Home />} />
          <Route path="/products" element={<Products />} />
          <Route path="/products/:id" element={<ProductDetail />} />
          <Route path="/cart" element={<Cart />} />
          <Route path="/checkout" element={<Checkout />} />
          <Route path="/profile" element={<Profile />} />
        </Routes>
      </Suspense>
    </BrowserRouter>
  );
}

export default App;
```

```
// Vendor Bundle Splitting Strategy
// vendor-splitting.config.js
module.exports = {
  splitChunks: {
    cacheGroups: {
      // Core framework bundle
      framework: {
        test: /[\\/]node_modules[\\/](react|react-dom|scheduler)[\\/]/,
        name: 'framework',
        priority: 40,
        chunks: 'all',
        enforce: true,
      },
      // UI library bundle
      ui: {
        test: /[\\/]node_modules[\\/](@material-ui|@emotion)[\\/]/,
        name: 'ui-lib',
        priority: 30,
        chunks: 'all',
      },
      // Utility libraries
      utils: {
        test: /[\\/]node_modules[\\/](lodash|moment|date-fns|axios)[\\/]/,
        name: 'utils',
        priority: 20,
        chunks: 'all',
      },
      // Large libraries (over 160KB)
      lib: {
        test(module) {
          return module.size() > 160000 &&
            /node_modules[\\/]/.test(module.identifier());
        },
        name(module) {
          const hash = require('crypto')
            .createHash('sha1')
            .update(module.identifier())
            .digest('hex')
            .substring(0, 8);
          return `lib-${hash}`;
        },
        priority: 10,
        chunks: 'all',
        reuseExistingChunk: true,
      },
      // Application code
      commons: {
        name: 'commons',
        minChunks: 2,
        priority: 5,
        chunks: 'all',
        reuseExistingChunk: true,
      },
    },
  },
};
```

```
// Tree Shaking Configuration
// babel.config.js
module.exports = {
  presets: [
    ['@babel/preset-env', {
      modules: false, // Preserve ES modules for tree shaking
      useBuiltIns: 'usage',
      corejs: 3,
      targets: {
        browsers: ['last 2 versions', '> 1%', 'not dead'],
      },
    }],
    '@babel/preset-react',
  ],
  plugins: [
    // Remove PropTypes in production
    ['transform-react-remove-prop-types', {
      removeImport: true,
      additionalLibraries: ['react-immutable-proptypes'],
    }],
    // Optimize lodash imports
    'lodash',
    // Remove console statements
    ['transform-remove-console', {
      exclude: ['error', 'warn'],
    }],
  ],
};

// package.json - Mark side effects for tree shaking
{
  "name": "my-app",
  "sideEffects": [
    "*.css",
    "*.scss",
    "./src/polyfills.js",
    "./src/setup.js"
  ],
  "scripts": {
    "build": "webpack --mode production",
    "analyze": "webpack --mode production --profile --json > stats.json && webpack-bundle-analyzer stats.json"
  }
}
```

```
// Dynamic Import Patterns
// utils/dynamicImports.js

// Load library only when needed
export const loadChartLibrary = () => {
  return import(/* webpackChunkName: "chart-library" */ 'chart.js');
};

// Load polyfills conditionally
export const loadPolyfills = async () => {
  const promises = [];

  if (!window.IntersectionObserver) {
    promises.push(import('intersection-observer'));
  }

  if (!window.fetch) {
    promises.push(import('whatwg-fetch'));
  }

  if (!Array.prototype.includes) {
    promises.push(import('core-js/features/array/includes'));
  }

  return Promise.all(promises);
};

// Load heavy component on interaction
export const loadHeavyComponent = () => {
  return import(/* webpackChunkName: "heavy-component" */ './components/HeavyComponent');
};

// Usage in component
function MyComponent() {
  const handleClick = async () => {
    const { default: Chart } = await loadChartLibrary();
    // Use Chart...
  };

  return <button onClick={handleClick}>Load Chart</button>;
}
```

```
// Bundle Analysis Script
// scripts/analyze-bundle.sh
#!/bin/bash

echo "Building production bundle..."
npm run build

echo "Analyzing bundle size..."
npx webpack-bundle-analyzer dist/stats.json --mode static --report bundle-report.html

echo "Checking bundle sizes..."
MAX_SIZE=200000
MAIN_SIZE=$(stat -f%z dist/main.*.js)

if [ $MAIN_SIZE -gt $MAX_SIZE ]; then
  echo "❌ Main bundle size ($MAIN_SIZE bytes) exceeds limit ($MAX_SIZE bytes)"
  exit 1
else
  echo "✅ Main bundle size ($MAIN_SIZE bytes) is within limit"
fi

# Check for duplicate dependencies
npx duplicate-package-checker-webpack-plugin

echo "Bundle analysis complete. Report saved to bundle-report.html"
```

Implement code splitting strategies and CSS optimization techniques using the web-basics-MCP server.

Expected Outcome

- Comprehensive bundle optimization strategy with code splitting
- Performance budgets and monitoring for route sizes
- Dynamic import patterns for lazy loading non-critical features
- Tree shaking configuration for optimal bundle size
- Bundle analysis tools and continuous monitoring setup

Design comprehensive caching and asset optimization specifications:

```
Create service worker caching strategy for optimal performance:

1. Cache-first caching for static assets
2. Network-first caching for dynamic content
3. Stale-while-revalidate for frequently updated resources
4. Cache versioning and cleanup strategies
5. Offline fallback pages and error handling

Include cache expiration policies and storage quota management.
```

```
// service-worker.js - Advanced Caching Strategies
const CACHE_VERSION = 'v1.2.3';
const STATIC_CACHE = `static-${CACHE_VERSION}`;
const DYNAMIC_CACHE = `dynamic-${CACHE_VERSION}`;
const IMAGE_CACHE = `images-${CACHE_VERSION}`;
const API_CACHE = `api-${CACHE_VERSION}`;

// Cache configuration
const CACHE_CONFIG = {
  static: {
    maxAge: 365 * 24 * 60 * 60 * 1000, // 1 year
    maxEntries: 100,
  },
  dynamic: {
    maxAge: 24 * 60 * 60 * 1000, // 1 day
    maxEntries: 50,
  },
  images: {
    maxAge: 30 * 24 * 60 * 60 * 1000, // 30 days
    maxEntries: 200,
  },
  api: {
    maxAge: 5 * 60 * 1000, // 5 minutes
    maxEntries: 30,
  },
};

// Install event - precache critical resources
self.addEventListener('install', (event) => {
  const criticalResources = [
    '/',
    '/index.html',
    '/offline.html',
    '/manifest.json',
    '/static/css/main.css',
    '/static/js/main.js',
  ];

  event.waitUntil(
    caches.open(STATIC_CACHE)
      .then((cache) => {
        console.log('Precaching critical resources');
        return cache.addAll(criticalResources);
      })
      .then(() => self.skipWaiting())
  );
});

// Activate event - cleanup old caches
self.addEventListener('activate', (event) => {
  const currentCaches = [STATIC_CACHE, DYNAMIC_CACHE, IMAGE_CACHE, API_CACHE];

  event.waitUntil(
    caches.keys()
      .then((cacheNames) => {
        return cacheNames.filter((cacheName) => !currentCaches.includes(cacheName));
      })
      .then((cachesToDelete) => {
        return Promise.all(cachesToDelete.map((cacheToDelete) => {
          console.log('Deleting old cache:', cacheToDelete);
          return caches.delete(cacheToDelete);
        }));
      })
      .then(() => self.clients.claim())
  );
});

// Fetch event - implement caching strategies
self.addEventListener('fetch', (event) => {
  const { request } = event;
  const url = new URL(request.url);

  // Skip non-GET requests
  if (request.method !== 'GET') {
    return;
  }

  // Cache-first strategy for static assets
  if (isStaticAsset(request)) {
    event.respondWith(cacheFirst(request, STATIC_CACHE));
    return;
  }

  // Network-first strategy for API calls
  if (isAPIRequest(request)) {
    event.respondWith(networkFirst(request, API_CACHE));
    return;
  }

  // Stale-while-revalidate for images
  if (isImageRequest(request)) {
    event.respondWith(staleWhileRevalidate(request, IMAGE_CACHE));
    return;
  }

  // Network-first for HTML pages
  if (isHTMLRequest(request)) {
    event.respondWith(networkFirst(request, DYNAMIC_CACHE));
    return;
  }

  // Default: network-first
  event.respondWith(networkFirst(request, DYNAMIC_CACHE));
});

// Cache-first strategy
async function cacheFirst(request, cacheName) {
  const cache = await caches.open(cacheName);
  const cached = await cache.match(request);

  if (cached) {
    return cached;
  }

  try {
    const response = await fetch(request);
    if (response.ok) {
      cache.put(request, response.clone());
    }
    return response;
  } catch (error) {
    return new Response('Offline', { status: 503 });
  }
}

// Network-first strategy
async function networkFirst(request, cacheName) {
  const cache = await caches.open(cacheName);

  try {
    const response = await fetch(request);
    if (response.ok) {
      cache.put(request, response.clone());
    }
    return response;
  } catch (error) {
    const cached = await cache.match(request);
    if (cached) {
      return cached;
    }
    return caches.match('/offline.html');
  }
}

// Stale-while-revalidate strategy
async function staleWhileRevalidate(request, cacheName) {
  const cache = await caches.open(cacheName);
  const cached = await cache.match(request);

  const fetchPromise = fetch(request).then((response) => {
    if (response.ok) {
      cache.put(request, response.clone());
    }
    return response;
  });

  return cached || fetchPromise;
}

// Helper functions
function isStaticAsset(request) {
  return request.url.match(/\.(css|js|woff|woff2|ttf|eot)$/);
}

function isAPIRequest(request) {
  return request.url.includes('/api/');
}

function isImageRequest(request) {
  return request.url.match(/\.(jpg|jpeg|png|gif|webp|svg|ico)$/);
}

function isHTMLRequest(request) {
  return request.headers.get('accept').includes('text/html');
}

// Cache size management
async function limitCacheSize(cacheName, maxEntries) {
  const cache = await caches.open(cacheName);
  const keys = await cache.keys();

  if (keys.length > maxEntries) {
    await cache.delete(keys[0]);
    limitCacheSize(cacheName, maxEntries);
  }
}

// Periodic cache cleanup
setInterval(() => {
  limitCacheSize(DYNAMIC_CACHE, CACHE_CONFIG.dynamic.maxEntries);
  limitCacheSize(IMAGE_CACHE, CACHE_CONFIG.images.maxEntries);
  limitCacheSize(API_CACHE, CACHE_CONFIG.api.maxEntries);
}, 60000); // Every minute
```

```
// Cache Management Utilities
// utils/cacheManager.js
export class CacheManager {
  constructor(cacheName, maxAge, maxEntries) {
    this.cacheName = cacheName;
    this.maxAge = maxAge;
    this.maxEntries = maxEntries;
  }

  async get(request) {
    const cache = await caches.open(this.cacheName);
    const response = await cache.match(request);

    if (!response) {
      return null;
    }

    // Check if cache entry is expired
    const cachedTime = response.headers.get('sw-cache-time');
    if (cachedTime && Date.now() - parseInt(cachedTime) > this.maxAge) {
      await cache.delete(request);
      return null;
    }

    return response;
  }

  async set(request, response) {
    const cache = await caches.open(this.cacheName);

    // Clone response and add timestamp
    const clonedResponse = response.clone();
    const headers = new Headers(clonedResponse.headers);
    headers.append('sw-cache-time', Date.now().toString());

    const modifiedResponse = new Response(clonedResponse.body, {
      status: clonedResponse.status,
      statusText: clonedResponse.statusText,
      headers,
    });

    await cache.put(request, modifiedResponse);
    this.limitSize();
  }

  async limitSize() {
    const cache = await caches.open(this.cacheName);
    const keys = await cache.keys();

    if (keys.length > this.maxEntries) {
      await cache.delete(keys[0]);
      this.limitSize();
    }
  }

  async clear() {
    await caches.delete(this.cacheName);
  }
}
```

Research current web cache strategies and implement efficient caching using the web-basics-MCP server.

Expected Outcome

- Advanced service worker caching strategies
- Cache versioning and cleanup mechanisms
- Offline fallback pages and error handling
- Cache expiration policies and storage quota management
- Performance optimizations for PWA-specific features
- Background sync and push notification capabilities

Exercise 3.3: Core Web Vitals Optimization

Implement Core Web Vitals optimization for excellent user experience:

```
Create JavaScript Core Web Vitals optimization implementation:

1. Largest Contentful Paint (LCP) optimization:
   - Image optimization and lazy loading
   - Critical resource prioritization
   - Font loading strategies
   - Server response time optimization

2. First Input Delay (FID) optimization:
   - Code splitting and lazy loading
   - Third-party script management
   - Main thread blocking reduction
   - Event handler optimization

3. Cumulative Layout Shift (CLS) optimization:
   - Image and video dimensions
   - Font loading without layout shifts
   - Dynamic content insertion
   - Animation performance

Include measurement and monitoring for each metric.
```

```
// Core Web Vitals Optimization
// vitals-optimization.js

// 1. LCP Optimization
// Preload critical resources
function preloadCriticalResources() {
  const criticalImages = [
    '/hero-image.webp',
    '/logo.svg'
  ];

  criticalImages.forEach(src => {
    const link = document.createElement('link');
    link.rel = 'preload';
    link.as = 'image';
    link.href = src;
    document.head.appendChild(link);
  });
}

// Optimize image loading
function optimizeImages() {
  // Use Intersection Observer for lazy loading
  const imageObserver = new IntersectionObserver((entries, observer) => {
    entries.forEach(entry => {
      if (entry.isIntersecting) {
        const img = entry.target;
        img.src = img.dataset.src;
        img.classList.remove('lazy');
        observer.unobserve(img);
      }
    });
  });

  document.querySelectorAll('img.lazy').forEach(img => {
    imageObserver.observe(img);
  });
}

// 2. FID Optimization
// Break up long tasks
function yieldToMain() {
  return new Promise(resolve => {
    setTimeout(resolve, 0);
  });
}

async function processLargeDataset(data) {
  const results = [];
  for (let i = 0; i < data.length; i++) {
    results.push(processItem(data[i]));

    // Yield every 50 items
    if (i % 50 === 0) {
      await yieldToMain();
    }
  }
  return results;
}

// Use requestIdleCallback for non-critical work
function scheduleNonCriticalWork(callback) {
  if ('requestIdleCallback' in window) {
    requestIdleCallback(callback);
  } else {
    setTimeout(callback, 1);
  }
}

// 3. CLS Optimization
// Reserve space for dynamic content
function reserveSpaceForAd(adContainer) {
  adContainer.style.minHeight = '250px';
  adContainer.style.minWidth = '300px';
}

// Avoid layout shifts with CSS transforms
function animateWithoutLayoutShift(element) {
  // Use transform instead of changing position
  element.style.transform = 'translateX(100px)';
  // Instead of: element.style.left = '100px';
}

// Measure Core Web Vitals
function measureWebVitals() {
  // LCP
  new PerformanceObserver((entryList) => {
    const entries = entryList.getEntries();
    const lastEntry = entries[entries.length - 1];
    console.log('LCP:', lastEntry.renderTime || lastEntry.loadTime);
  }).observe({ type: 'largest-contentful-paint', buffered: true });

  // FID
  new PerformanceObserver((entryList) => {
    const entries = entryList.getEntries();
    entries.forEach(entry => {
      console.log('FID:', entry.processingStart - entry.startTime);
    });
  }).observe({ type: 'first-input', buffered: true });

  // CLS
  let clsScore = 0;
  new PerformanceObserver((entryList) => {
    const entries = entryList.getEntries();
    entries.forEach(entry => {
      if (!entry.hadRecentInput) {
        clsScore += entry.value;
        console.log('CLS:', clsScore);
      }
    });
  }).observe({ type: 'layout-shift', buffered: true });
}
```

Research current Web Vitals optimization techniques using the web-basics-MCP server.

Expected Outcome

- Comprehensive Core Web Vitals optimization strategy
- Performance measurement and monitoring tools
- Performance budgeting and tracking for continuous improvement
- Real-user monitoring and synthetic testing implementation

Exercise 3.5: Performance Testing and Continuous Optimization

Create comprehensive performance testing and optimization processes:

```
Design performance testing and continuous optimization framework:

1. Performance budgets and CI integration
2. Lighthouse CI configuration
3. Real User Monitoring (RUM) setup
4. Performance regression detection
5. Automated optimization recommendations

Include monitoring dashboards and alerting strategies.
```

```
// lighthouse-ci.config.js
module.exports = {
  ci: {
    collect: {
      url: [
        'http://localhost:3000/',
        'http://localhost:3000/products',
        'http://localhost:3000/cart',
      ],
      numberOfRuns: 3,
      settings: {
        preset: 'desktop',
        throttling: {
          rttMs: 40,
          throughputKbps: 10240,
          cpuSlowdownMultiplier: 1,
        },
      },
    },
    assert: {
      assertions: {
        'categories:performance': ['error', { minScore: 0.9 }],
        'categories:accessibility': ['error', { minScore: 0.9 }],
        'categories:best-practices': ['error', { minScore: 0.9 }],
        'categories:seo': ['error', { minScore: 0.9 }],
        'first-contentful-paint': ['error', { maxNumericValue: 2000 }],
        'largest-contentful-paint': ['error', { maxNumericValue: 2500 }],
        'cumulative-layout-shift': ['error', { maxNumericValue: 0.1 }],
        'total-blocking-time': ['error', { maxNumericValue: 300 }],
      },
    },
    upload: {
      target: 'temporary-public-storage',
    },
  },
};
```

```
// .github/workflows/performance.yml
name: Performance Testing

on:
  pull_request:
    branches: [main]
  push:
    branches: [main]

jobs:
  lighthouse:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v3
      - uses: actions/setup-node@v3
        with:
          node-version: '18'
      - run: npm ci
      - run: npm run build
      - run: npm install -g @lhci/cli
      - run: lhci autorun

  bundle-analysis:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v3
      - uses: actions/setup-node@v3
        with:
          node-version: '18'
      - run: npm ci
      - run: npm run build
      - name: Analyze bundle size
        uses: preactjs/compressed-size-action@v2
        with:
          pattern: "./dist/**/*.{js,css,html}"
          compression: "gzip"
```

```
// performance-budget.config.js
module.exports = {
  budgets: [
    {
      path: '/*',
      timings: [
        { metric: 'first-contentful-paint', budget: 2000 },
        { metric: 'largest-contentful-paint', budget: 2500 },
        { metric: 'interactive', budget: 3500 },
      ],
      resourceSizes: [
        { resourceType: 'script', budget: 200 },
        { resourceType: 'stylesheet', budget: 50 },
        { resourceType: 'image', budget: 300 },
        { resourceType: 'total', budget: 500 },
      ],
      resourceCounts: [
        { resourceType: 'third-party', budget: 10 },
      ],
    },
  ],
};
```

```
// Performance Monitoring and Reporting
// monitoring/performance-monitor.js
class PerformanceMonitor {
  constructor(config) {
    this.config = config;
    this.metrics = {};
    this.observers = [];
  }

  start() {
    this.observeLCP();
    this.observeFID();
    this.observeCLS();
    this.observeResourceTiming();
    this.observeNavigation();
  }

  observeLCP() {
    const observer = new PerformanceObserver((entryList) => {
      const entries = entryList.getEntries();
      const lastEntry = entries[entries.length - 1];
      this.metrics.lcp = lastEntry.renderTime || lastEntry.loadTime;
      this.checkBudget('lcp', this.metrics.lcp);
    });
    observer.observe({ type: 'largest-contentful-paint', buffered: true });
    this.observers.push(observer);
  }

  observeFID() {
    const observer = new PerformanceObserver((entryList) => {
      const entries = entryList.getEntries();
      entries.forEach(entry => {
        this.metrics.fid = entry.processingStart - entry.startTime;
        this.checkBudget('fid', this.metrics.fid);
      });
    });
    observer.observe({ type: 'first-input', buffered: true });
    this.observers.push(observer);
  }

  observeCLS() {
    let clsScore = 0;
    const observer = new PerformanceObserver((entryList) => {
      const entries = entryList.getEntries();
      entries.forEach(entry => {
        if (!entry.hadRecentInput) {
          clsScore += entry.value;
          this.metrics.cls = clsScore;
          this.checkBudget('cls', this.metrics.cls);
        }
      });
    });
    observer.observe({ type: 'layout-shift', buffered: true });
    this.observers.push(observer);
  }

  observeResourceTiming() {
    const observer = new PerformanceObserver((entryList) => {
      const entries = entryList.getEntries();
      this.metrics.resources = entries.map(entry => ({
        name: entry.name,
        type: entry.initiatorType,
        duration: entry.duration,
        size: entry.transferSize,
      }));
    });
    observer.observe({ type: 'resource', buffered: true });
    this.observers.push(observer);
  }

  observeNavigation() {
    window.addEventListener('load', () => {
      const navigation = performance.getEntriesByType('navigation')[0];
      this.metrics.navigation = {
        dns: navigation.domainLookupEnd - navigation.domainLookupStart,
        tcp: navigation.connectEnd - navigation.connectStart,
        ttfb: navigation.responseStart - navigation.requestStart,
        download: navigation.responseEnd - navigation.responseStart,
        domInteractive: navigation.domInteractive - navigation.fetchStart,
        domComplete: navigation.domComplete - navigation.fetchStart,
      };
    });
  }

  checkBudget(metric, value) {
    const budget = this.config.budgets[metric];
    if (budget && value > budget) {
      this.reportViolation(metric, value, budget);
    }
  }

  reportViolation(metric, value, budget) {
    console.warn(`Performance budget violation: ${metric} = ${value} (budget: ${budget})`);
    // Send to analytics
    if (this.config.onViolation) {
      this.config.onViolation({ metric, value, budget });
    }
  }

  getReport() {
    return {
      metrics: this.metrics,
      timestamp: Date.now(),
      url: window.location.href,
      userAgent: navigator.userAgent,
    };
  }

  sendReport(endpoint) {
    const report = this.getReport();
    navigator.sendBeacon(endpoint, JSON.stringify(report));
  }

  stop() {
    this.observers.forEach(observer => observer.disconnect());
  }
}

// Usage
const monitor = new PerformanceMonitor({
  budgets: {
    lcp: 2500,
    fid: 100,
    cls: 0.1,
  },
  onViolation: ({ metric, value, budget }) => {
    // Send to analytics service
    console.log(`Violation: ${metric} exceeded budget by ${value - budget}`);
  },
});

monitor.start();

// Send report before page unload
window.addEventListener('beforeunload', () => {
  monitor.sendReport('/api/performance');
});
```

Set up CI/CD tools to automatically run performance tests and fail builds if performance budgets are exceeded.

Research current performance testing tools and implement automated testing using the web-basics-MCP server.

Expected Outcome

- Comprehensive performance testing framework with automation
- Performance budgets and regression detection
- Continuous optimization workflow with prioritization
- Real-user monitoring and synthetic testing integration
- Performance dashboards and alerting for production

Key Deliverables

After completing the Performance Optimization exercises, you should have:

1. **Bundle Optimization**: Code splitting, tree shaking, and size monitoring
2. **Caching Strategy**: Multi-level caching that improves repeat visits
3. **Progressive Web App**: Service workers with offline capabilities
4. **Core Web Vitals**: Optimizations for LCP, FID, and CLS metrics
5. **Performance Testing**: Automated testing and continuous monitoring

Integration with Advanced Features

Test performance optimization techniques:

- **MFA-Express-MCP Server**: For measuring performance tools and libraries
- **Web-Search-MCP Server**: For current performance best practices

Ask Automation & Data Privacy Compass Got it! Cookie Settings Accept All Reject All