# 10-22-Retail Holiday Readiness PDP LT



| Date | Oct 23, 2019 3:42:41 AM |
|------|-------------------------|
| Project | HP_GRID_PDP |
| Scenario | PDP |
| Comment | 0821_PDP_LT |
| Notes | 10-22-Retail Holiday Readiness PDP LT |

## Table of Contents

Neotys

## Results summary

| Name | 03:41 - 23 Oct 2019 PDP_LT2 | Project | HP_GRID_PDP |
|------|------|------|------|
| Description | 0821_PDP_LT | Scenario | PDP |
| Status | ✔ Passed | Load Policy | • The population PDP is customized |
| Start date | Oct 23, 2019 3:42:41 AM | | |
| End date | Oct 23, 2019 4:12:37 AM | Stop Policy | • Population PDP: immediate. |
| Duration | 00:29:56 | | |
| Termination reason | Manual action | Filters | None |
| LG Hosts | 35.237.128.83:443 , 35.229.93.24:443 , 35.196.165.52:443 , 104.196.35.189:443 , 104.196.60.183:443 , 34.73.99.197:443 , 35.243.140.165:443 , 104.196.51.185:443 , 35.227.62.238:443 , 35.231.108.185:443 , 35.196.159.116:443 , 35.231.242.172:443 , 35.227.57.244:443 , 35.196.210.156:443 , 35.237.255.153:443 , 35.196.140.214:443 , 35.196.59.69:443 , 35.229.93.123:443 , 35.196.196.184:443 , 104.196.26.8:443 , 34.74.70.109:443 , 34.74.79.144:443 , 34.73.232.61:443 , 35.196.171.241:443 , 35.237.7.20:443 , 34.73.169.63:443 , 35.196.203.215:443 , 34.74.41.35:443 , 35.237.14.47:443 , 104.196.21.177:443 , 35.237.113.77:443 , 34.74.11.225:443 | Debug | Disabled |

Neotys

| | | |
|---|---|---|
| ,<br>35.237.195.124:443<br><br>,<br>34.74.40.255:443<br><br>,<br>34.73.96.155:443<br><br>,<br>104.196.170.28:443<br><br>,<br>35.237.186.96:443<br><br>,<br>35.227.39.97:443<br><br>,<br>34.74.149.214:443<br><br>,<br>34.74.6.251:443<br><br>,<br>35.196.209.84:443<br><br>,<br>34.74.111.126:443<br><br>,<br>35.237.7.235:443<br><br>,<br>34.74.224.39:443<br><br>,<br>35.227.97.119:443<br><br>,<br>34.73.54.54:443<br><br>,<br>35.237.237.164:443<br><br>,<br>34.74.245.192:443<br><br>,<br>34.74.89.60:443<br><br>,<br>35.237.254.0:443<br><br>,<br>35.196.203.119:443<br><br>,<br>34.74.94.67:443<br><br>,<br>35.227.127.66:443<br><br>,<br>34.74.2.147:443<br><br>,<br>35.229.105.0:443<br><br>,<br>34.74.104.144:443<br><br>,<br>35.237.122.208:443<br><br>,<br>35.229.34.77:443<br><br>,<br>35.237.74.2:443<br><br>,<br>34.74.227.105:443<br><br>,<br>35.237.76.165:443<br><br>,<br>34.73.175.23:443<br><br>,<br>35.229.105.22:443<br><br>,<br>34.73.237.86:443<br><br>,<br>35.196.161.100:443<br><br>,<br>34.74.49.245:443<br><br>,<br>35.237.22.17:443<br><br>,<br>34.73.62.66:443<br><br>,<br>35.243.175.144:443<br><br>,<br>34.73.180.67:443<br><br>,<br>104.196.180.207:443 | | |

Neotys

| | | |
|---|---|---|
| , 35.196.130.58:443 | | |
| , 35.196.210.112:443 | | |
| , 35.231.50.210:443 | | |
| , 35.196.236.246:443 | | |
| , 35.237.5.128:443 | | |
| , 34.73.33.124:443 | | |
| , 35.237.33.212:443 | | |
| , 35.237.35.207:443 | | |
| , 35.231.157.186:443 | | |
| , 35.196.191.181:443 | | |
| , 34.73.39.86:443 | | |
| , 34.73.142.205:443 | | |
| , 35.190.132.108:443 | | |
| , 35.237.254.250:443 | | |
| , 34.74.164.108:443 | | |
| , 35.243.135.208:443 | | |
| , 35.243.252.178:443 | | |
| , 34.73.0.22:443 | | |
| , 34.74.65.99:443 | | |
| , 104.196.214.36:443 | | |
| , 35.237.201.79:443 | | |
| , 35.229.107.74:443 | | |
| , 35.196.155.104:443 | | |
| , 104.196.105.188:443 | | |
| , 35.237.92.69:443 | | |
| , 35.196.122.204:443 | | |
| , 35.185.101.7:443 | | |
| , 35.185.68.129:443 | | |
| , 35.237.190.240:443 | | |
| , 35.236.218.65:443 | | |
| , 35.245.235.80:443 | | |
| , 35.236.241.229:443 | | |
| , 35.194.66.169:443 | | |
| , 35.245.199.34:443 | | |
| , 35.245.21.72:443 | | |
| , 35.186.180.205:443 | | |
| , 35.245.26.57:443 | | |
| , 35.245.242.90:443 | | |
| , 35.236.252.158:443 | | |

Neotys

| | | |
|---|---|---|
| , 35.245.245.70:443 | Page 6 | |
| , 35.221.6.147:443 | | |
| , 35.236.226.163:443 | | |
| , 35.245.184.209:443 | | |
| , 35.245.6.209:443 | | |
| , 35.245.58.90:443 | | |
| , 35.245.116.198:443 | | |
| , 35.236.255.176:443 | | |
| , 35.245.55.232:443 | | |
| , 35.236.234.188:443 | | |
| , 35.245.156.70:443 | | |
| , 35.245.60.2:443 | | |
| , 35.245.53.94:443 | | |
| , 35.221.59.65:443 | | |
| , 35.194.69.211:443 | | |
| , 35.245.155.215:443 | | |
| , 35.245.56.116:443 | | |
| , 35.186.188.67:443 | | |
| , 35.188.230.212:443 | | |
| , 35.245.154.244:443 | | |
| , 35.236.205.129:443 | | |
| , 35.245.218.151:443 | | |
| , 35.236.241.104:443 | | |
| , 35.245.6.245:443 | | |
| , 35.245.89.151:443 | | |
| , 35.245.201.181:443 | | |
| , 35.245.154.53:443 | | |
| , 35.245.224.84:443 | | |
| , 35.245.174.67:443 | | |
| , 35.236.192.216:443 | | |
| , 35.245.237.18:443 | | |
| , 35.245.26.34:443 | | |
| , 35.245.88.174:443 | | |
| , 35.245.74.160:443 | | |
| , 35.236.214.206:443 | | |
| , 35.199.14.124:443 | | |
| , 35.236.229.65:443 | | |
| , 35.245.234.49:443 | | |
| , 35.245.141.5:443 | | |

Neotys

| | | |
|---|---|---|
| , 35.245.33.231:443 | | |
| , 35.245.234.254:443 | | |
| , 35.221.6.142:443 | | |
| , 35.245.106.109:443 | | |
| , 35.245.199.2:443 | | |
| , 35.230.160.199:443 | | |
| , 35.245.158.146:443 | | |
| , 35.188.226.91:443 | | |
| , 35.245.245.222:443 | | |
| , 35.186.172.189:443 | | |
| , 35.245.248.66:443 | | |
| , 35.245.172.48:443 | | |
| , 35.236.232.128:443 | | |
| , 35.236.192.230:443 | | |
| , 35.186.162.193:443 | | |
| , 35.230.188.225:443 | | |
| , 35.245.245.132:443 | | |
| , 35.221.26.75:443 | | |
| , 35.245.110.16:443 | | |
| , 35.230.185.249:443 | | |
| , 35.245.61.52:443 | | |
| , 35.245.89.6:443 | | |
| , 35.245.52.211:443 | | |
| , 35.245.113.167:443 | | |
| , 35.230.187.44:443 | | |
| , 35.245.112.7:443 | | |
| , 35.245.40.17:443 | | |
| , 35.230.186.7:443 | | |
| , 35.245.163.158:443 | | |
| , 35.194.66.147:443 | | |
| , 35.245.109.221:443 | | |
| , 35.245.208.17:443 | | |
| , 35.236.251.247:443 | | |
| , 35.245.167.123:443 | | |
| , 35.236.239.208:443 | | |
| , 35.188.251.4:443 | | |
| , 35.199.37.101:443 | | |
| , 35.188.249.117:443 | | |
| , 35.188.233.109:443 | | |

,
35.194.72.43:443
,
35.221.46.49:443
,
35.245.98.188:443
,
35.245.88.204:443
,
35.199.22.18:443
,
35.245.205.216:443
,
35.245.248.102:443
,
35.221.29.24:443
,
35.245.114.204:443
,
35.221.19.7:443
,
35.221.29.125:443
,
35.245.235.221:443

## Statistics Summary

| | | | | | |
|---|---|---|---|---|---|
| **Total pages** | 6329759 | — | **Average pages/s** | 3,522.4 | — |
| **Total requests** | 22653337 | — | **Average requests/s** | 12,606.2 | — |
| **Total users launched** | 15000 | — | **Average Request response time** | 0.61 s | — |
| **Total iterations completed** | 331191 | — | **Average Page response time** | 1.87 s | — |
| **Total throughput** | 673,725 MB | — | **Average throughput** | 2,999.33 Mb/s | — |
| **Total request errors** | 65242 | — | **Error rate** | 0.3 % | — |
| **Total action errors** | 0 | — | **Alerts total duration** | 1.5 % | — |

— = No SLA        = Passed        = Warning        = Failed

Neotys

## Hot spots

### Top 5 errors

| User Path | Parent | Page | Count |
|---|---|---|---|
| PDP-D_1023 | PDP-Desktop | /tapestry/1 | 56693 |
| PDP-M_1023 | PDP_Mobile | /media/launch/site_10004593_default.js | 2384 |
| PDP-D_1023 | PDP-Desktop | /tbproxy/af/query | 37 |
| PDP-D_1023 | PDP-Desktop | /smartphones/apple-iphone-11-pro/ | 6 |
| PDP-D_1023 | PDP-Desktop | /is/image/VerizonWireless/Apple...night_Green_09102019 | 5 |

### Top 5 alerts

| Sev. | Alert | Duration % | Occurrences |
|---|---|---|---|
| | Controller/Total Disconnections >= 1.0 | 1.5 | 1 |

### First critical alerts

| |
|---|
| No alerts |

### Top 5 average response time (Pages)

| User Path | Parent | Page | Duration |
|---|---|---|---|
| PDP-M_1023 | PDP_Mobile | /media/launch/site_10004593_default.js | 38.8 |
| PDP-D_1023 | PDP-Desktop | /tapestry/1 | 29.8 |
| PDP-D_1023 | PDP-Desktop | /smartphones/apple-iphone-11-pro/ | 0.52 |
| PDP-D_1023 | PDP-Desktop | /tbproxy/af/query | 0.318 |
| PDP-M_1023 | PDP_Mobile | /smartphones/apple-iphone-11-pro/ | 0.316 |

### Top 5 maximum response time (Pages)

| User Path | Parent | Page | Duration |
|---|---|---|---|
| PDP-M_1023 | PDP_Mobile | /media/launch/site_10004593_default.js | 803.5 |
| PDP-D_1023 | PDP-Desktop | /smartphones/apple-iphone-11-pro/ | 601.4 |
| PDP-D_1023 | PDP-Desktop | /tapestry/1 | 331.1 |
| PDP-D_1023 | PDP-Desktop | /recaptcha/releases/EQY1At-f1G9...fK0/recaptcha__en.js | 300 |
| PDP-D_1023 | PDP-Desktop | /activityi;dc_pre=CMOQ6N21seUCF...bwi0;u13=iPhone %26re | 300 |

## Errors

### Request errors

| Error Type | Count | Description |
|---|---|---|
| NL-NETWORK-01 | 63,876 | Miscellaneous I/O error when connecting to the server. |
| NL-NETWORK-03 | 1,364 | Error when connecting to the server. Indicates a server-side error occurring when attempting to bind a socket. |
| 500 | 2 | Internal Server Error |
| Total | 65,242 | Total error count. |

### Action errors

| |
|---|
| No errors |

## Alerts

| Element | Critical | Warning | Monitored |
|---|---|---|---|
| Controller | 0 | 1 | 3 |

## General statistics

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| **All User Paths** | | | | | | |
| 157.3 | 905.7 | 1,645 | 14,987 | 10,045 | 67 | - |
| **All pages** | | | | | | |
| 0.001 | 1.87 | 803.5 | 6,329,759 | 59,137 | 0.9 | - |
| **All requests** | | | | | | |
| 0 | 0.61 | 803.5 | 22,653,337 | 65,242 | 0.3 | - |

## Transaction statistics

Neotys

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **All Transactions** | | | | | | | | | | | |
| 1.38 | 35.6 | 806.1 | 331,191 | 59,113 | 17.8 | 10.6 | 131.4 | 298.5 | 55.7 | 26.5 | - |

Neotys

## Summary

| Name | 03:41 - 23 Oct 2019 PDP_LT2 | Project | HP_GRID_PDP |
|---|---|---|---|
| Description | 0821_PDP_LT | Scenario | PDP |
| Status | ✔ Passed | Load Policy | • The population PDP is customized |
| Start date | Oct 23, 2019 3:42:41 AM | | |
| End date | Oct 23, 2019 4:12:37 AM | Stop Policy | • Population PDP: immediate. |
| Duration | 00:29:56 | | |
| Termination reason | Manual action | Filters | None |
| LG Hosts | 35.237.128.83:443 , 35.229.93.24:443 , 35.196.165.52:443 , 104.196.35.189:443 , 104.196.60.183:443 , 34.73.99.197:443 , 35.243.140.165:443 , 104.196.51.185:443 , 35.227.62.238:443 , 35.231.108.185:443 , 35.196.159.116:443 , 35.231.242.172:443 , 35.227.57.244:443 , 35.196.210.156:443 , 35.237.255.153:443 , 35.196.140.214:443 , 35.196.59.69:443 , 35.229.93.123:443 , 35.196.196.184:443 , 104.196.26.8:443 , 34.74.70.109:443 , 34.74.79.144:443 , 34.73.232.61:443 , 35.196.171.241:443 , 35.237.7.20:443 , 34.73.169.63:443 , 35.196.203.215:443 , 34.74.41.35:443 , 35.237.14.47:443 , 104.196.21.177:443 , 35.237.113.77:443 | Debug | Disabled |

,
34.74.11.225:443

,
35.237.195.124:443

,
34.74.40.255:443

,
34.73.96.155:443

,
104.196.170.28:443

,
35.237.186.96:443

,
35.227.39.97:443

,
34.74.149.214:443

,
34.74.6.251:443

,
35.196.209.84:443

,
34.74.111.126:443

,
35.237.7.235:443

,
34.74.224.39:443

,
35.227.97.119:443

,
34.73.54.54:443

,
35.237.237.164:443

,
34.74.245.192:443

,
34.74.89.60:443

,
35.237.254.0:443

,
35.196.203.119:443

,
34.74.94.67:443

,
35.227.127.66:443

,
34.74.2.147:443

,
35.229.105.0:443

,
34.74.104.144:443

,
35.237.122.208:443

,
35.229.34.77:443

,
35.237.74.2:443

,
34.74.227.105:443

,
35.237.76.165:443

,
34.73.175.23:443

,
35.229.105.22:443

,
34.73.237.86:443

,
35.196.161.100:443

,
34.74.49.245:443

,
35.237.22.17:443

,
34.73.62.66:443

,
35.243.175.144:443

,
34.73.180.67:443

Neotys

| | | |
|---|---|---|
| ,<br>104.196.180.207:443<br>,<br>35.196.130.58:443<br>,<br>35.196.210.112:443<br>,<br>35.231.50.210:443<br>,<br>35.196.236.246:443<br>,<br>35.237.5.128:443<br>,<br>34.73.33.124:443<br>,<br>35.237.33.212:443<br>,<br>35.237.35.207:443<br>,<br>35.231.157.186:443<br>,<br>35.196.191.181:443<br>,<br>34.73.39.86:443<br>,<br>34.73.142.205:443<br>,<br>35.190.132.108:443<br>,<br>35.237.254.250:443<br>,<br>34.74.164.108:443<br>,<br>35.243.135.208:443<br>,<br>35.243.252.178:443<br>,<br>34.73.0.22:443<br>,<br>34.74.65.99:443<br>,<br>104.196.214.36:443<br>,<br>35.237.201.79:443<br>,<br>35.229.107.74:443<br>,<br>35.196.155.104:443<br>,<br>104.196.105.188:443<br>,<br>35.237.92.69:443<br>,<br>35.196.122.204:443<br>,<br>35.185.101.7:443<br>,<br>35.185.68.129:443<br>,<br>35.237.190.240:443<br>,<br>35.236.218.65:443<br>,<br>35.245.235.80:443<br>,<br>35.236.241.229:443<br>,<br>35.194.66.169:443<br>,<br>35.245.199.34:443<br>,<br>35.245.21.72:443<br>,<br>35.186.180.205:443<br>,<br>35.245.26.57:443<br>,<br>35.245.242.90:443 | | |

| | | |
|---|---|---|
| ,<br>35.236.252.158:443<br>,<br>35.245.245.70:443<br>,<br>35.221.6.147:443<br>,<br>35.236.226.163:443<br>,<br>35.245.184.209:443<br>,<br>35.245.6.209:443<br>,<br>35.245.58.90:443<br>,<br>35.245.116.198:443<br>,<br>35.236.255.176:443<br>,<br>35.245.55.232:443<br>,<br>35.236.234.188:443<br>,<br>35.245.156.70:443<br>,<br>35.245.60.2:443<br>,<br>35.245.53.94:443<br>,<br>35.221.59.65:443<br>,<br>35.194.69.211:443<br>,<br>35.245.155.215:443<br>,<br>35.245.56.116:443<br>,<br>35.186.188.67:443<br>,<br>35.188.230.212:443<br>,<br>35.245.154.244:443<br>,<br>35.236.205.129:443<br>,<br>35.245.218.151:443<br>,<br>35.236.241.104:443<br>,<br>35.245.6.245:443<br>,<br>35.245.89.151:443<br>,<br>35.245.201.181:443<br>,<br>35.245.154.53:443<br>,<br>35.245.224.84:443<br>,<br>35.245.174.67:443<br>,<br>35.236.192.216:443<br>,<br>35.245.237.18:443<br>,<br>35.245.26.34:443<br>,<br>35.245.88.174:443<br>,<br>35.245.74.160:443<br>,<br>35.236.214.206:443<br>,<br>35.199.14.124:443<br>,<br>35.236.229.65:443<br>,<br>35.245.234.49:443 | Page 14 | |

| | | |
|---|---|---|
| , 35.245.141.5:443 | | |
| , 35.245.33.231:443 | | |
| , 35.245.234.254:443 | | |
| , 35.221.6.142:443 | | |
| , 35.245.106.109:443 | | |
| , 35.245.199.2:443 | | |
| , 35.230.160.199:443 | | |
| , 35.245.158.146:443 | | |
| , 35.188.226.91:443 | | |
| , 35.245.245.222:443 | | |
| , 35.186.172.189:443 | | |
| , 35.245.248.66:443 | | |
| , 35.245.172.48:443 | | |
| , 35.236.232.128:443 | | |
| , 35.236.192.230:443 | | |
| , 35.186.162.193:443 | | |
| , 35.230.188.225:443 | | |
| , 35.245.245.132:443 | | |
| , 35.221.26.75:443 | | |
| , 35.245.110.16:443 | | |
| , 35.230.185.249:443 | | |
| , 35.245.61.52:443 | | |
| , 35.245.89.6:443 | | |
| , 35.245.52.211:443 | | |
| , 35.245.113.167:443 | | |
| , 35.230.187.44:443 | | |
| , 35.245.112.7:443 | | |
| , 35.245.40.17:443 | | |
| , 35.230.186.7:443 | | |
| , 35.245.163.158:443 | | |
| , 35.194.66.147:443 | | |
| , 35.245.109.221:443 | | |
| , 35.245.208.17:443 | | |
| , 35.236.251.247:443 | | |
| , 35.245.167.123:443 | | |
| , 35.236.239.208:443 | | |
| , 35.188.251.4:443 | | |
| , 35.199.37.101:443 | | |
| , 35.188.249.117:443 | | |

35.188.233.109:443

,
35.194.72.43:443

,
35.221.46.49:443

,
35.245.98.188:443

,
35.245.88.204:443

,
35.199.22.18:443

,
35.245.205.216:443

,
35.245.248.102:443

,
35.221.29.24:443

,
35.245.114.204:443

,
35.221.19.7:443

,
35.221.29.125:443

,
35.245.235.221:443

## Populations

**PDP**

| User Path | Percentage | WAN Emulation | Signal strength | Bandwidth # | Latency # | Packet loss % # | Bandwidth # | Latency # | Packet loss % # | Browser | Handle cookies | Connection | Handle cache |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PDP-D_1023 | 50.0% | Unlimited | | Unlimited | 0ms | 0% | Unlimited | 0ms | 0% | Chrome 44.0 | Yes | 6 | New user |
| PDP-M_1023 | 50.0% | Unlimited | | Unlimited | 0ms | 0% | Unlimited | 0ms | 0% | iPhone 6 | Yes | 6 | New user |

## User Paths

| Name | Description | On failed assertion | On error | Think time | Thinktime range |
|---|---|---|---|---|---|
| PDP-D_1023 | | Go to the next iteration | Do nothing | 0ms | 0% |
| PDP-M_1023 | | Go to the next iteration | Do nothing | 0ms | 0% |

## Rendezvous

| Enabled | Name | Policy | Value | Timeout |
|---|---|---|---|---|
| Empty list | | | | |

Neotys

## Execution context

| | | | |
|---|---|---|---|
| **Name** | 03:41 - 23 Oct 2019 PDP_LT2 | **Project** | HP_GRID_PDP |
| **Description** | 0821_PDP_LT | **Scenario** | PDP |
| **Status** | ✔ Passed | **Load Policy** | • The population PDP is customized |
| **Start date** | Oct 23, 2019 3:42:41 AM | | |
| **End date** | Oct 23, 2019 4:12:37 AM | **Stop Policy** | • Population PDP: immediate. |
| **Duration** | 00:29:56 | | |
| **Termination reason** | Manual action | **Filters** | None |
| **LG Hosts** | 35.237.128.83:443<br>,<br>35.229.93.24:443<br>,<br>35.196.165.52:443<br>,<br>104.196.35.189:443<br>,<br>104.196.60.183:443<br>,<br>34.73.99.197:443<br>,<br>35.243.140.165:443<br>,<br>104.196.51.185:443<br>,<br>35.227.62.238:443<br>,<br>35.231.108.185:443<br>,<br>35.196.159.116:443<br>,<br>35.231.242.172:443<br>,<br>35.227.57.244:443<br>,<br>35.196.210.156:443<br>,<br>35.237.255.153:443<br>,<br>35.196.140.214:443<br>,<br>35.196.59.69:443<br>,<br>35.229.93.123:443<br>,<br>35.196.196.184:443<br>,<br>104.196.26.8:443<br>,<br>34.74.70.109:443<br>,<br>34.74.79.144:443<br>,<br>34.73.232.61:443<br>,<br>35.196.171.241:443<br>,<br>35.237.7.20:443<br>,<br>34.73.169.63:443<br>,<br>35.196.203.215:443<br>,<br>34.74.41.35:443<br>,<br>35.237.14.47:443<br>,<br>104.196.21.177:443<br>,<br>35.237.113.77:443<br>,<br>34.74.11.225:443<br>, | **Debug** | Disabled |

Neotys

| | | |
|---|---|---|
| 35.237.195.124:443 , 34.74.40.255:443 , 34.73.96.155:443 , 104.196.170.28:443 , 35.237.186.96:443 , 35.227.39.97:443 , 34.74.149.214:443 , 34.74.6.251:443 , 35.196.209.84:443 , 34.74.111.126:443 , 35.237.7.235:443 , 34.74.224.39:443 , 35.227.97.119:443 , 34.73.54.54:443 , 35.237.237.164:443 , 34.74.245.192:443 , 34.74.89.60:443 , 35.237.254.0:443 , 35.196.203.119:443 , 34.74.94.67:443 , 35.227.127.66:443 , 34.74.2.147:443 , 35.229.105.0:443 , 34.74.104.144:443 , 35.237.122.208:443 , 35.229.34.77:443 , 35.237.74.2:443 , 34.74.227.105:443 , 35.237.76.165:443 , 34.73.175.23:443 , 35.229.105.22:443 , 34.73.237.86:443 , 35.196.161.100:443 , 34.74.49.245:443 , 35.237.22.17:443 , 34.73.62.66:443 , 35.243.175.144:443 , 34.73.180.67:443 , 104.196.180.207:443 , | | |

| | | |
|---|---|---|
| 35.196.130.58:443 , 35.196.210.112:443 , 35.231.50.210:443 , 35.196.236.246:443 , 35.237.5.128:443 , 34.73.33.124:443 , 35.237.33.212:443 , 35.237.35.207:443 , 35.231.157.186:443 , 35.196.191.181:443 , 34.73.39.86:443 , 34.73.142.205:443 , 35.190.132.108:443 , 35.237.254.250:443 , 34.74.164.108:443 , 35.243.135.208:443 , 35.243.252.178:443 , 34.73.0.22:443 , 34.74.65.99:443 , 104.196.214.36:443 , 35.237.201.79:443 , 35.229.107.74:443 , 35.196.155.104:443 , 104.196.105.188:443 , 35.237.92.69:443 , 35.196.122.204:443 , 35.185.101.7:443 , 35.185.68.129:443 , 35.237.190.240:443 , 35.236.218.65:443 , 35.245.235.80:443 , 35.236.241.229:443 , 35.194.66.169:443 , 35.245.199.34:443 , 35.245.21.72:443 , 35.186.180.205:443 , 35.245.26.57:443 , 35.245.242.90:443 , 35.236.252.158:443 , | | |

| | | |
|---|---|---|
| 35.245.245.70:443 , 35.221.6.147:443 , 35.236.226.163:443 , 35.245.184.209:443 , 35.245.6.209:443 , 35.245.58.90:443 , 35.245.116.198:443 , 35.236.255.176:443 , 35.245.55.232:443 , 35.236.234.188:443 , 35.245.156.70:443 , 35.245.60.2:443 , 35.245.53.94:443 , 35.221.59.65:443 , 35.194.69.211:443 , 35.245.155.215:443 , 35.245.56.116:443 , 35.186.188.67:443 , 35.188.230.212:443 , 35.245.154.244:443 , 35.236.205.129:443 , 35.245.218.151:443 , 35.236.241.104:443 , 35.245.6.245:443 , 35.245.89.151:443 , 35.245.201.181:443 , 35.245.154.53:443 , 35.245.224.84:443 , 35.245.174.67:443 , 35.236.192.216:443 , 35.245.237.18:443 , 35.245.26.34:443 , 35.245.88.174:443 , 35.245.74.160:443 , 35.236.214.206:443 , 35.199.14.124:443 , 35.236.229.65:443 , 35.245.234.49:443 , 35.245.141.5:443 , | Page 20 | |

| | | |
|---|---|---|
| 35.245.33.231:443 , 35.245.234.254:443 , 35.221.6.142:443 , 35.245.106.109:443 , 35.245.199.2:443 , 35.230.160.199:443 , 35.245.158.146:443 , 35.188.226.91:443 , 35.245.245.222:443 , 35.186.172.189:443 , 35.245.248.66:443 , 35.245.172.48:443 , 35.236.232.128:443 , 35.236.192.230:443 , 35.186.162.193:443 , 35.230.188.225:443 , 35.245.245.132:443 , 35.221.26.75:443 , 35.245.110.16:443 , 35.230.185.249:443 , 35.245.61.52:443 , 35.245.89.6:443 , 35.245.52.211:443 , 35.245.113.167:443 , 35.230.187.44:443 , 35.245.112.7:443 , 35.245.40.17:443 , 35.230.186.7:443 , 35.245.163.158:443 , 35.194.66.147:443 , 35.245.109.221:443 , 35.245.208.17:443 , 35.236.251.247:443 , 35.245.167.123:443 , 35.236.239.208:443 , 35.188.251.4:443 , 35.199.37.101:443 , 35.188.249.117:443 , 35.188.233.109:443 , | Page 21 | |

35.194.72.43:443
,
35.221.46.49:443
,
35.245.98.188:443
,
35.245.88.204:443
,
35.199.22.18:443
,
35.245.205.216:443
,
35.245.248.102:443
,
35.221.29.24:443
,
35.245.114.204:443
,
35.221.19.7:443
,
35.221.29.125:443
,
35.245.235.221:443

**NeoLoad version**          6.6.0;build=20180904-56
**Graphs granularity**       Standard

## Application proxy

| Name | Description |
| --- | --- |
| Empty list | |

## Zone application proxies

| Zone | Name | Description |
| --- | --- | --- |
| Empty list | | |

## Constant variables

| Name | Value | Description |
| --- | --- | --- |
| Empty list | | |

## User Paths settings

**PDP-D_1023**
| | |
| --- | --- |
| Error policy: | Do nothing |
| Assertion policy: | Go to the next iteration |
| Thinktime policy: | replaced by 0ms. |
| Pacing: | No pacing |

**PDP-M_1023**
| | |
| --- | --- |
| Error policy: | Do nothing |
| Assertion policy: | Go to the next iteration |
| Thinktime policy: | replaced by 0ms. |
| Pacing: | No pacing |

Neotys

## Servers

| Host | Port | HTTP/2 ready | HTTP/2 used |
|---|---|---|---|
| media.ascend.ai | 443 | Yes | No |
| www.facebook.com | 443 | Yes | Yes |
| www.google-analytics.com | 443 | Yes | Yes |
| network.bazaarvoice.com | 443 | No | No |
| sp.analytics.yahoo.com | 443 | Yes | Yes |
| sanalytics.verizonwireless.com | 443 | No | No |
| vzw.15gifts.com | 443 | No | No |
| vt.myvisualiq.net | 443 | No | No |
| 2761768.fls.doubleclick.net | 443 | Yes | No |
| scache2.vzw.com | 443 | Yes | Yes |
| resources.digital-cloud.medallia.com | 443 | Yes | Yes |
| 685973.fls.doubleclick.net | 443 | Yes | Yes |
| www.verizonwireless.com | 443 | No | No |
| pt.ispot.tv | 443 | Yes | No |
| scache1.vzw.com | 443 | Yes | No |
| t.myvisualiq.net | 443 | No | No |
| ss7.vzw.com | 443 | Yes | Yes |
| scache.vzw.com | 443 | Yes | Yes |
| verizon.inq.com | 443 | Yes | No |
| mobile.vzw.com | 443 | No | No |
| ct.pinterest.com | 443 | Yes | Yes |

Neotys

## Graphs





## Statistics

| Population | Total requests | Average requests/s | Avg. Page res. time | Error rate |
|---|---|---|---|---|
| PDP | 22653337 (100%) | 12,606.2 | 1.87s (0%) | 0.3% (0%) |
| Global | 22653337 (100%) | 12,606.2 | 1.87s | 0.3% |

Neotys

## User Paths

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| **PDP-D_1023** | | | | | | |
| 157.3 | 893.7 | 1,643 | 7,488 | 7,484 | 99.9 | - |
| **PDP-M_1023** | | | | | | |
| 171.1 | 917.8 | 1,645 | 7,499 | 2,561 | 34.2 | - |

## Transactions

### Shared Containers

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Empty list | | | | | | | | | | | |

### PDP-D_1023

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 👤 PDP-D_1023 | | | | | | | | | | | |
| 157.3 | 893.7 | 1,643 | 7,488 | 7,484 | 99.9 | - | - | - | - | - | - |
| 📁 Init | | | | | | | | | | | |
| 0 | 0 | 0.001 | 7,500 | 0 | 0 | - | - | - | - | - | - |
| 📁 Actions | | | | | | | | | | | |
| 1.38 | 31.8 | 612.3 | 189,796 | 56,726 | 29.9 | - | - | - | - | - | - |
| 📁 PDP-Desktop | | | | | | | | | | | |
| 1.38 | 31.8 | 612.3 | 189,796 | 56,726 | 29.9 | 11.1 | 65.7 | 239.6 | 44.5 | 25.7 | - |
| 📁 End | | | | | | | | | | | |
| 0 | 0 | 0.001 | 7,488 | 0 | 0 | - | - | - | - | - | - |

### PDP-M_1023

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 👤 PDP-M_1023 | | | | | | | | | | | |
| 171.1 | 917.8 | 1,645 | 7,499 | 2,561 | 34.2 | - | - | - | - | - | - |
| 📁 Init | | | | | | | | | | | |
| 0 | 0 | 0.001 | 7,500 | 0 | 0 | - | - | - | - | - | - |
| 📁 Actions | | | | | | | | | | | |
| 1.49 | 40.9 | 806.1 | 141,395 | 2,387 | 1.7 | - | - | - | - | - | - |
| 📁 PDP_Mobile | | | | | | | | | | | |
| 1.49 | 40.9 | 806.1 | 141,395 | 2,387 | 1.7 | 9.9 | 190.9 | 327.8 | 67.4 | 29.9 | - |
| 📁 End | | | | | | | | | | | |
| 0 | 0 | 0.001 | 7,499 | 0 | 0 | - | - | - | - | - | - |

Neotys

## Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

## PDP-D_1023

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

## PDP-M_1023

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

Neotys

## Pages

### Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

### PDP-D_1023

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| 👤 PDP-D_1023 | | | | | | |
| 157.3 | 893.7 | 1,643 | 7,488 | 7,484 | 99.9 | - |
| 📁 Actions | | | | | | |
| 1.38 | 31.8 | 612.3 | 189,796 | 56,726 | 29.9 | - |
| 📁 PDP-Desktop | | | | | | |
| 1.38 | 31.8 | 612.3 | 189,796 | 56,726 | 29.9 | - |
| /smartphones/apple-iphone-11-pro/ | | | | | | |
| 0.215 | 0.52 | 601.4 | 197,087 | 6 | 0 | - |
| /is/image/VerizonWireless/Appl...night_Green_09102019 | | | | | | |
| 0.027 | 0.204 | 9.53 | 197,086 | 5 | 0 | - |
| /id | | | | | | |
| 0.009 | 0.034 | 7.08 | 197,086 | 0 | 0 | - |
| /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | | | | | |
| 0.003 | 0.017 | 3.02 | 197,086 | 0 | 0 | - |
| /rest/v1/delivery_1 | | | | | | |
| 0.005 | 0.03 | 3.34 | 197,086 | 0 | 0 | - |
| /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js | | | | | | |
| 0.107 | 0.141 | 300 | 197,086 | 2 | 0 | - |
| /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2 | | | | | | |
| 0.009 | 0.023 | 2.54 | 197,085 | 0 | 0 | - |
| /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F | | | | | | |
| 0.003 | 0.014 | 0.767 | 197,085 | 0 | 0 | - |
| /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r | | | | | | |
| 0.003 | 0.012 | 0.677 | 197,085 | 0 | 0 | - |
| /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re | | | | | | |
| 0.023 | 0.07 | 300 | 197,085 | 1 | 0 | - |
| /tbproxy/af/query | | | | | | |
| 0.026 | 0.318 | 15.7 | 197,078 | 37 | 0 | - |
| /pagead/viewthroughconversion/1030624533/ | | | | | | |
| 0.017 | 0.102 | 63 | 197,075 | 2 | 0 | - |
| /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u | | | | | | |
| 0.01 | 0.025 | 1.45 | 197,074 | 0 | 0 | - |
| /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12= | | | | | | |
| 0.003 | 0.014 | 0.727 | 197,072 | 0 | 0 | - |
| /spp.pl | | | | | | |
| 0.102 | 0.16 | 7.66 | 197,055 | 0 | 0 | - |
| /inqchat.html | | | | | | |
| 0.076 | 0.111 | 57 | 197,026 | 0 | 0 | - |

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| | /tapestry/1 | | | | | |
| 0.033 | 29.8 | 331.1 | 190,067 | 56,693 | 29.8 | - |
| | /wdcus/8838/resources/image/15...feedback_tab_min.png | | | | | |
| 0.093 | 0.148 | 63.4 | 190,061 | 2 | 0 | - |

## PDP-M_1023

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| PDP-M_1023 | | | | | | |
| 171.1 | 917.8 | 1,645 | 7,499 | 2,561 | 34.2 | - |
| Actions | | | | | | |
| 1.49 | 40.9 | 806.1 | 141,395 | 2,387 | 1.7 | - |
| PDP_Mobile | | | | | | |
| 1.49 | 40.9 | 806.1 | 141,395 | 2,387 | 1.7 | - |
| /smartphones/apple-iphone-11-pro/ | | | | | | |
| 0.188 | 0.316 | 10.96 | 148,682 | 0 | 0 | - |
| /hybridClient/is/image/Verizon...t_Green_09102019-mms | | | | | | |
| 0.048 | 0.242 | 22.4 | 148,682 | 0 | 0 | - |
| /chatskins/launch/inqChatLaunch10004593.js | | | | | | |
| 0.257 | 0.279 | 12 | 148,682 | 0 | 0 | - |
| /is/image/VerizonWireless/Appl...night_Green_09102019 | | | | | | |
| 0.035 | 0.143 | 10.41 | 148,682 | 0 | 0 | - |
| /sid.gif | | | | | | |
| 0.018 | 0.086 | 63.1 | 148,681 | 0 | 0 | - |
| /wdcus/8838/onsite/embed.js | | | | | | |
| 0.021 | 0.142 | 8.46 | 148,681 | 0 | 0 | - |
| /inqchat.html | | | | | | |
| 0.076 | 0.091 | 3.44 | 148,681 | 0 | 0 | - |
| /rest/v1/delivery | | | | | | |
| 0.005 | 0.023 | 2.18 | 148,681 | 0 | 0 | - |
| /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2 | | | | | | |
| 0.01 | 0.024 | 0.905 | 148,681 | 0 | 0 | - |
| /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F | | | | | | |
| 0.003 | 0.015 | 0.676 | 148,681 | 0 | 0 | - |
| /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r | | | | | | |
| 0.003 | 0.012 | 0.689 | 148,681 | 0 | 0 | - |
| /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re | | | | | | |
| 0.02 | 0.047 | 3.37 | 148,681 | 0 | 0 | - |
| /2/Ps5ttWjl7%2BzJKY2OlMi1Yw%3D%3D/vt-237.js | | | | | | |
| 0.099 | 0.209 | 9.12 | 148,681 | 2 | 0 | - |
| /rest/v1/delivery_1 | | | | | | |
| 0.014 | 0.075 | 26.8 | 148,681 | 0 | 0 | - |
| /tapestry/1 | | | | | | |
| 0.001 | 0.008 | 1.51 | 148,681 | 0 | 0 | - |
| /media/launch/site_10004593_default.js | | | | | | |
| 0.138 | 38.8 | 803.5 | 141,550 | 2,384 | 1.7 | - |

Neotys

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| | | | /wdcus/8838/onsite/generic1571670842717.js | | | |
| 0.002 | 0.026 | 4.04 | 141,549 | 0 | 0 | - |
| | | | /resources/onsite/js/cool-2.1.15.min.js | | | |
| 0.092 | 0.141 | 300 | 141,541 | 2 | 0 | - |
| | | | /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131 | | | |
| 0.09 | 0.124 | 300 | 141,535 | 1 | 0 | - |

## Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

## PDP-D_1023

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| 👤 **PDP-D_1023** | | | | | | |
| 157.3 | 893.7 | 1,643 | 7,488 | 7,484 | 99.9 | - |
| 📁 **Actions** | | | | | | |
| 1.38 | 31.8 | 612.3 | 189,796 | 56,726 | 29.9 | - |
| 📁 **PDP-Desktop** | | | | | | |
| 1.38 | 31.8 | 612.3 | 189,796 | 56,726 | 29.9 | - |
| 🌐 **/smartphones/apple-iphone-11-pro/** | | | | | | |
| 0.215 | 0.52 | 601.4 | 197,087 | 6 | 0 | - |
| 📄 **/smartphones/apple-iphone-11-pro/** | | | | | | |
| 0.162 | 0.242 | 22.6 | 197,087 | 0 | 0 | - |
| 📄 **/t/onedigital/uf/build/match...bundle.matchMedia.js** | | | | | | |
| 0.008 | 0.036 | 7.07 | 197,087 | 1 | 0 | - |
| 📄 **/t/onedigital/uf/build/pdp/bundle.pdp.js** | | | | | | |
| 0.02 | 0.12 | 17.7 | 197,087 | 1 | 0 | - |
| 📄 **/ui-one-digital/gn/build/gnav.css** | | | | | | |
| 0.008 | 0.036 | 15.5 | 197,087 | 2 | 0 | - |
| 📄 **/ui-one-digital/gn/build/gnav.js** | | | | | | |
| 0.009 | 0.042 | 17.5 | 197,087 | 1 | 0 | - |
| 📄 **/t/onedigital/uf/build/assets/css/pdp.min.css** | | | | | | |
| 0.009 | 0.042 | 3.73 | 197,087 | 1 | 0 | - |
| 📄 **/hybridClient/is/image/Veriz...t_Green_09102019-mms** | | | | | | |
| 0.048 | 0.244 | 601.1 | 197,087 | 2 | 0 | - |
| 🌐 **/is/image/VerizonWireless/Appl...night_Green_09102019** | | | | | | |
| 0.027 | 0.204 | 9.53 | 197,086 | 5 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...night_Green_09102019** | | | | | | |
| 0.009 | 0.047 | 8.6 | 197,087 | 5 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...ght_Green_09102019_b** | | | | | | |
| 0.002 | 0.015 | 1.63 | 197,082 | 0 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...ght_Green_09102019_c** | | | | | | |
| 0.002 | 0.008 | 3.22 | 197,082 | 0 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...ght_Green_09102019_d** | | | | | | |
| 0.003 | 0.022 | 3.25 | 197,082 | 0 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...ght_Green_09102019_e** | | | | | | |
| 0.004 | 0.028 | 6.99 | 197,082 | 0 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...ght_Green_09102019_f** | | | | | | |
| 0.002 | 0.015 | 3.28 | 197,082 | 0 | 0 | - |
| 📄 **/is/image/VerizonWireless/Ap...night_Green_09102019** | | | | | | |
| 0.004 | 0.029 | 2.84 | 197,082 | 0 | 0 | - |

Neotys

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| | | | /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset | | | |
| 0.001 | 0.007 | 3.86 | 197,081 | 0 | 0 | - |
| | | | /is/image/VerizonWireless/za...-zag200103912-v-iset | | | |
| 0.001 | 0.007 | 1.52 | 197,081 | 0 | 0 | - |
| | | | /is/image/VerizonWireless/ot...a-blue-77-62935-iset | | | |
| 0.001 | 0.007 | 1.63 | 197,081 | 0 | 0 | - |
| | | | /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset | | | |
| 0.001 | 0.007 | 1.53 | 197,081 | 0 | 0 | - |
| | | | /is/image/VerizonWireless/ap...pdp-feature-3-d-2019 | | | |
| 0.001 | 0.008 | 1.55 | 197,081 | 0 | 0 | - |
| | | | /id | | | |
| 0.009 | 0.034 | 7.08 | 197,086 | 0 | 0 | - |
| | | | /id | | | |
| 0.009 | 0.034 | 7.08 | 197,086 | 0 | 0 | - |
| | | | /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | | |
| 0.003 | 0.017 | 3.02 | 197,086 | 0 | 0 | - |
| | | | /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | | |
| 0.002 | 0.01 | 2.78 | 197,086 | 0 | 0 | - |
| | | | /ui-one-digital/global-foote...ct.globalfooter.json | | | |
| 0.001 | 0.007 | 1.76 | 197,086 | 0 | 0 | - |
| | | | /rest/v1/delivery_1 | | | |
| 0.005 | 0.03 | 3.34 | 197,086 | 0 | 0 | - |
| | | | /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2 | | | |
| 0.002 | 0.008 | 1.12 | 197,086 | 0 | 0 | - |
| | | | /globalnav/fonts/NeueHaasGroteskTextBold.woff2 | | | |
| 0.002 | 0.014 | 1.81 | 197,086 | 0 | 0 | - |
| | | | /ui-one-digital/global-heade...ct.globalheader.json | | | |
| 0.001 | 0.007 | 3.29 | 197,086 | 0 | 0 | - |
| | | | /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js | | | |
| 0.107 | 0.141 | 300 | 197,086 | 2 | 0 | - |
| | | | /analytics.js | | | |
| 0.007 | 0.015 | 0.927 | 197,086 | 0 | 0 | - |
| | | | /collect | | | |
| 0 | 0.001 | 0.718 | 197,086 | 0 | 0 | - |
| | | | /b/ss/vzwitestenv/10/JS-2.17.0/s72713003712110 | | | |
| 0.09 | 0.125 | 300 | 197,086 | 2 | 0 | - |
| | | | /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2 | | | |
| 0.009 | 0.023 | 2.54 | 197,085 | 0 | 0 | - |
| | | | /activityi;src=2761768;type=...um=5181792881850.382 | | | |
| 0.009 | 0.023 | 2.54 | 197,086 | 0 | 0 | - |
| | | | /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F | | | |
| 0.003 | 0.014 | 0.767 | 197,085 | 0 | 0 | - |
| | | | /activityi;src=2761768;type=...rd=3167406900299.841 | | | |
| 0.003 | 0.014 | 0.767 | 197,085 | 0 | 0 | - |
| | | | /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r | | | |
| 0.003 | 0.012 | 0.677 | 197,085 | 0 | 0 | - |

Neotys

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| /activityi;dc_pre=CleR6N21se...um=5181792881850.382 | | | | | | |
| 0.003 | 0.012 | 0.677 | 197,085 | 0 | 0 | - |
| /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re | | | | | | |
| 0.023 | 0.07 | 300 | 197,085 | 1 | 0 | - |
| /activityi;dc_pre=CMOQ6N21se...rd=3167406900299.841 | | | | | | |
| 0.003 | 0.015 | 300 | 197,085 | 1 | 0 | - |
| /askverizon/js/askverizon.js | | | | | | |
| 0.005 | 0.03 | 9.48 | 197,084 | 0 | 0 | - |
| /support/etc/designs/support_rd/c2c.js | | | | | | |
| 0.001 | 0.013 | 2.23 | 197,084 | 0 | 0 | - |
| /activity_pixel | | | | | | |
| 0.009 | 0.038 | 15.1 | 197,084 | 0 | 0 | - |
| /ul_cb/activity_pixel | | | | | | |
| 0.01 | 0.053 | 15.1 | 197,084 | 0 | 0 | - |
| /tbproxy/af/query | | | | | | |
| 0.026 | 0.318 | 15.7 | 197,078 | 37 | 0 | - |
| /wdcus/8838/onsite/embed.js | | | | | | |
| 0.008 | 0.033 | 7.07 | 197,085 | 3 | 0 | - |
| /v2/TC-3477-1.gif | | | | | | |
| 0.007 | 0.034 | 7.73 | 197,082 | 0 | 0 | - |
| /c/263109848-1/ascend.js | | | | | | |
| 0.013 | 0.121 | 15.7 | 197,082 | 31 | 0 | - |
| /chatskins/launch/inqChatLaunch10004593.js | | | | | | |
| 0.257 | 0.279 | 7.37 | 197,075 | 0 | 0 | - |
| /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js | | | | | | |
| 0.01 | 0.074 | 7.82 | 197,082 | 4 | 0 | - |
| /v3/ | | | | | | |
| 0.011 | 0.047 | 7.51 | 197,082 | 0 | 0 | - |
| /pagead/viewthroughconversion/1030624533/ | | | | | | |
| 0.017 | 0.102 | 63 | 197,075 | 2 | 0 | - |
| /sync | | | | | | |
| 0.001 | 0.008 | 12.7 | 197,078 | 0 | 0 | - |
| /impression_pixel | | | | | | |
| 0.001 | 0.008 | 1.5 | 197,078 | 0 | 0 | - |
| /sync | | | | | | |
| 0.001 | 0.008 | 1.5 | 197,078 | 0 | 0 | - |
| /sync | | | | | | |
| 0.001 | 0.008 | 1.5 | 197,078 | 0 | 0 | - |
| /sync | | | | | | |
| 0.009 | 0.048 | 63 | 197,078 | 2 | 0 | - |
| /wdcus/8838/onsite/generic1571670842717.js | | | | | | |
| 0.002 | 0.02 | 0.713 | 197,074 | 0 | 0 | - |
| /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u | | | | | | |
| 0.01 | 0.025 | 1.45 | 197,074 | 0 | 0 | - |
| /activityi;src=685973;type=v...um=9457106703877.947 | | | | | | |
| 0.01 | 0.025 | 1.45 | 197,075 | 0 | 0 | - |

Neotys

| | Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|---|
| **/activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12=** | | | | | | | |
| | 0.003 | 0.014 | 0.727 | 197,072 | 0 | 0 | - |
| **/activityi;dc_pre=COXKjuC1se...um=9457106703877.947** | | | | | | | |
| | 0.003 | 0.014 | 0.727 | 197,074 | 0 | 0 | - |
| **/spp.pl** | | | | | | | |
| | 0.102 | 0.16 | 7.66 | 197,055 | 0 | 0 | - |
| **/spp.pl** | | | | | | | |
| | 0.068 | 0.107 | 600 | 197,072 | 1 | 0 | - |
| **/sp.pl** | | | | | | | |
| | 0.017 | 0.027 | 1.64 | 197,060 | 0 | 0 | - |
| **/sp.pl** | | | | | | | |
| | 0.017 | 0.027 | 1.58 | 197,058 | 0 | 0 | - |
| **/inqchat.html** | | | | | | | |
| | 0.076 | 0.111 | 57 | 197,026 | 0 | 0 | - |
| **/inqchat.html** | | | | | | | |
| | 0.013 | 0.024 | 56.9 | 197,055 | 0 | 0 | - |
| **/chatskins/launch/inqChatLaunch10004593.js** | | | | | | | |
| | 0.062 | 0.068 | 3.79 | 197,042 | 0 | 0 | - |
| **/sid.gif** | | | | | | | |
| | 0.01 | 0.043 | 63 | 197,041 | 11 | 0 | - |
| **/sid.gif** | | | | | | | |
| | 0.011 | 0.056 | 3.52 | 197,028 | 0 | 0 | - |
| **/id.json** | | | | | | | |
| | 0.004 | 0.052 | 3.31 | 197,037 | 0 | 0 | - |
| **/id.json** | | | | | | | |
| | 0.001 | 0.009 | 0.703 | 197,037 | 0 | 0 | - |
| **/st.gif** | | | | | | | |
| | 0.011 | 0.055 | 7.33 | 197,030 | 0 | 0 | - |
| **/st.gif** | | | | | | | |
| | 0.011 | 0.054 | 3.31 | 197,030 | 0 | 0 | - |
| **/st.gif** | | | | | | | |
| | 0.011 | 0.053 | 3.31 | 197,030 | 0 | 0 | - |
| **/tapestry/1** | | | | | | | |
| | 0.033 | 29.8 | 331.1 | 190,067 | 56,693 | 29.8 | - |
| **/sync** | | | | | | | |
| | 0.001 | 0.008 | 27.1 | 197,026 | 0 | 0 | - |
| **/public/leap/web/partner.js** | | | | | | | |
| | 0.03 | 32 | 331.1 | 197,026 | 62,322 | 31.6 | - |
| **/wdcus/8838/resources/image/15...feedback_tab_min.png** | | | | | | | |
| | 0.093 | 0.148 | 63.4 | 190,061 | 2 | 0 | - |
| **/wdcus/8838/resources/image/...feedback_tab_min.png** | | | | | | | |
| | 0 | 0.007 | 1.29 | 190,067 | 0 | 0 | - |
| **/b/ss/vzwitestenv/10/JS-2.17.0/s72971234187508** | | | | | | | |
| | 0.09 | 0.122 | 4.07 | 190,067 | 0 | 0 | - |

Neotys

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| | | 📄 /st.gif | | | | |
| 0.002 | 0.018 | 63.1 | 190,061 | 2 | 0 | - |

## PDP-M_1023

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| 👤 PDP-M_1023 | | | | | | |
| 171.1 | 917.8 | 1,645 | 7,499 | 2,561 | 34.2 | - |
| 📁 Actions | | | | | | |
| 1.49 | 40.9 | 806.1 | 141,395 | 2,387 | 1.7 | - |
| 📁 PDP_Mobile | | | | | | |
| 1.49 | 40.9 | 806.1 | 141,395 | 2,387 | 1.7 | - |
| /smartphones/apple-iphone-11-pro/ | | | | | | |
| 0.188 | 0.316 | 10.96 | 148,682 | 0 | 0 | - |
| 📄 /smartphones/apple-iphone-11-pro/ | | | | | | |
| 0.162 | 0.241 | 10.83 | 148,682 | 0 | 0 | - |
| 📄 /ui-one-digital/gn/build/gnav.css | | | | | | |
| 0.009 | 0.035 | 3.31 | 148,682 | 0 | 0 | - |
| 📄 /t/onedigital/uf/build/match...bundle.matchMedia.js | | | | | | |
| 0.008 | 0.035 | 3.57 | 148,682 | 0 | 0 | - |
| 📄 /t/onedigital/uf/build/pdp/bundle.pdp.js | | | | | | |
| 0.02 | 0.073 | 2.57 | 148,682 | 0 | 0 | - |
| 📄 /ui-one-digital/gn/build/gnav.js | | | | | | |
| 0.01 | 0.042 | 1.58 | 148,682 | 0 | 0 | - |
| 📄 /t/onedigital/uf/build/assets/css/pdp.min.css | | | | | | |
| 0.01 | 0.043 | 3.98 | 148,682 | 0 | 0 | - |
| /hybridClient/is/image/Verizon...t_Green_09102019-mms | | | | | | |
| 0.048 | 0.242 | 22.4 | 148,682 | 0 | 0 | - |
| 📄 /hybridClient/is/image/Veriz...t_Green_09102019-mms | | | | | | |
| 0.048 | 0.242 | 22.4 | 148,682 | 0 | 0 | - |
| /chatskins/launch/inqChatLaunch10004593.js | | | | | | |
| 0.257 | 0.279 | 12 | 148,682 | 0 | 0 | - |
| 📄 /chatskins/launch/inqChatLaunch10004593.js | | | | | | |
| 0.257 | 0.279 | 12 | 148,682 | 0 | 0 | - |
| /is/image/VerizonWireless/Appl...night_Green_09102019 | | | | | | |
| 0.035 | 0.143 | 10.41 | 148,682 | 0 | 0 | - |
| 📄 /is/image/VerizonWireless/Ap...night_Green_09102019 | | | | | | |
| 0.01 | 0.044 | 7.32 | 148,682 | 0 | 0 | - |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_b | | | | | | |
| 0.002 | 0.013 | 6.72 | 148,682 | 0 | 0 | - |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_c | | | | | | |
| 0.002 | 0.008 | 1.52 | 148,682 | 0 | 0 | - |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_d | | | | | | |
| 0.003 | 0.009 | 0.68 | 148,682 | 0 | 0 | - |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_e | | | | | | |
| 0.003 | 0.011 | 3.25 | 148,682 | 0 | 0 | - |

Neotys

| | Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|---|
| **/is/image/VerizonWireless/Ap...ght_Green_09102019_f** | | | | | | | |
| | 0.002 | 0.008 | 3.23 | 148,682 | 0 | 0 | - |
| **/is/image/VerizonWireless/Ap...night_Green_09102019** | | | | | | | |
| | 0.004 | 0.01 | 0.748 | 148,682 | 0 | 0 | - |
| **/is/image/VerizonWireless/vz...rge-wc10wggl-al-iset** | | | | | | | |
| | 0.001 | 0.007 | 1.51 | 148,682 | 0 | 0 | - |
| **/is/image/VerizonWireless/za...-zag200103912-v-iset** | | | | | | | |
| | 0.001 | 0.006 | 1.51 | 148,682 | 0 | 0 | - |
| **/is/image/VerizonWireless/ot...a-blue-77-62935-iset** | | | | | | | |
| | 0.001 | 0.007 | 0.69 | 148,682 | 0 | 0 | - |
| **/is/image/VerizonWireless/vz...ger-vpc24lght-m-iset** | | | | | | | |
| | 0.001 | 0.007 | 1.5 | 148,682 | 0 | 0 | - |
| **/is/image/VerizonWireless/ap...pdp-feature-3-d-2019** | | | | | | | |
| | 0.001 | 0.007 | 1.51 | 148,682 | 0 | 0 | - |
| **/sid.gif** | | | | | | | |
| | 0.018 | 0.086 | 63.1 | 148,681 | 0 | 0 | - |
| **/sid.gif** | | | | | | | |
| | 0.009 | 0.041 | 63.1 | 148,682 | 0 | 0 | - |
| **/sid.gif** | | | | | | | |
| | 0.001 | 0.009 | 0.741 | 148,681 | 0 | 0 | - |
| **/id.json** | | | | | | | |
| | 0.001 | 0.008 | 1.5 | 148,681 | 0 | 0 | - |
| **/askverizon/js/askverizon.js** | | | | | | | |
| | 0.004 | 0.021 | 1.55 | 148,681 | 0 | 0 | - |
| **/support/etc/designs/support_rd/c2c.js** | | | | | | | |
| | 0.001 | 0.006 | 1.52 | 148,681 | 0 | 0 | - |
| **/id.json** | | | | | | | |
| | 0.002 | 0.024 | 2.11 | 148,681 | 0 | 0 | - |
| **/st.gif** | | | | | | | |
| | 0.002 | 0.009 | 1.5 | 148,681 | 0 | 0 | - |
| **/st.gif** | | | | | | | |
| | 0.003 | 0.024 | 3.25 | 148,681 | 0 | 0 | - |
| **/st.gif** | | | | | | | |
| | 0.002 | 0.025 | 3.74 | 148,681 | 0 | 0 | - |
| **/wdcus/8838/onsite/embed.js** | | | | | | | |
| | 0.021 | 0.142 | 8.46 | 148,681 | 0 | 0 | - |
| **/wdcus/8838/onsite/embed.js** | | | | | | | |
| | 0.008 | 0.031 | 7.33 | 148,681 | 0 | 0 | - |
| **/c/263109848-1/ascend.js** | | | | | | | |
| | 0.012 | 0.11 | 8.4 | 148,681 | 0 | 0 | - |
| **/inqchat.html** | | | | | | | |
| | 0.076 | 0.091 | 3.44 | 148,681 | 0 | 0 | - |
| **/inqchat.html** | | | | | | | |
| | 0.013 | 0.022 | 3.37 | 148,681 | 0 | 0 | - |
| **/chatskins/launch/inqChatLaunch10004593.js** | | | | | | | |
| | 0.063 | 0.068 | 1.62 | 148,681 | 0 | 0 | - |

Neotys

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| **/rest/v1/delivery** | | | | | | |
| 0.005 | 0.023 | 2.18 | 148,681 | 0 | 0 | - |
| /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2 | | | | | | |
| 0.002 | 0.008 | 1.52 | 148,681 | 0 | 0 | - |
| /globalnav/fonts/NeueHaasGroteskTextBold.woff2 | | | | | | |
| 0.002 | 0.008 | 1.51 | 148,681 | 0 | 0 | - |
| /ui-one-digital/global-heade...ct.globalheader.json | | | | | | |
| 0.001 | 0.006 | 1.52 | 148,681 | 0 | 0 | - |
| **/activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2** | | | | | | |
| 0.01 | 0.024 | 0.905 | 148,681 | 0 | 0 | - |
| /activityi;src=2761768;type=...um=2410568859122.968 | | | | | | |
| 0.01 | 0.024 | 0.905 | 148,681 | 0 | 0 | - |
| **/activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F** | | | | | | |
| 0.003 | 0.015 | 0.676 | 148,681 | 0 | 0 | - |
| /activityi;src=2761768;type=...d=1673673671780.3247 | | | | | | |
| 0.003 | 0.015 | 0.676 | 148,681 | 0 | 0 | - |
| **/activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r** | | | | | | |
| 0.003 | 0.012 | 0.689 | 148,681 | 0 | 0 | - |
| /activityi;dc_pre=COa0o7a0se...um=2410568859122.968 | | | | | | |
| 0.003 | 0.012 | 0.689 | 148,681 | 0 | 0 | - |
| **/activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re** | | | | | | |
| 0.02 | 0.047 | 3.37 | 148,681 | 0 | 0 | - |
| /activityi;dc_pre=CNO3o7a0se...d=1673673671780.3247 | | | | | | |
| 0.003 | 0.014 | 0.604 | 148,681 | 0 | 0 | - |
| /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | | | | | |
| 0.002 | 0.008 | 1.52 | 148,681 | 0 | 0 | - |
| /ui-one-digital/global-foote...ct.globalfooter.json | | | | | | |
| 0.001 | 0.006 | 0.658 | 148,681 | 0 | 0 | - |
| /v2/TC-3477-1.gif | | | | | | |
| 0.008 | 0.032 | 3.36 | 148,681 | 0 | 0 | - |
| **/2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js** | | | | | | |
| 0.099 | 0.209 | 9.12 | 148,681 | 2 | 0 | - |
| /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js | | | | | | |
| 0.01 | 0.072 | 7.14 | 148,681 | 0 | 0 | - |
| /v3/ | | | | | | |
| 0.011 | 0.044 | 7.74 | 148,681 | 0 | 0 | - |
| /spp.pl | | | | | | |
| 0.067 | 0.101 | 3.59 | 148,681 | 1 | 0 | - |
| /sp.pl | | | | | | |
| 0.068 | 0.106 | 3.66 | 148,681 | 0 | 0 | - |
| /sp.pl | | | | | | |
| 0.018 | 0.028 | 1.03 | 148,681 | 1 | 0 | - |
| **/rest/v1/delivery_1** | | | | | | |
| 0.014 | 0.075 | 26.8 | 148,681 | 0 | 0 | - |
| /activity_pixel | | | | | | |
| 0.009 | 0.036 | 11.2 | 148,681 | 0 | 0 | - |

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|---|---|---|---|---|---|
| | | /impression_pixel | | | | |
| 0.001 | 0.008 | 0.725 | 148,681 | 0 | 0 | - |
| | | /sync | | | | |
| 0.001 | 0.017 | 3.23 | 148,681 | 0 | 0 | - |
| | | /sync | | | | |
| 0.001 | 0.017 | 26.8 | 148,681 | 0 | 0 | - |
| | | /sync | | | | |
| 0.001 | 0.017 | 1.75 | 148,681 | 0 | 0 | - |
| | | /ul_cb/activity_pixel | | | | |
| 0.001 | 0.017 | 3.44 | 148,681 | 0 | 0 | - |
| | | /ul_cb/sync | | | | |
| 0.001 | 0.017 | 1.55 | 148,681 | 0 | 0 | - |
| | | /sync | | | | |
| 0.001 | 0.014 | 1.54 | 148,681 | 0 | 0 | - |
| | | /tapestry/1 | | | | |
| 0.001 | 0.008 | 1.51 | 148,681 | 0 | 0 | - |
| | | /sync | | | | |
| 0.001 | 0.008 | 1.51 | 148,681 | 0 | 0 | - |
| | | /media/launch/site_10004593_default.js | | | | |
| 0.138 | 38.8 | 803.5 | 141,550 | 2,384 | 1.7 | - |
| | | /public/leap/web/partner.js | | | | |
| 0.031 | 44.2 | 803.5 | 148,680 | 2,844 | 1.9 | - |
| | | /b/ss/vzwitestenv/10/JS-2.17.0/s76074404245613 | | | | |
| 0.099 | 0.151 | 300 | 139,178 | 1 | 0 | - |
| | | /wdcus/8838/onsite/generic1571670842717.js | | | | |
| 0.002 | 0.026 | 4.04 | 141,549 | 0 | 0 | - |
| | | /wdcus/8838/onsite/generic1571670842717.js | | | | |
| 0.002 | 0.02 | 4.01 | 141,550 | 0 | 0 | - |
| | | /wdcus/8838/resources/image/...feedback_tab_min.png | | | | |
| 0 | 0.006 | 1.52 | 141,549 | 0 | 0 | - |
| | | /resources/onsite/js/cool-2.1.15.min.js | | | | |
| 0.092 | 0.141 | 300 | 141,541 | 2 | 0 | - |
| | | /b/ss/vzwitestenv/10/JS-2.17.0/s73401496713216 | | | | |
| 0.089 | 0.124 | 300 | 141,549 | 1 | 0 | - |
| | | /st.gif | | | | |
| 0.002 | 0.016 | 15.5 | 141,540 | 1 | 0 | - |
| | | /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131 | | | | |
| 0.09 | 0.124 | 300 | 141,535 | 1 | 0 | - |
| | | /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131 | | | | |
| 0.09 | 0.124 | 300 | 141,541 | 1 | 0 | - |

Neotys

## Shared Containers

| SLA | Value | Severity |
|---|---|---|
| Empty list | | |

## PDP-D_1023

| SLA | Value | Severity |
|---|---|---|
| 👤 PDP-D_1023 | | |
| 📁 Actions | | |
| 📁 PDP-Desktop | | |
| 🌐 /smartphones/apple-iphone-11-pro/ | | |
| 📄 /smartphones/apple-iphone-11-pro/ | | |
| 📄 /t/onedigital/uf/build/match...bundle.matchMedia.js | | |
| 📄 /t/onedigital/uf/build/pdp/bundle.pdp.js | | |
| 📄 /ui-one-digital/gn/build/gnav.css | | |
| 📄 /ui-one-digital/gn/build/gnav.js | | |
| 📄 /t/onedigital/uf/build/assets/css/pdp.min.css | | |
| 📄 /hybridClient/is/image/Veriz...t_Green_09102019-mms | | |
| 🌐 /is/image/VerizonWireless/Appl...night_Green_09102019 | | |
| 📄 /is/image/VerizonWireless/Ap...night_Green_09102019 | | |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_b | | |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_c | | |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_d | | |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_e | | |
| 📄 /is/image/VerizonWireless/Ap...ght_Green_09102019_f | | |
| 📄 /is/image/VerizonWireless/Ap...night_Green_09102019 | | |
| 📄 /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset | | |
| 📄 /is/image/VerizonWireless/za...-zag200103912-v-iset | | |
| 📄 /is/image/VerizonWireless/ot...a-blue-77-62935-iset | | |
| 📄 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset | | |
| 📄 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019 | | |
| 🌐 /id | | |
| 📄 /id | | |
| 🌐 /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | |
| 📄 /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | |
| 📄 /ui-one-digital/global-foote...ct.globalfooter.json | | |
| 🌐 /rest/v1/delivery_1 | | |
| 📄 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2 | | |
| 📄 /globalnav/fonts/NeueHaasGroteskTextBold.woff2 | | |
| 📄 /ui-one-digital/global-heade...ct.globalheader.json | | |

| SLA | Value | Severity |
|---|---|---|
| 📄 /recaptcha/releases/EQY1At-f1G...fK0/recaptcha__en.js | | |
| 📄 /analytics.js | | |
| 📄 /collect | | |
| 📄 /b/ss/vzwitestenv/10/JS-2.17.0/s72713003712110 | | |
| 📄 /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2 | | |
| 📄 /activityi;src=2761768;type=...um=5181792881850.382 | | |
| 📄 /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F | | |
| 📄 /activityi;src=2761768;type=...rd=3167406900299.841 | | |
| 📄 /activityi;dc_pre=CleR6N21seUC...bwi00;u13=iPhone%26r | | |
| 📄 /activityi;dc_pre=CleR6N21se...um=5181792881850.382 | | |
| 📄 /activityi;dc_pre=CMOQ6N21seUC...bwi0;u13=iPhone%26re | | |
| 📄 /activityi;dc_pre=CMOQ6N21se...rd=3167406900299.841 | | |
| 📄 /askverizon/js/askverizon.js | | |
| 📄 /support/etc/designs/support_rd/c2c.js | | |
| 📄 /activity_pixel | | |
| 📄 /ul_cb/activity_pixel | | |
| 📄 /tbproxy/af/query | | |
| 📄 /wdcus/8838/onsite/embed.js | | |
| 📄 /v2/TC-3477-1.gif | | |
| 📄 /c/263109848-1/ascend.js | | |
| 📄 /chatskins/launch/inqChatLaunch10004593.js | | |
| 📄 /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js | | |
| 📄 /v3/ | | |
| 📄 /pagead/viewthroughconversion/1030624533/ | | |
| 📄 /sync | | |
| 📄 /impression_pixel | | |
| 📄 /sync | | |
| 📄 /sync | | |
| 📄 /sync | | |
| 📄 /wdcus/8838/onsite/generic1571670842717.js | | |
| 📄 /activityi;src=685973;type=vzw...f697bc3dcc906146ac;u | | |
| 📄 /activityi;src=685973;type=v...um=9457106703877.947 | | |
| 📄 /activityi;dc_pre=COXKjuC1seUC...zwvp0;u9=mobile;u12= | | |
| 📄 /activityi;dc_pre=COXKjuC1se...um=9457106703877.947 | | |
| 📄 /spp.pl | | |
| 📄 /spp.pl | | |
| 📄 /sp.pl | | |
| 📄 /sp.pl | | |
| 📄 /inqchat.html | | |
| 📄 /inqchat.html | | |

Neotys

| SLA | Value | Severity |
|---|---|---|
| /chatskins/launch/inqChatLaunch10004593.js | | |
| /sid.gif | | |
| /sid.gif | | |
| /id.json | | |
| /id.json | | |
| /st.gif | | |
| /st.gif | | |
| /st.gif | | |
| /tapestry/1 | | |
| /sync | | |
| /public/leap/web/partner.js | | |
| /wdcus/8838/resources/image/15...feedback_tab_min.png | | |
| /wdcus/8838/resources/image/...feedback_tab_min.png | | |
| /b/ss/vzwitestenv/10/JS-2.17.0/s72971234187508 | | |
| /st.gif | | |

## PDP-M_1023

| SLA | Value | Severity |
|---|---|---|
| PDP-M_1023 | | |
| Actions | | |
| PDP_Mobile | | |
| /smartphones/apple-iphone-11-pro/ | | |
| /smartphones/apple-iphone-11-pro/ | | |
| /ui-one-digital/gn/build/gnav.css | | |
| /t/onedigital/uf/build/match...bundle.matchMedia.js | | |
| /t/onedigital/uf/build/pdp/bundle.pdp.js | | |
| /ui-one-digital/gn/build/gnav.js | | |
| /t/onedigital/uf/build/assets/css/pdp.min.css | | |
| /hybridClient/is/image/Verizon...t_Green_09102019-mms | | |
| /hybridClient/is/image/Veriz...t_Green_09102019-mms | | |
| /chatskins/launch/inqChatLaunch10004593.js | | |
| /chatskins/launch/inqChatLaunch10004593.js | | |
| /is/image/VerizonWireless/Appl...night_Green_09102019 | | |
| /is/image/VerizonWireless/Ap...night_Green_09102019 | | |
| /is/image/VerizonWireless/Ap...ght_Green_09102019_b | | |
| /is/image/VerizonWireless/Ap...ght_Green_09102019_c | | |
| /is/image/VerizonWireless/Ap...ght_Green_09102019_d | | |
| /is/image/VerizonWireless/Ap...ght_Green_09102019_e | | |
| /is/image/VerizonWireless/Ap...ght_Green_09102019_f | | |
| /is/image/VerizonWireless/Ap...night_Green_09102019 | | |

Neotys

| SLA | Value | Severity |
|---|---|---|
| /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset | | |
| /is/image/VerizonWireless/za...-zag200103912-v-iset | | |
| /is/image/VerizonWireless/ot...a-blue-77-62935-iset | | |
| /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset | | |
| /is/image/VerizonWireless/ap...pdp-feature-3-d-2019 | | |
| /sid.gif | | |
| /sid.gif | | |
| /sid.gif | | |
| /id.json | | |
| /askverizon/js/askverizon.js | | |
| /support/etc/designs/support_rd/c2c.js | | |
| /id.json | | |
| /st.gif | | |
| /st.gif | | |
| /st.gif | | |
| /wdcus/8838/onsite/embed.js | | |
| /wdcus/8838/onsite/embed.js | | |
| /c/263109848-1/ascend.js | | |
| /inqchat.html | | |
| /inqchat.html | | |
| /chatskins/launch/inqChatLaunch10004593.js | | |
| /rest/v1/delivery | | |
| /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2 | | |
| /globalnav/fonts/NeueHaasGroteskTextBold.woff2 | | |
| /ui-one-digital/global-heade...ct.globalheader.json | | |
| /activityi;src=2761768;type=b2...ro;u18=https%3A%2F%2 | | |
| /activityi;src=2761768;type=...um=2410568859122.968 | | |
| /activityi;src=2761768;type=b2...o;u18=https%3A%2F%2F | | |
| /activityi;src=2761768;type=...d=1673673671780.3247 | | |
| /activityi;dc_pre=COa0o7a0seUC...bwi00;u13=iPhone%26r | | |
| /activityi;dc_pre=COa0o7a0se...um=2410568859122.968 | | |
| /activityi;dc_pre=CNO3o7a0seUC...bwi0;u13=iPhone%26re | | |
| /activityi;dc_pre=CNO3o7a0se...d=1673673671780.3247 | | |
| /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | |
| /ui-one-digital/global-foote...ct.globalfooter.json | | |
| /v2/TC-3477-1.gif | | |
| /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js | | |
| /2/Ps5ttWjl7%2BzJKY2OIMi1Yw%3D%3D/vt-237.js | | |
| /v3/ | | |
| /spp.pl | | |

| SLA | Value | Severity |
|---|---|---|
| 📄 /sp.pl | | |
| 📄 /sp.pl | | |
| 🌐 /rest/v1/delivery_1 | | |
| 📄 /activity_pixel | | |
| 📄 /impression_pixel | | |
| 📄 /sync | | |
| 📄 /sync | | |
| 📄 /sync | | |
| 📄 /ul_cb/activity_pixel | | |
| 📄 /ul_cb/sync | | |
| 📄 /sync | | |
| 🌐 /tapestry/1 | | |
| 📄 /sync | | |
| 🌐 /media/launch/site_10004593_default.js | | |
| 📄 /public/leap/web/partner.js | | |
| 📄 /b/ss/vzwitestenv/10/JS-2.17.0/s76074404245613 | | |
| 🌐 /wdcus/8838/onsite/generic1571670842717.js | | |
| 📄 /wdcus/8838/onsite/generic1571670842717.js | | |
| 📄 /wdcus/8838/resources/image/...feedback_tab_min.png | | |
| 🌐 /resources/onsite/js/cool-2.1.15.min.js | | |
| 📄 /b/ss/vzwitestenv/10/JS-2.17.0/s73401496713216 | | |
| 📄 /st.gif | | |
| 🌐 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131 | | |
| 📄 /b/ss/vzwitestenv/10/JS-2.17.0/s76623461297131 | | |

Neotys

### PDP-D_1023

| Count | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

### PDP-M_1023

| Count | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|---|---|---|---|---|---|---|
| Empty list | | | | | | |

Neotys

## Controller
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **Controller/User Load** | | | | | |
| 0 | 8,281 | 15,000 | 8,858 | 8,316 | 4,275 |
| **Controller/Throughput** | | | | | |
| 0 | 3,005 | 3,987 | 3,221 | 3,109 | 871.9 |
| **Controller/Alerts** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **Controller/Critical Alerts** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **Controller/Warning Alerts** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **Controller/CPU Load** | | | | | |
| 4 | 13.4 | 25 | 13 | 13.3 | 2.75 |
| **Controller/Memory Used** | | | | | |
| 25 | 28.4 | 31 | 28 | 28.4 | 1.34 |
| **Controller/Thread Count** | | | | | |
| 1,265 | 1,467 | 1,858 | 1,448 | 1,456 | 67.7 |
| **Controller/Connected** | | | | | |
| 193 | 194 | 194 | 194 | 194 | 0.075 |
| **Controller/Total Disconnections** | | | | | |
| 0 | 0.017 | 1 | 0 | 0 | 0.128 |
| **Controller/Total Reconnections** | | | | | |
| 0 | 0.011 | 1 | 0 | 0 | 0.105 |
| **Controller/Network/Segments sent/sec.** | | | | | |
| 0 | 1,322 | 6,580 | 1,170 | 1,193 | 1,296 |
| **Controller/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| **Controller/NeoLoad Web/Megabits received/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **Controller/NeoLoad Web/Megabits sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **Controller/Default zone/User Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **Controller/USA East - South Carolina (Berkeley County)/User Load** | | | | | |
| 0 | 3,991 | 7,267 | 4,329 | 4,006 | 2,100 |
| **Controller/USA East - South Carolina (Berkeley County)/PDP/User Load** | | | | | |
| 0 | 3,991 | 7,267 | 4,329 | 4,006 | 2,100 |
| **Controller/USA East - South Carolina (Berkeley County)/PDP/PDP-D_1023/User Load** | | | | | |
| 0 | 1,993 | 3,633 | 2,143 | 2,000 | 1,049 |
| **Controller/USA East - South Carolina (Berkeley County)/PDP/PDP-M_1023/User Load** | | | | | |
| 0 | 1,998 | 3,634 | 2,183 | 2,005 | 1,051 |
| **Controller/USA East - Virginia (Ashburn 3)/User Load** | | | | | |
| 0 | 4,241 | 7,733 | 4,572 | 4,257 | 2,238 |
| **Controller/USA East - Virginia (Ashburn 3)/PDP/User Load** | | | | | |
| 0 | 4,241 | 7,733 | 4,572 | 4,257 | 2,238 |
| **Controller/USA East - Virginia (Ashburn 3)/PDP/PDP-D_1023/User Load** | | | | | |
| 0 | 2,115 | 3,867 | 2,283 | 2,122 | 1,119 |
| **Controller/USA East - Virginia (Ashburn 3)/PDP/PDP-M_1023/User Load** | | | | | |
| 0 | 2,127 | 3,866 | 2,309 | 2,135 | 1,120 |

Neotys

## LG 104.196.105.188:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 104.196.105.188:443/CPU Load** | | | | | |
| 0 | 6.94 | 23 | 6 | 6.72 | 4.13 |
| **LG 104.196.105.188:443/Memory Used** | | | | | |
| 1 | 17.5 | 41 | 17 | 17.4 | 7.48 |
| **LG 104.196.105.188:443/Throughput** | | | | | |
| 0 | 13.9 | 37.6 | 14.1 | 13.7 | 7 |
| **LG 104.196.105.188:443/User Load** | | | | | |
| 0 | 43.2 | 77 | 48 | 43.4 | 22.7 |
| **LG 104.196.105.188:443/Thread Count** | | | | | |
| 38 | 103.5 | 139 | 108 | 104 | 23.9 |
| **LG 104.196.105.188:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 104.196.105.188:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 104.196.105.188:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 104.196.105.188:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 104.196.105.188:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 92 | 126.2 | 178 | 125 | 125 | 16.5 |
| **LG 104.196.105.188:443/Network/Segments sent/sec.** | | | | | |
| 2.36 | 735.9 | 1,904 | 725.1 | 728.9 | 358.1 |
| **LG 104.196.105.188:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.34 | 11.8 | 5.48 | 5.33 | 2.72 |
| **LG 104.196.105.188:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 14.4 | 39 | 14.6 | 14.2 | 7.24 |
| **LG 104.196.105.188:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.884 | 2.22 | 0.879 | 0.88 | 0.411 |

## LG 104.196.170.28:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 104.196.170.28:443/CPU Load** | | | | | |
| 0 | 6.92 | 31 | 6.5 | 6.65 | 4.18 |
| **LG 104.196.170.28:443/Memory Used** | | | | | |
| 2 | 20.8 | 40 | 21 | 20.9 | 8.27 |
| **LG 104.196.170.28:443/Throughput** | | | | | |
| 0 | 14.1 | 38 | 14.4 | 13.9 | 7.13 |
| **LG 104.196.170.28:443/User Load** | | | | | |
| 0 | 42.4 | 77 | 45.5 | 42.6 | 22.3 |
| **LG 104.196.170.28:443/Thread Count** | | | | | |
| 38 | 103.4 | 138 | 105.5 | 104 | 23.9 |
| **LG 104.196.170.28:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 104.196.170.28:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.15 | 0 | 0 | 0.011 |
| **LG 104.196.170.28:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 104.196.170.28:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 104.196.170.28:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 123 | 160.9 | 209 | 150 | 160.2 | 32.7 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 104.196.170.28:443/Network/Segments sent/sec. | | | | | | |
| 1.6 | 740.8 | 1,964 | 757.3 | 736.6 | 358.2 |
| LG 104.196.170.28:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 5.42 | 14 | 5.6 | 5.39 | 2.84 |
| LG 104.196.170.28:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.002 | 14.6 | 39.3 | 14.9 | 14.4 | 7.38 |
| LG 104.196.170.28:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.005 | 0.893 | 2.25 | 0.902 | 0.891 | 0.41 |

## LG 104.196.180.207:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 104.196.180.207:443/CPU Load | | | | | | |
| 0 | 7.01 | 34 | 6 | 6.66 | 4.55 |
| LG 104.196.180.207:443/Memory Used | | | | | | |
| 2 | 21 | 38 | 21 | 21.1 | 8.36 |
| LG 104.196.180.207:443/Throughput | | | | | | |
| 0 | 13.9 | 33.3 | 14.1 | 13.9 | 7.18 |
| LG 104.196.180.207:443/User Load | | | | | | |
| 0 | 42.4 | 78 | 45.5 | 42.5 | 22.9 |
| LG 104.196.180.207:443/Thread Count | | | | | | |
| 38 | 102.9 | 139 | 106.5 | 103.3 | 23.7 |
| LG 104.196.180.207:443/Http client/Thread Pool used | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.196.180.207:443/Http client/Task Pool used | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| LG 104.196.180.207:443/Controller Connection/Disconnections | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.196.180.207:443/Controller Connection/Reconnections | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.196.180.207:443/Controller Connection/Ping Duration (ms) | | | | | | |
| 117 | 189.2 | 209 | 203 | 191.5 | 23.9 |
| LG 104.196.180.207:443/Network/Segments sent/sec. | | | | | | |
| 1.83 | 737.3 | 1,729 | 747.2 | 735.5 | 357.8 |
| LG 104.196.180.207:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 5.73 | 13.7 | 5.6 | 5.72 | 2.95 |
| LG 104.196.180.207:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.003 | 14.4 | 34.4 | 14.6 | 14.4 | 7.41 |
| LG 104.196.180.207:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.006 | 0.887 | 1.98 | 0.898 | 0.89 | 0.409 |

## LG 104.196.21.177:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 104.196.21.177:443/CPU Load | | | | | | |
| 0 | 6.62 | 32 | 6 | 6.28 | 4.33 |
| LG 104.196.21.177:443/Memory Used | | | | | | |
| 2 | 20.5 | 40 | 20 | 20.5 | 8.2 |
| LG 104.196.21.177:443/Throughput | | | | | | |
| 0 | 13.7 | 44.3 | 14 | 13.6 | 7.1 |
| LG 104.196.21.177:443/User Load | | | | | | |
| 0 | 42.7 | 78 | 46 | 42.8 | 22.5 |
| LG 104.196.21.177:443/Thread Count | | | | | | |
| 38 | 103.6 | 139 | 107 | 104 | 23.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 104.196.21.177:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 104.196.21.177:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 | |
| **LG 104.196.21.177:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 104.196.21.177:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 104.196.21.177:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 84 | 127.5 | 201 | 125 | 125.8 | 17.9 | |
| **LG 104.196.21.177:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 725.9 | 2,013 | 753.8 | 721.3 | 353.2 | |
| **LG 104.196.21.177:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.16 | 11.2 | 5.4 | 5.16 | 2.72 | |
| **LG 104.196.21.177:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.2 | 45.7 | 14.5 | 14.1 | 7.33 | |
| **LG 104.196.21.177:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.875 | 2.31 | 0.895 | 0.873 | 0.406 | |

## LG 104.196.214.36:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 104.196.214.36:443/CPU Load** | | | | | | |
| 0 | 6.54 | 34 | 6 | 6.2 | 4.23 | |
| **LG 104.196.214.36:443/Memory Used** | | | | | | |
| 2 | 17.7 | 41 | 16 | 17.5 | 7.83 | |
| **LG 104.196.214.36:443/Throughput** | | | | | | |
| 0 | 13.1 | 29.9 | 12.9 | 13 | 6.48 | |
| **LG 104.196.214.36:443/User Load** | | | | | | |
| 0 | 42.4 | 77 | 45.5 | 42.5 | 22.2 | |
| **LG 104.196.214.36:443/Thread Count** | | | | | | |
| 39 | 103.9 | 138 | 105.5 | 104.5 | 23.9 | |
| **LG 104.196.214.36:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 | |
| **LG 104.196.214.36:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.007 | |
| **LG 104.196.214.36:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 104.196.214.36:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 104.196.214.36:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 116 | 163.5 | 206 | 166 | 163.4 | 19.5 | |
| **LG 104.196.214.36:443/Network/Segments sent/sec.** | | | | | | |
| 2.38 | 696.8 | 1,583 | 699.1 | 693.5 | 328.3 | |
| **LG 104.196.214.36:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.5 | 11.7 | 5.77 | 5.51 | 2.68 | |
| **LG 104.196.214.36:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 13.5 | 30.9 | 13.5 | 13.5 | 6.69 | |
| **LG 104.196.214.36:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.84 | 2.02 | 0.848 | 0.839 | 0.38 | |

Neotys

## LG 104.196.26.8:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 104.196.26.8:443/CPU Load | | | | | |
| 0 | 7.09 | 37 | 6 | 6.73 | 4.75 |
| LG 104.196.26.8:443/Memory Used | | | | | |
| 1 | 21.8 | 40 | 22 | 22 | 8.51 |
| LG 104.196.26.8:443/Throughput | | | | | |
| 0 | 13.8 | 38.4 | 13.9 | 13.7 | 7.17 |
| LG 104.196.26.8:443/User Load | | | | | |
| 0 | 42 | 77 | 45 | 42.2 | 22.3 |
| LG 104.196.26.8:443/Thread Count | | | | | |
| 38 | 104 | 140 | 107 | 104.5 | 23.8 |
| LG 104.196.26.8:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| LG 104.196.26.8:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.003 |
| LG 104.196.26.8:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.196.26.8:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.196.26.8:443/Controller Connection/Ping Duration (ms) | | | | | |
| 107 | 162.9 | 208 | 153 | 163.2 | 35.7 |
| LG 104.196.26.8:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 723.2 | 1,950 | 724.4 | 721.8 | 356.2 |
| LG 104.196.26.8:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.36 | 11.9 | 5.63 | 5.38 | 2.62 |
| LG 104.196.26.8:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 14.3 | 39.8 | 14.4 | 14.2 | 7.42 |
| LG 104.196.26.8:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.877 | 2.21 | 0.889 | 0.879 | 0.411 |

## LG 104.196.35.189:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 104.196.35.189:443/CPU Load | | | | | |
| 0 | 7.11 | 34 | 7 | 6.8 | 4.45 |
| LG 104.196.35.189:443/Memory Used | | | | | |
| 1 | 17.7 | 40 | 16 | 17.5 | 8.08 |
| LG 104.196.35.189:443/Throughput | | | | | |
| 0 | 13.7 | 38.9 | 14.1 | 13.7 | 6.73 |
| LG 104.196.35.189:443/User Load | | | | | |
| 0 | 41.8 | 77 | 45 | 41.9 | 22.5 |
| LG 104.196.35.189:443/Thread Count | | | | | |
| 38 | 101.9 | 138 | 105 | 102.4 | 23.5 |
| LG 104.196.35.189:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.196.35.189:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| LG 104.196.35.189:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.196.35.189:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.196.35.189:443/Controller Connection/Ping Duration (ms) | | | | | |
| 90 | 124.5 | 147 | 125 | 124.9 | 8.86 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 104.196.35.189:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 728.8 | 1,841 | 754.7 | 728.4 | 338.8 | |
| **LG 104.196.35.189:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.19 | 12.6 | 5.4 | 5.19 | 2.64 | |
| **LG 104.196.35.189:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.2 | 40.4 | 14.6 | 14.2 | 6.96 | |
| **LG 104.196.35.189:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.876 | 2.01 | 0.919 | 0.88 | 0.385 | |

## LG 104.196.51.185:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 104.196.51.185:443/CPU Load** | | | | | | |
| 0 | 8.14 | 32 | 8 | 7.88 | 4.71 | |
| **LG 104.196.51.185:443/Memory Used** | | | | | | |
| 1 | 18 | 40 | 17 | 17.8 | 7.67 | |
| **LG 104.196.51.185:443/Throughput** | | | | | | |
| 0 | 13.6 | 34.5 | 14 | 13.5 | 6.78 | |
| **LG 104.196.51.185:443/User Load** | | | | | | |
| 0 | 42.4 | 77 | 46 | 42.6 | 22.3 | |
| **LG 104.196.51.185:443/Thread Count** | | | | | | |
| 38 | 103 | 137 | 106 | 103.6 | 23.3 | |
| **LG 104.196.51.185:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 104.196.51.185:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.01 | |
| **LG 104.196.51.185:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 104.196.51.185:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 104.196.51.185:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 108 | 160.5 | 246 | 164 | 158.7 | 29.4 | |
| **LG 104.196.51.185:443/Network/Segments sent/sec.** | | | | | | |
| 2.6 | 712.7 | 1,812 | 714.9 | 708.6 | 335.9 | |
| **LG 104.196.51.185:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.12 | 12 | 5.2 | 5.11 | 2.64 | |
| **LG 104.196.51.185:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 14.1 | 36 | 14.4 | 14 | 7.01 | |
| **LG 104.196.51.185:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.863 | 2.14 | 0.878 | 0.862 | 0.387 | |

## LG 104.196.60.183:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 104.196.60.183:443/CPU Load** | | | | | | |
| 0 | 6.98 | 28 | 7 | 6.65 | 4.44 | |
| **LG 104.196.60.183:443/Memory Used** | | | | | | |
| 2 | 17.3 | 39 | 16 | 17 | 7.61 | |
| **LG 104.196.60.183:443/Throughput** | | | | | | |
| 0 | 13.6 | 35 | 13.9 | 13.4 | 7.09 | |
| **LG 104.196.60.183:443/User Load** | | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.6 | |
| **LG 104.196.60.183:443/Thread Count** | | | | | | |
| 38 | 102.8 | 138 | 105 | 103.3 | 24.1 | |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 104.196.60.183:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 104.196.60.183:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 104.196.60.183:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 104.196.60.183:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 104.196.60.183:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 107 | 160.7 | 207 | 150 | 160.7 | 35.8 |
| **LG 104.196.60.183:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 718 | 1,683 | 732.5 | 713.8 | 352 |
| **LG 104.196.60.183:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.78 | 16.6 | 6 | 5.77 | 2.96 |
| **LG 104.196.60.183:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14 | 36 | 14.3 | 13.9 | 7.32 |
| **LG 104.196.60.183:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.865 | 1.93 | 0.888 | 0.865 | 0.407 |

## LG 34.73.0.22:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.0.22:443/CPU Load** | | | | | | |
| | 0 | 8.03 | 46 | 7 | 7.64 | 5.23 |
| **LG 34.73.0.22:443/Memory Used** | | | | | | |
| | 1 | 17.8 | 40 | 17 | 17.6 | 7.56 |
| **LG 34.73.0.22:443/Throughput** | | | | | | |
| | 0 | 14.1 | 35.1 | 14.8 | 14 | 7.06 |
| **LG 34.73.0.22:443/User Load** | | | | | | |
| | 0 | 42.6 | 78 | 46 | 42.7 | 22.6 |
| **LG 34.73.0.22:443/Thread Count** | | | | | | |
| | 39 | 102.9 | 139 | 107 | 103.2 | 23.4 |
| **LG 34.73.0.22:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 34.73.0.22:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 34.73.0.22:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.0.22:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.0.22:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 92 | 131.3 | 168 | 128.5 | 130.8 | 14.3 |
| **LG 34.73.0.22:443/Network/Segments sent/sec.** | | | | | | |
| | 2.38 | 739.1 | 1,795 | 754.1 | 734.7 | 350.7 |
| **LG 34.73.0.22:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.22 | 12.6 | 5.46 | 5.21 | 2.6 |
| **LG 34.73.0.22:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 14.6 | 36.2 | 15.3 | 14.5 | 7.29 |
| **LG 34.73.0.22:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.895 | 2.02 | 0.924 | 0.894 | 0.406 |

Neotys

## LG 34.73.142.205:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.73.142.205:443/CPU Load** | | | | | |
| 0 | 7.25 | 32 | 7 | 6.98 | 4.57 |
| **LG 34.73.142.205:443/Memory Used** | | | | | |
| 2 | 17.6 | 40 | 16 | 17.3 | 7.85 |
| **LG 34.73.142.205:443/Throughput** | | | | | |
| 0 | 13.7 | 36.2 | 13.4 | 13.5 | 7.5 |
| **LG 34.73.142.205:443/User Load** | | | | | |
| 0 | 41.8 | 77 | 44.5 | 41.9 | 22.3 |
| **LG 34.73.142.205:443/Thread Count** | | | | | |
| 38 | 102.4 | 138 | 105.5 | 102.9 | 23.3 |
| **LG 34.73.142.205:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 34.73.142.205:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.133 | 0 | 0 | 0.008 |
| **LG 34.73.142.205:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.142.205:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.142.205:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 96 | 129.9 | 203 | 126 | 128.3 | 21.7 |
| **LG 34.73.142.205:443/Network/Segments sent/sec.** | | | | | |
| 2.38 | 721 | 1,738 | 723.3 | 713.1 | 374.1 |
| **LG 34.73.142.205:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.71 | 13.1 | 5.91 | 5.69 | 3.01 |
| **LG 34.73.142.205:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 14.2 | 37.4 | 13.9 | 14 | 7.75 |
| **LG 34.73.142.205:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.871 | 2.03 | 0.863 | 0.864 | 0.431 |

## LG 34.73.169.63:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.73.169.63:443/CPU Load** | | | | | |
| 0 | 7.15 | 33 | 6 | 6.78 | 4.67 |
| **LG 34.73.169.63:443/Memory Used** | | | | | |
| 2 | 21.7 | 40 | 22 | 21.9 | 8.05 |
| **LG 34.73.169.63:443/Throughput** | | | | | |
| 0 | 14 | 32.5 | 14.3 | 14 | 7.07 |
| **LG 34.73.169.63:443/User Load** | | | | | |
| 0 | 41.9 | 77 | 45 | 42.1 | 22.5 |
| **LG 34.73.169.63:443/Thread Count** | | | | | |
| 38 | 102.5 | 138 | 107 | 102.9 | 23.5 |
| **LG 34.73.169.63:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 34.73.169.63:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 34.73.169.63:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.169.63:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.169.63:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 92 | 127.6 | 166 | 126 | 126.8 | 12.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.169.63:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 737.6 | 1,670 | 750.7 | 737.4 | 349.6 |
| **LG 34.73.169.63:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.19 | 12 | 5.4 | 5.17 | 2.71 |
| **LG 34.73.169.63:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.5 | 33.6 | 14.8 | 14.5 | 7.3 |
| **LG 34.73.169.63:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.888 | 1.94 | 0.915 | 0.891 | 0.405 |

## LG 34.73.175.23:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.175.23:443/CPU Load** | | | | | | |
| | 0 | 7.58 | 34 | 7 | 7.21 | 4.66 |
| **LG 34.73.175.23:443/Memory Used** | | | | | | |
| | 2 | 21.3 | 38 | 21 | 21.4 | 8.29 |
| **LG 34.73.175.23:443/Throughput** | | | | | | |
| | 0 | 13.7 | 36.9 | 13.7 | 13.6 | 6.68 |
| **LG 34.73.175.23:443/User Load** | | | | | | |
| | 0 | 43.4 | 78 | 48 | 43.7 | 23.2 |
| **LG 34.73.175.23:443/Thread Count** | | | | | | |
| | 38 | 104.4 | 140 | 110 | 104.9 | 24.1 |
| **LG 34.73.175.23:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 34.73.175.23:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.033 | 0 | 0 | 0.003 |
| **LG 34.73.175.23:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.175.23:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.175.23:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 90 | 125.9 | 167 | 127 | 125.5 | 14.9 |
| **LG 34.73.175.23:443/Network/Segments sent/sec.** | | | | | | |
| | 1.99 | 719.2 | 1,843 | 726.4 | 716.7 | 328.1 |
| **LG 34.73.175.23:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.89 | 12.6 | 6.12 | 5.96 | 2.76 |
| **LG 34.73.175.23:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.2 | 37.9 | 14.2 | 14.1 | 6.89 |
| **LG 34.73.175.23:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.878 | 2.86 | 0.89 | 0.875 | 0.401 |

## LG 34.73.180.67:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.180.67:443/CPU Load** | | | | | | |
| | 0 | 7.85 | 33 | 7 | 7.47 | 5.06 |
| **LG 34.73.180.67:443/Memory Used** | | | | | | |
| | 2 | 18.1 | 40 | 17 | 17.9 | 8.01 |
| **LG 34.73.180.67:443/Throughput** | | | | | | |
| | 0 | 13.4 | 36.4 | 13.4 | 13.3 | 6.86 |
| **LG 34.73.180.67:443/User Load** | | | | | | |
| | 0 | 41.9 | 77 | 45 | 42 | 22.7 |
| **LG 34.73.180.67:443/Thread Count** | | | | | | |
| | 38 | 102.5 | 140 | 106 | 102.9 | 24 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 34.73.180.67:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 34.73.180.67:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| LG 34.73.180.67:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.180.67:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.180.67:443/Controller Connection/Ping Duration (ms) | | | | | |
| 94 | 148.6 | 206 | 128 | 148.3 | 36.9 |
| LG 34.73.180.67:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 703 | 1,717 | 722 | 700.3 | 340.2 |
| LG 34.73.180.67:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.06 | 11.4 | 5.28 | 5.07 | 2.65 |
| LG 34.73.180.67:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 13.8 | 37.4 | 13.9 | 13.7 | 7.08 |
| LG 34.73.180.67:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.85 | 1.92 | 0.874 | 0.85 | 0.392 |

## LG 34.73.232.61:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 34.73.232.61:443/CPU Load | | | | | |
| 0 | 6.8 | 30 | 6 | 6.52 | 4.13 |
| LG 34.73.232.61:443/Memory Used | | | | | |
| 2 | 18.8 | 40 | 18 | 18.7 | 7.33 |
| LG 34.73.232.61:443/Throughput | | | | | |
| 0 | 13.9 | 32.7 | 13.8 | 13.8 | 6.98 |
| LG 34.73.232.61:443/User Load | | | | | |
| 0 | 42.6 | 78 | 45.5 | 42.7 | 22.7 |
| LG 34.73.232.61:443/Thread Count | | | | | |
| 38 | 104.1 | 140 | 106.5 | 104.6 | 23.7 |
| LG 34.73.232.61:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.73.232.61:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.003 |
| LG 34.73.232.61:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.232.61:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.232.61:443/Controller Connection/Ping Duration (ms) | | | | | |
| 124 | 131.9 | 204 | 130 | 129.6 | 13.4 |
| LG 34.73.232.61:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 737.7 | 1,719 | 745.8 | 733.5 | 349.1 |
| LG 34.73.232.61:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.25 | 12 | 5.2 | 5.22 | 2.85 |
| LG 34.73.232.61:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 14.4 | 33.9 | 14.3 | 14.3 | 7.21 |
| LG 34.73.232.61:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.888 | 1.92 | 0.917 | 0.888 | 0.399 |

Neotys

## LG 34.73.237.86:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.73.237.86:443/CPU Load** | | | | | |
| 0 | 7.92 | 34 | 7 | 7.61 | 4.87 |
| **LG 34.73.237.86:443/Memory Used** | | | | | |
| 2 | 21.6 | 41 | 22 | 21.7 | 8.21 |
| **LG 34.73.237.86:443/Throughput** | | | | | |
| 0 | 13.5 | 29.4 | 13.7 | 13.5 | 6.78 |
| **LG 34.73.237.86:443/User Load** | | | | | |
| 0 | 43.7 | 77 | 49 | 44 | 22.4 |
| **LG 34.73.237.86:443/Thread Count** | | | | | |
| 38 | 104.1 | 138 | 109 | 104.7 | 23.4 |
| **LG 34.73.237.86:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 34.73.237.86:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 34.73.237.86:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.237.86:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.237.86:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 177 | 214 | 168 | 179.6 | 33.2 |
| **LG 34.73.237.86:443/Network/Segments sent/sec.** | | | | | |
| 3 | 705.3 | 1,534 | 711.9 | 704.2 | 334.3 |
| **LG 34.73.237.86:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.17 | 10.84 | 5.42 | 5.19 | 2.56 |
| **LG 34.73.237.86:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.004 | 13.9 | 30.3 | 14.2 | 13.9 | 6.99 |
| **LG 34.73.237.86:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.006 | 0.859 | 1.9 | 0.869 | 0.86 | 0.392 |

## LG 34.73.33.124:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.73.33.124:443/CPU Load** | | | | | |
| 0 | 8.3 | 46 | 8 | 7.95 | 5.24 |
| **LG 34.73.33.124:443/Memory Used** | | | | | |
| 1 | 17.5 | 41 | 16 | 17.2 | 7.98 |
| **LG 34.73.33.124:443/Throughput** | | | | | |
| 0 | 14.5 | 35.8 | 14.9 | 14.5 | 7.03 |
| **LG 34.73.33.124:443/User Load** | | | | | |
| 0 | 42.3 | 77 | 45 | 42.4 | 22.7 |
| **LG 34.73.33.124:443/Thread Count** | | | | | |
| 39 | 104.1 | 138 | 106 | 104.7 | 24.1 |
| **LG 34.73.33.124:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.003 |
| **LG 34.73.33.124:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.2 | 0 | 0 | 0.011 |
| **LG 34.73.33.124:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.33.124:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.33.124:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 134.3 | 204 | 127 | 132.7 | 24.3 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.33.124:443/Network/Segments sent/sec.** | | | | | | |
| | 1.61 | 755 | 1,736 | 780.2 | 756.3 | 346.7 |
| **LG 34.73.33.124:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.27 | 11.5 | 5.6 | 5.32 | 2.52 |
| **LG 34.73.33.124:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 15 | 37 | 15.5 | 15 | 7.26 |
| **LG 34.73.33.124:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.913 | 2.02 | 0.961 | 0.918 | 0.401 |

## LG 34.73.39.86:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.39.86:443/CPU Load** | | | | | | |
| | 0 | 7.28 | 34 | 7 | 6.91 | 4.62 |
| **LG 34.73.39.86:443/Memory Used** | | | | | | |
| | 1 | 17.8 | 41 | 16 | 17.6 | 8.02 |
| **LG 34.73.39.86:443/Throughput** | | | | | | |
| | 0 | 13.4 | 41.5 | 13.6 | 13.3 | 6.77 |
| **LG 34.73.39.86:443/User Load** | | | | | | |
| | 0 | 41.9 | 77 | 45 | 42 | 22.6 |
| **LG 34.73.39.86:443/Thread Count** | | | | | | |
| | 38 | 101.9 | 138 | 105 | 102.4 | 23.3 |
| **LG 34.73.39.86:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 34.73.39.86:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 34.73.39.86:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.39.86:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.73.39.86:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 125 | 174.8 | 531 | 164 | 162 | 73 |
| **LG 34.73.39.86:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 705.2 | 1,962 | 691.6 | 701.3 | 335.4 |
| **LG 34.73.39.86:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.13 | 11.4 | 5.41 | 5.13 | 2.61 |
| **LG 34.73.39.86:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 13.9 | 43.1 | 14.1 | 13.8 | 7 |
| **LG 34.73.39.86:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.004 | 0.853 | 2.12 | 0.87 | 0.853 | 0.387 |

## LG 34.73.54.54:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.54.54:443/CPU Load** | | | | | | |
| | 0 | 8.04 | 33 | 7 | 7.66 | 5.09 |
| **LG 34.73.54.54:443/Memory Used** | | | | | | |
| | 1 | 17.7 | 41 | 16 | 17.4 | 8.21 |
| **LG 34.73.54.54:443/Throughput** | | | | | | |
| | 0 | 13.9 | 36.2 | 13.7 | 13.8 | 7.22 |
| **LG 34.73.54.54:443/User Load** | | | | | | |
| | 0 | 42.3 | 77 | 46 | 42.5 | 22.1 |
| **LG 34.73.54.54:443/Thread Count** | | | | | | |
| | 38 | 102.9 | 140 | 107 | 103.3 | 23.3 |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.54.54:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 | |
| **LG 34.73.54.54:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 | |
| **LG 34.73.54.54:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.73.54.54:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.73.54.54:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 124 | 163.3 | 206 | 166 | 163.1 | 16.7 | |
| **LG 34.73.54.54:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 730.5 | 1,875 | 729.5 | 725 | 360.2 | |
| **LG 34.73.54.54:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.2 | 11.4 | 5.4 | 5.21 | 2.67 | |
| **LG 34.73.54.54:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.4 | 37.2 | 14.1 | 14.3 | 7.45 | |
| **LG 34.73.54.54:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.883 | 2.24 | 0.894 | 0.88 | 0.418 | |

## LG 34.73.62.66:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.73.62.66:443/CPU Load** | | | | | | |
| 0 | 6.46 | 25 | 6 | 6.12 | 4.09 | |
| **LG 34.73.62.66:443/Memory Used** | | | | | | |
| 1 | 21.2 | 41 | 22 | 21.3 | 7.61 | |
| **LG 34.73.62.66:443/Throughput** | | | | | | |
| 0 | 14 | 35.6 | 14.3 | 13.9 | 6.97 | |
| **LG 34.73.62.66:443/User Load** | | | | | | |
| 0 | 42.1 | 77 | 45 | 42.2 | 22.3 | |
| **LG 34.73.62.66:443/Thread Count** | | | | | | |
| 38 | 103.7 | 137 | 106 | 104.4 | 24.1 | |
| **LG 34.73.62.66:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.102 | 0.155 | 0.1 | 0.1 | 0.009 | |
| **LG 34.73.62.66:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.003 | |
| **LG 34.73.62.66:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.73.62.66:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.73.62.66:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 86 | 128.1 | 186 | 127 | 127.9 | 15.2 | |
| **LG 34.73.62.66:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 745.9 | 1,744 | 771.1 | 745.6 | 345.8 | |
| **LG 34.73.62.66:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.2 | 10.2 | 5.6 | 5.25 | 2.5 | |
| **LG 34.73.62.66:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.5 | 37.3 | 14.9 | 14.4 | 7.2 | |
| **LG 34.73.62.66:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.893 | 1.96 | 0.918 | 0.895 | 0.398 | |

## LG 34.73.96.155:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 34.73.96.155:443/CPU Load | | | | | |
| 0 | 7.78 | 39 | 7 | 7.49 | 4.79 |
| LG 34.73.96.155:443/Memory Used | | | | | |
| 1 | 21 | 39 | 21 | 21.1 | 8.38 |
| LG 34.73.96.155:443/Throughput | | | | | |
| 0 | 13.9 | 32.3 | 14 | 13.9 | 7.07 |
| LG 34.73.96.155:443/User Load | | | | | |
| 0 | 42.5 | 78 | 45.5 | 42.7 | 22.6 |
| LG 34.73.96.155:443/Thread Count | | | | | |
| 38 | 103.5 | 141 | 107 | 103.9 | 24.2 |
| LG 34.73.96.155:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.73.96.155:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 |
| LG 34.73.96.155:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.96.155:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.96.155:443/Controller Connection/Ping Duration (ms) | | | | | |
| 106 | 128.5 | 196 | 126 | 126.3 | 17 |
| LG 34.73.96.155:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 731.8 | 1,610 | 731.3 | 729.2 | 348.6 |
| LG 34.73.96.155:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.9 | 15.4 | 6.2 | 5.88 | 3.05 |
| LG 34.73.96.155:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 14.4 | 33.5 | 14.5 | 14.3 | 7.3 |
| LG 34.73.96.155:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.004 | 0.885 | 1.85 | 0.888 | 0.886 | 0.402 |

## LG 34.73.99.197:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 34.73.99.197:443/CPU Load | | | | | |
| 0 | 7.62 | 38 | 7 | 7.3 | 4.88 |
| LG 34.73.99.197:443/Memory Used | | | | | |
| 2 | 17.8 | 43 | 16 | 17.5 | 8.13 |
| LG 34.73.99.197:443/Throughput | | | | | |
| 0 | 14.4 | 52.5 | 14.9 | 14.2 | 7.91 |
| LG 34.73.99.197:443/User Load | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.4 |
| LG 34.73.99.197:443/Thread Count | | | | | |
| 38 | 103 | 138 | 106 | 103.6 | 23.6 |
| LG 34.73.99.197:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.73.99.197:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| LG 34.73.99.197:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.99.197:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.73.99.197:443/Controller Connection/Ping Duration (ms) | | | | | |
| 95 | 125.6 | 150 | 127 | 125.6 | 10.2 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.73.99.197:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 753.2 | 2,739 | 752.5 | 743 | 395.5 |
| **LG 34.73.99.197:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.14 | 15.8 | 5.2 | 5.14 | 2.69 |
| **LG 34.73.99.197:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.9 | 54.7 | 15.4 | 14.7 | 8.17 |
| **LG 34.73.99.197:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.91 | 3.16 | 0.92 | 0.902 | 0.459 |

## LG 34.74.104.144:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.104.144:443/CPU Load** | | | | | |
| 0 | 7.89 | 36 | 7 | 7.53 | 4.99 |
| **LG 34.74.104.144:443/Memory Used** | | | | | |
| 2 | 21.8 | 38 | 22 | 22 | 8.54 |
| **LG 34.74.104.144:443/Throughput** | | | | | |
| 0 | 14.1 | 34.4 | 14 | 14 | 7.09 |
| **LG 34.74.104.144:443/User Load** | | | | | |
| 0 | 42.6 | 78 | 45 | 42.7 | 22.7 |
| **LG 34.74.104.144:443/Thread Count** | | | | | |
| 38 | 102.9 | 139 | 104 | 103.3 | 23.2 |
| **LG 34.74.104.144:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 34.74.104.144:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.083 | 0 | 0 | 0.007 |
| **LG 34.74.104.144:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.104.144:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.104.144:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 97 | 161.4 | 209 | 159 | 161.8 | 36.5 |
| **LG 34.74.104.144:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 741.9 | 1,689 | 735.5 | 737.8 | 351.1 |
| **LG 34.74.104.144:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.3 | 11.4 | 5.6 | 5.31 | 2.66 |
| **LG 34.74.104.144:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.6 | 35.5 | 14.6 | 14.5 | 7.33 |
| **LG 34.74.104.144:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.004 | 0.895 | 2 | 0.903 | 0.894 | 0.403 |

## LG 34.74.11.225:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.11.225:443/CPU Load** | | | | | |
| 0 | 7.31 | 27 | 7 | 6.98 | 4.48 |
| **LG 34.74.11.225:443/Memory Used** | | | | | |
| 2 | 21.3 | 40 | 22 | 21.4 | 8.18 |
| **LG 34.74.11.225:443/Throughput** | | | | | |
| 0 | 13.7 | 34.1 | 13.8 | 13.7 | 6.89 |
| **LG 34.74.11.225:443/User Load** | | | | | |
| 0 | 41.9 | 77 | 45 | 42 | 22.5 |
| **LG 34.74.11.225:443/Thread Count** | | | | | |
| 38 | 102.5 | 138 | 107 | 103 | 23.1 |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.11.225:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 34.74.11.225:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 34.74.11.225:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.11.225:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.11.225:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 105 | 126.8 | 200 | 126 | 124.6 | 17.2 | |
| **LG 34.74.11.225:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 720.4 | 1,680 | 726 | 719.8 | 340.2 | |
| **LG 34.74.11.225:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.23 | 11.3 | 5.6 | 5.26 | 2.63 | |
| **LG 34.74.11.225:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.2 | 35.2 | 14.2 | 14.1 | 7.11 | |
| **LG 34.74.11.225:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.871 | 1.96 | 0.894 | 0.874 | 0.392 | |

## LG 34.74.111.126:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.111.126:443/CPU Load** | | | | | | |
| 0 | 7.73 | 32 | 7 | 7.29 | 5.14 | |
| **LG 34.74.111.126:443/Memory Used** | | | | | | |
| 2 | 17.5 | 38 | 16 | 17.2 | 7.67 | |
| **LG 34.74.111.126:443/Throughput** | | | | | | |
| 0 | 14.2 | 64.4 | 14 | 14 | 7.72 | |
| **LG 34.74.111.126:443/User Load** | | | | | | |
| 0 | 42.8 | 78 | 46 | 42.9 | 22.4 | |
| **LG 34.74.111.126:443/Thread Count** | | | | | | |
| 38 | 106 | 140 | 107 | 106.7 | 24.9 | |
| **LG 34.74.111.126:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.006 | |
| **LG 34.74.111.126:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 | |
| **LG 34.74.111.126:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.111.126:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.111.126:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 93 | 132.3 | 195 | 129 | 130.9 | 17.8 | |
| **LG 34.74.111.126:443/Network/Segments sent/sec.** | | | | | | |
| 2.64 | 746.3 | 3,102 | 734.4 | 740.1 | 381.7 | |
| **LG 34.74.111.126:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.35 | 14.8 | 5.49 | 5.28 | 2.85 | |
| **LG 34.74.111.126:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.004 | 14.7 | 66.5 | 14.5 | 14.5 | 7.97 | |
| **LG 34.74.111.126:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.006 | 0.9 | 3.49 | 0.902 | 0.896 | 0.436 | |

Neotys

## LG 34.74.149.214:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.149.214:443/CPU Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Memory Used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Throughput** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/User Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Thread Count** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Http client/Thread Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Http client/Task Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Network/Segments sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.149.214:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

## LG 34.74.164.108:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.164.108:443/CPU Load** | | | | | |
| 0 | 6.9 | 30 | 6 | 6.51 | 4.52 |
| **LG 34.74.164.108:443/Memory Used** | | | | | |
| 1 | 20 | 40 | 20 | 20 | 8.05 |
| **LG 34.74.164.108:443/Throughput** | | | | | |
| 0 | 14 | 37 | 14.4 | 13.9 | 7.14 |
| **LG 34.74.164.108:443/User Load** | | | | | |
| 0 | 42.2 | 77 | 45 | 42.4 | 22.6 |
| **LG 34.74.164.108:443/Thread Count** | | | | | |
| 39 | 103.9 | 138 | 106 | 104.4 | 23.8 |
| **LG 34.74.164.108:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 34.74.164.108:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 34.74.164.108:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.164.108:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.164.108:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 94 | 130.7 | 208 | 130 | 129.8 | 16.7 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.164.108:443/Network/Segments sent/sec.** | | | | | |
| 1.81 | 741.5 | 1,848 | 766.6 | 738.4 | 355 |
| **LG 34.74.164.108:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.89 | 14.4 | 6.02 | 5.88 | 2.94 |
| **LG 34.74.164.108:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 14.5 | 38.3 | 14.9 | 14.4 | 7.36 |
| **LG 34.74.164.108:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.893 | 2.06 | 0.924 | 0.892 | 0.409 |

## LG 34.74.2.147:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.2.147:443/CPU Load** | | | | | |
| 0 | 6.31 | 25 | 6 | 6 | 3.98 |
| **LG 34.74.2.147:443/Memory Used** | | | | | |
| 1 | 19.3 | 41 | 19 | 19.3 | 7.39 |
| **LG 34.74.2.147:443/Throughput** | | | | | |
| 0 | 14 | 33.6 | 14.5 | 13.9 | 7.15 |
| **LG 34.74.2.147:443/User Load** | | | | | |
| 0 | 43.1 | 77 | 48 | 43.4 | 22.8 |
| **LG 34.74.2.147:443/Thread Count** | | | | | |
| 38 | 103.5 | 137 | 109 | 104.2 | 23.4 |
| **LG 34.74.2.147:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 34.74.2.147:443/Http client/Task Pool used** | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.003 |
| **LG 34.74.2.147:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.2.147:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.2.147:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 186.1 | 207 | 206 | 190.1 | 33.8 |
| **LG 34.74.2.147:443/Network/Segments sent/sec.** | | | | | |
| 1.78 | 745.9 | 1,612 | 770.2 | 742.5 | 355.7 |
| **LG 34.74.2.147:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.84 | 13.6 | 6.05 | 5.88 | 2.8 |
| **LG 34.74.2.147:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.5 | 34.7 | 15 | 14.4 | 7.39 |
| **LG 34.74.2.147:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.897 | 1.83 | 0.944 | 0.898 | 0.406 |

## LG 34.74.224.39:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.224.39:443/CPU Load** | | | | | |
| 0 | 7.88 | 40 | 7 | 7.54 | 5.01 |
| **LG 34.74.224.39:443/Memory Used** | | | | | |
| 2 | 21.5 | 40 | 21 | 21.6 | 8.31 |
| **LG 34.74.224.39:443/Throughput** | | | | | |
| 0 | 14 | 44.8 | 14.1 | 13.9 | 7.34 |
| **LG 34.74.224.39:443/User Load** | | | | | |
| 0 | 42.7 | 78 | 46 | 42.8 | 22.5 |
| **LG 34.74.224.39:443/Thread Count** | | | | | |
| 38 | 104.1 | 139 | 106 | 104.6 | 24.2 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.224.39:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 34.74.224.39:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 34.74.224.39:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.224.39:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.224.39:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 112 | 135 | 198 | 129 | 132.7 | 21.8 |
| **LG 34.74.224.39:443/Network/Segments sent/sec.** | | | | | | |
| | 1.59 | 736.5 | 2,287 | 722.3 | 733.2 | 362.3 |
| **LG 34.74.224.39:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.3 | 16.2 | 5.6 | 5.28 | 2.78 |
| **LG 34.74.224.39:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.5 | 46 | 14.5 | 14.4 | 7.58 |
| **LG 34.74.224.39:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.002 | 0.889 | 2.7 | 0.886 | 0.889 | 0.415 |

## LG 34.74.227.105:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.227.105:443/CPU Load** | | | | | | |
| | 0 | 7.13 | 32 | 6 | 6.8 | 4.53 |
| **LG 34.74.227.105:443/Memory Used** | | | | | | |
| | 2 | 18.6 | 40 | 17 | 18.4 | 8.33 |
| **LG 34.74.227.105:443/Throughput** | | | | | | |
| | 0 | 13.3 | 29.5 | 13.8 | 13.3 | 6.61 |
| **LG 34.74.227.105:443/User Load** | | | | | | |
| | 0 | 41.7 | 77 | 44 | 41.8 | 22.6 |
| **LG 34.74.227.105:443/Thread Count** | | | | | | |
| | 38 | 102.5 | 139 | 104 | 102.9 | 24.3 |
| **LG 34.74.227.105:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 34.74.227.105:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 34.74.227.105:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.227.105:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.227.105:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 86 | 142.6 | 193 | 130 | 143 | 24.4 |
| **LG 34.74.227.105:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 706 | 1,525 | 732.9 | 707.8 | 330 |
| **LG 34.74.227.105:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.11 | 11.8 | 5.2 | 5.1 | 2.69 |
| **LG 34.74.227.105:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 13.8 | 30.5 | 14.3 | 13.8 | 6.83 |
| **LG 34.74.227.105:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.851 | 1.74 | 0.881 | 0.857 | 0.382 |

Neotys

## LG 34.74.245.192:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.245.192:443/CPU Load** | | | | | |
| 0 | 8.08 | 28 | 7 | 7.74 | 5.1 |
| **LG 34.74.245.192:443/Memory Used** | | | | | |
| 2 | 18.1 | 41 | 16 | 17.8 | 8.07 |
| **LG 34.74.245.192:443/Throughput** | | | | | |
| 0 | 14.1 | 32.2 | 14.2 | 14 | 7.28 |
| **LG 34.74.245.192:443/User Load** | | | | | |
| 0 | 42.5 | 78 | 46 | 42.7 | 22.8 |
| **LG 34.74.245.192:443/Thread Count** | | | | | |
| 38 | 103.7 | 138 | 107 | 104.2 | 24 |
| **LG 34.74.245.192:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 34.74.245.192:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.05 | 0 | 0 | 0.006 |
| **LG 34.74.245.192:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.245.192:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.245.192:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 94 | 129.6 | 167 | 130 | 129.7 | 11.8 |
| **LG 34.74.245.192:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 743.5 | 1,715 | 747.1 | 738.9 | 361 |
| **LG 34.74.245.192:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 6 | 13.5 | 6.24 | 6.01 | 3.07 |
| **LG 34.74.245.192:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.6 | 33.4 | 14.7 | 14.5 | 7.51 |
| **LG 34.74.245.192:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.896 | 1.96 | 0.916 | 0.894 | 0.414 |

## LG 34.74.40.255:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 34.74.40.255:443/CPU Load** | | | | | |
| 0 | 6.95 | 33 | 6 | 6.61 | 4.41 |
| **LG 34.74.40.255:443/Memory Used** | | | | | |
| 1 | 19.6 | 40 | 19 | 19.6 | 7.79 |
| **LG 34.74.40.255:443/Throughput** | | | | | |
| 0 | 14 | 32 | 14.4 | 14.1 | 6.92 |
| **LG 34.74.40.255:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 44 | 41.8 | 22.7 |
| **LG 34.74.40.255:443/Thread Count** | | | | | |
| 38 | 102.3 | 139 | 104 | 102.7 | 23.7 |
| **LG 34.74.40.255:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 34.74.40.255:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.2 | 0 | 0 | 0.011 |
| **LG 34.74.40.255:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.40.255:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.40.255:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 93 | 129 | 204 | 125 | 127.2 | 18.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.40.255:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 743.7 | 1,570 | 748.3 | 746.9 | 348.4 |
| **LG 34.74.40.255:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.2 | 12.2 | 5.4 | 5.19 | 2.71 |
| **LG 34.74.40.255:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.5 | 33 | 14.9 | 14.6 | 7.16 |
| **LG 34.74.40.255:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.893 | 2.09 | 0.916 | 0.898 | 0.405 |

## LG 34.74.41.35:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.41.35:443/CPU Load** | | | | | | |
| | 0 | 6.73 | 28 | 6 | 6.43 | 4.22 |
| **LG 34.74.41.35:443/Memory Used** | | | | | | |
| | 1 | 17 | 39 | 15 | 16.8 | 7.84 |
| **LG 34.74.41.35:443/Throughput** | | | | | | |
| | 0 | 14.3 | 39 | 14.4 | 14.2 | 7.33 |
| **LG 34.74.41.35:443/User Load** | | | | | | |
| | 0 | 42.7 | 78 | 46 | 42.8 | 22.5 |
| **LG 34.74.41.35:443/Thread Count** | | | | | | |
| | 38 | 103.9 | 140 | 107 | 104.4 | 23.9 |
| **LG 34.74.41.35:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 34.74.41.35:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 34.74.41.35:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.41.35:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.41.35:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 86 | 129.3 | 205 | 126 | 127.7 | 23.9 |
| **LG 34.74.41.35:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 758.4 | 1,741 | 771 | 756.2 | 363.3 |
| **LG 34.74.41.35:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.86 | 15.6 | 6 | 5.86 | 2.96 |
| **LG 34.74.41.35:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.8 | 40.4 | 14.9 | 14.7 | 7.57 |
| **LG 34.74.41.35:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.911 | 1.94 | 0.94 | 0.913 | 0.417 |

## LG 34.74.49.245:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.49.245:443/CPU Load** | | | | | | |
| | 0 | 8.23 | 31 | 8 | 7.94 | 4.89 |
| **LG 34.74.49.245:443/Memory Used** | | | | | | |
| | 1 | 17.2 | 39 | 16 | 17 | 7.52 |
| **LG 34.74.49.245:443/Throughput** | | | | | | |
| | 0 | 14.1 | 34.2 | 14.1 | 14.1 | 7 |
| **LG 34.74.49.245:443/User Load** | | | | | | |
| | 0 | 42.1 | 77 | 45 | 42.3 | 22.5 |
| **LG 34.74.49.245:443/Thread Count** | | | | | | |
| | 38 | 102.3 | 139 | 105 | 102.8 | 23.7 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.49.245:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 34.74.49.245:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 | |
| **LG 34.74.49.245:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.49.245:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.49.245:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 102 | 165.4 | 249 | 170 | 164.8 | 31.1 | |
| **LG 34.74.49.245:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 735.9 | 1,670 | 730.2 | 734.4 | 346 | |
| **LG 34.74.49.245:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.39 | 12 | 5.6 | 5.39 | 2.74 | |
| **LG 34.74.49.245:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.6 | 35.2 | 14.6 | 14.5 | 7.22 | |
| **LG 34.74.49.245:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.898 | 1.95 | 0.907 | 0.9 | 0.402 | |

## LG 34.74.6.251:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.6.251:443/CPU Load** | | | | | | |
| 0 | 7.06 | 34 | 6 | 6.68 | 4.68 | |
| **LG 34.74.6.251:443/Memory Used** | | | | | | |
| 2 | 19.1 | 41 | 18 | 18.9 | 8.07 | |
| **LG 34.74.6.251:443/Throughput** | | | | | | |
| 0 | 13.4 | 33.3 | 13.4 | 13.3 | 6.84 | |
| **LG 34.74.6.251:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.8 | 22.6 | |
| **LG 34.74.6.251:443/Thread Count** | | | | | | |
| 38 | 103.6 | 142 | 106 | 104 | 24.1 | |
| **LG 34.74.6.251:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.125 | 0.1 | 0.1 | 0.003 | |
| **LG 34.74.6.251:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 34.74.6.251:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.6.251:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 34.74.6.251:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 106 | 141 | 205 | 126 | 139.4 | 32.1 | |
| **LG 34.74.6.251:443/Network/Segments sent/sec.** | | | | | | |
| 2.59 | 713.4 | 1,796 | 721.4 | 708.1 | 345.6 | |
| **LG 34.74.6.251:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.12 | 10.6 | 5.39 | 5.12 | 2.55 | |
| **LG 34.74.6.251:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 13.9 | 34.4 | 13.9 | 13.8 | 7.07 | |
| **LG 34.74.6.251:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.007 | 0.857 | 2.13 | 0.87 | 0.853 | 0.395 | |

Neotys

## LG 34.74.65.99:443
**Performance Counters**

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 34.74.65.99:443/CPU Load | | | | | |
| 0 | 7.38 | 37 | 7 | 7 | 4.74 |
| LG 34.74.65.99:443/Memory Used | | | | | |
| 2 | 21.1 | 40 | 22 | 21.3 | 8.19 |
| LG 34.74.65.99:443/Throughput | | | | | |
| 0 | 13.7 | 36.5 | 13.9 | 13.6 | 7.1 |
| LG 34.74.65.99:443/User Load | | | | | |
| 0 | 43.2 | 77 | 47 | 43.5 | 22.9 |
| LG 34.74.65.99:443/Thread Count | | | | | |
| 39 | 104.7 | 138 | 109 | 105.4 | 24 |
| LG 34.74.65.99:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.74.65.99:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| LG 34.74.65.99:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.74.65.99:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.74.65.99:443/Controller Connection/Ping Duration (ms) | | | | | |
| 89 | 132.7 | 205 | 128 | 131.1 | 26.5 |
| LG 34.74.65.99:443/Network/Segments sent/sec. | | | | | |
| 2.38 | 718.7 | 1,887 | 711.4 | 712.8 | 354.4 |
| LG 34.74.65.99:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.21 | 10.77 | 5.41 | 5.24 | 2.61 |
| LG 34.74.65.99:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 14.2 | 37.7 | 14.3 | 14.1 | 7.33 |
| LG 34.74.65.99:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.873 | 2.17 | 0.885 | 0.871 | 0.404 |

## LG 34.74.70.109:443
**Performance Counters**

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 34.74.70.109:443/CPU Load | | | | | |
| 0 | 7.14 | 35 | 7 | 6.86 | 4.45 |
| LG 34.74.70.109:443/Memory Used | | | | | |
| 2 | 20.7 | 40 | 21 | 20.8 | 7.99 |
| LG 34.74.70.109:443/Throughput | | | | | |
| 0 | 13.8 | 36.1 | 14 | 13.7 | 7.17 |
| LG 34.74.70.109:443/User Load | | | | | |
| 0 | 42.2 | 77 | 45 | 42.3 | 22.2 |
| LG 34.74.70.109:443/Thread Count | | | | | |
| 38 | 103.7 | 137 | 106 | 104.4 | 24.2 |
| LG 34.74.70.109:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.12 | 0.1 | 0.1 | 0.003 |
| LG 34.74.70.109:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| LG 34.74.70.109:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.74.70.109:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.74.70.109:443/Controller Connection/Ping Duration (ms) | | | | | |
| 92 | 127.5 | 164 | 125 | 127.5 | 18.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.70.109:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 727.7 | 1,731 | 726.4 | 724.1 | 359.5 |
| **LG 34.74.70.109:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.24 | 16.2 | 5.45 | 5.24 | 2.64 |
| **LG 34.74.70.109:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.2 | 37.3 | 14.5 | 14.1 | 7.41 |
| **LG 34.74.70.109:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.876 | 2.02 | 0.895 | 0.876 | 0.411 |

## LG 34.74.79.144:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.79.144:443/CPU Load** | | | | | | |
| | 0 | 8.55 | 39 | 8 | 8.26 | 4.88 |
| **LG 34.74.79.144:443/Memory Used** | | | | | | |
| | 2 | 22.4 | 38 | 23 | 22.6 | 8.83 |
| **LG 34.74.79.144:443/Throughput** | | | | | | |
| | 0 | 14.7 | 36.2 | 15 | 14.7 | 6.72 |
| **LG 34.74.79.144:443/User Load** | | | | | | |
| | 0 | 43.8 | 78 | 49 | 44 | 22.7 |
| **LG 34.74.79.144:443/Thread Count** | | | | | | |
| | 38 | 104.9 | 138 | 110 | 105.5 | 23.3 |
| **LG 34.74.79.144:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| **LG 34.74.79.144:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.083 | 0 | 0 | 0.007 |
| **LG 34.74.79.144:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.79.144:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.79.144:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 109 | 131.4 | 168 | 130 | 130.5 | 12.6 |
| **LG 34.74.79.144:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 764.6 | 1,718 | 779.4 | 768.8 | 330.2 |
| **LG 34.74.79.144:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 6.04 | 13.4 | 6.2 | 6.07 | 2.91 |
| **LG 34.74.79.144:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 15.2 | 37.2 | 15.5 | 15.2 | 6.93 |
| **LG 34.74.79.144:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.928 | 2 | 0.944 | 0.936 | 0.387 |

## LG 34.74.89.60:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.89.60:443/CPU Load** | | | | | | |
| | 0 | 7.15 | 30 | 7 | 6.82 | 4.44 |
| **LG 34.74.89.60:443/Memory Used** | | | | | | |
| | 2 | 22 | 40 | 23 | 22.2 | 8.47 |
| **LG 34.74.89.60:443/Throughput** | | | | | | |
| | 0 | 13.2 | 33 | 13.3 | 13.2 | 6.59 |
| **LG 34.74.89.60:443/User Load** | | | | | | |
| | 0 | 42 | 77 | 45 | 42.1 | 22.4 |
| **LG 34.74.89.60:443/Thread Count** | | | | | | |
| | 38 | 102.7 | 137 | 105 | 103.3 | 23.6 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.89.60:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 34.74.89.60:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 34.74.89.60:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.89.60:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.89.60:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 99 | 175.1 | 206 | 172 | 177.2 | 32.8 |
| **LG 34.74.89.60:443/Network/Segments sent/sec.** | | | | | | |
| | 2.2 | 696 | 1,726 | 695.7 | 693.6 | 328.6 |
| **LG 34.74.89.60:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.13 | 11.4 | 5.48 | 5.15 | 2.56 |
| **LG 34.74.89.60:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 13.7 | 34.5 | 13.8 | 13.7 | 6.82 |
| **LG 34.74.89.60:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.007 | 0.846 | 1.89 | 0.858 | 0.847 | 0.379 |

## LG 34.74.94.67:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 34.74.94.67:443/CPU Load** | | | | | | |
| | 0 | 7.66 | 35 | 7 | 7.35 | 4.82 |
| **LG 34.74.94.67:443/Memory Used** | | | | | | |
| | 2 | 18.3 | 39 | 16 | 18.1 | 8.2 |
| **LG 34.74.94.67:443/Throughput** | | | | | | |
| | 0 | 13.9 | 38.3 | 14.1 | 13.8 | 7.24 |
| **LG 34.74.94.67:443/User Load** | | | | | | |
| | 0 | 41.6 | 77 | 44.5 | 41.7 | 22.7 |
| **LG 34.74.94.67:443/Thread Count** | | | | | | |
| | 38 | 101.9 | 138 | 104.5 | 102.4 | 23.8 |
| **LG 34.74.94.67:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 34.74.94.67:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.017 | 0 | 0 | 0.003 |
| **LG 34.74.94.67:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.94.67:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 34.74.94.67:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 96 | 127.5 | 167 | 127 | 126.7 | 12.3 |
| **LG 34.74.94.67:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 727.6 | 1,968 | 743.9 | 722.7 | 357.1 |
| **LG 34.74.94.67:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.16 | 12 | 5.4 | 5.17 | 2.65 |
| **LG 34.74.94.67:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.4 | 39.6 | 14.6 | 14.2 | 7.48 |
| **LG 34.74.94.67:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.878 | 2.2 | 0.902 | 0.876 | 0.41 |

![Neotys]

## LG 35.185.101.7:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.185.101.7:443/CPU Load | | | | | |
| 0 | 7.22 | 29 | 6 | 6.85 | 4.68 |
| LG 35.185.101.7:443/Memory Used | | | | | |
| 2 | 21 | 39 | 21 | 21.2 | 8.45 |
| LG 35.185.101.7:443/Throughput | | | | | |
| 0 | 14.3 | 41.7 | 14.2 | 14.2 | 7.38 |
| LG 35.185.101.7:443/User Load | | | | | |
| 0 | 42.3 | 77 | 45 | 42.4 | 22.4 |
| LG 35.185.101.7:443/Thread Count | | | | | |
| 39 | 103.2 | 139 | 106 | 103.6 | 23.8 |
| LG 35.185.101.7:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.185.101.7:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 |
| LG 35.185.101.7:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.185.101.7:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.185.101.7:443/Controller Connection/Ping Duration (ms) | | | | | |
| 86 | 133.3 | 204 | 127 | 131.8 | 25.2 |
| LG 35.185.101.7:443/Network/Segments sent/sec. | | | | | |
| 2.2 | 752.5 | 2,096 | 756.6 | 748.4 | 368.8 |
| LG 35.185.101.7:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.31 | 13.8 | 5.4 | 5.31 | 2.82 |
| LG 35.185.101.7:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 14.8 | 43.3 | 14.7 | 14.7 | 7.61 |
| LG 35.185.101.7:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.905 | 2.35 | 0.915 | 0.903 | 0.427 |

## LG 35.185.68.129:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.185.68.129:443/CPU Load | | | | | |
| 0 | 7.03 | 34 | 6 | 6.67 | 4.65 |
| LG 35.185.68.129:443/Memory Used | | | | | |
| 2 | 17.7 | 37 | 16 | 17.5 | 7.39 |
| LG 35.185.68.129:443/Throughput | | | | | |
| 0 | 14 | 65.6 | 13.8 | 13.9 | 7.64 |
| LG 35.185.68.129:443/User Load | | | | | |
| 0 | 42.1 | 77 | 45.5 | 42.2 | 22.1 |
| LG 35.185.68.129:443/Thread Count | | | | | |
| 38 | 103.4 | 138 | 106.5 | 104 | 23.7 |
| LG 35.185.68.129:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| LG 35.185.68.129:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.007 |
| LG 35.185.68.129:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.185.68.129:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.185.68.129:443/Controller Connection/Ping Duration (ms) | | | | | |
| 93 | 132.1 | 197 | 130 | 130.5 | 20.6 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.185.68.129:443/Network/Segments sent/sec.** | | | | | | |
| 1.61 | 739.2 | 3,046 | 738.4 | 734 | 373.4 | |
| **LG 35.185.68.129:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.74 | 14.9 | 5.8 | 5.73 | 2.84 | |
| **LG 35.185.68.129:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.5 | 67.2 | 14.4 | 14.3 | 7.87 | |
| **LG 35.185.68.129:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.894 | 3.14 | 0.894 | 0.891 | 0.426 | |

## LG 35.190.132.108:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.190.132.108:443/CPU Load** | | | | | | |
| 0 | 7.93 | 34 | 7 | 7.57 | 4.86 | |
| **LG 35.190.132.108:443/Memory Used** | | | | | | |
| 2 | 22.3 | 42 | 23 | 22.5 | 8.34 | |
| **LG 35.190.132.108:443/Throughput** | | | | | | |
| 0 | 14.3 | 39.6 | 14.5 | 14.2 | 6.96 | |
| **LG 35.190.132.108:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.8 | 22.6 | |
| **LG 35.190.132.108:443/Thread Count** | | | | | | |
| 39 | 103.7 | 140 | 106 | 104.1 | 23.3 | |
| **LG 35.190.132.108:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 | |
| **LG 35.190.132.108:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 | |
| **LG 35.190.132.108:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.190.132.108:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.190.132.108:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 88 | 146.2 | 207 | 131 | 145.8 | 29.9 | |
| **LG 35.190.132.108:443/Network/Segments sent/sec.** | | | | | | |
| 2.37 | 750.2 | 2,017 | 751 | 749.7 | 342.4 | |
| **LG 35.190.132.108:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.31 | 13.1 | 5.6 | 5.32 | 2.59 | |
| **LG 35.190.132.108:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 14.8 | 40.9 | 15 | 14.7 | 7.18 | |
| **LG 35.190.132.108:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.905 | 2.33 | 0.921 | 0.908 | 0.395 | |

## LG 35.196.122.204:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.122.204:443/CPU Load** | | | | | | |
| 0 | 6.86 | 27 | 6 | 6.55 | 4.36 | |
| **LG 35.196.122.204:443/Memory Used** | | | | | | |
| 2 | 17.1 | 41 | 15 | 16.8 | 8.31 | |
| **LG 35.196.122.204:443/Throughput** | | | | | | |
| 0 | 13.6 | 39.8 | 13.5 | 13.5 | 7.32 | |
| **LG 35.196.122.204:443/User Load** | | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.7 | |
| **LG 35.196.122.204:443/Thread Count** | | | | | | |
| 38 | 101.9 | 138 | 106 | 102.5 | 23.8 | |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.196.122.204:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.196.122.204:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 |
| **LG 35.196.122.204:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.122.204:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.122.204:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 94 | 122.7 | 179 | 118 | 121 | 18.7 |
| **LG 35.196.122.204:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 725.1 | 1,965 | 717.8 | 719.3 | 368 |
| **LG 35.196.122.204:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.19 | 15.2 | 5.28 | 5.16 | 2.76 |
| **LG 35.196.122.204:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.1 | 41.1 | 14 | 14 | 7.57 |
| **LG 35.196.122.204:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.871 | 2.29 | 0.872 | 0.869 | 0.419 |

## LG 35.196.130.58:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.196.130.58:443/CPU Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Memory Used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Throughput** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/User Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Thread Count** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Http client/Thread Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Http client/Task Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Network/Segments sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.130.58:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

Neotys

## LG 35.196.140.214:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.196.140.214:443/CPU Load** | | | | | |
| 0 | 6.74 | 28 | 6 | 6.42 | 4.39 |
| **LG 35.196.140.214:443/Memory Used** | | | | | |
| 1 | 17.9 | 39 | 17 | 17.8 | 7.61 |
| **LG 35.196.140.214:443/Throughput** | | | | | |
| 0 | 13.6 | 32.8 | 13.7 | 13.4 | 7.22 |
| **LG 35.196.140.214:443/User Load** | | | | | |
| 0 | 42 | 77 | 45 | 42.2 | 22.5 |
| **LG 35.196.140.214:443/Thread Count** | | | | | |
| 38 | 102.8 | 138 | 106 | 103.4 | 23.6 |
| **LG 35.196.140.214:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.196.140.214:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.007 |
| **LG 35.196.140.214:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.140.214:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.140.214:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 93 | 133.1 | 208 | 130 | 131.6 | 19.6 |
| **LG 35.196.140.214:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 720.6 | 1,714 | 725.4 | 713.1 | 361.7 |
| **LG 35.196.140.214:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.24 | 12.9 | 5.6 | 5.26 | 2.57 |
| **LG 35.196.140.214:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.1 | 34.1 | 14.2 | 13.9 | 7.46 |
| **LG 35.196.140.214:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.004 | 0.866 | 1.97 | 0.873 | 0.862 | 0.408 |

## LG 35.196.155.104:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.196.155.104:443/CPU Load** | | | | | |
| 0 | 7.36 | 32 | 7 | 6.99 | 4.84 |
| **LG 35.196.155.104:443/Memory Used** | | | | | |
| 1 | 16.2 | 39 | 15 | 15.8 | 7.33 |
| **LG 35.196.155.104:443/Throughput** | | | | | |
| 0 | 13.7 | 41.4 | 13.8 | 13.6 | 7.11 |
| **LG 35.196.155.104:443/User Load** | | | | | |
| 0 | 43.9 | 78 | 49 | 44.1 | 22.7 |
| **LG 35.196.155.104:443/Thread Count** | | | | | |
| 39 | 104.8 | 139 | 109 | 105.3 | 23.5 |
| **LG 35.196.155.104:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.196.155.104:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.117 | 0 | 0 | 0.008 |
| **LG 35.196.155.104:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.155.104:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.155.104:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 95 | 132.8 | 170 | 131 | 132.6 | 15.5 |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.155.104:443/Network/Segments sent/sec.** | | | | | | |
| 2.37 | 728.8 | 1,993 | 732.8 | 722 | 353.2 | |
| **LG 35.196.155.104:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.13 | 11.4 | 5.35 | 5.13 | 2.61 | |
| **LG 35.196.155.104:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 14.2 | 42.9 | 14.4 | 14 | 7.35 | |
| **LG 35.196.155.104:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.006 | 0.87 | 2.32 | 0.874 | 0.865 | 0.405 | |

## LG 35.196.159.116:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.159.116:443/CPU Load** | | | | | | |
| 0 | 6.83 | 35 | 6 | 6.39 | 4.8 | |
| **LG 35.196.159.116:443/Memory Used** | | | | | | |
| 2 | 20.4 | 41 | 21 | 20.5 | 7.96 | |
| **LG 35.196.159.116:443/Throughput** | | | | | | |
| 0 | 13.7 | 34 | 14 | 13.6 | 7.2 | |
| **LG 35.196.159.116:443/User Load** | | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.7 | |
| **LG 35.196.159.116:443/Thread Count** | | | | | | |
| 38 | 102.4 | 138 | 105 | 102.9 | 23.7 | |
| **LG 35.196.159.116:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.196.159.116:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 | |
| **LG 35.196.159.116:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.159.116:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.159.116:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 93 | 126.1 | 168 | 128 | 125.6 | 13.2 | |
| **LG 35.196.159.116:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 729.4 | 1,695 | 743.1 | 724.6 | 357.5 | |
| **LG 35.196.159.116:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.3 | 12.2 | 5.57 | 5.31 | 2.64 | |
| **LG 35.196.159.116:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.2 | 35.1 | 14.4 | 14.1 | 7.43 | |
| **LG 35.196.159.116:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.876 | 1.95 | 0.896 | 0.876 | 0.408 | |

## LG 35.196.161.100:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.161.100:443/CPU Load** | | | | | | |
| 0 | 7.1 | 33 | 6 | 6.77 | 4.42 | |
| **LG 35.196.161.100:443/Memory Used** | | | | | | |
| 2 | 22.2 | 41 | 23 | 22.4 | 8.57 | |
| **LG 35.196.161.100:443/Throughput** | | | | | | |
| 0 | 14.6 | 36.5 | 14.8 | 14.6 | 7.33 | |
| **LG 35.196.161.100:443/User Load** | | | | | | |
| 0 | 42.7 | 78 | 45.5 | 42.8 | 22.3 | |
| **LG 35.196.161.100:443/Thread Count** | | | | | | |
| 38 | 103.4 | 139 | 105.5 | 103.8 | 23.4 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.161.100:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.196.161.100:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 | |
| **LG 35.196.161.100:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.161.100:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.161.100:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 87 | 177.4 | 207 | 204 | 180 | 34.1 | |
| **LG 35.196.161.100:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 776 | 1,948 | 782.6 | 774.2 | 366.3 | |
| **LG 35.196.161.100:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.38 | 14.4 | 5.6 | 5.36 | 2.8 | |
| **LG 35.196.161.100:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 15.2 | 37.7 | 15.3 | 15.1 | 7.56 | |
| **LG 35.196.161.100:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.93 | 2.34 | 0.948 | 0.931 | 0.426 | |

## LG 35.196.165.52:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.165.52:443/CPU Load** | | | | | | |
| 0 | 6.84 | 36 | 6 | 6.47 | 4.64 | |
| **LG 35.196.165.52:443/Memory Used** | | | | | | |
| 2 | 16.9 | 39 | 15 | 16.6 | 7.75 | |
| **LG 35.196.165.52:443/Throughput** | | | | | | |
| 0 | 14.1 | 36.4 | 14.2 | 14 | 7.4 | |
| **LG 35.196.165.52:443/User Load** | | | | | | |
| 0 | 42.4 | 78 | 45 | 42.6 | 22.9 | |
| **LG 35.196.165.52:443/Thread Count** | | | | | | |
| 38 | 103.8 | 140 | 106 | 104.3 | 23.9 | |
| **LG 35.196.165.52:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 | |
| **LG 35.196.165.52:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 | |
| **LG 35.196.165.52:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.165.52:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.165.52:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 93 | 158.6 | 164 | 164 | 161.7 | 16.7 | |
| **LG 35.196.165.52:443/Network/Segments sent/sec.** | | | | | | |
| 1.8 | 749.6 | 1,999 | 757.8 | 744.5 | 374.8 | |
| **LG 35.196.165.52:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.21 | 12.4 | 5.47 | 5.22 | 2.6 | |
| **LG 35.196.165.52:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.6 | 37.7 | 14.8 | 14.5 | 7.66 | |
| **LG 35.196.165.52:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.901 | 2.22 | 0.907 | 0.899 | 0.426 | |

## LG 35.196.171.241:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.196.171.241:443/CPU Load** | | | | | |
| 0 | 6.97 | 28 | 6 | 6.67 | 4.26 |
| **LG 35.196.171.241:443/Memory Used** | | | | | |
| 2 | 21.1 | 41 | 21 | 21.2 | 8.55 |
| **LG 35.196.171.241:443/Throughput** | | | | | |
| 0 | 14 | 42.2 | 13.8 | 13.9 | 7.17 |
| **LG 35.196.171.241:443/User Load** | | | | | |
| 0 | 41.8 | 77 | 45 | 41.9 | 22.4 |
| **LG 35.196.171.241:443/Thread Count** | | | | | |
| 38 | 102.3 | 138 | 105 | 102.7 | 23 |
| **LG 35.196.171.241:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.196.171.241:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| **LG 35.196.171.241:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.171.241:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.171.241:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 150 | 163.9 | 176 | 164 | 163.9 | 3.52 |
| **LG 35.196.171.241:443/Network/Segments sent/sec.** | | | | | |
| 2.6 | 743.7 | 1,947 | 725 | 738.5 | 359.9 |
| **LG 35.196.171.241:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.95 | 14.6 | 6.2 | 5.91 | 3.02 |
| **LG 35.196.171.241:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.5 | 43.7 | 14.4 | 14.4 | 7.4 |
| **LG 35.196.171.241:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.893 | 2.28 | 0.898 | 0.892 | 0.414 |

## LG 35.196.191.181:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.196.191.181:443/CPU Load** | | | | | |
| 0 | 7.68 | 30 | 7 | 7.47 | 4.25 |
| **LG 35.196.191.181:443/Memory Used** | | | | | |
| 2 | 22 | 40 | 23 | 22.2 | 8.37 |
| **LG 35.196.191.181:443/Throughput** | | | | | |
| 0 | 13.8 | 36.7 | 13.8 | 13.8 | 6.87 |
| **LG 35.196.191.181:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 44 | 41.8 | 22.7 |
| **LG 35.196.191.181:443/Thread Count** | | | | | |
| 38 | 102.2 | 138 | 105 | 102.7 | 23.4 |
| **LG 35.196.191.181:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.196.191.181:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.196.191.181:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.191.181:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.191.181:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 91 | 139.5 | 209 | 130 | 137.8 | 25 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.196.191.181:443/Network/Segments sent/sec. | | | | | | |
| 2.18 | 723.4 | 1,826 | 724.9 | 725 | 339.9 | |
| LG 35.196.191.181:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 5.28 | 11.2 | 5.56 | 5.28 | 2.71 | |
| LG 35.196.191.181:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.003 | 14.3 | 37.8 | 14.2 | 14.3 | 7.09 | |
| LG 35.196.191.181:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.006 | 0.875 | 2.07 | 0.881 | 0.879 | 0.394 | |

## LG 35.196.196.184:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.196.196.184:443/CPU Load | | | | | | |
| 0 | 7.08 | 35 | 6 | 6.55 | 5.13 | |
| LG 35.196.196.184:443/Memory Used | | | | | | |
| 2 | 16.7 | 40 | 15 | 16.4 | 7.88 | |
| LG 35.196.196.184:443/Throughput | | | | | | |
| 0 | 13.4 | 45.5 | 13.7 | 13.3 | 7.22 | |
| LG 35.196.196.184:443/User Load | | | | | | |
| 0 | 42.4 | 77 | 45 | 42.6 | 22.7 | |
| LG 35.196.196.184:443/Thread Count | | | | | | |
| 38 | 103.2 | 139 | 106 | 103.7 | 23.7 | |
| LG 35.196.196.184:443/Http client/Thread Pool used | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 | |
| LG 35.196.196.184:443/Http client/Task Pool used | | | | | | |
| 0 | 0.001 | 0.117 | 0 | 0 | 0.007 | |
| LG 35.196.196.184:443/Controller Connection/Disconnections | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| LG 35.196.196.184:443/Controller Connection/Reconnections | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| LG 35.196.196.184:443/Controller Connection/Ping Duration (ms) | | | | | | |
| 88 | 130.4 | 203 | 126 | 128.4 | 27.6 | |
| LG 35.196.196.184:443/Network/Segments sent/sec. | | | | | | |
| 3 | 705.6 | 2,078 | 728.5 | 702.1 | 354.6 | |
| LG 35.196.196.184:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 5.05 | 11.9 | 5.28 | 5.04 | 2.68 | |
| LG 35.196.196.184:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.002 | 13.9 | 47.4 | 14.2 | 13.7 | 7.46 | |
| LG 35.196.196.184:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.005 | 0.853 | 2.15 | 0.893 | 0.852 | 0.408 | |

## LG 35.196.203.119:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.196.203.119:443/CPU Load | | | | | | |
| 0 | 7.41 | 35 | 7 | 7.1 | 4.72 | |
| LG 35.196.203.119:443/Memory Used | | | | | | |
| 2 | 18.2 | 40 | 17 | 18 | 7.87 | |
| LG 35.196.203.119:443/Throughput | | | | | | |
| 0 | 12.7 | 31.4 | 13 | 12.6 | 6.54 | |
| LG 35.196.203.119:443/User Load | | | | | | |
| 0 | 42.7 | 77 | 47 | 42.9 | 22.6 | |
| LG 35.196.203.119:443/Thread Count | | | | | | |
| 38 | 103.3 | 137 | 107 | 103.9 | 23.8 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.203.119:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.196.203.119:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| **LG 35.196.203.119:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.203.119:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.203.119:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 98 | 134 | 184 | 131 | 133 | 18.9 |
| **LG 35.196.203.119:443/Network/Segments sent/sec.** | | | | | | |
| | 2.39 | 669.6 | 1,639 | 688.8 | 667.4 | 327.4 |
| **LG 35.196.203.119:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.07 | 11.2 | 5.4 | 5.07 | 2.62 |
| **LG 35.196.203.119:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 13.1 | 32.5 | 13.3 | 13.1 | 6.76 |
| **LG 35.196.203.119:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.813 | 1.94 | 0.849 | 0.813 | 0.375 |

## LG 35.196.203.215:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.203.215:443/CPU Load** | | | | | | |
| | 0 | 6.92 | 35 | 6.5 | 6.59 | 4.43 |
| **LG 35.196.203.215:443/Memory Used** | | | | | | |
| | 2 | 21.2 | 41 | 21 | 21.2 | 8.87 |
| **LG 35.196.203.215:443/Throughput** | | | | | | |
| | 0 | 13.5 | 36.4 | 14 | 13.4 | 6.93 |
| **LG 35.196.203.215:443/User Load** | | | | | | |
| | 0 | 41.8 | 77 | 45.5 | 41.9 | 22.6 |
| **LG 35.196.203.215:443/Thread Count** | | | | | | |
| | 38 | 101.9 | 138 | 106.5 | 102.4 | 23.7 |
| **LG 35.196.203.215:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.196.203.215:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0 | 0.083 | 0 | 0 | 0.005 |
| **LG 35.196.203.215:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.203.215:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.196.203.215:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 91 | 122.2 | 162 | 124 | 121.5 | 14.5 |
| **LG 35.196.203.215:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 711.8 | 1,699 | 745.4 | 708 | 342.4 |
| **LG 35.196.203.215:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.06 | 13.4 | 5.2 | 5.05 | 2.64 |
| **LG 35.196.203.215:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14 | 37.5 | 14.5 | 13.9 | 7.16 |
| **LG 35.196.203.215:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.869 | 3.29 | 0.899 | 0.862 | 0.418 |

Neotys

## LG 35.196.209.84:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.196.209.84:443/CPU Load | | | | | |
| 0 | 6.71 | 23 | 6 | 6.43 | 4.24 |
| LG 35.196.209.84:443/Memory Used | | | | | |
| 2 | 22.4 | 39 | 24 | 22.5 | 8.49 |
| LG 35.196.209.84:443/Throughput | | | | | |
| 0 | 14.3 | 35.8 | 14.1 | 14.2 | 7.75 |
| LG 35.196.209.84:443/User Load | | | | | |
| 0 | 42.5 | 78 | 45 | 42.7 | 22.6 |
| LG 35.196.209.84:443/Thread Count | | | | | |
| 38 | 104.1 | 139 | 106 | 104.6 | 24.3 |
| LG 35.196.209.84:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| LG 35.196.209.84:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 35.196.209.84:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.209.84:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.209.84:443/Controller Connection/Ping Duration (ms) | | | | | |
| 114 | 190.8 | 206 | 205 | 193.6 | 23.8 |
| LG 35.196.209.84:443/Network/Segments sent/sec. | | | | | |
| 3 | 758.3 | 1,956 | 742.7 | 752.9 | 386.4 |
| LG 35.196.209.84:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 6.15 | 14.6 | 6.49 | 6.14 | 3.14 |
| LG 35.196.209.84:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.004 | 14.8 | 37 | 14.6 | 14.7 | 8 |
| LG 35.196.209.84:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.006 | 0.911 | 2.24 | 0.91 | 0.908 | 0.441 |

## LG 35.196.210.112:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.196.210.112:443/CPU Load | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Memory Used | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Throughput | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/User Load | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Thread Count | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Http client/Thread Pool used | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.196.210.112:443/Controller Connection/Ping Duration (ms) | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.210.112:443/Network/Segments sent/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.210.112:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.210.112:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.210.112:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |

## LG 35.196.210.156:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.210.156:443/CPU Load** | | | | | | |
| 0 | 8.31 | 42 | 8 | 7.95 | 5.16 | |
| **LG 35.196.210.156:443/Memory Used** | | | | | | |
| 2 | 21.9 | 39 | 22 | 22 | 8.92 | |
| **LG 35.196.210.156:443/Throughput** | | | | | | |
| 0 | 13.6 | 41.1 | 13.6 | 13.5 | 6.95 | |
| **LG 35.196.210.156:443/User Load** | | | | | | |
| 0 | 41.6 | 77 | 44 | 41.7 | 22.8 | |
| **LG 35.196.210.156:443/Thread Count** | | | | | | |
| 38 | 101.3 | 137 | 104 | 101.7 | 23.6 | |
| **LG 35.196.210.156:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.196.210.156:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 | |
| **LG 35.196.210.156:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.210.156:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.210.156:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 94 | 134.8 | 254 | 126 | 130.9 | 29.9 | |
| **LG 35.196.210.156:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 713.6 | 2,107 | 716.2 | 709.7 | 345.7 | |
| **LG 35.196.210.156:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.3 | 11.4 | 5.6 | 5.29 | 2.8 | |
| **LG 35.196.210.156:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.1 | 42.6 | 14.1 | 14 | 7.18 | |
| **LG 35.196.210.156:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.864 | 2.44 | 0.889 | 0.863 | 0.4 | |

## LG 35.196.236.246:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.236.246:443/CPU Load** | | | | | | |
| 0 | 7.12 | 33 | 7 | 6.8 | 4.44 | |
| **LG 35.196.236.246:443/Memory Used** | | | | | | |
| 2 | 19 | 40 | 19 | 18.9 | 7.69 | |
| **LG 35.196.236.246:443/Throughput** | | | | | | |
| 0 | 13.7 | 33.5 | 14.3 | 13.6 | 6.84 | |
| **LG 35.196.236.246:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.7 | 22.8 | |
| **LG 35.196.236.246:443/Thread Count** | | | | | | |
| 38 | 103.4 | 139 | 107 | 103.9 | 23.7 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.236.246:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.196.236.246:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 | |
| **LG 35.196.236.246:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.236.246:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.236.246:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 107 | 122.4 | 145 | 127 | 122.1 | 8.82 | |
| **LG 35.196.236.246:443/Network/Segments sent/sec.** | | | | | | |
| 1.83 | 721.8 | 1,687 | 747.5 | 720.9 | 340.4 | |
| **LG 35.196.236.246:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.66 | 12.2 | 5.87 | 5.69 | 2.7 | |
| **LG 35.196.236.246:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 14.1 | 34.6 | 14.8 | 14.1 | 7.06 | |
| **LG 35.196.236.246:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.87 | 1.93 | 0.902 | 0.874 | 0.39 | |

## LG 35.196.59.69:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.196.59.69:443/CPU Load** | | | | | | |
| 0 | 7 | 32 | 7 | 6.76 | 4.21 | |
| **LG 35.196.59.69:443/Memory Used** | | | | | | |
| 2 | 18.7 | 39 | 19 | 18.6 | 7.67 | |
| **LG 35.196.59.69:443/Throughput** | | | | | | |
| 0 | 13.9 | 37.8 | 14.2 | 13.7 | 7 | |
| **LG 35.196.59.69:443/User Load** | | | | | | |
| 0 | 43.6 | 77 | 50 | 43.9 | 22.7 | |
| **LG 35.196.59.69:443/Thread Count** | | | | | | |
| 38 | 105.2 | 138 | 111 | 106 | 24.7 | |
| **LG 35.196.59.69:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.196.59.69:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 | |
| **LG 35.196.59.69:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.59.69:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.196.59.69:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 95 | 128.2 | 208 | 128 | 126.3 | 17.9 | |
| **LG 35.196.59.69:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 731.8 | 1,925 | 745.1 | 723.7 | 351.4 | |
| **LG 35.196.59.69:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.3 | 16.8 | 5.4 | 5.25 | 2.84 | |
| **LG 35.196.59.69:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.4 | 39.1 | 14.6 | 14.2 | 7.23 | |
| **LG 35.196.59.69:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.884 | 2.26 | 0.9 | 0.878 | 0.404 | |

## LG 35.227.127.66:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.227.127.66:443/CPU Load | | | | | |
| 0 | 6.76 | 30 | 6 | 6.5 | 4.01 |
| LG 35.227.127.66:443/Memory Used | | | | | |
| 2 | 19 | 40 | 18 | 19 | 7.7 |
| LG 35.227.127.66:443/Throughput | | | | | |
| 0 | 15 | 39.9 | 15.8 | 15 | 7.47 |
| LG 35.227.127.66:443/User Load | | | | | |
| 0 | 43.6 | 77 | 50 | 43.9 | 22.6 |
| LG 35.227.127.66:443/Thread Count | | | | | |
| 38 | 104.7 | 138 | 111 | 105.4 | 23.8 |
| LG 35.227.127.66:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.227.127.66:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.267 | 0 | 0 | 0.014 |
| LG 35.227.127.66:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.227.127.66:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.227.127.66:443/Controller Connection/Ping Duration (ms) | | | | | |
| 107 | 189.5 | 206 | 203 | 192.5 | 26 |
| LG 35.227.127.66:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 800.6 | 1,875 | 828.1 | 801.5 | 370.2 |
| LG 35.227.127.66:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.27 | 13.7 | 5.6 | 5.28 | 2.66 |
| LG 35.227.127.66:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 15.6 | 41.5 | 16.4 | 15.5 | 7.72 |
| LG 35.227.127.66:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.953 | 2.12 | 0.994 | 0.957 | 0.421 |

## LG 35.227.39.97:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.227.39.97:443/CPU Load | | | | | |
| 0 | 7.23 | 30 | 7 | 6.99 | 4.28 |
| LG 35.227.39.97:443/Memory Used | | | | | |
| 2 | 19.2 | 38 | 19 | 19.1 | 7.6 |
| LG 35.227.39.97:443/Throughput | | | | | |
| 0 | 15.1 | 43.1 | 15 | 15.1 | 7.6 |
| LG 35.227.39.97:443/User Load | | | | | |
| 0 | 42 | 77 | 44.5 | 42.2 | 22.3 |
| LG 35.227.39.97:443/Thread Count | | | | | |
| 38 | 102.9 | 138 | 105.5 | 103.4 | 23.2 |
| LG 35.227.39.97:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.227.39.97:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| LG 35.227.39.97:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.227.39.97:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.227.39.97:443/Controller Connection/Ping Duration (ms) | | | | | |
| 113 | 169.6 | 210 | 170 | 170.4 | 37.9 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.227.39.97:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 800 | 1,922 | 814.9 | 799.6 | 378.4 |
| **LG 35.227.39.97:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.77 | 14.4 | 5.8 | 5.76 | 2.92 |
| **LG 35.227.39.97:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 15.7 | 45.1 | 15.6 | 15.6 | 7.85 |
| **LG 35.227.39.97:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.957 | 2.03 | 0.982 | 0.961 | 0.432 |

## LG 35.227.57.244:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.227.57.244:443/CPU Load** | | | | | | |
| 0 | 7.99 | 34 | 7 | 7.67 | 4.94 |
| **LG 35.227.57.244:443/Memory Used** | | | | | | |
| 2 | 19.2 | 40 | 19 | 19.1 | 7.81 |
| **LG 35.227.57.244:443/Throughput** | | | | | | |
| 0 | 14.8 | 38.5 | 14.7 | 14.7 | 7.68 |
| **LG 35.227.57.244:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.7 | 22.6 |
| **LG 35.227.57.244:443/Thread Count** | | | | | | |
| 38 | 104.9 | 140 | 106 | 105.4 | 24.7 |
| **LG 35.227.57.244:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.006 |
| **LG 35.227.57.244:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.227.57.244:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.227.57.244:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.227.57.244:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 95 | 126.9 | 167 | 126 | 126.6 | 10.6 |
| **LG 35.227.57.244:443/Network/Segments sent/sec.** | | | | | | |
| 3 | 782 | 1,776 | 774.2 | 776.8 | 381.3 |
| **LG 35.227.57.244:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.8 | 15.2 | 6 | 5.78 | 3.01 |
| **LG 35.227.57.244:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.006 | 15.4 | 39.5 | 15.2 | 15.2 | 7.93 |
| **LG 35.227.57.244:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.006 | 0.937 | 2.04 | 0.933 | 0.935 | 0.435 |

## LG 35.227.62.238:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.227.62.238:443/CPU Load** | | | | | | |
| 0 | 8.44 | 38 | 8 | 8.15 | 4.86 |
| **LG 35.227.62.238:443/Memory Used** | | | | | | |
| 1 | 21.7 | 41 | 22 | 21.8 | 8.78 |
| **LG 35.227.62.238:443/Throughput** | | | | | | |
| 0 | 15.9 | 42.7 | 16.3 | 15.7 | 8.08 |
| **LG 35.227.62.238:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.7 | 22.5 |
| **LG 35.227.62.238:443/Thread Count** | | | | | | |
| 38 | 103.8 | 139 | 108 | 104.3 | 23.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.227.62.238:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.227.62.238:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.005 | |
| **LG 35.227.62.238:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.227.62.238:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.227.62.238:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 93 | 136.9 | 210 | 131 | 134.9 | 20.7 | |
| **LG 35.227.62.238:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 831 | 2,147 | 852.8 | 825.4 | 398.4 | |
| **LG 35.227.62.238:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 6.04 | 13.2 | 6.2 | 6.06 | 3.05 | |
| **LG 35.227.62.238:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.4 | 44.1 | 16.9 | 16.3 | 8.35 | |
| **LG 35.227.62.238:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.996 | 2.54 | 1.02 | 0.995 | 0.453 | |

## LG 35.227.97.119:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.227.97.119:443/CPU Load** | | | | | | |
| 0 | 8.2 | 35 | 8 | 7.9 | 4.89 | |
| **LG 35.227.97.119:443/Memory Used** | | | | | | |
| 2 | 18.2 | 40 | 17 | 18 | 7.93 | |
| **LG 35.227.97.119:443/Throughput** | | | | | | |
| 0 | 14.4 | 34.8 | 14.3 | 14.4 | 7.18 | |
| **LG 35.227.97.119:443/User Load** | | | | | | |
| 0 | 42.1 | 77 | 45 | 42.2 | 22.5 | |
| **LG 35.227.97.119:443/Thread Count** | | | | | | |
| 38 | 104.4 | 139 | 106 | 105.1 | 24.6 | |
| **LG 35.227.97.119:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.227.97.119:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 | |
| **LG 35.227.97.119:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.227.97.119:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.227.97.119:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 114 | 153.1 | 226 | 166.5 | 151.5 | 27.6 | |
| **LG 35.227.97.119:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 757.2 | 1,688 | 771.8 | 756.1 | 350.4 | |
| **LG 35.227.97.119:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.04 | 12.2 | 5.2 | 5.02 | 2.65 | |
| **LG 35.227.97.119:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.9 | 35.8 | 14.8 | 14.9 | 7.41 | |
| **LG 35.227.97.119:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.911 | 2 | 0.934 | 0.915 | 0.4 | |

## LG 35.229.105.0:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.229.105.0:443/CPU Load | | | | | |
| 0 | 6.8 | 27 | 6 | 6.54 | 4.15 |
| LG 35.229.105.0:443/Memory Used | | | | | |
| 1 | 21.9 | 41 | 23 | 22.1 | 8.45 |
| LG 35.229.105.0:443/Throughput | | | | | |
| 0 | 13.3 | 34.5 | 13.1 | 13.1 | 7.08 |
| LG 35.229.105.0:443/User Load | | | | | |
| 0 | 41.8 | 77 | 45 | 41.9 | 22.4 |
| LG 35.229.105.0:443/Thread Count | | | | | |
| 38 | 102.1 | 137 | 105 | 102.7 | 23.6 |
| LG 35.229.105.0:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.229.105.0:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.003 |
| LG 35.229.105.0:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.229.105.0:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.229.105.0:443/Controller Connection/Ping Duration (ms) | | | | | |
| 143 | 193.3 | 212 | 205 | 194.9 | 21.6 |
| LG 35.229.105.0:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 702.9 | 1,797 | 697.3 | 698.2 | 348.2 |
| LG 35.229.105.0:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.55 | 12.6 | 5.8 | 5.56 | 2.71 |
| LG 35.229.105.0:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 13.8 | 35.6 | 13.6 | 13.6 | 7.31 |
| LG 35.229.105.0:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.852 | 2.04 | 0.843 | 0.851 | 0.398 |

## LG 35.229.105.22:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.229.105.22:443/CPU Load | | | | | |
| 0 | 7.48 | 33 | 7 | 7.13 | 4.63 |
| LG 35.229.105.22:443/Memory Used | | | | | |
| 2 | 18.1 | 38 | 18 | 18 | 7.63 |
| LG 35.229.105.22:443/Throughput | | | | | |
| 0 | 13 | 29.9 | 13.4 | 13 | 6.47 |
| LG 35.229.105.22:443/User Load | | | | | |
| 0 | 41.8 | 77 | 45 | 41.9 | 22.7 |
| LG 35.229.105.22:443/Thread Count | | | | | |
| 38 | 101.9 | 138 | 106 | 102.3 | 23.7 |
| LG 35.229.105.22:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.229.105.22:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| LG 35.229.105.22:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.229.105.22:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.229.105.22:443/Controller Connection/Ping Duration (ms) | | | | | |
| 107 | 158.7 | 239 | 165 | 157.6 | 24.1 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.229.105.22:443/Network/Segments sent/sec.** | | | | | | |
| 1.61 | 684.4 | 1,480 | 705.8 | 683.8 | 317.5 | |
| **LG 35.229.105.22:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.7 | 13.8 | 5.81 | 5.68 | 2.89 | |
| **LG 35.229.105.22:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 13.4 | 30.9 | 13.8 | 13.4 | 6.68 | |
| **LG 35.229.105.22:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.829 | 1.75 | 0.846 | 0.831 | 0.367 | |

## LG 35.229.107.74:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.229.107.74:443/CPU Load** | | | | | |
| 0 | 8.38 | 41 | 8 | 8.09 | 5.02 |
| **LG 35.229.107.74:443/Memory Used** | | | | | |
| 2 | 18.1 | 38 | 17 | 18 | 7.8 |
| **LG 35.229.107.74:443/Throughput** | | | | | |
| 0 | 14.2 | 32 | 14.3 | 14.1 | 7.26 |
| **LG 35.229.107.74:443/User Load** | | | | | |
| 0 | 41.8 | 77 | 45 | 42 | 22.7 |
| **LG 35.229.107.74:443/Thread Count** | | | | | |
| 38 | 102.5 | 138 | 106 | 103 | 23.8 |
| **LG 35.229.107.74:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.229.107.74:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| **LG 35.229.107.74:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.107.74:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.107.74:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 90 | 128.2 | 177 | 126 | 127.6 | 17.3 |
| **LG 35.229.107.74:443/Network/Segments sent/sec.** | | | | | |
| 2.38 | 743.8 | 1,636 | 767.8 | 742 | 358.9 |
| **LG 35.229.107.74:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.24 | 10.84 | 5.61 | 5.27 | 2.68 |
| **LG 35.229.107.74:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 14.7 | 32.9 | 14.8 | 14.6 | 7.49 |
| **LG 35.229.107.74:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.006 | 0.897 | 1.99 | 0.925 | 0.897 | 0.415 |

## LG 35.229.34.77:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.229.34.77:443/CPU Load** | | | | | |
| 0 | 7.7 | 27 | 7 | 7.4 | 4.71 |
| **LG 35.229.34.77:443/Memory Used** | | | | | |
| 2 | 21.7 | 39 | 23 | 21.9 | 8.16 |
| **LG 35.229.34.77:443/Throughput** | | | | | |
| 0 | 14 | 35.6 | 14 | 13.9 | 7.24 |
| **LG 35.229.34.77:443/User Load** | | | | | |
| 0 | 43.6 | 78 | 48 | 43.8 | 23.1 |
| **LG 35.229.34.77:443/Thread Count** | | | | | |
| 38 | 104.5 | 139 | 108 | 105 | 24.1 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.229.34.77:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.229.34.77:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.003 |
| **LG 35.229.34.77:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.34.77:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.34.77:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 95 | 128.4 | 211 | 128 | 126.3 | 20.4 |
| **LG 35.229.34.77:443/Network/Segments sent/sec.** | | | | | | |
| 3.57 | 737.2 | 1,735 | 745.5 | 733 | 357 |
| **LG 35.229.34.77:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.29 | 13.2 | 5.52 | 5.29 | 2.66 |
| **LG 35.229.34.77:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.005 | 14.5 | 36.7 | 14.5 | 14.4 | 7.48 |
| **LG 35.229.34.77:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.008 | 0.89 | 2.04 | 0.914 | 0.888 | 0.408 |

## LG 35.229.93.123:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.229.93.123:443/CPU Load** | | | | | | |
| 0 | 7.01 | 27 | 6 | 6.67 | 4.45 |
| **LG 35.229.93.123:443/Memory Used** | | | | | | |
| 2 | 20.2 | 40 | 21 | 20.3 | 7.79 |
| **LG 35.229.93.123:443/Throughput** | | | | | | |
| 0 | 14.4 | 46.2 | 14.5 | 14.3 | 7.41 |
| **LG 35.229.93.123:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.7 | 22.3 |
| **LG 35.229.93.123:443/Thread Count** | | | | | | |
| 38 | 104.2 | 141 | 107 | 104.7 | 23.6 |
| **LG 35.229.93.123:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.229.93.123:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| **LG 35.229.93.123:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.93.123:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.93.123:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 106 | 142.7 | 205 | 128 | 141.3 | 30.4 |
| **LG 35.229.93.123:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 763.2 | 2,281 | 762.6 | 760.5 | 370.1 |
| **LG 35.229.93.123:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.92 | 14.3 | 6.2 | 5.9 | 2.95 |
| **LG 35.229.93.123:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.9 | 47.7 | 15 | 14.8 | 7.65 |
| **LG 35.229.93.123:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.917 | 2.89 | 0.926 | 0.916 | 0.426 |

Neotys

## LG 35.229.93.24:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.229.93.24:443/CPU Load** | | | | | |
| 0 | 7.07 | 38 | 6 | 6.69 | 4.68 |
| **LG 35.229.93.24:443/Memory Used** | | | | | |
| 1 | 21.2 | 38 | 21 | 21.3 | 8.91 |
| **LG 35.229.93.24:443/Throughput** | | | | | |
| 0 | 13.5 | 34.7 | 13.7 | 13.3 | 7.06 |
| **LG 35.229.93.24:443/User Load** | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.6 |
| **LG 35.229.93.24:443/Thread Count** | | | | | |
| 38 | 102.8 | 139 | 105 | 103.3 | 23.6 |
| **LG 35.229.93.24:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.229.93.24:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| **LG 35.229.93.24:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.93.24:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.229.93.24:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 114 | 162.3 | 211 | 166 | 162 | 37.4 |
| **LG 35.229.93.24:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 710 | 1,730 | 726 | 706.3 | 345.9 |
| **LG 35.229.93.24:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.13 | 11.2 | 5.4 | 5.14 | 2.6 |
| **LG 35.229.93.24:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 13.9 | 35.7 | 14.3 | 13.8 | 7.28 |
| **LG 35.229.93.24:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.857 | 2.05 | 0.87 | 0.856 | 0.398 |

## LG 35.231.108.185:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.231.108.185:443/CPU Load** | | | | | |
| 0 | 7.15 | 25 | 7 | 6.89 | 4.21 |
| **LG 35.231.108.185:443/Memory Used** | | | | | |
| 2 | 19.8 | 39 | 20 | 19.7 | 7.61 |
| **LG 35.231.108.185:443/Throughput** | | | | | |
| 0 | 13.6 | 35.4 | 13.9 | 13.5 | 6.67 |
| **LG 35.231.108.185:443/User Load** | | | | | |
| 0 | 42.4 | 77 | 45.5 | 42.6 | 22.2 |
| **LG 35.231.108.185:443/Thread Count** | | | | | |
| 38 | 103.4 | 137 | 106.5 | 104 | 23.4 |
| **LG 35.231.108.185:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.231.108.185:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.003 |
| **LG 35.231.108.185:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.108.185:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.108.185:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 105 | 129.4 | 203 | 125 | 127.2 | 20.6 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.231.108.185:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 716 | 1,845 | 739.3 | 714.7 | 330.9 | |
| **LG 35.231.108.185:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.2 | 13 | 5.4 | 5.22 | 2.54 | |
| **LG 35.231.108.185:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14 | 36.6 | 14.4 | 14 | 6.88 | |
| **LG 35.231.108.185:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.866 | 2.12 | 0.907 | 0.868 | 0.383 | |

## LG 35.231.157.186:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.231.157.186:443/CPU Load** | | | | | | |
| 0 | 6.59 | 32 | 6 | 6.22 | 4.32 | |
| **LG 35.231.157.186:443/Memory Used** | | | | | | |
| 2 | 17 | 40 | 15 | 16.6 | 8.04 | |
| **LG 35.231.157.186:443/Throughput** | | | | | | |
| 0 | 14.1 | 45.3 | 14.6 | 13.9 | 7.42 | |
| **LG 35.231.157.186:443/User Load** | | | | | | |
| 0 | 41.9 | 77 | 45 | 42 | 22.7 | |
| **LG 35.231.157.186:443/Thread Count** | | | | | | |
| 38 | 102.2 | 138 | 105 | 102.7 | 23.8 | |
| **LG 35.231.157.186:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.231.157.186:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.003 | |
| **LG 35.231.157.186:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.231.157.186:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.231.157.186:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 90 | 160.5 | 208 | 164 | 161.6 | 38.2 | |
| **LG 35.231.157.186:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 746.6 | 2,465 | 772.2 | 740.2 | 373.2 | |
| **LG 35.231.157.186:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.29 | 12 | 5.6 | 5.28 | 2.76 | |
| **LG 35.231.157.186:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.6 | 47.4 | 15.1 | 14.4 | 7.67 | |
| **LG 35.231.157.186:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.898 | 2.69 | 0.921 | 0.895 | 0.427 | |

## LG 35.231.242.172:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.231.242.172:443/CPU Load** | | | | | | |
| 0 | 7.57 | 33 | 7 | 7.22 | 4.81 | |
| **LG 35.231.242.172:443/Memory Used** | | | | | | |
| 1 | 16.5 | 40 | 15 | 16.1 | 7.51 | |
| **LG 35.231.242.172:443/Throughput** | | | | | | |
| 0 | 14.2 | 42.3 | 14.2 | 14.1 | 7.41 | |
| **LG 35.231.242.172:443/User Load** | | | | | | |
| 0 | 42.8 | 78 | 46 | 43 | 22.6 | |
| **LG 35.231.242.172:443/Thread Count** | | | | | | |
| 38 | 103.3 | 139 | 106 | 103.7 | 23.8 | |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.231.242.172:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.231.242.172:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.231.242.172:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.242.172:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.242.172:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 94 | 126.5 | 162 | 125 | 126 | 12.3 |
| **LG 35.231.242.172:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 742 | 1,875 | 743.8 | 740.4 | 363.4 |
| **LG 35.231.242.172:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.39 | 12.1 | 5.6 | 5.41 | 2.65 |
| **LG 35.231.242.172:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.7 | 43.3 | 14.7 | 14.6 | 7.65 |
| **LG 35.231.242.172:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.897 | 2.29 | 0.921 | 0.898 | 0.417 |

## LG 35.231.50.210:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.231.50.210:443/CPU Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Memory Used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Throughput** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/User Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Thread Count** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Http client/Thread Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Http client/Task Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Network/Segments sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.231.50.210:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

Neotys

## LG 35.237.113.77:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.113.77:443/CPU Load | | | | | |
| 0 | 7.29 | 29 | 7 | 7.03 | 4.3 |
| LG 35.237.113.77:443/Memory Used | | | | | |
| 1 | 21.6 | 40 | 23 | 21.8 | 8.28 |
| LG 35.237.113.77:443/Throughput | | | | | |
| 0 | 15 | 39.2 | 15.4 | 15 | 7.35 |
| LG 35.237.113.77:443/User Load | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.5 |
| LG 35.237.113.77:443/Thread Count | | | | | |
| 38 | 102.6 | 138 | 106 | 103.1 | 23.5 |
| LG 35.237.113.77:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.237.113.77:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| LG 35.237.113.77:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.113.77:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.113.77:443/Controller Connection/Ping Duration (ms) | | | | | |
| 113 | 181 | 687 | 165 | 164.8 | 94.6 |
| LG 35.237.113.77:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 790.9 | 1,983 | 817.4 | 790.6 | 365.6 |
| LG 35.237.113.77:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.5 | 13.5 | 5.8 | 5.47 | 2.85 |
| LG 35.237.113.77:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 15.5 | 40.8 | 15.9 | 15.5 | 7.59 |
| LG 35.237.113.77:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.946 | 2.28 | 0.979 | 0.95 | 0.42 |

## LG 35.237.122.208:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.122.208:443/CPU Load | | | | | |
| 0 | 6.92 | 35 | 6 | 6.5 | 4.64 |
| LG 35.237.122.208:443/Memory Used | | | | | |
| 2 | 16.4 | 41 | 15 | 16.1 | 7.62 |
| LG 35.237.122.208:443/Throughput | | | | | |
| 0 | 13.3 | 34.3 | 13.7 | 13.2 | 6.83 |
| LG 35.237.122.208:443/User Load | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.4 |
| LG 35.237.122.208:443/Thread Count | | | | | |
| 38 | 102.4 | 137 | 106 | 102.9 | 23.2 |
| LG 35.237.122.208:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.237.122.208:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 |
| LG 35.237.122.208:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.122.208:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.122.208:443/Controller Connection/Ping Duration (ms) | | | | | |
| 146 | 196.1 | 210 | 209 | 198 | 21.3 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.122.208:443/Network/Segments sent/sec.** | | | | | | |
| 2.8 | 707.4 | 1,684 | 714.3 | 702.9 | 338.4 | |
| **LG 35.237.122.208:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.64 | 14.2 | 5.8 | 5.64 | 2.86 | |
| **LG 35.237.122.208:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 13.8 | 35.4 | 14.1 | 13.7 | 7.06 | |
| **LG 35.237.122.208:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.003 | 0.851 | 2.01 | 0.851 | 0.849 | 0.393 | |

## LG 35.237.128.83:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.128.83:443/CPU Load** | | | | | | |
| 0 | 8.48 | 31 | 8 | 8.26 | 4.8 | |
| **LG 35.237.128.83:443/Memory Used** | | | | | | |
| 2 | 17.8 | 39 | 16 | 17.6 | 7.53 | |
| **LG 35.237.128.83:443/Throughput** | | | | | | |
| 0 | 14.6 | 35.1 | 14.9 | 14.5 | 7.18 | |
| **LG 35.237.128.83:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 45 | 42.7 | 22.7 | |
| **LG 35.237.128.83:443/Thread Count** | | | | | | |
| 38 | 103.7 | 139 | 106 | 104.2 | 23.7 | |
| **LG 35.237.128.83:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.237.128.83:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 35.237.128.83:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.128.83:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.128.83:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 125 | 159.8 | 206 | 155.5 | 159.1 | 34.4 | |
| **LG 35.237.128.83:443/Network/Segments sent/sec.** | | | | | | |
| 2.6 | 765.8 | 1,696 | 777 | 764.5 | 355.9 | |
| **LG 35.237.128.83:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 6.1 | 13.4 | 6.34 | 6.1 | 3.07 | |
| **LG 35.237.128.83:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 15.1 | 36.2 | 15.4 | 15.1 | 7.41 | |
| **LG 35.237.128.83:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.921 | 2.04 | 0.951 | 0.924 | 0.412 | |

## LG 35.237.14.47:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.14.47:443/CPU Load** | | | | | | |
| 0 | 6.56 | 30 | 6 | 6.23 | 4.24 | |
| **LG 35.237.14.47:443/Memory Used** | | | | | | |
| 2 | 16.3 | 39 | 14 | 15.9 | 7.84 | |
| **LG 35.237.14.47:443/Throughput** | | | | | | |
| 0 | 13.4 | 42.1 | 13.5 | 13.2 | 7.05 | |
| **LG 35.237.14.47:443/User Load** | | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.6 | |
| **LG 35.237.14.47:443/Thread Count** | | | | | | |
| 38 | 104.6 | 137 | 106 | 105.3 | 24.6 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.14.47:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.103 | 0.155 | 0.1 | 0.1 | 0.01 |
| **LG 35.237.14.47:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.237.14.47:443/Controller Connection/Disconnections** | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 0 |
| **LG 35.237.14.47:443/Controller Connection/Reconnections** | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 0 |
| **LG 35.237.14.47:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 101 | 812.6 | 14,224 | 207.5 | 370.6 | 2,408 |
| **LG 35.237.14.47:443/Network/Segments sent/sec.** | | | | | | |
| | 2.8 | 710.5 | 1,985 | 717.5 | 702.4 | 352.8 |
| **LG 35.237.14.47:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.79 | 14.8 | 5.8 | 5.8 | 2.85 |
| **LG 35.237.14.47:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 13.8 | 43 | 13.9 | 13.7 | 7.27 |
| **LG 35.237.14.47:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.006 | 0.858 | 2.75 | 0.87 | 0.852 | 0.407 |

## LG 35.237.186.96:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.186.96:443/CPU Load** | | | | | | |
| | 0 | 7.41 | 37 | 7 | 7.1 | 4.68 |
| **LG 35.237.186.96:443/Memory Used** | | | | | | |
| | 2 | 20.8 | 40 | 21 | 20.9 | 8.19 |
| **LG 35.237.186.96:443/Throughput** | | | | | | |
| | 0 | 14.1 | 35.3 | 14.3 | 14 | 7.43 |
| **LG 35.237.186.96:443/User Load** | | | | | | |
| | 0 | 41.7 | 77 | 45 | 41.8 | 22.6 |
| **LG 35.237.186.96:443/Thread Count** | | | | | | |
| | 38 | 102.5 | 138 | 107 | 103.1 | 23.7 |
| **LG 35.237.186.96:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.237.186.96:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.002 | 0.15 | 0 | 0 | 0.012 |
| **LG 35.237.186.96:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.186.96:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.186.96:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 97 | 132.5 | 188 | 128.5 | 131.1 | 18.3 |
| **LG 35.237.186.96:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 740.7 | 1,708 | 753.6 | 739.7 | 364.3 |
| **LG 35.237.186.96:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.92 | 14.2 | 6.2 | 5.93 | 3 |
| **LG 35.237.186.96:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.6 | 36.5 | 14.8 | 14.5 | 7.67 |
| **LG 35.237.186.96:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.895 | 2.01 | 0.92 | 0.897 | 0.421 |

Neotys

## LG 35.237.190.240:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.190.240:443/CPU Load | | | | | |
| 0 | 7.17 | 26 | 7 | 6.87 | 4.42 |
| LG 35.237.190.240:443/Memory Used | | | | | |
| 2 | 21.5 | 41 | 22 | 21.6 | 7.72 |
| LG 35.237.190.240:443/Throughput | | | | | |
| 0 | 14.2 | 33 | 14.1 | 14.2 | 7.17 |
| LG 35.237.190.240:443/User Load | | | | | |
| 0 | 43.5 | 78 | 48 | 43.8 | 23 |
| LG 35.237.190.240:443/Thread Count | | | | | |
| 39 | 104 | 141 | 109 | 104.5 | 23.7 |
| LG 35.237.190.240:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.237.190.240:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 |
| LG 35.237.190.240:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.190.240:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.190.240:443/Controller Connection/Ping Duration (ms) | | | | | |
| 108 | 172 | 210 | 170 | 173.1 | 33 |
| LG 35.237.190.240:443/Network/Segments sent/sec. | | | | | |
| 2.39 | 752.6 | 1,599 | 754.9 | 750.1 | 360.4 |
| LG 35.237.190.240:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 6.05 | 14.3 | 6.38 | 6.05 | 3.01 |
| LG 35.237.190.240:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 14.7 | 34.1 | 14.5 | 14.6 | 7.41 |
| LG 35.237.190.240:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.905 | 1.87 | 0.926 | 0.905 | 0.415 |

## LG 35.237.195.124:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.195.124:443/CPU Load | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Memory Used | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Throughput | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/User Load | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Thread Count | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Http client/Thread Pool used | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.195.124:443/Controller Connection/Ping Duration (ms) | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.195.124:443/Network/Segments sent/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.195.124:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.195.124:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.195.124:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |

## LG 35.237.201.79:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.201.79:443/CPU Load** | | | | | | |
| 0 | 6.97 | 29 | 7 | 6.69 | 4.13 | |
| **LG 35.237.201.79:443/Memory Used** | | | | | | |
| 1 | 21.8 | 40 | 22 | 21.9 | 8.16 | |
| **LG 35.237.201.79:443/Throughput** | | | | | | |
| 0 | 14.4 | 33.9 | 14.5 | 14.4 | 6.99 | |
| **LG 35.237.201.79:443/User Load** | | | | | | |
| 0 | 42.5 | 78 | 46 | 42.7 | 22.4 | |
| **LG 35.237.201.79:443/Thread Count** | | | | | | |
| 39 | 103.5 | 138 | 108 | 104 | 23.1 | |
| **LG 35.237.201.79:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 | |
| **LG 35.237.201.79:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.007 | |
| **LG 35.237.201.79:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.201.79:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.237.201.79:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 94 | 131.2 | 206 | 127 | 129.5 | 21.1 | |
| **LG 35.237.201.79:443/Network/Segments sent/sec.** | | | | | | |
| 2.38 | 758.8 | 1,767 | 766.3 | 759.4 | 350.4 | |
| **LG 35.237.201.79:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.28 | 15.3 | 5.38 | 5.27 | 2.66 | |
| **LG 35.237.201.79:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 14.9 | 34.9 | 14.9 | 14.9 | 7.22 | |
| **LG 35.237.201.79:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.913 | 2.04 | 0.939 | 0.918 | 0.403 | |

## LG 35.237.22.17:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.22.17:443/CPU Load** | | | | | | |
| 0 | 7.63 | 29 | 7 | 7.35 | 4.65 | |
| **LG 35.237.22.17:443/Memory Used** | | | | | | |
| 2 | 21.7 | 39 | 22 | 21.9 | 8.58 | |
| **LG 35.237.22.17:443/Throughput** | | | | | | |
| 0 | 13.7 | 37.1 | 13.6 | 13.6 | 7.01 | |
| **LG 35.237.22.17:443/User Load** | | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.4 | |
| **LG 35.237.22.17:443/Thread Count** | | | | | | |
| 38 | 103 | 139 | 106 | 103.5 | 23.7 | |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.22.17:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.237.22.17:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.237.22.17:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.22.17:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.22.17:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 119 | 193.3 | 212 | 209 | 195.8 | 25.1 |
| **LG 35.237.22.17:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 725.1 | 1,873 | 720.3 | 721.4 | 347.5 |
| **LG 35.237.22.17:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.85 | 12.4 | 6.2 | 5.87 | 2.88 |
| **LG 35.237.22.17:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.2 | 38.3 | 14.2 | 14.1 | 7.23 |
| **LG 35.237.22.17:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.874 | 2.24 | 0.893 | 0.873 | 0.4 |

## LG 35.237.237.164:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.237.164:443/CPU Load** | | | | | |
| 0 | 6.84 | 31 | 6 | 6.56 | 4.28 |
| **LG 35.237.237.164:443/Memory Used** | | | | | |
| 2 | 20 | 40 | 20 | 20 | 8.07 |
| **LG 35.237.237.164:443/Throughput** | | | | | |
| 0 | 13.9 | 34.5 | 14 | 13.8 | 7.01 |
| **LG 35.237.237.164:443/User Load** | | | | | |
| 0 | 42.1 | 77 | 46 | 42.2 | 22.3 |
| **LG 35.237.237.164:443/Thread Count** | | | | | |
| 38 | 102.7 | 138 | 108 | 103.1 | 23.5 |
| **LG 35.237.237.164:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.237.237.164:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 35.237.237.164:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.237.164:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.237.164:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 105 | 125.4 | 204 | 123 | 122.7 | 19.3 |
| **LG 35.237.237.164:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 739.1 | 1,858 | 745.8 | 735.6 | 353.2 |
| **LG 35.237.237.164:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.32 | 12.6 | 5.49 | 5.33 | 2.73 |
| **LG 35.237.237.164:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.4 | 35.8 | 14.5 | 14.3 | 7.24 |
| **LG 35.237.237.164:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.887 | 2.12 | 0.9 | 0.886 | 0.406 |

Neotys

## LG 35.237.254.0:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.254.0:443/CPU Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Memory Used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Throughput** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/User Load** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Thread Count** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Http client/Thread Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Http client/Task Pool used** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Network/Segments sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.0:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

## LG 35.237.254.250:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.254.250:443/CPU Load** | | | | | |
| 0 | 7.08 | 35 | 7 | 6.77 | 4.47 |
| **LG 35.237.254.250:443/Memory Used** | | | | | |
| 2 | 16.9 | 39 | 16 | 16.6 | 7.69 |
| **LG 35.237.254.250:443/Throughput** | | | | | |
| 0 | 13.9 | 34.8 | 14 | 13.8 | 7.36 |
| **LG 35.237.254.250:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 45 | 41.9 | 22.9 |
| **LG 35.237.254.250:443/Thread Count** | | | | | |
| 38 | 102.8 | 138 | 106 | 103.4 | 24.2 |
| **LG 35.237.254.250:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.237.254.250:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.237.254.250:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.250:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.254.250:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 109 | 147.9 | 206 | 127 | 146.6 | 34.1 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.254.250:443/Network/Segments sent/sec.** | | | | | | |
| | 1.62 | 732.1 | 1,738 | 732.3 | 728 | 365.8 |
| **LG 35.237.254.250:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.25 | 12.6 | 5.49 | 5.27 | 2.69 |
| **LG 35.237.254.250:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.4 | 35.8 | 14.5 | 14.3 | 7.6 |
| **LG 35.237.254.250:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.004 | 0.881 | 2.06 | 0.885 | 0.88 | 0.422 |

## LG 35.237.255.153:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.255.153:443/CPU Load** | | | | | | |
| | 0 | 7.36 | 32 | 7 | 7.01 | 4.69 |
| **LG 35.237.255.153:443/Memory Used** | | | | | | |
| | 2 | 20.7 | 39 | 21 | 20.8 | 7.91 |
| **LG 35.237.255.153:443/Throughput** | | | | | | |
| | 0 | 13.7 | 35.9 | 14.2 | 13.6 | 6.96 |
| **LG 35.237.255.153:443/User Load** | | | | | | |
| | 0 | 42.3 | 77 | 46 | 42.5 | 22.2 |
| **LG 35.237.255.153:443/Thread Count** | | | | | | |
| | 38 | 103.2 | 138 | 108 | 103.7 | 23.3 |
| **LG 35.237.255.153:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.237.255.153:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.237.255.153:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.255.153:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.255.153:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 94 | 145.1 | 206 | 133 | 144.7 | 26 |
| **LG 35.237.255.153:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 717.4 | 1,866 | 753.4 | 713.5 | 344.2 |
| **LG 35.237.255.153:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.84 | 15 | 6 | 5.82 | 2.88 |
| **LG 35.237.255.153:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 14.1 | 37.2 | 14.7 | 14 | 7.18 |
| **LG 35.237.255.153:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.872 | 2.13 | 0.9 | 0.871 | 0.402 |

## LG 35.237.33.212:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.237.33.212:443/CPU Load** | | | | | | |
| | 0 | 7.02 | 30 | 7 | 6.74 | 4.2 |
| **LG 35.237.33.212:443/Memory Used** | | | | | | |
| | 1 | 21 | 41 | 21 | 21.2 | 8.24 |
| **LG 35.237.33.212:443/Throughput** | | | | | | |
| | 0 | 14.1 | 31.6 | 14.7 | 14 | 6.92 |
| **LG 35.237.33.212:443/User Load** | | | | | | |
| | 0 | 42.8 | 77 | 47 | 43 | 23 |
| **LG 35.237.33.212:443/Thread Count** | | | | | | |
| | 38 | 105.1 | 140 | 109 | 105.8 | 25 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.33.212:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.237.33.212:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.007 |
| **LG 35.237.33.212:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.33.212:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.33.212:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 96 | 160.9 | 225 | 160 | 160.9 | 38.8 |
| **LG 35.237.33.212:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 742.5 | 1,666 | 762.1 | 741.3 | 339.2 |
| **LG 35.237.33.212:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.85 | 13.4 | 6.05 | 5.83 | 2.93 |
| **LG 35.237.33.212:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 14.5 | 32.8 | 15.2 | 14.5 | 7.14 |
| **LG 35.237.33.212:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.894 | 1.9 | 0.921 | 0.895 | 0.393 |

## LG 35.237.35.207:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.35.207:443/CPU Load** | | | | | |
| 0 | 7.12 | 26 | 7 | 6.77 | 4.5 |
| **LG 35.237.35.207:443/Memory Used** | | | | | |
| 1 | 16.9 | 41 | 15 | 16.6 | 7.9 |
| **LG 35.237.35.207:443/Throughput** | | | | | |
| 0 | 13.9 | 33.3 | 14.5 | 13.8 | 6.97 |
| **LG 35.237.35.207:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.8 |
| **LG 35.237.35.207:443/Thread Count** | | | | | |
| 38 | 103.1 | 139 | 106 | 103.7 | 24.5 |
| **LG 35.237.35.207:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.237.35.207:443/Http client/Task Pool used** | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| **LG 35.237.35.207:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.35.207:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.35.207:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 102 | 128.9 | 205 | 126 | 126.7 | 17 |
| **LG 35.237.35.207:443/Network/Segments sent/sec.** | | | | | |
| 2.19 | 732.9 | 1,668 | 779.6 | 730.1 | 349.3 |
| **LG 35.237.35.207:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.22 | 14.6 | 5.37 | 5.21 | 2.65 |
| **LG 35.237.35.207:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 14.4 | 34.3 | 15 | 14.3 | 7.2 |
| **LG 35.237.35.207:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.885 | 1.89 | 0.934 | 0.885 | 0.408 |

Neotys

## LG 35.237.5.128:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.5.128:443/CPU Load | | | | | |
| 0 | 8.36 | 36 | 8 | 8.02 | 5.18 |
| LG 35.237.5.128:443/Memory Used | | | | | |
| 2 | 18.5 | 40 | 18 | 18.4 | 7.96 |
| LG 35.237.5.128:443/Throughput | | | | | |
| 0 | 13.6 | 40.3 | 13.1 | 13.4 | 7.2 |
| LG 35.237.5.128:443/User Load | | | | | |
| 0 | 42 | 77 | 45 | 42.2 | 22.3 |
| LG 35.237.5.128:443/Thread Count | | | | | |
| 38 | 102.4 | 137 | 105 | 102.9 | 23.5 |
| LG 35.237.5.128:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.237.5.128:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| LG 35.237.5.128:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.5.128:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.5.128:443/Controller Connection/Ping Duration (ms) | | | | | |
| 126 | 176.6 | 514 | 166 | 165.6 | 66.4 |
| LG 35.237.5.128:443/Network/Segments sent/sec. | | | | | |
| 2.42 | 709.1 | 1,996 | 688.8 | 701.8 | 350 |
| LG 35.237.5.128:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.66 | 12.6 | 5.91 | 5.67 | 2.77 |
| LG 35.237.5.128:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 14.1 | 41.7 | 13.6 | 13.9 | 7.44 |
| LG 35.237.5.128:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.862 | 2.18 | 0.844 | 0.859 | 0.403 |

## LG 35.237.7.20:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.7.20:443/CPU Load | | | | | |
| 0 | 7.4 | 32 | 7 | 7.03 | 4.83 |
| LG 35.237.7.20:443/Memory Used | | | | | |
| 2 | 18.1 | 38 | 18 | 18 | 7.42 |
| LG 35.237.7.20:443/Throughput | | | | | |
| 0 | 13.8 | 36.3 | 14 | 13.7 | 7.09 |
| LG 35.237.7.20:443/User Load | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.6 |
| LG 35.237.7.20:443/Thread Count | | | | | |
| 38 | 102.9 | 137 | 106 | 103.5 | 23.1 |
| LG 35.237.7.20:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.237.7.20:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.133 | 0 | 0 | 0.008 |
| LG 35.237.7.20:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.7.20:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.7.20:443/Controller Connection/Ping Duration (ms) | | | | | |
| 96 | 129.1 | 154 | 130 | 129.4 | 9.27 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.7.20:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 723.6 | 1,679 | 743.7 | 721.4 | 348.8 |
| LG 35.237.7.20:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.25 | 10.8 | 5.6 | 5.29 | 2.59 |
| LG 35.237.7.20:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 14.3 | 37.7 | 14.5 | 14.2 | 7.32 |
| LG 35.237.7.20:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.877 | 1.96 | 0.899 | 0.878 | 0.405 |

## LG 35.237.7.235:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.7.235:443/CPU Load | | | | | |
| 0 | 8.16 | 38 | 8 | 7.81 | 5.1 |
| LG 35.237.7.235:443/Memory Used | | | | | |
| 2 | 22.4 | 40 | 23 | 22.6 | 8.52 |
| LG 35.237.7.235:443/Throughput | | | | | |
| 0 | 14.2 | 38.4 | 14.4 | 14.1 | 7.25 |
| LG 35.237.7.235:443/User Load | | | | | |
| 0 | 42.5 | 77 | 45 | 42.7 | 22.5 |
| LG 35.237.7.235:443/Thread Count | | | | | |
| 38 | 103.3 | 137 | 106 | 103.8 | 23.4 |
| LG 35.237.7.235:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.237.7.235:443/Http client/Task Pool used | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.009 |
| LG 35.237.7.235:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.7.235:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.237.7.235:443/Controller Connection/Ping Duration (ms) | | | | | |
| 90 | 122.7 | 204 | 124 | 121.1 | 18.5 |
| LG 35.237.7.235:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 742.6 | 1,942 | 759.6 | 740.8 | 358 |
| LG 35.237.7.235:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.37 | 12.4 | 5.4 | 5.37 | 2.7 |
| LG 35.237.7.235:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 14.7 | 39.7 | 14.8 | 14.6 | 7.49 |
| LG 35.237.7.235:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.897 | 2.23 | 0.937 | 0.898 | 0.414 |

## LG 35.237.74.2:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.237.74.2:443/CPU Load | | | | | |
| 0 | 7.57 | 28 | 7 | 7.23 | 4.86 |
| LG 35.237.74.2:443/Memory Used | | | | | |
| 2 | 18.3 | 41 | 18 | 18.2 | 7.4 |
| LG 35.237.74.2:443/Throughput | | | | | |
| 0 | 13.7 | 36 | 14 | 13.6 | 7.03 |
| LG 35.237.74.2:443/User Load | | | | | |
| 0 | 43.1 | 77 | 49 | 43.4 | 22.6 |
| LG 35.237.74.2:443/Thread Count | | | | | |
| 38 | 103.8 | 138 | 110 | 104.5 | 23.9 |

![Neotys]

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.74.2:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| **LG 35.237.74.2:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| **LG 35.237.74.2:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.74.2:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.74.2:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 111 | 165.7 | 198 | 167 | 166.4 | 14.2 |
| **LG 35.237.74.2:443/Network/Segments sent/sec.** | | | | | |
| 2.2 | 718.4 | 1,711 | 728 | 717.1 | 347.1 |
| **LG 35.237.74.2:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.29 | 12.2 | 5.4 | 5.27 | 2.73 |
| **LG 35.237.74.2:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 14.1 | 37 | 14.5 | 14.1 | 7.25 |
| **LG 35.237.74.2:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.869 | 2.03 | 0.894 | 0.87 | 0.405 |

## LG 35.237.76.165:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.76.165:443/CPU Load** | | | | | |
| 0 | 6.77 | 30 | 6 | 6.38 | 4.45 |
| **LG 35.237.76.165:443/Memory Used** | | | | | |
| 1 | 16 | 39 | 14 | 15.6 | 7.85 |
| **LG 35.237.76.165:443/Throughput** | | | | | |
| 0 | 13.4 | 31.4 | 13.7 | 13.3 | 6.78 |
| **LG 35.237.76.165:443/User Load** | | | | | |
| 0 | 42.8 | 77 | 47 | 43.1 | 23 |
| **LG 35.237.76.165:443/Thread Count** | | | | | |
| 38 | 103.8 | 139 | 107 | 104.4 | 24.3 |
| **LG 35.237.76.165:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.237.76.165:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.237.76.165:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.76.165:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.76.165:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 110 | 191.2 | 207 | 205 | 194.7 | 26.6 |
| **LG 35.237.76.165:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 708.6 | 1,658 | 728.3 | 706.5 | 338.3 |
| **LG 35.237.76.165:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.23 | 13 | 5.49 | 5.24 | 2.65 |
| **LG 35.237.76.165:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 13.9 | 32.7 | 14.2 | 13.8 | 7.01 |
| **LG 35.237.76.165:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.857 | 1.86 | 0.885 | 0.858 | 0.387 |

Neotys

## LG 35.237.92.69:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.237.92.69:443/CPU Load** | | | | | |
| 0 | 7.72 | 33 | 7 | 7.42 | 4.71 |
| **LG 35.237.92.69:443/Memory Used** | | | | | |
| 2 | 18.6 | 40 | 18 | 18.5 | 7.64 |
| **LG 35.237.92.69:443/Throughput** | | | | | |
| 0 | 15 | 33.1 | 15.5 | 15 | 7.84 |
| **LG 35.237.92.69:443/User Load** | | | | | |
| 0 | 42.6 | 78 | 46 | 42.8 | 22.9 |
| **LG 35.237.92.69:443/Thread Count** | | | | | |
| 39 | 103.9 | 139 | 107 | 104.4 | 23.9 |
| **LG 35.237.92.69:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| **LG 35.237.92.69:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 |
| **LG 35.237.92.69:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.92.69:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.237.92.69:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 98 | 130.4 | 184 | 130 | 129.3 | 16.6 |
| **LG 35.237.92.69:443/Network/Segments sent/sec.** | | | | | |
| 3.4 | 787.5 | 1,616 | 812.9 | 789.1 | 381.9 |
| **LG 35.237.92.69:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.93 | 13.8 | 6.01 | 5.92 | 2.99 |
| **LG 35.237.92.69:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.004 | 15.5 | 34.2 | 16 | 15.5 | 8.08 |
| **LG 35.237.92.69:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.007 | 0.945 | 1.94 | 0.988 | 0.949 | 0.44 |

## LG 35.243.135.208:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.243.135.208:443/CPU Load** | | | | | |
| 0 | 7.38 | 35 | 7 | 7.05 | 4.63 |
| **LG 35.243.135.208:443/Memory Used** | | | | | |
| 1 | 17 | 39 | 16 | 16.8 | 7.4 |
| **LG 35.243.135.208:443/Throughput** | | | | | |
| 0 | 14.1 | 31.8 | 14.4 | 14 | 7.28 |
| **LG 35.243.135.208:443/User Load** | | | | | |
| 0 | 42.2 | 77 | 45 | 42.3 | 22.6 |
| **LG 35.243.135.208:443/Thread Count** | | | | | |
| 39 | 103.1 | 139 | 106 | 103.6 | 23.6 |
| **LG 35.243.135.208:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.243.135.208:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.243.135.208:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.243.135.208:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.243.135.208:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 105 | 128.2 | 165 | 125.5 | 127.2 | 14.3 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.243.135.208:443/Network/Segments sent/sec.** | | | | | | |
| 2.4 | 742.9 | 1,642 | 773.6 | 739.3 | 362.4 | |
| **LG 35.243.135.208:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.88 | 12.6 | 6.2 | 5.9 | 2.92 | |
| **LG 35.243.135.208:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 14.6 | 32.9 | 14.8 | 14.5 | 7.51 | |
| **LG 35.243.135.208:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.899 | 1.96 | 0.94 | 0.898 | 0.417 | |

## LG 35.243.140.165:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.243.140.165:443/CPU Load** | | | | | | |
| 0 | 7.01 | 37 | 7 | 6.73 | 4.31 | |
| **LG 35.243.140.165:443/Memory Used** | | | | | | |
| 2 | 21.6 | 40 | 22 | 21.8 | 8.28 | |
| **LG 35.243.140.165:443/Throughput** | | | | | | |
| 0 | 14.3 | 30.3 | 14.3 | 14.3 | 7.09 | |
| **LG 35.243.140.165:443/User Load** | | | | | | |
| 0 | 43.8 | 78 | 49 | 44.1 | 22.9 | |
| **LG 35.243.140.165:443/Thread Count** | | | | | | |
| 38 | 104 | 140 | 109 | 104.4 | 23.3 | |
| **LG 35.243.140.165:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.243.140.165:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 | |
| **LG 35.243.140.165:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.243.140.165:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.243.140.165:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 91 | 128.3 | 207 | 126 | 126.3 | 19.3 | |
| **LG 35.243.140.165:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 751 | 1,576 | 770.2 | 755 | 349.2 | |
| **LG 35.243.140.165:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 6.01 | 13.6 | 6.2 | 6 | 2.92 | |
| **LG 35.243.140.165:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 14.7 | 31.3 | 14.7 | 14.8 | 7.32 | |
| **LG 35.243.140.165:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.908 | 1.87 | 0.938 | 0.916 | 0.401 | |

## LG 35.243.175.144:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.243.175.144:443/CPU Load** | | | | | | |
| 0 | 7.76 | 38 | 7 | 7.48 | 4.84 | |
| **LG 35.243.175.144:443/Memory Used** | | | | | | |
| 2 | 20.1 | 37 | 21 | 20.2 | 7.68 | |
| **LG 35.243.175.144:443/Throughput** | | | | | | |
| 0 | 14.5 | 34.3 | 15.3 | 14.5 | 7.24 | |
| **LG 35.243.175.144:443/User Load** | | | | | | |
| 0 | 43.3 | 77 | 48 | 43.6 | 22.9 | |
| **LG 35.243.175.144:443/Thread Count** | | | | | | |
| 38 | 104 | 138 | 108 | 104.7 | 23.9 | |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.243.175.144:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 | |
| **LG 35.243.175.144:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.005 | |
| **LG 35.243.175.144:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.243.175.144:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.243.175.144:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 117 | 168.2 | 216 | 166 | 168.4 | 24.7 | |
| **LG 35.243.175.144:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 766.2 | 1,704 | 785.7 | 767 | 358.1 | |
| **LG 35.243.175.144:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.47 | 12.4 | 5.6 | 5.45 | 2.81 | |
| **LG 35.243.175.144:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 15 | 35.4 | 15.8 | 15 | 7.47 | |
| **LG 35.243.175.144:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.92 | 1.92 | 0.95 | 0.924 | 0.41 | |

## LG 35.243.252.178:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.243.252.178:443/CPU Load** | | | | | | |
| 0 | 7.33 | 30 | 7 | 6.98 | 4.73 | |
| **LG 35.243.252.178:443/Memory Used** | | | | | | |
| 1 | 18.8 | 39 | 18 | 18.7 | 7.65 | |
| **LG 35.243.252.178:443/Throughput** | | | | | | |
| 0 | 13.1 | 32.7 | 13.7 | 13 | 7.06 | |
| **LG 35.243.252.178:443/User Load** | | | | | | |
| 0 | 41.9 | 77 | 45 | 42.1 | 22.5 | |
| **LG 35.243.252.178:443/Thread Count** | | | | | | |
| 38 | 102.6 | 137 | 106 | 103.1 | 23.5 | |
| **LG 35.243.252.178:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 | |
| **LG 35.243.252.178:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.008 | |
| **LG 35.243.252.178:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.243.252.178:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.243.252.178:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 125 | 152 | 222 | 163.5 | 150 | 23.7 | |
| **LG 35.243.252.178:443/Network/Segments sent/sec.** | | | | | | |
| 2.4 | 689.2 | 1,623 | 711.8 | 684.2 | 347.5 | |
| **LG 35.243.252.178:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.14 | 11.2 | 5.41 | 5.15 | 2.64 | |
| **LG 35.243.252.178:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 13.6 | 33.8 | 14.2 | 13.4 | 7.29 | |
| **LG 35.243.252.178:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.838 | 1.9 | 0.865 | 0.835 | 0.403 | |

## LG 35.186.162.193:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----|-----|-----|-----|---------|---------|
| LG 35.186.162.193:443/CPU Load | | | | | |
| 0 | 7.28 | 31 | 7 | 6.91 | 4.79 |
| LG 35.186.162.193:443/Memory Used | | | | | |
| 2 | 19.9 | 40 | 20 | 20 | 7.76 |
| LG 35.186.162.193:443/Throughput | | | | | |
| 0 | 16.6 | 45.8 | 17 | 16.5 | 8.25 |
| LG 35.186.162.193:443/User Load | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.6 |
| LG 35.186.162.193:443/Thread Count | | | | | |
| 39 | 104.3 | 140 | 107 | 104.8 | 24.1 |
| LG 35.186.162.193:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.186.162.193:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| LG 35.186.162.193:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.162.193:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.162.193:443/Controller Connection/Ping Duration (ms) | | | | | |
| 87 | 127 | 194 | 119 | 126.1 | 25.5 |
| LG 35.186.162.193:443/Network/Segments sent/sec. | | | | | |
| 2.45 | 801.3 | 2,162 | 830.7 | 798.7 | 383.8 |
| LG 35.186.162.193:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.81 | 14 | 4.91 | 4.75 | 2.74 |
| LG 35.186.162.193:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 17.1 | 47.1 | 17.7 | 17 | 8.52 |
| LG 35.186.162.193:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1 | 2.7 | 1.05 | 1 | 0.459 |

## LG 35.186.172.189:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----|-----|-----|-----|---------|---------|
| LG 35.186.172.189:443/CPU Load | | | | | |
| 0 | 7.65 | 41 | 7 | 7.3 | 5.01 |
| LG 35.186.172.189:443/Memory Used | | | | | |
| 1 | 18.3 | 40 | 17 | 18.1 | 7.36 |
| LG 35.186.172.189:443/Throughput | | | | | |
| 0 | 17.3 | 43.9 | 17.7 | 17.2 | 8.51 |
| LG 35.186.172.189:443/User Load | | | | | |
| 0 | 42.5 | 78 | 46 | 42.7 | 22.6 |
| LG 35.186.172.189:443/Thread Count | | | | | |
| 39 | 104 | 140 | 107 | 104.4 | 23.5 |
| LG 35.186.172.189:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.003 |
| LG 35.186.172.189:443/Http client/Task Pool used | | | | | |
| 0 | 0.002 | 0.083 | 0 | 0 | 0.008 |
| LG 35.186.172.189:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.172.189:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.172.189:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 121.8 | 194 | 114 | 119.9 | 28.3 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.186.172.189:443/Network/Segments sent/sec.** | | | | | | |
| 1.57 | 835.9 | 2,153 | 870.4 | 832.5 | 394.1 | |
| **LG 35.186.172.189:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.94 | 11.5 | 5.12 | 4.91 | 2.81 | |
| **LG 35.186.172.189:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.8 | 45.3 | 18.2 | 17.8 | 8.76 | |
| **LG 35.186.172.189:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.04 | 2.51 | 1.06 | 1.04 | 0.47 | |

## LG 35.186.180.205:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.186.180.205:443/CPU Load** | | | | | | |
| 0 | 7.05 | 32 | 6 | 6.65 | 4.85 | |
| **LG 35.186.180.205:443/Memory Used** | | | | | | |
| 1 | 19 | 38 | 20 | 19 | 7.7 | |
| **LG 35.186.180.205:443/Throughput** | | | | | | |
| 0 | 16.3 | 44.7 | 16 | 16.2 | 8.45 | |
| **LG 35.186.180.205:443/User Load** | | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.5 | |
| **LG 35.186.180.205:443/Thread Count** | | | | | | |
| 38 | 101.6 | 138 | 105 | 102 | 23.6 | |
| **LG 35.186.180.205:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.186.180.205:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 | |
| **LG 35.186.180.205:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.186.180.205:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.186.180.205:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 81 | 134.2 | 637 | 117 | 115 | 99.7 | |
| **LG 35.186.180.205:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 787.4 | 2,065 | 773.3 | 783.3 | 387.9 | |
| **LG 35.186.180.205:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.75 | 11.4 | 4.79 | 4.73 | 2.66 | |
| **LG 35.186.180.205:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.8 | 45.8 | 16.5 | 16.7 | 8.71 | |
| **LG 35.186.180.205:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.986 | 2.59 | 0.976 | 0.985 | 0.465 | |

## LG 35.186.188.67:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.186.188.67:443/CPU Load** | | | | | | |
| 0 | 7.56 | 31 | 7 | 7.19 | 4.97 | |
| **LG 35.186.188.67:443/Memory Used** | | | | | | |
| 1 | 17.9 | 39 | 17 | 17.8 | 7.42 | |
| **LG 35.186.188.67:443/Throughput** | | | | | | |
| 0 | 16.4 | 40.8 | 16.6 | 16.4 | 8.11 | |
| **LG 35.186.188.67:443/User Load** | | | | | | |
| 0 | 42.2 | 77 | 45 | 42.4 | 22.6 | |
| **LG 35.186.188.67:443/Thread Count** | | | | | | |
| 39 | 103.5 | 139 | 106 | 104 | 23.9 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.186.188.67:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.186.188.67:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.186.188.67:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.186.188.67:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.186.188.67:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 89 | 116.9 | 197 | 115 | 114.1 | 23.7 |
| **LG 35.186.188.67:443/Network/Segments sent/sec.** | | | | | | |
| | 2.34 | 794 | 1,907 | 802.4 | 792.3 | 375.5 |
| **LG 35.186.188.67:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.85 | 10.98 | 5 | 4.83 | 2.72 |
| **LG 35.186.188.67:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 16.9 | 42.1 | 17.2 | 16.9 | 8.36 |
| **LG 35.186.188.67:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.992 | 2.23 | 1 | 0.993 | 0.455 |

## LG 35.188.226.91:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.188.226.91:443/CPU Load** | | | | | | |
| | 0 | 7.23 | 35 | 6 | 6.9 | 4.75 |
| **LG 35.188.226.91:443/Memory Used** | | | | | | |
| | 1 | 20.4 | 36 | 21 | 20.6 | 7.64 |
| **LG 35.188.226.91:443/Throughput** | | | | | | |
| | 0 | 17.4 | 53.1 | 18 | 17.4 | 8.73 |
| **LG 35.188.226.91:443/User Load** | | | | | | |
| | 0 | 42.5 | 78 | 46 | 42.6 | 22.5 |
| **LG 35.188.226.91:443/Thread Count** | | | | | | |
| | 39 | 104.5 | 141 | 107 | 104.9 | 24.4 |
| **LG 35.188.226.91:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.003 |
| **LG 35.188.226.91:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.188.226.91:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.226.91:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.226.91:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 86 | 114.3 | 180 | 115 | 112.3 | 21.9 |
| **LG 35.188.226.91:443/Network/Segments sent/sec.** | | | | | | |
| | 1.56 | 845.1 | 2,547 | 879.6 | 840.9 | 408.4 |
| **LG 35.188.226.91:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.94 | 13 | 5.02 | 4.89 | 2.81 |
| **LG 35.188.226.91:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 18 | 55.3 | 18.5 | 17.9 | 9.01 |
| **LG 35.188.226.91:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.004 | 1.05 | 2.72 | 1.08 | 1.05 | 0.485 |

Neotys

## LG 35.188.230.212:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.188.230.212:443/CPU Load** | | | | | |
| 0 | 7.06 | 28 | 6 | 6.73 | 4.54 |
| **LG 35.188.230.212:443/Memory Used** | | | | | |
| 2 | 20.3 | 41 | 20 | 20.3 | 7.76 |
| **LG 35.188.230.212:443/Throughput** | | | | | |
| 0 | 16.5 | 44.7 | 16.7 | 16.5 | 8.3 |
| **LG 35.188.230.212:443/User Load** | | | | | |
| 0 | 43.3 | 77 | 49 | 43.6 | 22.5 |
| **LG 35.188.230.212:443/Thread Count** | | | | | |
| 38 | 104.2 | 138 | 110 | 104.9 | 23.5 |
| **LG 35.188.230.212:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| **LG 35.188.230.212:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.188.230.212:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.230.212:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.230.212:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 90 | 120.8 | 195 | 120 | 118.9 | 20.1 |
| **LG 35.188.230.212:443/Network/Segments sent/sec.** | | | | | |
| 1.62 | 805.2 | 2,167 | 819.1 | 802.5 | 381.7 |
| **LG 35.188.230.212:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.83 | 10.81 | 5.12 | 4.81 | 2.55 |
| **LG 35.188.230.212:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.1 | 46.2 | 17.3 | 17 | 8.55 |
| **LG 35.188.230.212:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1 | 2.65 | 1.03 | 1 | 0.462 |

## LG 35.188.233.109:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.188.233.109:443/CPU Load** | | | | | |
| 0 | 8.47 | 44 | 8 | 8.11 | 5.34 |
| **LG 35.188.233.109:443/Memory Used** | | | | | |
| 2 | 18.8 | 42 | 18 | 18.7 | 7.38 |
| **LG 35.188.233.109:443/Throughput** | | | | | |
| 0 | 17.5 | 49.1 | 17.4 | 17.4 | 8.84 |
| **LG 35.188.233.109:443/User Load** | | | | | |
| 0 | 42.2 | 78 | 45 | 42.4 | 22.9 |
| **LG 35.188.233.109:443/Thread Count** | | | | | |
| 39 | 105.3 | 141 | 106 | 105.9 | 25.7 |
| **LG 35.188.233.109:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.107 | 0.2 | 0.1 | 0.102 | 0.02 |
| **LG 35.188.233.109:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.083 | 0 | 0 | 0.007 |
| **LG 35.188.233.109:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.233.109:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.233.109:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 95 | 167.2 | 220 | 158 | 168.2 | 31.4 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.188.233.109:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 844 | 2,367 | 859.6 | 837.6 | 408 | |
| **LG 35.188.233.109:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.95 | 12.6 | 4.97 | 4.91 | 2.76 | |
| **LG 35.188.233.109:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 18.1 | 50.8 | 18.1 | 17.9 | 9.12 | |
| **LG 35.188.233.109:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.05 | 2.8 | 1.07 | 1.05 | 0.488 | |

## LG 35.188.249.117:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.188.249.117:443/CPU Load** | | | | | | |
| 0 | 6.2 | 25 | 6 | 5.87 | 4.13 | |
| **LG 35.188.249.117:443/Memory Used** | | | | | | |
| 1 | 17.4 | 39 | 16 | 17.2 | 7.34 | |
| **LG 35.188.249.117:443/Throughput** | | | | | | |
| 0 | 16.4 | 40 | 16.6 | 16.3 | 8.1 | |
| **LG 35.188.249.117:443/User Load** | | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.6 | |
| **LG 35.188.249.117:443/Thread Count** | | | | | | |
| 39 | 102.8 | 138 | 107 | 103.3 | 23.6 | |
| **LG 35.188.249.117:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.12 | 0.1 | 0.1 | 0.003 | |
| **LG 35.188.249.117:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.007 | |
| **LG 35.188.249.117:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.188.249.117:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.188.249.117:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 79 | 117.4 | 216 | 114 | 115 | 26.3 | |
| **LG 35.188.249.117:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 795.7 | 1,819 | 823.2 | 793.7 | 374.6 | |
| **LG 35.188.249.117:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.78 | 11.2 | 4.91 | 4.72 | 2.67 | |
| **LG 35.188.249.117:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.9 | 41.3 | 17.3 | 16.9 | 8.36 | |
| **LG 35.188.249.117:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.992 | 2.13 | 1.04 | 0.995 | 0.444 | |

## LG 35.188.251.4:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.188.251.4:443/CPU Load** | | | | | | |
| 0 | 7.59 | 34 | 7 | 7.21 | 4.87 | |
| **LG 35.188.251.4:443/Memory Used** | | | | | | |
| 2 | 18 | 41 | 17 | 17.8 | 7.23 | |
| **LG 35.188.251.4:443/Throughput** | | | | | | |
| 0 | 17.7 | 46.8 | 17.7 | 17.6 | 8.61 | |
| **LG 35.188.251.4:443/User Load** | | | | | | |
| 0 | 42.4 | 78 | 45.5 | 42.6 | 22.8 | |
| **LG 35.188.251.4:443/Thread Count** | | | | | | |
| 39 | 104.1 | 139 | 106 | 104.6 | 24.7 | |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.188.251.4:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.145 | 0.1 | 0.1 | 0.007 |
| **LG 35.188.251.4:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 35.188.251.4:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.251.4:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.188.251.4:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 90 | 121.6 | 197 | 118 | 119.2 | 26.4 |
| **LG 35.188.251.4:443/Network/Segments sent/sec.** | | | | | |
| 1.61 | 853.9 | 2,288 | 855 | 852.6 | 398.5 |
| **LG 35.188.251.4:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.02 | 14.3 | 5.1 | 4.98 | 2.89 |
| **LG 35.188.251.4:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 18.2 | 48.3 | 18.3 | 18.2 | 8.87 |
| **LG 35.188.251.4:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.06 | 2.68 | 1.07 | 1.06 | 0.474 |

## LG 35.194.66.147:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.194.66.147:443/CPU Load** | | | | | |
| 0 | 7.31 | 29 | 6 | 7.01 | 4.64 |
| **LG 35.194.66.147:443/Memory Used** | | | | | |
| 2 | 20.8 | 42 | 21 | 20.8 | 8.13 |
| **LG 35.194.66.147:443/Throughput** | | | | | |
| 0 | 16.8 | 46.9 | 17.4 | 16.8 | 8.05 |
| **LG 35.194.66.147:443/User Load** | | | | | |
| 0 | 41.8 | 77 | 45 | 42 | 22.5 |
| **LG 35.194.66.147:443/Thread Count** | | | | | |
| 39 | 102.3 | 138 | 106 | 102.7 | 23.4 |
| **LG 35.194.66.147:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.194.66.147:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 |
| **LG 35.194.66.147:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.194.66.147:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.194.66.147:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 98 | 162.9 | 202 | 162 | 164.2 | 34.7 |
| **LG 35.194.66.147:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 812.7 | 2,203 | 832.1 | 812.7 | 370.8 |
| **LG 35.194.66.147:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.91 | 11.8 | 5.25 | 4.9 | 2.66 |
| **LG 35.194.66.147:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.3 | 48.5 | 17.9 | 17.3 | 8.3 |
| **LG 35.194.66.147:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.01 | 2.6 | 1.04 | 1.02 | 0.45 |

Neotys

## LG 35.194.66.169:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.194.66.169:443/CPU Load** | | | | | |
| 0 | 7.14 | 28 | 6 | 6.85 | 4.47 |
| **LG 35.194.66.169:443/Memory Used** | | | | | |
| 2 | 21.1 | 39 | 21 | 21.2 | 8.42 |
| **LG 35.194.66.169:443/Throughput** | | | | | |
| 0 | 15.9 | 38.3 | 16.3 | 15.9 | 7.5 |
| **LG 35.194.66.169:443/User Load** | | | | | |
| 0 | 41.6 | 77 | 45 | 41.8 | 22.5 |
| **LG 35.194.66.169:443/Thread Count** | | | | | |
| 38 | 102.5 | 137 | 106 | 103.1 | 24 |
| **LG 35.194.66.169:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.004 |
| **LG 35.194.66.169:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.067 | 0 | 0.001 | 0.008 |
| **LG 35.194.66.169:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.194.66.169:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.194.66.169:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 112.6 | 159 | 115 | 111.5 | 16.2 |
| **LG 35.194.66.169:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 766.8 | 1,926 | 780.2 | 766.8 | 348.2 |
| **LG 35.194.66.169:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.64 | 12.9 | 4.73 | 4.6 | 2.6 |
| **LG 35.194.66.169:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 16.4 | 39.5 | 16.9 | 16.4 | 7.74 |
| **LG 35.194.66.169:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.963 | 2.47 | 0.992 | 0.965 | 0.421 |

## LG 35.194.69.211:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.194.69.211:443/CPU Load** | | | | | |
| 0 | 6.9 | 35 | 6 | 6.49 | 4.91 |
| **LG 35.194.69.211:443/Memory Used** | | | | | |
| 1 | 20.6 | 39 | 21 | 20.7 | 8.01 |
| **LG 35.194.69.211:443/Throughput** | | | | | |
| 0 | 15.5 | 40.9 | 16 | 15.4 | 8.23 |
| **LG 35.194.69.211:443/User Load** | | | | | |
| 0 | 41.6 | 77 | 45 | 41.7 | 22.6 |
| **LG 35.194.69.211:443/Thread Count** | | | | | |
| 38 | 103.4 | 138 | 105 | 104 | 24.5 |
| **LG 35.194.69.211:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.102 | 0.15 | 0.1 | 0.1 | 0.008 |
| **LG 35.194.69.211:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| **LG 35.194.69.211:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.194.69.211:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.194.69.211:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 88 | 122.8 | 157 | 117 | 122.8 | 22.8 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.194.69.211:443/Network/Segments sent/sec. | | | | | | |
| 1.6 | 757.1 | 1,892 | 775 | 752.8 | 382.9 | |
| LG 35.194.69.211:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 4.66 | 11.6 | 4.79 | 4.61 | 2.75 | |
| LG 35.194.69.211:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.002 | 16.1 | 42.3 | 16.5 | 15.9 | 8.5 | |
| LG 35.194.69.211:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.005 | 0.941 | 2.25 | 0.969 | 0.939 | 0.459 | |

## LG 35.194.72.43:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.194.72.43:443/CPU Load | | | | | |
| 0 | 6.79 | 31 | 6 | 6.36 | 4.8 |
| LG 35.194.72.43:443/Memory Used | | | | | |
| 2 | 18.3 | 39 | 18 | 18.2 | 7.42 |
| LG 35.194.72.43:443/Throughput | | | | | |
| 0 | 16 | 43 | 15.8 | 15.9 | 8.45 |
| LG 35.194.72.43:443/User Load | | | | | |
| 0 | 42.3 | 77 | 45 | 42.4 | 22.4 |
| LG 35.194.72.43:443/Thread Count | | | | | |
| 39 | 103.1 | 138 | 106 | 103.5 | 23.6 |
| LG 35.194.72.43:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.194.72.43:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| LG 35.194.72.43:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.194.72.43:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.194.72.43:443/Controller Connection/Ping Duration (ms) | | | | | |
| 94 | 180.3 | 222 | 194 | 182.6 | 29.4 |
| LG 35.194.72.43:443/Network/Segments sent/sec. | | | | | |
| 1.59 | 778.3 | 1,996 | 772.6 | 772.6 | 393.2 |
| LG 35.194.72.43:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.91 | 12.6 | 5.17 | 4.87 | 2.8 |
| LG 35.194.72.43:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 16.6 | 44.2 | 16.4 | 16.4 | 8.72 |
| LG 35.194.72.43:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.004 | 0.971 | 2.44 | 0.983 | 0.967 | 0.472 |

## LG 35.199.14.124:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.199.14.124:443/CPU Load | | | | | |
| 0 | 7.93 | 29 | 7 | 7.6 | 5.04 |
| LG 35.199.14.124:443/Memory Used | | | | | |
| 2 | 18.3 | 39 | 18 | 18.1 | 7.65 |
| LG 35.199.14.124:443/Throughput | | | | | |
| 0 | 16.9 | 47.1 | 17.8 | 16.8 | 8.54 |
| LG 35.199.14.124:443/User Load | | | | | |
| 0 | 42.4 | 77 | 45.5 | 42.6 | 22.3 |
| LG 35.199.14.124:443/Thread Count | | | | | |
| 39 | 103.9 | 140 | 106.5 | 104.4 | 23.9 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.199.14.124:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 35.199.14.124:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.199.14.124:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.199.14.124:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.199.14.124:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 96 | 142.9 | 197 | 125.5 | 142.3 | 39.2 |
| **LG 35.199.14.124:443/Network/Segments sent/sec.** | | | | | |
| 1.58 | 816.8 | 2,378 | 852.1 | 815.8 | 396.8 |
| **LG 35.199.14.124:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.68 | 11.8 | 4.89 | 4.63 | 2.61 |
| **LG 35.199.14.124:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.4 | 48.8 | 18.5 | 17.4 | 8.8 |
| **LG 35.199.14.124:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.02 | 2.79 | 1.06 | 1.02 | 0.478 |

## LG 35.199.22.18:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.199.22.18:443/CPU Load** | | | | | |
| 0 | 7.29 | 31 | 7 | 6.93 | 4.72 |
| **LG 35.199.22.18:443/Memory Used** | | | | | |
| 1 | 18.1 | 38 | 17.5 | 18 | 7.18 |
| **LG 35.199.22.18:443/Throughput** | | | | | |
| 0 | 16.7 | 39.8 | 17.6 | 16.7 | 8.08 |
| **LG 35.199.22.18:443/User Load** | | | | | |
| 0 | 41.6 | 77 | 44.5 | 41.7 | 22.7 |
| **LG 35.199.22.18:443/Thread Count** | | | | | |
| 39 | 103 | 139 | 105.5 | 103.5 | 24.4 |
| **LG 35.199.22.18:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.003 |
| **LG 35.199.22.18:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| **LG 35.199.22.18:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.199.22.18:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.199.22.18:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 88 | 131.2 | 195 | 117 | 130.6 | 26.9 |
| **LG 35.199.22.18:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 810.6 | 1,942 | 849.6 | 813.1 | 374.3 |
| **LG 35.199.22.18:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5 | 11.9 | 5.11 | 4.96 | 2.84 |
| **LG 35.199.22.18:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.2 | 41.1 | 18.2 | 17.3 | 8.34 |
| **LG 35.199.22.18:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.01 | 2.35 | 1.05 | 1.01 | 0.457 |

Neotys

## LG 35.199.37.101:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.199.37.101:443/CPU Load** | | | | | |
| 0 | 6.85 | 29 | 6 | 6.52 | 4.44 |
| **LG 35.199.37.101:443/Memory Used** | | | | | |
| 2 | 22.1 | 42 | 22 | 22.2 | 8.63 |
| **LG 35.199.37.101:443/Throughput** | | | | | |
| 0 | 17.3 | 44.6 | 17.7 | 17.2 | 8.87 |
| **LG 35.199.37.101:443/User Load** | | | | | |
| 0 | 41.8 | 77 | 45 | 41.9 | 22.6 |
| **LG 35.199.37.101:443/Thread Count** | | | | | |
| 39 | 103.2 | 138 | 106 | 103.8 | 24.6 |
| **LG 35.199.37.101:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 35.199.37.101:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.01 |
| **LG 35.199.37.101:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.199.37.101:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.199.37.101:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 88 | 110.7 | 138 | 113 | 110.5 | 10.65 |
| **LG 35.199.37.101:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 841.2 | 2,268 | 850.1 | 836 | 412.1 |
| **LG 35.199.37.101:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.92 | 11.6 | 5.07 | 4.87 | 2.83 |
| **LG 35.199.37.101:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.9 | 45.8 | 18.3 | 17.8 | 9.15 |
| **LG 35.199.37.101:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.05 | 2.81 | 1.06 | 1.04 | 0.496 |

## LG 35.221.19.7:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.221.19.7:443/CPU Load** | | | | | |
| 0 | 7.75 | 36 | 7 | 7.41 | 5.04 |
| **LG 35.221.19.7:443/Memory Used** | | | | | |
| 2 | 18.2 | 38 | 18 | 18.1 | 7.53 |
| **LG 35.221.19.7:443/Throughput** | | | | | |
| 0 | 16.5 | 45.2 | 16.3 | 16.3 | 8.62 |
| **LG 35.221.19.7:443/User Load** | | | | | |
| 0 | 41.5 | 77 | 44 | 41.7 | 22.8 |
| **LG 35.221.19.7:443/Thread Count** | | | | | |
| 39 | 103.1 | 139 | 105 | 103.6 | 24.3 |
| **LG 35.221.19.7:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.221.19.7:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.067 | 0 | 0 | 0.008 |
| **LG 35.221.19.7:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.19.7:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.19.7:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 88 | 112.9 | 175 | 115 | 111.2 | 16.9 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.19.7:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 795.9 | 2,147 | 811.6 | 789.1 | 400.5 | |
| **LG 35.221.19.7:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.78 | 12.4 | 4.91 | 4.75 | 2.66 | |
| **LG 35.221.19.7:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17 | 46.7 | 16.9 | 16.9 | 8.88 | |
| **LG 35.221.19.7:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.995 | 2.54 | 1.02 | 0.99 | 0.48 | |

## LG 35.221.26.75:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.221.26.75:443/CPU Load** | | | | | |
| 0 | 7.74 | 37 | 7 | 7.42 | 4.85 |
| **LG 35.221.26.75:443/Memory Used** | | | | | |
| 1 | 20.9 | 40 | 21 | 21 | 7.83 |
| **LG 35.221.26.75:443/Throughput** | | | | | |
| 0 | 16.8 | 46.6 | 17 | 16.7 | 8.51 |
| **LG 35.221.26.75:443/User Load** | | | | | |
| 0 | 43.2 | 77 | 48 | 43.5 | 22.8 |
| **LG 35.221.26.75:443/Thread Count** | | | | | |
| 39 | 103.6 | 139 | 108 | 104.1 | 23.6 |
| **LG 35.221.26.75:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.221.26.75:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 35.221.26.75:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.26.75:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.26.75:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 126 | 201 | 118 | 124.2 | 28.3 |
| **LG 35.221.26.75:443/Network/Segments sent/sec.** | | | | | |
| 1.57 | 817.7 | 2,039 | 827 | 814.4 | 394.7 |
| **LG 35.221.26.75:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.94 | 10.84 | 5.12 | 4.91 | 2.7 |
| **LG 35.221.26.75:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.4 | 47.9 | 17.6 | 17.3 | 8.78 |
| **LG 35.221.26.75:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.02 | 2.52 | 1.02 | 1.01 | 0.474 |

## LG 35.221.29.125:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.221.29.125:443/CPU Load** | | | | | |
| 0 | 7.75 | 33 | 7 | 7.36 | 5.1 |
| **LG 35.221.29.125:443/Memory Used** | | | | | |
| 2 | 23.1 | 40 | 24 | 23.3 | 8.9 |
| **LG 35.221.29.125:443/Throughput** | | | | | |
| 0 | 17.1 | 38.9 | 17.4 | 17.1 | 8.61 |
| **LG 35.221.29.125:443/User Load** | | | | | |
| 0 | 42.5 | 78 | 45.5 | 42.7 | 22.8 |
| **LG 35.221.29.125:443/Thread Count** | | | | | |
| 39 | 103.3 | 140 | 105.5 | 103.6 | 23.7 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.29.125:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.221.29.125:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.221.29.125:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.29.125:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.29.125:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 93 | 123 | 202 | 124 | 121.1 | 21.7 |
| **LG 35.221.29.125:443/Network/Segments sent/sec.** | | | | | | |
| | 1.59 | 829.5 | 1,890 | 846.1 | 828.4 | 398.4 |
| **LG 35.221.29.125:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.93 | 12.4 | 4.8 | 4.87 | 2.81 |
| **LG 35.221.29.125:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.7 | 40.1 | 18 | 17.6 | 8.88 |
| **LG 35.221.29.125:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.03 | 2.3 | 1.03 | 1.04 | 0.478 |

## LG 35.221.29.24:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.29.24:443/CPU Load** | | | | | | |
| | 0 | 7.16 | 33 | 6.5 | 6.81 | 4.76 |
| **LG 35.221.29.24:443/Memory Used** | | | | | | |
| | 2 | 18 | 37 | 18 | 17.9 | 6.99 |
| **LG 35.221.29.24:443/Throughput** | | | | | | |
| | 0 | 17.4 | 44.3 | 17.4 | 17.3 | 8.83 |
| **LG 35.221.29.24:443/User Load** | | | | | | |
| | 0 | 42.5 | 78 | 45.5 | 42.6 | 22.7 |
| **LG 35.221.29.24:443/Thread Count** | | | | | | |
| | 39 | 104.1 | 140 | 106.5 | 104.6 | 24.4 |
| **LG 35.221.29.24:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.221.29.24:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.004 |
| **LG 35.221.29.24:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.29.24:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.29.24:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 89 | 119.3 | 177 | 122 | 117.9 | 17.4 |
| **LG 35.221.29.24:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 838.9 | 2,046 | 842.7 | 836.3 | 407.2 |
| **LG 35.221.29.24:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.99 | 12.6 | 4.98 | 4.95 | 2.83 |
| **LG 35.221.29.24:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.9 | 45.8 | 18 | 17.9 | 9.11 |
| **LG 35.221.29.24:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.004 | 1.04 | 2.36 | 1.07 | 1.04 | 0.489 |

Neotys

## LG 35.221.46.49:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.221.46.49:443/CPU Load** | | | | | |
| 0 | 7.44 | 30 | 7 | 7.07 | 4.96 |
| **LG 35.221.46.49:443/Memory Used** | | | | | |
| 1 | 17.6 | 41 | 16 | 17.4 | 7.42 |
| **LG 35.221.46.49:443/Throughput** | | | | | |
| 0 | 16.7 | 43.1 | 17.3 | 16.6 | 8.46 |
| **LG 35.221.46.49:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 44.5 | 41.8 | 22.4 |
| **LG 35.221.46.49:443/Thread Count** | | | | | |
| 39 | 104.1 | 138 | 105.5 | 104.7 | 24.5 |
| **LG 35.221.46.49:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.102 | 0.14 | 0.1 | 0.1 | 0.006 |
| **LG 35.221.46.49:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.221.46.49:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.46.49:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.46.49:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 85 | 112.5 | 190 | 113 | 110.2 | 20.7 |
| **LG 35.221.46.49:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 810.1 | 2,034 | 823 | 806.4 | 390.1 |
| **LG 35.221.46.49:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.84 | 12.8 | 4.81 | 4.79 | 2.71 |
| **LG 35.221.46.49:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.3 | 44.5 | 17.8 | 17.1 | 8.72 |
| **LG 35.221.46.49:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.01 | 2.45 | 1.04 | 1.01 | 0.472 |

## LG 35.221.59.65:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.221.59.65:443/CPU Load** | | | | | |
| 0 | 6.98 | 25 | 6 | 6.6 | 4.69 |
| **LG 35.221.59.65:443/Memory Used** | | | | | |
| 2 | 18.8 | 39 | 19 | 18.8 | 7.51 |
| **LG 35.221.59.65:443/Throughput** | | | | | |
| 0 | 16 | 37 | 16.3 | 16 | 8.05 |
| **LG 35.221.59.65:443/User Load** | | | | | |
| 0 | 41.5 | 77 | 44 | 41.6 | 22.7 |
| **LG 35.221.59.65:443/Thread Count** | | | | | |
| 38 | 102.2 | 138 | 105 | 102.7 | 23.7 |
| **LG 35.221.59.65:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.221.59.65:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.004 |
| **LG 35.221.59.65:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.59.65:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.59.65:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 96 | 139.4 | 248 | 124 | 136.1 | 35.1 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.59.65:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 775.6 | 1,770 | 794.9 | 772.9 | 375.6 | |
| **LG 35.221.59.65:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.74 | 13.4 | 4.85 | 4.71 | 2.67 | |
| **LG 35.221.59.65:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.5 | 38.1 | 16.9 | 16.5 | 8.3 | |
| **LG 35.221.59.65:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.969 | 2.35 | 0.989 | 0.969 | 0.451 | |

## LG 35.221.6.142:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.6.142:443/CPU Load** | | | | | | |
| 0 | 6.67 | 37 | 6 | 6.23 | 4.69 | |
| **LG 35.221.6.142:443/Memory Used** | | | | | | |
| 1 | 18.4 | 39 | 17 | 18.3 | 7.37 | |
| **LG 35.221.6.142:443/Throughput** | | | | | | |
| 0 | 16.3 | 44 | 17.2 | 16.3 | 8.13 | |
| **LG 35.221.6.142:443/User Load** | | | | | | |
| 0 | 42.5 | 78 | 45 | 42.7 | 22.7 | |
| **LG 35.221.6.142:443/Thread Count** | | | | | | |
| 39 | 107.7 | 150 | 107 | 108 | 26.9 | |
| **LG 35.221.6.142:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.111 | 0.23 | 0.1 | 0.106 | 0.03 | |
| **LG 35.221.6.142:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.008 | |
| **LG 35.221.6.142:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.221.6.142:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.221.6.142:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 90 | 130.3 | 240 | 117 | 127 | 32.3 | |
| **LG 35.221.6.142:443/Network/Segments sent/sec.** | | | | | | |
| 1.61 | 790 | 2,080 | 832.6 | 792.1 | 373 | |
| **LG 35.221.6.142:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.79 | 14 | 4.9 | 4.75 | 2.72 | |
| **LG 35.221.6.142:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.9 | 45.5 | 17.8 | 16.9 | 8.38 | |
| **LG 35.221.6.142:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.987 | 2.46 | 1.05 | 0.993 | 0.452 | |

## LG 35.221.6.147:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.6.147:443/CPU Load** | | | | | | |
| 0 | 7.4 | 34 | 7 | 7.01 | 4.9 | |
| **LG 35.221.6.147:443/Memory Used** | | | | | | |
| 1 | 20.2 | 39 | 20 | 20.2 | 8.22 | |
| **LG 35.221.6.147:443/Throughput** | | | | | | |
| 0 | 16.4 | 38.6 | 16.9 | 16.5 | 8.07 | |
| **LG 35.221.6.147:443/User Load** | | | | | | |
| 0 | 42.8 | 77 | 47 | 43 | 22.9 | |
| **LG 35.221.6.147:443/Thread Count** | | | | | | |
| 38 | 104.2 | 138 | 107 | 104.9 | 24.7 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.221.6.147:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.221.6.147:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.002 | 0.15 | 0 | 0 | 0.01 |
| **LG 35.221.6.147:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.6.147:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.221.6.147:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 89 | 121.2 | 199 | 118 | 118.6 | 30.5 |
| **LG 35.221.6.147:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 795.7 | 1,745 | 831.8 | 799.7 | 372.3 |
| **LG 35.221.6.147:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.8 | 13.2 | 4.79 | 4.77 | 2.65 |
| **LG 35.221.6.147:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17 | 39.6 | 17.4 | 17 | 8.33 |
| **LG 35.221.6.147:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.994 | 2.11 | 1.04 | 1 | 0.448 |

## LG 35.230.160.199:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.230.160.199:443/CPU Load** | | | | | | |
| | 0 | 6.94 | 28 | 6 | 6.63 | 4.25 |
| **LG 35.230.160.199:443/Memory Used** | | | | | | |
| | 2 | 17.5 | 40 | 16 | 17.3 | 7.07 |
| **LG 35.230.160.199:443/Throughput** | | | | | | |
| | 0 | 16.9 | 35.8 | 17.6 | 17 | 7.61 |
| **LG 35.230.160.199:443/User Load** | | | | | | |
| | 0 | 41.9 | 77 | 45 | 42.2 | 22.7 |
| **LG 35.230.160.199:443/Thread Count** | | | | | | |
| | 39 | 103.5 | 139 | 106 | 104 | 24.4 |
| **LG 35.230.160.199:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.005 |
| **LG 35.230.160.199:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.230.160.199:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.160.199:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.160.199:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 86 | 114.6 | 169 | 114 | 113.3 | 19.4 |
| **LG 35.230.160.199:443/Network/Segments sent/sec.** | | | | | | |
| | 2.22 | 817.5 | 1,765 | 851.5 | 824.7 | 353.6 |
| **LG 35.230.160.199:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.97 | 11.7 | 5.17 | 4.96 | 2.78 |
| **LG 35.230.160.199:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 17.5 | 36.7 | 18.1 | 17.6 | 7.84 |
| **LG 35.230.160.199:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.02 | 2.09 | 1.07 | 1.03 | 0.428 |

Neotys

## LG 35.230.185.249:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.230.185.249:443/CPU Load** | | | | | |
| 0 | 7.4 | 36 | 7 | 7.01 | 5.04 |
| **LG 35.230.185.249:443/Memory Used** | | | | | |
| 2 | 20.7 | 39 | 21 | 20.8 | 7.98 |
| **LG 35.230.185.249:443/Throughput** | | | | | |
| 0 | 16.4 | 39.8 | 17 | 16.4 | 8.29 |
| **LG 35.230.185.249:443/User Load** | | | | | |
| 0 | 42.4 | 78 | 45 | 42.5 | 22.8 |
| **LG 35.230.185.249:443/Thread Count** | | | | | |
| 39 | 103 | 139 | 105 | 103.4 | 23.8 |
| **LG 35.230.185.249:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| **LG 35.230.185.249:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.230.185.249:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.185.249:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.185.249:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 124 | 162.9 | 204 | 163 | 162.6 | 14.1 |
| **LG 35.230.185.249:443/Network/Segments sent/sec.** | | | | | |
| 1.61 | 793.1 | 1,768 | 812.4 | 792.1 | 382 |
| **LG 35.230.185.249:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.85 | 11.6 | 5.03 | 4.81 | 2.74 |
| **LG 35.230.185.249:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17 | 41 | 17.5 | 16.9 | 8.55 |
| **LG 35.230.185.249:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.993 | 2.13 | 1.02 | 0.996 | 0.456 |

## LG 35.230.186.7:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.230.186.7:443/CPU Load** | | | | | |
| 0 | 6.95 | 38 | 6 | 6.63 | 4.69 |
| **LG 35.230.186.7:443/Memory Used** | | | | | |
| 2 | 16.6 | 40 | 15 | 16.3 | 7.1 |
| **LG 35.230.186.7:443/Throughput** | | | | | |
| 0 | 16.6 | 41.4 | 16.9 | 16.5 | 8.31 |
| **LG 35.230.186.7:443/User Load** | | | | | |
| 0 | 42.5 | 78 | 46 | 42.6 | 22.7 |
| **LG 35.230.186.7:443/Thread Count** | | | | | |
| 39 | 104.2 | 140 | 107 | 104.6 | 24.4 |
| **LG 35.230.186.7:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.230.186.7:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.005 |
| **LG 35.230.186.7:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.186.7:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.186.7:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 88 | 118.2 | 195 | 113 | 116.3 | 23.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.230.186.7:443/Network/Segments sent/sec.** | | | | | | |
| | 1.61 | 807.1 | 1,996 | 828.8 | 802.5 | 387.2 |
| **LG 35.230.186.7:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.84 | 13.2 | 4.84 | 4.81 | 2.73 |
| **LG 35.230.186.7:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.2 | 42.6 | 17.5 | 17.1 | 8.58 |
| **LG 35.230.186.7:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1 | 2.42 | 1.02 | 1 | 0.467 |

## LG 35.230.187.44:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.230.187.44:443/CPU Load** | | | | | | |
| | 0 | 6.83 | 31 | 6 | 6.51 | 4.36 |
| **LG 35.230.187.44:443/Memory Used** | | | | | | |
| | 1 | 21.3 | 40 | 22 | 21.3 | 8.51 |
| **LG 35.230.187.44:443/Throughput** | | | | | | |
| | 0 | 15.8 | 41 | 16.3 | 15.7 | 7.66 |
| **LG 35.230.187.44:443/User Load** | | | | | | |
| | 0 | 42.2 | 77 | 45 | 42.3 | 22.4 |
| **LG 35.230.187.44:443/Thread Count** | | | | | | |
| | 39 | 105.5 | 141 | 106 | 106.2 | 25.3 |
| **LG 35.230.187.44:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.106 | 0.195 | 0.1 | 0.102 | 0.019 |
| **LG 35.230.187.44:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.006 |
| **LG 35.230.187.44:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.187.44:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.230.187.44:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 88 | 113.6 | 156 | 113 | 112.6 | 16.2 |
| **LG 35.230.187.44:443/Network/Segments sent/sec.** | | | | | | |
| | 1.58 | 765.3 | 1,926 | 789.8 | 761.1 | 354.5 |
| **LG 35.230.187.44:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.72 | 11.8 | 4.8 | 4.68 | 2.63 |
| **LG 35.230.187.44:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 16.3 | 42.3 | 16.9 | 16.2 | 7.89 |
| **LG 35.230.187.44:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.001 | 0.958 | 2.37 | 0.995 | 0.957 | 0.425 |

## LG 35.230.188.225:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.230.188.225:443/CPU Load** | | | | | | |
| | 0 | 7.4 | 33 | 7 | 7.13 | 4.54 |
| **LG 35.230.188.225:443/Memory Used** | | | | | | |
| | 2 | 22.4 | 39 | 24 | 22.7 | 8.49 |
| **LG 35.230.188.225:443/Throughput** | | | | | | |
| | 0 | 17.3 | 58 | 17.5 | 17.3 | 8.24 |
| **LG 35.230.188.225:443/User Load** | | | | | | |
| | 0 | 42.4 | 78 | 45 | 42.6 | 22.9 |
| **LG 35.230.188.225:443/Thread Count** | | | | | | |
| | 39 | 103.6 | 139 | 105 | 104.1 | 24.6 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.230.188.225:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.230.188.225:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.1 | 0 | 0 | 0.008 | |
| **LG 35.230.188.225:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.230.188.225:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.230.188.225:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 86 | 111.4 | 155 | 113 | 110.6 | 14.1 | |
| **LG 35.230.188.225:443/Network/Segments sent/sec.** | | | | | | |
| 1.61 | 839.4 | 2,985 | 852.6 | 839.1 | 384.8 | |
| **LG 35.230.188.225:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.94 | 14.1 | 5.17 | 4.91 | 2.73 | |
| **LG 35.230.188.225:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.9 | 60.3 | 18.1 | 17.8 | 8.49 | |
| **LG 35.230.188.225:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.04 | 3.39 | 1.07 | 1.04 | 0.46 | |

## LG 35.236.192.216:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.192.216:443/CPU Load** | | | | | | |
| 0 | 6.98 | 37 | 6 | 6.59 | 4.77 | |
| **LG 35.236.192.216:443/Memory Used** | | | | | | |
| 2 | 19.1 | 40 | 18.5 | 19 | 7.49 | |
| **LG 35.236.192.216:443/Throughput** | | | | | | |
| 0 | 16.9 | 50.9 | 17.1 | 16.8 | 8.41 | |
| **LG 35.236.192.216:443/User Load** | | | | | | |
| 0 | 41.7 | 77 | 44.5 | 41.8 | 22.6 | |
| **LG 35.236.192.216:443/Thread Count** | | | | | | |
| 39 | 103 | 140 | 105.5 | 103.5 | 24.3 | |
| **LG 35.236.192.216:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 | |
| **LG 35.236.192.216:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.167 | 0 | 0 | 0.009 | |
| **LG 35.236.192.216:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.192.216:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.192.216:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 90 | 128.4 | 194 | 117 | 126.7 | 32.2 | |
| **LG 35.236.192.216:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 816.7 | 2,265 | 839.5 | 814.5 | 394.3 | |
| **LG 35.236.192.216:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.85 | 12.8 | 5.04 | 4.8 | 2.71 | |
| **LG 35.236.192.216:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.4 | 52.6 | 17.7 | 17.4 | 8.68 | |
| **LG 35.236.192.216:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.02 | 2.62 | 1.05 | 1.02 | 0.475 | |

Neotys

## LG 35.236.192.230:443

**Performance Counters**

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.192.230:443/CPU Load** | | | | | | |
| 0 | 7.59 | 39 | 6 | 7.1 | 5.57 | |
| **LG 35.236.192.230:443/Memory Used** | | | | | | |
| 2 | 18.1 | 41 | 16 | 17.8 | 7.94 | |
| **LG 35.236.192.230:443/Throughput** | | | | | | |
| 0 | 16 | 41.7 | 15.6 | 15.8 | 8.41 | |
| **LG 35.236.192.230:443/User Load** | | | | | | |
| 0 | 43.6 | 78 | 49 | 43.9 | 22.8 | |
| **LG 35.236.192.230:443/Thread Count** | | | | | | |
| 39 | 106.1 | 139 | 110 | 106.8 | 24.8 | |
| **LG 35.236.192.230:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.005 | |
| **LG 35.236.192.230:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.009 | |
| **LG 35.236.192.230:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.192.230:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.192.230:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 89 | 120.2 | 198 | 115 | 117.4 | 28.5 | |
| **LG 35.236.192.230:443/Network/Segments sent/sec.** | | | | | | |
| 1.55 | 777 | 1,944 | 764.8 | 771 | 388.4 | |
| **LG 35.236.192.230:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.94 | 12.4 | 5.18 | 4.91 | 2.72 | |
| **LG 35.236.192.230:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.5 | 43.4 | 16.1 | 16.4 | 8.68 | |
| **LG 35.236.192.230:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 0.969 | 2.25 | 0.969 | 0.964 | 0.468 | |

## LG 35.236.205.129:443

**Performance Counters**

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.205.129:443/CPU Load** | | | | | | |
| 0 | 7.36 | 32 | 7 | 7.11 | 4.43 | |
| **LG 35.236.205.129:443/Memory Used** | | | | | | |
| 2 | 18.1 | 39 | 17 | 17.9 | 7.71 | |
| **LG 35.236.205.129:443/Throughput** | | | | | | |
| 0 | 16.6 | 37.9 | 16.8 | 16.7 | 7.85 | |
| **LG 35.236.205.129:443/User Load** | | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.5 | |
| **LG 35.236.205.129:443/Thread Count** | | | | | | |
| 39 | 103.6 | 139 | 106 | 104.2 | 24.6 | |
| **LG 35.236.205.129:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.102 | 0.145 | 0.1 | 0.1 | 0.007 | |
| **LG 35.236.205.129:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 35.236.205.129:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.205.129:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.205.129:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 81 | 128.3 | 196 | 117 | 127.2 | 29.9 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.205.129:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 802.3 | 1,706 | 810.7 | 805.2 | 361.9 |
| **LG 35.236.205.129:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.92 | 12.3 | 5.07 | 4.88 | 2.73 |
| **LG 35.236.205.129:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.2 | 39.1 | 17.2 | 17.2 | 8.1 |
| **LG 35.236.205.129:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1 | 2.09 | 1.03 | 1.01 | 0.43 |

## LG 35.236.214.206:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.214.206:443/CPU Load** | | | | | | |
| | 0 | 7.05 | 30 | 7 | 6.75 | 4.36 |
| **LG 35.236.214.206:443/Memory Used** | | | | | | |
| | 2 | 20 | 38 | 20 | 20.1 | 7.67 |
| **LG 35.236.214.206:443/Throughput** | | | | | | |
| | 0 | 17.1 | 52.7 | 17.6 | 17.1 | 8.31 |
| **LG 35.236.214.206:443/User Load** | | | | | | |
| | 0 | 43.2 | 77 | 48 | 43.5 | 22.9 |
| **LG 35.236.214.206:443/Thread Count** | | | | | | |
| | 39 | 104.8 | 138 | 109 | 105.5 | 24.2 |
| **LG 35.236.214.206:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 35.236.214.206:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.033 | 0 | 0 | 0.005 |
| **LG 35.236.214.206:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.214.206:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.214.206:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 89 | 129 | 248 | 117 | 126.1 | 34.2 |
| **LG 35.236.214.206:443/Network/Segments sent/sec.** | | | | | | |
| | 1.58 | 828.4 | 2,611 | 863.2 | 826.9 | 388.6 |
| **LG 35.236.214.206:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.07 | 13.8 | 5.32 | 5.04 | 2.82 |
| **LG 35.236.214.206:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.7 | 54.2 | 18.2 | 17.6 | 8.57 |
| **LG 35.236.214.206:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.03 | 3.37 | 1.07 | 1.03 | 0.47 |

## LG 35.236.218.65:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.218.65:443/CPU Load** | | | | | | |
| | 0 | 7.53 | 34 | 7 | 7.14 | 5.04 |
| **LG 35.236.218.65:443/Memory Used** | | | | | | |
| | 2 | 18.1 | 40 | 18 | 18 | 7.09 |
| **LG 35.236.218.65:443/Throughput** | | | | | | |
| | 0 | 17.1 | 46.9 | 17.5 | 17 | 8.7 |
| **LG 35.236.218.65:443/User Load** | | | | | | |
| | 0 | 42.1 | 77 | 45 | 42.3 | 22.8 |
| **LG 35.236.218.65:443/Thread Count** | | | | | | |
| | 39 | 103.6 | 139 | 105 | 104.1 | 24.6 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.218.65:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.102 | 0.145 | 0.1 | 0.1 | 0.006 |
| **LG 35.236.218.65:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 |
| **LG 35.236.218.65:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.218.65:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.218.65:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 88 | 122 | 197 | 118 | 119.8 | 26.8 |
| **LG 35.236.218.65:443/Network/Segments sent/sec.** | | | | | | |
| 1.63 | 831.1 | 2,201 | 871.3 | 827.9 | 401.7 |
| **LG 35.236.218.65:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.91 | 12 | 4.99 | 4.87 | 2.81 |
| **LG 35.236.218.65:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.7 | 48.3 | 18.2 | 17.6 | 8.97 |
| **LG 35.236.218.65:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.03 | 2.59 | 1.08 | 1.03 | 0.477 |

## LG 35.236.226.163:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.226.163:443/CPU Load** | | | | | | |
| 0 | 7.44 | 42 | 7 | 7.05 | 4.88 |
| **LG 35.236.226.163:443/Memory Used** | | | | | | |
| 1 | 17.7 | 40 | 16 | 17.6 | 7.44 |
| **LG 35.236.226.163:443/Throughput** | | | | | | |
| 0 | 17.3 | 38.3 | 18.3 | 17.3 | 8.13 |
| **LG 35.236.226.163:443/User Load** | | | | | | |
| 0 | 42.4 | 78 | 45 | 42.6 | 22.4 |
| **LG 35.236.226.163:443/Thread Count** | | | | | | |
| 39 | 102.6 | 139 | 105.5 | 102.9 | 23.2 |
| **LG 35.236.226.163:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.236.226.163:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 35.236.226.163:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.226.163:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.226.163:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 88 | 140.3 | 201 | 123 | 139.4 | 32.3 |
| **LG 35.236.226.163:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 836.3 | 1,883 | 880.1 | 839 | 376.5 |
| **LG 35.236.226.163:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 5.02 | 12.6 | 5.08 | 4.99 | 2.81 |
| **LG 35.236.226.163:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.9 | 39.7 | 18.9 | 17.9 | 8.39 |
| **LG 35.236.226.163:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.04 | 2.17 | 1.09 | 1.05 | 0.453 |

Neotys

## LG 35.236.229.65:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.236.229.65:443/CPU Load** | | | | | |
| 0 | 6.6 | 31 | 6 | 6.35 | 4.19 |
| **LG 35.236.229.65:443/Memory Used** | | | | | |
| 2 | 22.3 | 40 | 23 | 22.5 | 9.16 |
| **LG 35.236.229.65:443/Throughput** | | | | | |
| 0 | 16.6 | 46.9 | 16.8 | 16.4 | 8.55 |
| **LG 35.236.229.65:443/User Load** | | | | | |
| 0 | 41.8 | 77 | 45 | 42 | 22.6 |
| **LG 35.236.229.65:443/Thread Count** | | | | | |
| 39 | 103.4 | 138 | 106 | 104 | 24.5 |
| **LG 35.236.229.65:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.125 | 0.1 | 0.1 | 0.003 |
| **LG 35.236.229.65:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.1 | 0 | 0 | 0.009 |
| **LG 35.236.229.65:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.229.65:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.229.65:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 100 | 120.9 | 203 | 122.5 | 119.1 | 16.6 |
| **LG 35.236.229.65:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 801.3 | 2,263 | 813.2 | 795.6 | 399.2 |
| **LG 35.236.229.65:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.74 | 12.9 | 4.8 | 4.68 | 2.76 |
| **LG 35.236.229.65:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.1 | 48.3 | 17.5 | 17 | 8.82 |
| **LG 35.236.229.65:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1 | 2.66 | 1.04 | 1 | 0.478 |

## LG 35.236.232.128:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.236.232.128:443/CPU Load** | | | | | |
| 0 | 7.22 | 31 | 7 | 6.87 | 4.69 |
| **LG 35.236.232.128:443/Memory Used** | | | | | |
| 1 | 20.4 | 42 | 21 | 20.5 | 7.77 |
| **LG 35.236.232.128:443/Throughput** | | | | | |
| 0 | 17.3 | 43.3 | 17.4 | 17.2 | 8.55 |
| **LG 35.236.232.128:443/User Load** | | | | | |
| 0 | 42.3 | 77 | 46 | 42.4 | 22.3 |
| **LG 35.236.232.128:443/Thread Count** | | | | | |
| 39 | 103 | 138 | 107 | 103.5 | 23.3 |
| **LG 35.236.232.128:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.236.232.128:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 |
| **LG 35.236.232.128:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.232.128:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.232.128:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 85 | 119.5 | 195 | 115 | 117 | 30 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.232.128:443/Network/Segments sent/sec.** | | | | | | |
| | 1.57 | 836.4 | 1,932 | 848.8 | 837.9 | 397.2 |
| **LG 35.236.232.128:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.91 | 11.6 | 5 | 4.87 | 2.71 |
| **LG 35.236.232.128:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.8 | 44.8 | 17.9 | 17.8 | 8.82 |
| **LG 35.236.232.128:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.04 | 2.22 | 1.04 | 1.04 | 0.473 |

## LG 35.236.234.188:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.234.188:443/CPU Load** | | | | | | |
| | 0 | 6.69 | 36 | 6 | 6.18 | 4.93 |
| **LG 35.236.234.188:443/Memory Used** | | | | | | |
| | 2 | 20 | 42 | 20 | 20 | 7.45 |
| **LG 35.236.234.188:443/Throughput** | | | | | | |
| | 0 | 16.4 | 34.9 | 17 | 16.4 | 8.01 |
| **LG 35.236.234.188:443/User Load** | | | | | | |
| | 0 | 43.8 | 78 | 49 | 44 | 22.7 |
| **LG 35.236.234.188:443/Thread Count** | | | | | | |
| | 39 | 105.3 | 139 | 109 | 106 | 24.1 |
| **LG 35.236.234.188:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.004 |
| **LG 35.236.234.188:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| **LG 35.236.234.188:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.234.188:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.234.188:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 86 | 117.1 | 241 | 112.5 | 112.7 | 32 |
| **LG 35.236.234.188:443/Network/Segments sent/sec.** | | | | | | |
| | 1.79 | 796.2 | 1,678 | 819.5 | 797.6 | 370.3 |
| **LG 35.236.234.188:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.88 | 10.99 | 4.99 | 4.86 | 2.61 |
| **LG 35.236.234.188:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 17 | 36.1 | 17.6 | 17 | 8.26 |
| **LG 35.236.234.188:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.995 | 2.08 | 1.03 | 1 | 0.445 |

## LG 35.236.239.208:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.239.208:443/CPU Load** | | | | | | |
| | 0 | 7.27 | 36 | 7 | 6.91 | 4.75 |
| **LG 35.236.239.208:443/Memory Used** | | | | | | |
| | 1 | 21 | 40 | 22 | 21.2 | 8.17 |
| **LG 35.236.239.208:443/Throughput** | | | | | | |
| | 0 | 16.7 | 37.9 | 16.9 | 16.6 | 8.23 |
| **LG 35.236.239.208:443/User Load** | | | | | | |
| | 0 | 43.2 | 77 | 48 | 43.5 | 22.9 |
| **LG 35.236.239.208:443/Thread Count** | | | | | | |
| | 39 | 103.7 | 138 | 108 | 104.2 | 24 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.239.208:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| **LG 35.236.239.208:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| **LG 35.236.239.208:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.239.208:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.239.208:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 91 | 111.3 | 193 | 114 | 109.4 | 16.7 |
| **LG 35.236.239.208:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 807.2 | 1,713 | 821.3 | 808.6 | 378.5 |
| **LG 35.236.239.208:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.92 | 10.83 | 5.21 | 4.91 | 2.65 |
| **LG 35.236.239.208:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.2 | 38.8 | 17.5 | 17.2 | 8.48 |
| **LG 35.236.239.208:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.004 | 1.01 | 2.14 | 1.04 | 1.01 | 0.455 |

## LG 35.236.241.104:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.241.104:443/CPU Load** | | | | | | |
| | 0 | 7.02 | 36 | 6 | 6.59 | 4.85 |
| **LG 35.236.241.104:443/Memory Used** | | | | | | |
| | 2 | 20.1 | 39 | 20 | 20.2 | 7.89 |
| **LG 35.236.241.104:443/Throughput** | | | | | | |
| | 0 | 17.2 | 46 | 17.2 | 17.1 | 8.74 |
| **LG 35.236.241.104:443/User Load** | | | | | | |
| | 0 | 42.6 | 78 | 46 | 42.7 | 22.5 |
| **LG 35.236.241.104:443/Thread Count** | | | | | | |
| | 39 | 105.4 | 138 | 106 | 106.1 | 25 |
| **LG 35.236.241.104:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.105 | 0.18 | 0.1 | 0.101 | 0.016 |
| **LG 35.236.241.104:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.367 | 0 | 0 | 0.02 |
| **LG 35.236.241.104:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.241.104:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.241.104:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 124 | 156.2 | 197 | 156 | 155.6 | 11.9 |
| **LG 35.236.241.104:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 832.5 | 2,334 | 832.5 | 826.5 | 401.8 |
| **LG 35.236.241.104:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5 | 17 | 4.99 | 4.94 | 2.9 |
| **LG 35.236.241.104:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.8 | 47.4 | 17.8 | 17.7 | 9 |
| **LG 35.236.241.104:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.001 | 1.04 | 2.66 | 1.05 | 1.04 | 0.479 |

Neotys

## LG 35.236.241.229:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.241.229:443/CPU Load** | | | | | | |
| | 0 | 7.83 | 27 | 8 | 7.58 | 4.7 |
| **LG 35.236.241.229:443/Memory Used** | | | | | | |
| | 1 | 17.1 | 41 | 15.5 | 16.8 | 7.47 |
| **LG 35.236.241.229:443/Throughput** | | | | | | |
| | 0 | 16.9 | 37.2 | 17.3 | 16.9 | 8.52 |
| **LG 35.236.241.229:443/User Load** | | | | | | |
| | 0 | 42.3 | 77 | 45 | 42.4 | 22.4 |
| **LG 35.236.241.229:443/Thread Count** | | | | | | |
| | 39 | 102.8 | 138 | 106 | 103.2 | 23.4 |
| **LG 35.236.241.229:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.003 |
| **LG 35.236.241.229:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.006 |
| **LG 35.236.241.229:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.241.229:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.241.229:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 82 | 112 | 194 | 116 | 109.7 | 21.2 |
| **LG 35.236.241.229:443/Network/Segments sent/sec.** | | | | | | |
| | 1.83 | 818.5 | 1,764 | 840.5 | 819 | 391.6 |
| **LG 35.236.241.229:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.89 | 14.3 | 5 | 4.85 | 2.76 |
| **LG 35.236.241.229:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 17.5 | 38.4 | 17.9 | 17.5 | 8.79 |
| **LG 35.236.241.229:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.02 | 2.08 | 1.05 | 1.03 | 0.47 |

## LG 35.236.251.247:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.251.247:443/CPU Load** | | | | | | |
| | 0 | 7.04 | 33 | 7 | 6.75 | 4.38 |
| **LG 35.236.251.247:443/Memory Used** | | | | | | |
| | 2 | 21.8 | 40 | 22 | 21.9 | 8.44 |
| **LG 35.236.251.247:443/Throughput** | | | | | | |
| | 0 | 16.6 | 43.2 | 17.1 | 16.6 | 7.9 |
| **LG 35.236.251.247:443/User Load** | | | | | | |
| | 0 | 42.1 | 77 | 45 | 42.2 | 22.3 |
| **LG 35.236.251.247:443/Thread Count** | | | | | | |
| | 39 | 102.6 | 140 | 106 | 103 | 23.7 |
| **LG 35.236.251.247:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.236.251.247:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| **LG 35.236.251.247:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.251.247:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.251.247:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 88 | 119.2 | 201 | 118 | 117.4 | 19.8 |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.251.247:443/Network/Segments sent/sec.** | | | | | | |
| | 1.83 | 800.6 | 2,161 | 815.6 | 799.4 | 366.3 |
| **LG 35.236.251.247:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.81 | 10.9 | 5 | 4.8 | 2.55 |
| **LG 35.236.251.247:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 17.1 | 44.6 | 17.7 | 17.1 | 8.15 |
| **LG 35.236.251.247:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1 | 2.56 | 1.04 | 1.01 | 0.442 |

## LG 35.236.252.158:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.252.158:443/CPU Load** | | | | | | |
| | 0 | 6.95 | 28 | 6 | 6.59 | 4.67 |
| **LG 35.236.252.158:443/Memory Used** | | | | | | |
| | 2 | 23.6 | 41 | 25 | 23.8 | 9.17 |
| **LG 35.236.252.158:443/Throughput** | | | | | | |
| | 0 | 16.7 | 46.1 | 17.1 | 16.5 | 8.68 |
| **LG 35.236.252.158:443/User Load** | | | | | | |
| | 0 | 42.7 | 78 | 46 | 42.8 | 22.7 |
| **LG 35.236.252.158:443/Thread Count** | | | | | | |
| | 39 | 103.1 | 139 | 107 | 103.5 | 23.4 |
| **LG 35.236.252.158:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.236.252.158:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.236.252.158:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.252.158:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.236.252.158:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 89 | 111.3 | 156 | 115 | 109.9 | 16.4 |
| **LG 35.236.252.158:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 808.2 | 2,145 | 831.2 | 802.2 | 401.6 |
| **LG 35.236.252.158:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.78 | 10.4 | 5.03 | 4.77 | 2.53 |
| **LG 35.236.252.158:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.2 | 47.5 | 17.7 | 17.1 | 8.94 |
| **LG 35.236.252.158:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.01 | 2.6 | 1.05 | 1 | 0.486 |

## LG 35.236.255.176:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.255.176:443/CPU Load** | | | | | | |
| | 0 | 7.42 | 30 | 7 | 7.17 | 4.47 |
| **LG 35.236.255.176:443/Memory Used** | | | | | | |
| | 1 | 18.1 | 39 | 17 | 17.8 | 7.61 |
| **LG 35.236.255.176:443/Throughput** | | | | | | |
| | 0 | 16.5 | 39.1 | 17.5 | 16.5 | 7.93 |
| **LG 35.236.255.176:443/User Load** | | | | | | |
| | 0 | 42.2 | 77 | 45.5 | 42.3 | 22.6 |
| **LG 35.236.255.176:443/Thread Count** | | | | | | |
| | 39 | 103.7 | 138 | 106.5 | 104.3 | 24 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.236.255.176:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.14 | 0.1 | 0.1 | 0.005 | |
| **LG 35.236.255.176:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.008 | |
| **LG 35.236.255.176:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.255.176:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.236.255.176:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 93 | 124.8 | 196 | 117 | 122.5 | 26.4 | |
| **LG 35.236.255.176:443/Network/Segments sent/sec.** | | | | | | |
| 1.65 | 797.5 | 1,656 | 854.3 | 799.1 | 364.8 | |
| **LG 35.236.255.176:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.76 | 11.3 | 4.79 | 4.75 | 2.6 | |
| **LG 35.236.255.176:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17 | 40 | 18.1 | 17 | 8.17 | |
| **LG 35.236.255.176:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.997 | 2 | 1.08 | 1 | 0.439 | |

## LG 35.245.106.109:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.106.109:443/CPU Load** | | | | | | |
| 0 | 6.96 | 30 | 6 | 6.59 | 4.65 | |
| **LG 35.245.106.109:443/Memory Used** | | | | | | |
| 2 | 21.9 | 42 | 22 | 22 | 8.99 | |
| **LG 35.245.106.109:443/Throughput** | | | | | | |
| 0 | 16.3 | 38.2 | 16 | 16.3 | 8.27 | |
| **LG 35.245.106.109:443/User Load** | | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.4 | |
| **LG 35.245.106.109:443/Thread Count** | | | | | | |
| 39 | 103.4 | 137 | 106 | 104 | 24.1 | |
| **LG 35.245.106.109:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.005 | |
| **LG 35.245.106.109:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.007 | |
| **LG 35.245.106.109:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.106.109:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.106.109:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 89 | 113.9 | 193 | 116 | 111.8 | 19.6 | |
| **LG 35.245.106.109:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 790.1 | 1,836 | 779.7 | 787.7 | 382.9 | |
| **LG 35.245.106.109:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.83 | 15.7 | 5 | 4.78 | 2.69 | |
| **LG 35.245.106.109:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.9 | 39.6 | 16.5 | 16.8 | 8.52 | |
| **LG 35.245.106.109:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.987 | 2.32 | 0.983 | 0.987 | 0.465 | |

## LG 35.245.109.221:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----|-----|-----|-----|---------|---------|
| LG 35.245.109.221:443/CPU Load | | | | | |
| 0 | 7.08 | 26 | 6 | 6.83 | 4.25 |
| LG 35.245.109.221:443/Memory Used | | | | | |
| 1 | 20 | 40 | 20 | 20 | 7.86 |
| LG 35.245.109.221:443/Throughput | | | | | |
| 0 | 17.1 | 43 | 17.3 | 17.1 | 8.01 |
| LG 35.245.109.221:443/User Load | | | | | |
| 0 | 42.5 | 78 | 46 | 42.7 | 22.7 |
| LG 35.245.109.221:443/Thread Count | | | | | |
| 39 | 104.2 | 140 | 107 | 104.7 | 24.5 |
| LG 35.245.109.221:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 35.245.109.221:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.007 |
| LG 35.245.109.221:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.109.221:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.109.221:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 112.3 | 198 | 118 | 110.1 | 21.7 |
| LG 35.245.109.221:443/Network/Segments sent/sec. | | | | | |
| 1.59 | 822.5 | 1,821 | 839.1 | 823.7 | 370.5 |
| LG 35.245.109.221:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.99 | 11.9 | 4.87 | 4.96 | 2.79 |
| LG 35.245.109.221:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 17.6 | 44 | 17.8 | 17.6 | 8.25 |
| LG 35.245.109.221:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.004 | 1.03 | 2.22 | 1.06 | 1.04 | 0.443 |

## LG 35.245.110.16:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----|-----|-----|-----|---------|---------|
| LG 35.245.110.16:443/CPU Load | | | | | |
| 0 | 7.32 | 28 | 7 | 6.97 | 4.76 |
| LG 35.245.110.16:443/Memory Used | | | | | |
| 2 | 19.5 | 40 | 20 | 19.5 | 7.82 |
| LG 35.245.110.16:443/Throughput | | | | | |
| 0 | 16.3 | 39.2 | 16.8 | 16.3 | 8.01 |
| LG 35.245.110.16:443/User Load | | | | | |
| 0 | 42.2 | 77 | 46 | 42.4 | 22.5 |
| LG 35.245.110.16:443/Thread Count | | | | | |
| 39 | 102.7 | 137 | 107 | 103.2 | 23.2 |
| LG 35.245.110.16:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.245.110.16:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| LG 35.245.110.16:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.110.16:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.110.16:443/Controller Connection/Ping Duration (ms) | | | | | |
| 89 | 151.7 | 195 | 155 | 152.8 | 16.9 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.110.16:443/Network/Segments sent/sec.** | | | | | |
| 1.57 | 788.6 | 1,788 | 809.2 | 788.7 | 367.4 |
| **LG 35.245.110.16:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.81 | 10.94 | 5 | 4.82 | 2.6 |
| **LG 35.245.110.16:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 16.9 | 40.3 | 17.3 | 16.8 | 8.25 |
| **LG 35.245.110.16:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.989 | 2.24 | 1.02 | 0.991 | 0.448 |

## LG 35.245.112.7:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.112.7:443/CPU Load** | | | | | |
| 0 | 7.06 | 27 | 6 | 6.67 | 4.67 |
| **LG 35.245.112.7:443/Memory Used** | | | | | |
| 2 | 20.7 | 39 | 21 | 20.8 | 8.09 |
| **LG 35.245.112.7:443/Throughput** | | | | | |
| 0 | 16.5 | 40.2 | 16.6 | 16.4 | 8.12 |
| **LG 35.245.112.7:443/User Load** | | | | | |
| 0 | 42.2 | 77 | 45 | 42.4 | 22.5 |
| **LG 35.245.112.7:443/Thread Count** | | | | | |
| 39 | 104.2 | 138 | 105 | 104.8 | 24.9 |
| **LG 35.245.112.7:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.102 | 0.135 | 0.1 | 0.1 | 0.006 |
| **LG 35.245.112.7:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.245.112.7:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.112.7:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.112.7:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 95 | 171.7 | 200 | 193 | 174.2 | 32.8 |
| **LG 35.245.112.7:443/Network/Segments sent/sec.** | | | | | |
| 2.77 | 798 | 2,001 | 819.3 | 796.4 | 380.2 |
| **LG 35.245.112.7:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.73 | 15.2 | 4.76 | 4.67 | 2.72 |
| **LG 35.245.112.7:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.004 | 17 | 41.6 | 17.2 | 17 | 8.38 |
| **LG 35.245.112.7:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.006 | 0.995 | 2.44 | 1.02 | 0.998 | 0.454 |

## LG 35.245.113.167:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.113.167:443/CPU Load** | | | | | |
| 0 | 8.42 | 32 | 8 | 8.05 | 5.28 |
| **LG 35.245.113.167:443/Memory Used** | | | | | |
| 2 | 20.2 | 41 | 21 | 20.2 | 7.77 |
| **LG 35.245.113.167:443/Throughput** | | | | | |
| 0 | 16.9 | 37.8 | 17.5 | 16.9 | 8.52 |
| **LG 35.245.113.167:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 44.5 | 41.8 | 22.3 |
| **LG 35.245.113.167:443/Thread Count** | | | | | |
| 39 | 103.6 | 139 | 105.5 | 104.1 | 23.9 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.113.167:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.006 |
| **LG 35.245.113.167:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.233 | 0 | 0 | 0.013 |
| **LG 35.245.113.167:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.113.167:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.113.167:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 99 | 136.1 | 194 | 124 | 134.8 | 30.7 |
| **LG 35.245.113.167:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 815.2 | 1,731 | 850.7 | 814.6 | 393.2 |
| **LG 35.245.113.167:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5 | 12.8 | 5.11 | 4.96 | 2.72 |
| **LG 35.245.113.167:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.5 | 38.7 | 18 | 17.5 | 8.78 |
| **LG 35.245.113.167:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.02 | 2.25 | 1.05 | 1.02 | 0.474 |

## LG 35.245.114.204:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.114.204:443/CPU Load** | | | | | |
| 0 | 7.24 | 31 | 6 | 6.84 | 4.89 |
| **LG 35.245.114.204:443/Memory Used** | | | | | |
| 2 | 21.9 | 41 | 22.5 | 22 | 8.69 |
| **LG 35.245.114.204:443/Throughput** | | | | | |
| 0 | 16.8 | 39.6 | 17.7 | 16.9 | 8.21 |
| **LG 35.245.114.204:443/User Load** | | | | | |
| 0 | 42.4 | 78 | 45 | 42.6 | 22.6 |
| **LG 35.245.114.204:443/Thread Count** | | | | | |
| 39 | 104.5 | 139 | 106 | 105.1 | 24.1 |
| **LG 35.245.114.204:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.103 | 0.16 | 0.1 | 0.1 | 0.01 |
| **LG 35.245.114.204:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.15 | 0 | 0 | 0.009 |
| **LG 35.245.114.204:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.114.204:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.114.204:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 87 | 114.1 | 194 | 116 | 111.6 | 21.4 |
| **LG 35.245.114.204:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 813.6 | 1,857 | 833.9 | 816.1 | 377.1 |
| **LG 35.245.114.204:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.98 | 23.1 | 5.08 | 4.9 | 2.89 |
| **LG 35.245.114.204:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.4 | 40.9 | 18.2 | 17.4 | 8.47 |
| **LG 35.245.114.204:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.01 | 2.23 | 1.06 | 1.02 | 0.456 |

Neotys

## LG 35.245.116.198:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.116.198:443/CPU Load** | | | | | |
| 0 | 6.61 | 26 | 6 | 6.37 | 4.02 |
| **LG 35.245.116.198:443/Memory Used** | | | | | |
| 2 | 20.5 | 41 | 21 | 20.6 | 8 |
| **LG 35.245.116.198:443/Throughput** | | | | | |
| 0 | 16.3 | 37.6 | 16.3 | 16.3 | 7.99 |
| **LG 35.245.116.198:443/User Load** | | | | | |
| 0 | 43.2 | 77 | 48 | 43.5 | 22.7 |
| **LG 35.245.116.198:443/Thread Count** | | | | | |
| 38 | 104.7 | 138 | 108 | 105.4 | 24.6 |
| **LG 35.245.116.198:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| **LG 35.245.116.198:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 35.245.116.198:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.116.198:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.116.198:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 98 | 141.9 | 197 | 132 | 141.1 | 34.8 |
| **LG 35.245.116.198:443/Network/Segments sent/sec.** | | | | | |
| 1.85 | 794.6 | 1,811 | 807.8 | 792.8 | 371.9 |
| **LG 35.245.116.198:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.98 | 13.2 | 5.21 | 4.95 | 2.76 |
| **LG 35.245.116.198:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 16.9 | 38.7 | 16.9 | 16.8 | 8.23 |
| **LG 35.245.116.198:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.99 | 2.17 | 1.01 | 0.992 | 0.447 |

## LG 35.245.141.5:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.141.5:443/CPU Load** | | | | | |
| 0 | 6.88 | 29 | 6 | 6.5 | 4.57 |
| **LG 35.245.141.5:443/Memory Used** | | | | | |
| 3 | 17.7 | 39 | 17 | 17.5 | 6.99 |
| **LG 35.245.141.5:443/Throughput** | | | | | |
| 0 | 16.5 | 41.2 | 16.4 | 16.6 | 7.94 |
| **LG 35.245.141.5:443/User Load** | | | | | |
| 0 | 43.8 | 78 | 49 | 44.1 | 23 |
| **LG 35.245.141.5:443/Thread Count** | | | | | |
| 39 | 105.4 | 139 | 110 | 106 | 24.5 |
| **LG 35.245.141.5:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.125 | 0.1 | 0.1 | 0.003 |
| **LG 35.245.141.5:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.245.141.5:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.141.5:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.141.5:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 89 | 116.3 | 193 | 115 | 113.5 | 23.5 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.141.5:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 805 | 1,928 | 816.5 | 807.1 | 367 |
| LG 35.245.141.5:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.95 | 11.4 | 5.18 | 4.95 | 2.63 |
| LG 35.245.141.5:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 17.1 | 42.5 | 16.9 | 17.1 | 8.19 |
| LG 35.245.141.5:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1 | 2.32 | 0.993 | 1.01 | 0.433 |

## LG 35.245.154.244:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.154.244:443/CPU Load | | | | | |
| 0 | 7.63 | 31 | 7 | 7.29 | 4.96 |
| LG 35.245.154.244:443/Memory Used | | | | | |
| 2 | 19.3 | 39 | 20 | 19.3 | 7.48 |
| LG 35.245.154.244:443/Throughput | | | | | |
| 0 | 16.6 | 43.6 | 16.6 | 16.4 | 8.75 |
| LG 35.245.154.244:443/User Load | | | | | |
| 0 | 41.9 | 77 | 44.5 | 42 | 22.6 |
| LG 35.245.154.244:443/Thread Count | | | | | |
| 39 | 103.6 | 138 | 104.5 | 104.2 | 24.6 |
| LG 35.245.154.244:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 35.245.154.244:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.133 | 0 | 0 | 0.008 |
| LG 35.245.154.244:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.154.244:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.154.244:443/Controller Connection/Ping Duration (ms) | | | | | |
| 87 | 141.4 | 197 | 121 | 141.1 | 40.4 |
| LG 35.245.154.244:443/Network/Segments sent/sec. | | | | | |
| 2.27 | 798.8 | 2,062 | 810.6 | 794.2 | 401.2 |
| LG 35.245.154.244:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.86 | 11.4 | 4.97 | 4.83 | 2.74 |
| LG 35.245.154.244:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 17.1 | 45.2 | 17.2 | 17 | 9.02 |
| LG 35.245.154.244:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.006 | 1 | 2.36 | 1.04 | 0.998 | 0.485 |

## LG 35.245.154.53:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.154.53:443/CPU Load | | | | | |
| 0 | 7.12 | 40 | 6 | 6.66 | 5.13 |
| LG 35.245.154.53:443/Memory Used | | | | | |
| 1 | 17.5 | 40 | 16 | 17.2 | 7.7 |
| LG 35.245.154.53:443/Throughput | | | | | |
| 0 | 16.4 | 38.8 | 16.9 | 16.3 | 8.38 |
| LG 35.245.154.53:443/User Load | | | | | |
| 0 | 43.6 | 78 | 49 | 43.9 | 22.9 |
| LG 35.245.154.53:443/Thread Count | | | | | |
| 39 | 104.6 | 139 | 110 | 105.2 | 23.7 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.154.53:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0.001 |
| **LG 35.245.154.53:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.117 | 0 | 0 | 0.007 |
| **LG 35.245.154.53:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.154.53:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.154.53:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 80 | 119.1 | 200 | 115 | 116.5 | 29.8 |
| **LG 35.245.154.53:443/Network/Segments sent/sec.** | | | | | |
| 1.56 | 798 | 1,797 | 812.1 | 794.5 | 384.4 |
| **LG 35.245.154.53:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.82 | 11.2 | 5.07 | 4.81 | 2.63 |
| **LG 35.245.154.53:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17 | 40.2 | 17.3 | 16.9 | 8.63 |
| **LG 35.245.154.53:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.004 | 0.997 | 2.22 | 1.03 | 0.996 | 0.466 |

## LG 35.245.155.215:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.155.215:443/CPU Load** | | | | | |
| 0 | 6.97 | 38 | 6 | 6.53 | 4.9 |
| **LG 35.245.155.215:443/Memory Used** | | | | | |
| 2 | 20 | 41 | 20 | 19.9 | 7.94 |
| **LG 35.245.155.215:443/Throughput** | | | | | |
| 0 | 16.1 | 84.8 | 16 | 16 | 8.67 |
| **LG 35.245.155.215:443/User Load** | | | | | |
| 0 | 42.2 | 78 | 45 | 42.3 | 22.9 |
| **LG 35.245.155.215:443/Thread Count** | | | | | |
| 39 | 103.7 | 139 | 106 | 104.2 | 24 |
| **LG 35.245.155.215:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.102 | 0.155 | 0.1 | 0.1 | 0.009 |
| **LG 35.245.155.215:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.245.155.215:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.155.215:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.155.215:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 82 | 114 | 164 | 115 | 112.9 | 18.7 |
| **LG 35.245.155.215:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 784.3 | 3,981 | 787.1 | 777.6 | 404.2 |
| **LG 35.245.155.215:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.83 | 14 | 4.99 | 4.78 | 2.74 |
| **LG 35.245.155.215:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 16.7 | 87.3 | 16.6 | 16.5 | 8.94 |
| **LG 35.245.155.215:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.977 | 4.89 | 0.994 | 0.969 | 0.494 |

Neotys

## LG 35.245.156.70:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.156.70:443/CPU Load | | | | | |
| 0 | 7.05 | 36 | 6 | 6.65 | 4.88 |
| LG 35.245.156.70:443/Memory Used | | | | | |
| 2 | 21.2 | 40 | 22 | 21.3 | 8.02 |
| LG 35.245.156.70:443/Throughput | | | | | |
| 0 | 16.8 | 42 | 17.1 | 16.7 | 8.46 |
| LG 35.245.156.70:443/User Load | | | | | |
| 0 | 42.2 | 77 | 45 | 42.4 | 22.4 |
| LG 35.245.156.70:443/Thread Count | | | | | |
| 39 | 104.2 | 139 | 106 | 104.7 | 24.5 |
| LG 35.245.156.70:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.102 | 0.15 | 0.1 | 0.1 | 0.008 |
| LG 35.245.156.70:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| LG 35.245.156.70:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.156.70:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.156.70:443/Controller Connection/Ping Duration (ms) | | | | | |
| 88 | 126.2 | 197 | 121 | 124.2 | 27.9 |
| LG 35.245.156.70:443/Network/Segments sent/sec. | | | | | |
| 1.83 | 811.6 | 1,956 | 830.9 | 807.8 | 392.2 |
| LG 35.245.156.70:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.76 | 13.4 | 5.13 | 4.73 | 2.61 |
| LG 35.245.156.70:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 17.3 | 43.2 | 17.6 | 17.2 | 8.73 |
| LG 35.245.156.70:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1.01 | 2.35 | 1.03 | 1.02 | 0.472 |

## LG 35.245.158.146:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.158.146:443/CPU Load | | | | | |
| 0 | 7.27 | 27 | 6 | 6.94 | 4.54 |
| LG 35.245.158.146:443/Memory Used | | | | | |
| 1 | 20.3 | 41 | 20 | 20.3 | 8.21 |
| LG 35.245.158.146:443/Throughput | | | | | |
| 0 | 15.8 | 47.2 | 15.7 | 15.8 | 7.66 |
| LG 35.245.158.146:443/User Load | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.6 |
| LG 35.245.158.146:443/Thread Count | | | | | |
| 39 | 103.4 | 138 | 106 | 104 | 24.7 |
| LG 35.245.158.146:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.006 |
| LG 35.245.158.146:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.005 |
| LG 35.245.158.146:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.158.146:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.158.146:443/Controller Connection/Ping Duration (ms) | | | | | |
| 88 | 153.7 | 197 | 156 | 154.6 | 38.6 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.158.146:443/Network/Segments sent/sec.** | | | | | |
| 2.21 | 765.9 | 2,447 | 756.5 | 765.1 | 354.8 |
| **LG 35.245.158.146:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.66 | 12.8 | 4.61 | 4.61 | 2.6 |
| **LG 35.245.158.146:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.003 | 16.4 | 48.6 | 16.2 | 16.3 | 7.9 |
| **LG 35.245.158.146:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.96 | 2.86 | 0.951 | 0.961 | 0.431 |

## LG 35.245.163.158:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.163.158:443/CPU Load** | | | | | |
| 0 | 6.81 | 27 | 6 | 6.45 | 4.55 |
| **LG 35.245.163.158:443/Memory Used** | | | | | |
| 2 | 17.8 | 39 | 17 | 17.6 | 7.3 |
| **LG 35.245.163.158:443/Throughput** | | | | | |
| 0 | 17 | 44.7 | 17.7 | 16.9 | 8.76 |
| **LG 35.245.163.158:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 45 | 41.9 | 22.6 |
| **LG 35.245.163.158:443/Thread Count** | | | | | |
| 39 | 103.2 | 139 | 106 | 103.7 | 24.5 |
| **LG 35.245.163.158:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.103 | 0.16 | 0.1 | 0.1 | 0.01 |
| **LG 35.245.163.158:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.245.163.158:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.163.158:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.163.158:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 90 | 118.4 | 195 | 114 | 116.1 | 23.2 |
| **LG 35.245.163.158:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 826.9 | 2,031 | 849.1 | 823.2 | 407.9 |
| **LG 35.245.163.158:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.76 | 10.42 | 4.97 | 4.75 | 2.65 |
| **LG 35.245.163.158:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.6 | 46.1 | 18.2 | 17.5 | 9.04 |
| **LG 35.245.163.158:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.03 | 2.49 | 1.06 | 1.03 | 0.491 |

## LG 35.245.167.123:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.167.123:443/CPU Load** | | | | | |
| 0 | 6.9 | 32 | 6 | 6.61 | 4.35 |
| **LG 35.245.167.123:443/Memory Used** | | | | | |
| 2 | 22.2 | 42 | 22 | 22.4 | 8.47 |
| **LG 35.245.167.123:443/Throughput** | | | | | |
| 0 | 17.6 | 44.1 | 18.2 | 17.6 | 8.39 |
| **LG 35.245.167.123:443/User Load** | | | | | |
| 0 | 43.6 | 78 | 49 | 43.9 | 22.8 |
| **LG 35.245.167.123:443/Thread Count** | | | | | |
| 39 | 104.3 | 139 | 110 | 104.8 | 23.7 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.167.123:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.245.167.123:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| **LG 35.245.167.123:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.167.123:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.167.123:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 102 | 155 | 195 | 156 | 155.4 | 16.2 |
| **LG 35.245.167.123:443/Network/Segments sent/sec.** | | | | | | |
| | 1.61 | 853.7 | 1,957 | 875.2 | 852 | 388.9 |
| **LG 35.245.167.123:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 5.04 | 12 | 5.06 | 5.02 | 2.79 |
| **LG 35.245.167.123:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 18.2 | 45.5 | 18.8 | 18.2 | 8.64 |
| **LG 35.245.167.123:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.07 | 2.53 | 1.11 | 1.07 | 0.474 |

## LG 35.245.172.48:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.172.48:443/CPU Load** | | | | | | |
| | 0 | 7.85 | 30 | 7 | 7.42 | 5.22 |
| **LG 35.245.172.48:443/Memory Used** | | | | | | |
| | 2 | 20.7 | 41 | 21 | 20.8 | 8.24 |
| **LG 35.245.172.48:443/Throughput** | | | | | | |
| | 0 | 17.1 | 49.4 | 17.4 | 17 | 8.79 |
| **LG 35.245.172.48:443/User Load** | | | | | | |
| | 0 | 42.2 | 77 | 45 | 42.3 | 22.2 |
| **LG 35.245.172.48:443/Thread Count** | | | | | | |
| | 39 | 104.2 | 140 | 107 | 104.8 | 24.1 |
| **LG 35.245.172.48:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.102 | 0.145 | 0.1 | 0.1 | 0.007 |
| **LG 35.245.172.48:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.245.172.48:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.172.48:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.172.48:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 99 | 149.7 | 195 | 154 | 150.3 | 16.9 |
| **LG 35.245.172.48:443/Network/Segments sent/sec.** | | | | | | |
| | 1.66 | 826.8 | 2,506 | 850.4 | 824.2 | 404.4 |
| **LG 35.245.172.48:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.87 | 14 | 4.88 | 4.85 | 2.7 |
| **LG 35.245.172.48:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.7 | 50.9 | 17.9 | 17.6 | 9.06 |
| **LG 35.245.172.48:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.03 | 3.02 | 1.07 | 1.03 | 0.488 |

Neotys

## LG 35.245.174.67:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.174.67:443/CPU Load | | | | | |
| 0 | 7.99 | 40 | 8 | 7.66 | 5.07 |
| LG 35.245.174.67:443/Memory Used | | | | | |
| 2 | 18.4 | 39 | 18 | 18.2 | 6.98 |
| LG 35.245.174.67:443/Throughput | | | | | |
| 0 | 17.5 | 39.7 | 18.1 | 17.5 | 8.47 |
| LG 35.245.174.67:443/User Load | | | | | |
| 0 | 42.5 | 78 | 45 | 42.6 | 22.7 |
| LG 35.245.174.67:443/Thread Count | | | | | |
| 39 | 104.4 | 139 | 107 | 104.9 | 24 |
| LG 35.245.174.67:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 35.245.174.67:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 |
| LG 35.245.174.67:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.174.67:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.174.67:443/Controller Connection/Ping Duration (ms) | | | | | |
| 91 | 116.5 | 197 | 115 | 113.5 | 22.5 |
| LG 35.245.174.67:443/Network/Segments sent/sec. | | | | | |
| 2.8 | 845.8 | 1,876 | 864.9 | 847.9 | 392.2 |
| LG 35.245.174.67:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 5.03 | 11.7 | 5.23 | 5.02 | 2.67 |
| LG 35.245.174.67:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 18.1 | 40.9 | 18.7 | 18.1 | 8.74 |
| LG 35.245.174.67:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1.05 | 2.26 | 1.08 | 1.06 | 0.47 |

## LG 35.245.184.209:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.184.209:443/CPU Load | | | | | |
| 0 | 6.42 | 29 | 6 | 6.09 | 4.28 |
| LG 35.245.184.209:443/Memory Used | | | | | |
| 2 | 20.3 | 41 | 20 | 20.3 | 8 |
| LG 35.245.184.209:443/Throughput | | | | | |
| 0 | 15.9 | 39.6 | 16.5 | 15.8 | 8.29 |
| LG 35.245.184.209:443/User Load | | | | | |
| 0 | 41.9 | 77 | 45 | 42.1 | 22.5 |
| LG 35.245.184.209:443/Thread Count | | | | | |
| 38 | 102.5 | 139 | 106 | 102.9 | 23.6 |
| LG 35.245.184.209:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.245.184.209:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| LG 35.245.184.209:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.184.209:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.184.209:443/Controller Connection/Ping Duration (ms) | | | | | |
| 85 | 133.3 | 197 | 117 | 132.1 | 33.6 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.184.209:443/Network/Segments sent/sec.** | | | | | | |
| 2.25 | 773 | 1,944 | 792.8 | 769.5 | 381.5 | |
| **LG 35.245.184.209:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.75 | 11.6 | 4.78 | 4.72 | 2.69 | |
| **LG 35.245.184.209:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.003 | 16.4 | 41 | 17 | 16.3 | 8.55 | |
| **LG 35.245.184.209:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.006 | 0.965 | 2.29 | 0.992 | 0.965 | 0.456 | |

## LG 35.245.199.2:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.199.2:443/CPU Load** | | | | | | |
| 0 | 7.15 | 26 | 6 | 6.76 | 4.91 | |
| **LG 35.245.199.2:443/Memory Used** | | | | | | |
| 1 | 19.6 | 39 | 20 | 19.6 | 7.91 | |
| **LG 35.245.199.2:443/Throughput** | | | | | | |
| 0 | 16 | 42.3 | 16.5 | 15.9 | 8.33 | |
| **LG 35.245.199.2:443/User Load** | | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.7 | |
| **LG 35.245.199.2:443/Thread Count** | | | | | | |
| 39 | 102.2 | 138 | 105 | 102.7 | 24 | |
| **LG 35.245.199.2:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.245.199.2:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.006 | |
| **LG 35.245.199.2:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.199.2:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.199.2:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 81 | 113.4 | 196 | 115 | 111.4 | 21.9 | |
| **LG 35.245.199.2:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 775.5 | 1,975 | 809 | 773.6 | 380.6 | |
| **LG 35.245.199.2:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.85 | 12.3 | 4.87 | 4.81 | 2.78 | |
| **LG 35.245.199.2:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.5 | 43.6 | 17.2 | 16.5 | 8.58 | |
| **LG 35.245.199.2:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.971 | 2.35 | 1.03 | 0.972 | 0.461 | |

## LG 35.245.199.34:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.199.34:443/CPU Load** | | | | | | |
| 0 | 7.01 | 35 | 6 | 6.67 | 4.71 | |
| **LG 35.245.199.34:443/Memory Used** | | | | | | |
| 2 | 19.7 | 41 | 20 | 19.6 | 7.94 | |
| **LG 35.245.199.34:443/Throughput** | | | | | | |
| 0 | 16.4 | 43.4 | 16.6 | 16.4 | 8.12 | |
| **LG 35.245.199.34:443/User Load** | | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.2 | |
| **LG 35.245.199.34:443/Thread Count** | | | | | | |
| 38 | 102.5 | 139 | 106 | 102.9 | 23.4 | |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.199.34:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| **LG 35.245.199.34:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| **LG 35.245.199.34:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.199.34:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.199.34:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 87 | 158.5 | 197 | 171 | 160.1 | 37.9 |
| **LG 35.245.199.34:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 790.2 | 1,978 | 803.8 | 790.4 | 371.4 |
| **LG 35.245.199.34:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.81 | 13.4 | 5.07 | 4.78 | 2.64 |
| **LG 35.245.199.34:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 16.9 | 44.8 | 17.1 | 16.9 | 8.37 |
| **LG 35.245.199.34:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.992 | 2.35 | 1.02 | 0.995 | 0.449 |

## LG 35.245.201.181:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.201.181:443/CPU Load** | | | | | |
| 0 | 6.62 | 25 | 6 | 6.39 | 4.05 |
| **LG 35.245.201.181:443/Memory Used** | | | | | |
| 1 | 22.9 | 39 | 24 | 23.2 | 9.09 |
| **LG 35.245.201.181:443/Throughput** | | | | | |
| 0 | 16.3 | 44 | 16 | 16.3 | 8.34 |
| **LG 35.245.201.181:443/User Load** | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.4 |
| **LG 35.245.201.181:443/Thread Count** | | | | | |
| 39 | 102.6 | 139 | 106 | 103.1 | 23 |
| **LG 35.245.201.181:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| **LG 35.245.201.181:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.245.201.181:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.201.181:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.201.181:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 88 | 160.2 | 195 | 157 | 161.7 | 22.4 |
| **LG 35.245.201.181:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 791 | 2,038 | 793.3 | 789.9 | 379.8 |
| **LG 35.245.201.181:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.82 | 11.4 | 4.67 | 4.8 | 2.66 |
| **LG 35.245.201.181:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 16.9 | 45.4 | 16.6 | 16.8 | 8.59 |
| **LG 35.245.201.181:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.006 | 0.99 | 2.47 | 0.988 | 0.991 | 0.456 |

Neotys

## LG 35.245.205.216:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.205.216:443/CPU Load | | | | | |
| 0 | 7.33 | 29 | 6 | 6.96 | 4.81 |
| LG 35.245.205.216:443/Memory Used | | | | | |
| 2 | 17.8 | 40 | 17 | 17.6 | 7.55 |
| LG 35.245.205.216:443/Throughput | | | | | |
| 0 | 16.8 | 48.3 | 17 | 16.7 | 8.29 |
| LG 35.245.205.216:443/User Load | | | | | |
| 0 | 41.6 | 77 | 45 | 41.8 | 22.8 |
| LG 35.245.205.216:443/Thread Count | | | | | |
| 39 | 103.5 | 138 | 107 | 104.1 | 24.6 |
| LG 35.245.205.216:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.102 | 0.145 | 0.1 | 0.101 | 0.007 |
| LG 35.245.205.216:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.007 |
| LG 35.245.205.216:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.205.216:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.205.216:443/Controller Connection/Ping Duration (ms) | | | | | |
| 111 | 177.6 | 563 | 162 | 166.2 | 75.9 |
| LG 35.245.205.216:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 814.4 | 2,232 | 823.6 | 811.7 | 384.2 |
| LG 35.245.205.216:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.8 | 10.9 | 4.88 | 4.77 | 2.7 |
| LG 35.245.205.216:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 17.4 | 49.9 | 17.6 | 17.3 | 8.56 |
| LG 35.245.205.216:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1.01 | 2.58 | 1.02 | 1.01 | 0.46 |

## LG 35.245.208.17:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.208.17:443/CPU Load | | | | | |
| 0 | 7.62 | 34 | 7 | 7.26 | 5.01 |
| LG 35.245.208.17:443/Memory Used | | | | | |
| 2 | 20 | 42 | 20 | 20 | 7.84 |
| LG 35.245.208.17:443/Throughput | | | | | |
| 0 | 16.5 | 66.4 | 16.7 | 16.3 | 8.72 |
| LG 35.245.208.17:443/User Load | | | | | |
| 0 | 42.1 | 77 | 45 | 42.2 | 22.5 |
| LG 35.245.208.17:443/Thread Count | | | | | |
| 39 | 104.5 | 138 | 107 | 105.1 | 24.4 |
| LG 35.245.208.17:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.103 | 0.155 | 0.1 | 0.1 | 0.01 |
| LG 35.245.208.17:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| LG 35.245.208.17:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.208.17:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.208.17:443/Controller Connection/Ping Duration (ms) | | | | | |
| 89 | 112.9 | 165 | 116 | 111.8 | 14.8 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.245.208.17:443/Network/Segments sent/sec. | | | | | | |
| 1.6 | 798.3 | 3,040 | 803.3 | 789.3 | 405.3 | |
| LG 35.245.208.17:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 4.84 | 12.2 | 4.93 | 4.81 | 2.66 | |
| LG 35.245.208.17:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.002 | 17 | 68.9 | 17.2 | 16.8 | 9.02 | |
| LG 35.245.208.17:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.005 | 0.992 | 3.3 | 1.01 | 0.985 | 0.477 | |

## LG 35.245.21.72:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.245.21.72:443/CPU Load | | | | | | |
| 0 | 6.88 | 28 | 6 | 6.6 | 4.38 | |
| LG 35.245.21.72:443/Memory Used | | | | | | |
| 2 | 20.5 | 41 | 21 | 20.5 | 7.75 | |
| LG 35.245.21.72:443/Throughput | | | | | | |
| 0 | 16.8 | 39 | 16.5 | 16.7 | 8.51 | |
| LG 35.245.21.72:443/User Load | | | | | | |
| 0 | 42.4 | 78 | 45 | 42.5 | 22.8 | |
| LG 35.245.21.72:443/Thread Count | | | | | | |
| 39 | 103.6 | 139 | 105 | 104.1 | 23.8 | |
| LG 35.245.21.72:443/Http client/Thread Pool used | | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 | |
| LG 35.245.21.72:443/Http client/Task Pool used | | | | | | |
| 0 | 0.002 | 0.117 | 0 | 0 | 0.009 | |
| LG 35.245.21.72:443/Controller Connection/Disconnections | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| LG 35.245.21.72:443/Controller Connection/Reconnections | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| LG 35.245.21.72:443/Controller Connection/Ping Duration (ms) | | | | | | |
| 80 | 122 | 194 | 117 | 121 | 25.7 | |
| LG 35.245.21.72:443/Network/Segments sent/sec. | | | | | | |
| 2.2 | 816.4 | 1,851 | 807.4 | 812.2 | 395.2 | |
| LG 35.245.21.72:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 4.94 | 11.3 | 4.81 | 4.91 | 2.8 | |
| LG 35.245.21.72:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.002 | 17.4 | 40.2 | 17 | 17.2 | 8.77 | |
| LG 35.245.21.72:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.005 | 1.01 | 2.29 | 1.01 | 1.01 | 0.475 | |

## LG 35.245.218.151:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.245.218.151:443/CPU Load | | | | | | |
| 0 | 7.5 | 34 | 7 | 7.12 | 4.84 | |
| LG 35.245.218.151:443/Memory Used | | | | | | |
| 2 | 18.1 | 39 | 17 | 17.9 | 7.48 | |
| LG 35.245.218.151:443/Throughput | | | | | | |
| 0 | 16.4 | 81.1 | 16.8 | 16.3 | 8.5 | |
| LG 35.245.218.151:443/User Load | | | | | | |
| 0 | 41.8 | 77 | 45 | 42 | 22.5 | |
| LG 35.245.218.151:443/Thread Count | | | | | | |
| 39 | 103.4 | 138 | 106 | 104 | 24.4 | |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.218.151:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.125 | 0.1 | 0.1 | 0.004 | |
| **LG 35.245.218.151:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 35.245.218.151:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.218.151:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.218.151:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 98 | 148.2 | 202 | 135 | 147.9 | 37 | |
| **LG 35.245.218.151:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 794 | 3,869 | 815.4 | 789 | 392.7 | |
| **LG 35.245.218.151:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.7 | 10.89 | 4.75 | 4.69 | 2.59 | |
| **LG 35.245.218.151:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.9 | 83.9 | 17.4 | 16.8 | 8.77 | |
| **LG 35.245.218.151:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.99 | 4.09 | 1.01 | 0.989 | 0.466 | |

## LG 35.245.224.84:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.224.84:443/CPU Load** | | | | | | |
| 0 | 7.53 | 27 | 7 | 7.2 | 4.84 | |
| **LG 35.245.224.84:443/Memory Used** | | | | | | |
| 1 | 19.8 | 39 | 20 | 19.9 | 7.7 | |
| **LG 35.245.224.84:443/Throughput** | | | | | | |
| 0 | 16.3 | 45.9 | 16.9 | 16.3 | 8.34 | |
| **LG 35.245.224.84:443/User Load** | | | | | | |
| 0 | 41.8 | 77 | 45 | 41.9 | 22.7 | |
| **LG 35.245.224.84:443/Thread Count** | | | | | | |
| 39 | 103.5 | 139 | 106 | 104.2 | 24.3 | |
| **LG 35.245.224.84:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 | |
| **LG 35.245.224.84:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 | |
| **LG 35.245.224.84:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.224.84:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.224.84:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 98 | 139.7 | 171 | 154 | 140.3 | 21.1 | |
| **LG 35.245.224.84:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 792.6 | 2,142 | 827.9 | 789.1 | 384 | |
| **LG 35.245.224.84:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.89 | 12.8 | 4.79 | 4.8 | 2.89 | |
| **LG 35.245.224.84:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.9 | 47.3 | 17.3 | 16.8 | 8.6 | |
| **LG 35.245.224.84:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.989 | 2.58 | 1.03 | 0.988 | 0.461 | |

## LG 35.245.234.254:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.234.254:443/CPU Load | | | | | |
| 0 | 7.24 | 27 | 6 | 6.91 | 4.66 |
| LG 35.245.234.254:443/Memory Used | | | | | |
| 1 | 19.5 | 41 | 19 | 19.4 | 7.71 |
| LG 35.245.234.254:443/Throughput | | | | | |
| 0 | 17.2 | 43.5 | 17.3 | 17.1 | 8.55 |
| LG 35.245.234.254:443/User Load | | | | | |
| 0 | 42.6 | 78 | 46 | 42.7 | 22.6 |
| LG 35.245.234.254:443/Thread Count | | | | | |
| 39 | 103.3 | 140 | 106 | 103.6 | 23.8 |
| LG 35.245.234.254:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.245.234.254:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.117 | 0 | 0 | 0.008 |
| LG 35.245.234.254:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.234.254:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.234.254:443/Controller Connection/Ping Duration (ms) | | | | | |
| 90 | 118.6 | 185 | 121 | 117.5 | 15 |
| LG 35.245.234.254:443/Network/Segments sent/sec. | | | | | |
| 1.61 | 830.6 | 2,079 | 831.6 | 828.5 | 392.6 |
| LG 35.245.234.254:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.92 | 10.96 | 5.2 | 4.9 | 2.73 |
| LG 35.245.234.254:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 17.8 | 44.9 | 17.8 | 17.7 | 8.82 |
| LG 35.245.234.254:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1.03 | 2.44 | 1.07 | 1.04 | 0.471 |

## LG 35.245.234.49:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.234.49:443/CPU Load | | | | | |
| 0 | 7.31 | 25 | 7 | 7.04 | 4.43 |
| LG 35.245.234.49:443/Memory Used | | | | | |
| 2 | 21.4 | 40 | 21 | 21.5 | 8.52 |
| LG 35.245.234.49:443/Throughput | | | | | |
| 0 | 17.4 | 44.9 | 18 | 17.4 | 8.73 |
| LG 35.245.234.49:443/User Load | | | | | |
| 0 | 41.9 | 77 | 45 | 42.1 | 22.4 |
| LG 35.245.234.49:443/Thread Count | | | | | |
| 39 | 101.8 | 138 | 105 | 102.1 | 23.5 |
| LG 35.245.234.49:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.245.234.49:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| LG 35.245.234.49:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.234.49:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.234.49:443/Controller Connection/Ping Duration (ms) | | | | | |
| 88 | 115.7 | 171 | 115 | 114.4 | 21.1 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.234.49:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 844.4 | 2,140 | 864.5 | 843.3 | 406.3 |
| **LG 35.245.234.49:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.96 | 11.6 | 5.17 | 4.92 | 2.73 |
| **LG 35.245.234.49:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 18 | 46.4 | 18.6 | 18 | 9 |
| **LG 35.245.234.49:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.05 | 2.51 | 1.09 | 1.05 | 0.484 |

## LG 35.245.235.221:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.235.221:443/CPU Load** | | | | | | |
| | 0 | 7.11 | 30 | 6 | 6.8 | 4.54 |
| **LG 35.245.235.221:443/Memory Used** | | | | | | |
| | 2 | 20 | 40 | 20 | 20 | 7.54 |
| **LG 35.245.235.221:443/Throughput** | | | | | | |
| | 0 | 16.8 | 45.1 | 17 | 16.6 | 8.39 |
| **LG 35.245.235.221:443/User Load** | | | | | | |
| | 0 | 43.7 | 78 | 49 | 43.9 | 22.8 |
| **LG 35.245.235.221:443/Thread Count** | | | | | | |
| | 39 | 103.9 | 139 | 109 | 104.3 | 23.8 |
| **LG 35.245.235.221:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| **LG 35.245.235.221:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.167 | 0 | 0 | 0.01 |
| **LG 35.245.235.221:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.235.221:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.235.221:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 113 | 161.4 | 203 | 157 | 161.4 | 35.1 |
| **LG 35.245.235.221:443/Network/Segments sent/sec.** | | | | | | |
| | 1.59 | 815.2 | 2,190 | 825.8 | 810.1 | 387 |
| **LG 35.245.235.221:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.86 | 10.81 | 4.87 | 4.84 | 2.71 |
| **LG 35.245.235.221:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.3 | 46.7 | 17.6 | 17.2 | 8.65 |
| **LG 35.245.235.221:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.01 | 2.44 | 1.04 | 1.01 | 0.462 |

## LG 35.245.235.80:443

### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.235.80:443/CPU Load** | | | | | | |
| | 0 | 7.55 | 30 | 8 | 7.24 | 4.66 |
| **LG 35.245.235.80:443/Memory Used** | | | | | | |
| | 1 | 19.5 | 39 | 19 | 19.4 | 7.59 |
| **LG 35.245.235.80:443/Throughput** | | | | | | |
| | 0 | 16.5 | 40.8 | 16.8 | 16.4 | 8.27 |
| **LG 35.245.235.80:443/User Load** | | | | | | |
| | 0 | 43.5 | 78 | 48 | 43.8 | 22.8 |
| **LG 35.245.235.80:443/Thread Count** | | | | | | |
| | 39 | 103.5 | 140 | 108 | 104 | 23.2 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.235.80:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 35.245.235.80:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| **LG 35.245.235.80:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.235.80:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.235.80:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 84 | 126.4 | 202 | 122 | 125.6 | 26.6 |
| **LG 35.245.235.80:443/Network/Segments sent/sec.** | | | | | | |
| | 2.24 | 802.2 | 1,916 | 804.3 | 799.7 | 379.8 |
| **LG 35.245.235.80:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.99 | 11.8 | 5.2 | 4.98 | 2.75 |
| **LG 35.245.235.80:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 17.1 | 42.2 | 17.3 | 17 | 8.53 |
| **LG 35.245.235.80:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1 | 2.27 | 1.05 | 1 | 0.453 |

# LG 35.245.237.18:443
## Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.237.18:443/CPU Load** | | | | | | |
| | 0 | 8.04 | 33 | 8 | 7.69 | 5.09 |
| **LG 35.245.237.18:443/Memory Used** | | | | | | |
| | 1 | 17.8 | 41 | 16 | 17.5 | 7.82 |
| **LG 35.245.237.18:443/Throughput** | | | | | | |
| | 0 | 16.5 | 47 | 16.9 | 16.5 | 7.99 |
| **LG 35.245.237.18:443/User Load** | | | | | | |
| | 0 | 42.3 | 77 | 45 | 42.5 | 22.7 |
| **LG 35.245.237.18:443/Thread Count** | | | | | | |
| | 39 | 104 | 138 | 106 | 104.7 | 24.5 |
| **LG 35.245.237.18:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| **LG 35.245.237.18:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.1 | 0 | 0 | 0.006 |
| **LG 35.245.237.18:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.237.18:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.237.18:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 100 | 151.5 | 204 | 162 | 151.2 | 39.6 |
| **LG 35.245.237.18:443/Network/Segments sent/sec.** | | | | | | |
| | 2.75 | 795 | 2,098 | 818.4 | 796.4 | 364.4 |
| **LG 35.245.237.18:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.85 | 10.87 | 4.92 | 4.82 | 2.71 |
| **LG 35.245.237.18:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.003 | 17.1 | 48.4 | 17.5 | 17.1 | 8.23 |
| **LG 35.245.237.18:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.004 | 0.998 | 2.35 | 1.03 | 1 | 0.44 |

Neotys

## LG 35.245.242.90:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.242.90:443/CPU Load | | | | | |
| 0 | 6.59 | 35 | 6 | 6.21 | 4.53 |
| LG 35.245.242.90:443/Memory Used | | | | | |
| 2 | 20.5 | 40 | 21 | 20.6 | 7.72 |
| LG 35.245.242.90:443/Throughput | | | | | |
| 0 | 16 | 38 | 16.6 | 16 | 8 |
| LG 35.245.242.90:443/User Load | | | | | |
| 0 | 43.1 | 77 | 48 | 43.4 | 23 |
| LG 35.245.242.90:443/Thread Count | | | | | |
| 38 | 103.6 | 140 | 109 | 104.1 | 23.9 |
| LG 35.245.242.90:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.245.242.90:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| LG 35.245.242.90:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.242.90:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.242.90:443/Controller Connection/Ping Duration (ms) | | | | | |
| 101 | 136.5 | 195 | 125 | 135 | 23 |
| LG 35.245.242.90:443/Network/Segments sent/sec. | | | | | |
| 2.36 | 776.5 | 1,822 | 807 | 778.4 | 364.6 |
| LG 35.245.242.90:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.91 | 12.4 | 4.92 | 4.84 | 2.83 |
| LG 35.245.242.90:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 16.5 | 39.2 | 17.1 | 16.6 | 8.24 |
| LG 35.245.242.90:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.974 | 2.15 | 1.02 | 0.98 | 0.443 |

## LG 35.245.245.132:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.245.132:443/CPU Load | | | | | |
| 0 | 7.48 | 32 | 7 | 7.16 | 4.68 |
| LG 35.245.245.132:443/Memory Used | | | | | |
| 2 | 20.9 | 38 | 21.5 | 20.9 | 8.22 |
| LG 35.245.245.132:443/Throughput | | | | | |
| 0 | 16.3 | 36.6 | 16.7 | 16.3 | 7.83 |
| LG 35.245.245.132:443/User Load | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.3 |
| LG 35.245.245.132:443/Thread Count | | | | | |
| 39 | 103.2 | 138 | 106 | 103.7 | 23.9 |
| LG 35.245.245.132:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| LG 35.245.245.132:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| LG 35.245.245.132:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.245.132:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.245.132:443/Controller Connection/Ping Duration (ms) | | | | | |
| 97 | 152.8 | 195 | 156 | 153.4 | 21.2 |

![Neotys]

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.245.132:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 785.7 | 1,793 | 800.8 | 785.7 | 359 | |
| **LG 35.245.245.132:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.67 | 11.6 | 4.81 | 4.64 | 2.57 | |
| **LG 35.245.245.132:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.8 | 37.8 | 17.3 | 16.8 | 8.08 | |
| **LG 35.245.245.132:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.983 | 2.16 | 1.01 | 0.986 | 0.435 | |

## LG 35.245.245.222:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.245.222:443/CPU Load** | | | | | | |
| 0 | 7.43 | 35 | 6 | 7.08 | 4.82 | |
| **LG 35.245.245.222:443/Memory Used** | | | | | | |
| 3 | 21.8 | 42 | 22 | 21.8 | 8.45 | |
| **LG 35.245.245.222:443/Throughput** | | | | | | |
| 0 | 16.6 | 38.2 | 17 | 16.6 | 8.17 | |
| **LG 35.245.245.222:443/User Load** | | | | | | |
| 0 | 42.4 | 78 | 45 | 42.5 | 22.8 | |
| **LG 35.245.245.222:443/Thread Count** | | | | | | |
| 39 | 104.2 | 140 | 106 | 104.6 | 24.6 | |
| **LG 35.245.245.222:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.12 | 0.1 | 0.1 | 0.003 | |
| **LG 35.245.245.222:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.005 | |
| **LG 35.245.245.222:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.245.222:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.245.222:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 87 | 155.4 | 246 | 162 | 154.7 | 28.4 | |
| **LG 35.245.245.222:443/Network/Segments sent/sec.** | | | | | | |
| 1.56 | 801.6 | 1,800 | 808.6 | 800.1 | 380.3 | |
| **LG 35.245.245.222:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.94 | 16.1 | 5 | 4.87 | 2.87 | |
| **LG 35.245.245.222:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.2 | 39.5 | 17.5 | 17.1 | 8.42 | |
| **LG 35.245.245.222:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.004 | 1 | 2.2 | 1.03 | 1 | 0.46 | |

## LG 35.245.245.70:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.245.70:443/CPU Load** | | | | | | |
| 0 | 8.28 | 31 | 8 | 7.94 | 5.06 | |
| **LG 35.245.245.70:443/Memory Used** | | | | | | |
| 2 | 21.4 | 40 | 22 | 21.5 | 8.08 | |
| **LG 35.245.245.70:443/Throughput** | | | | | | |
| 0 | 17.3 | 44 | 17.5 | 17.3 | 8.4 | |
| **LG 35.245.245.70:443/User Load** | | | | | | |
| 0 | 42.6 | 78 | 46 | 42.7 | 22.7 | |
| **LG 35.245.245.70:443/Thread Count** | | | | | | |
| 39 | 104.9 | 139 | 107 | 105.6 | 25.1 | |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.245.70:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.103 | 0.17 | 0.1 | 0.101 | 0.012 |
| **LG 35.245.245.70:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 35.245.245.70:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.245.70:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.245.70:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 99 | 141.5 | 203 | 122 | 140.2 | 35 |
| **LG 35.245.245.70:443/Network/Segments sent/sec.** | | | | | |
| 3.77 | 836 | 1,998 | 839.1 | 834.8 | 387.2 |
| **LG 35.245.245.70:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.09 | 13.5 | 5.02 | 5.06 | 2.85 |
| **LG 35.245.245.70:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.005 | 17.9 | 45.4 | 18.1 | 17.8 | 8.66 |
| **LG 35.245.245.70:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.007 | 1.04 | 2.32 | 1.05 | 1.04 | 0.466 |

## LG 35.245.248.102:443

### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.248.102:443/CPU Load** | | | | | |
| 0 | 7.02 | 30 | 6 | 6.64 | 4.65 |
| **LG 35.245.248.102:443/Memory Used** | | | | | |
| 3 | 18.4 | 40 | 16 | 18.1 | 7.78 |
| **LG 35.245.248.102:443/Throughput** | | | | | |
| 0 | 17 | 41.1 | 17.1 | 17 | 8.32 |
| **LG 35.245.248.102:443/User Load** | | | | | |
| 0 | 42.6 | 78 | 45 | 42.8 | 22.6 |
| **LG 35.245.248.102:443/Thread Count** | | | | | |
| 39 | 103.5 | 139 | 106 | 103.8 | 23.6 |
| **LG 35.245.248.102:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.245.248.102:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 35.245.248.102:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.248.102:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.248.102:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 82 | 160.2 | 202 | 160 | 161.4 | 36.6 |
| **LG 35.245.248.102:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 823 | 1,903 | 841.5 | 823.4 | 383.5 |
| **LG 35.245.248.102:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.9 | 12.2 | 5.08 | 4.88 | 2.69 |
| **LG 35.245.248.102:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.6 | 42.2 | 17.6 | 17.6 | 8.58 |
| **LG 35.245.248.102:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.03 | 2.31 | 1.07 | 1.03 | 0.461 |

Neotys

## LG 35.245.248.66:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.248.66:443/CPU Load** | | | | | |
| 0 | 6.67 | 31 | 6 | 6.22 | 4.79 |
| **LG 35.245.248.66:443/Memory Used** | | | | | |
| 1 | 22.2 | 39 | 23 | 22.4 | 8.64 |
| **LG 35.245.248.66:443/Throughput** | | | | | |
| 0 | 17 | 39 | 17.8 | 16.9 | 8.65 |
| **LG 35.245.248.66:443/User Load** | | | | | |
| 0 | 43.5 | 77 | 49 | 43.7 | 22.8 |
| **LG 35.245.248.66:443/Thread Count** | | | | | |
| 39 | 104.3 | 138 | 110 | 104.9 | 23.4 |
| **LG 35.245.248.66:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| **LG 35.245.248.66:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.003 |
| **LG 35.245.248.66:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.248.66:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.248.66:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 84 | 113 | 176 | 114 | 111.3 | 20.1 |
| **LG 35.245.248.66:443/Network/Segments sent/sec.** | | | | | |
| 1.57 | 826.2 | 1,963 | 852.9 | 822.3 | 402.3 |
| **LG 35.245.248.66:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.08 | 12.8 | 5.15 | 5.05 | 2.81 |
| **LG 35.245.248.66:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.6 | 40.4 | 18.4 | 17.5 | 8.93 |
| **LG 35.245.248.66:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.03 | 2.24 | 1.09 | 1.03 | 0.481 |

## LG 35.245.26.34:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.26.34:443/CPU Load** | | | | | |
| 0 | 7.49 | 31 | 7 | 7.15 | 4.7 |
| **LG 35.245.26.34:443/Memory Used** | | | | | |
| 1 | 18.6 | 40 | 18 | 18.5 | 7.45 |
| **LG 35.245.26.34:443/Throughput** | | | | | |
| 0 | 16.7 | 40.2 | 17.1 | 16.7 | 8.03 |
| **LG 35.245.26.34:443/User Load** | | | | | |
| 0 | 43 | 77 | 48 | 43.3 | 22.6 |
| **LG 35.245.26.34:443/Thread Count** | | | | | |
| 39 | 103.3 | 138 | 109 | 103.9 | 23.6 |
| **LG 35.245.26.34:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.245.26.34:443/Http client/Task Pool used** | | | | | |
| 0 | 0.002 | 0.067 | 0 | 0 | 0.008 |
| **LG 35.245.26.34:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.26.34:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.26.34:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 112.5 | 195 | 115 | 110.9 | 18.4 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| LG 35.245.26.34:443/Network/Segments sent/sec. | | | | | | |
| 1.6 | 809.2 | 1,918 | 813.6 | 809.6 | 369.9 |
| LG 35.245.26.34:443/Network/Segments retransmitted/sec. | | | | | | |
| 0 | 4.91 | 11.2 | 5.09 | 4.89 | 2.66 |
| LG 35.245.26.34:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | | |
| 0.002 | 17.3 | 41.5 | 17.7 | 17.3 | 8.28 |
| LG 35.245.26.34:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | | |
| 0.004 | 1.01 | 2.37 | 1.02 | 1.01 | 0.447 |

## LG 35.245.26.57:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.26.57:443/CPU Load | | | | | |
| 0 | 6.86 | 57 | 6 | 6.41 | 5.19 |
| LG 35.245.26.57:443/Memory Used | | | | | |
| 2 | 22 | 40 | 22 | 22.2 | 8.64 |
| LG 35.245.26.57:443/Throughput | | | | | |
| 0 | 16.9 | 87.4 | 16.6 | 16.5 | 9.41 |
| LG 35.245.26.57:443/User Load | | | | | |
| 0 | 41.9 | 77 | 45 | 42.1 | 22.4 |
| LG 35.245.26.57:443/Thread Count | | | | | |
| 38 | 104.3 | 138 | 106 | 105 | 25 |
| LG 35.245.26.57:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.104 | 0.165 | 0.1 | 0.101 | 0.013 |
| LG 35.245.26.57:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| LG 35.245.26.57:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.26.57:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.26.57:443/Controller Connection/Ping Duration (ms) | | | | | |
| 100 | 169.9 | 202 | 187 | 171.6 | 31.3 |
| LG 35.245.26.57:443/Network/Segments sent/sec. | | | | | |
| 1.61 | 817.6 | 4,946 | 797.1 | 800.2 | 452.6 |
| LG 35.245.26.57:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.83 | 15.8 | 4.81 | 4.77 | 2.74 |
| LG 35.245.26.57:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 17.4 | 88.6 | 17.1 | 17 | 9.67 |
| LG 35.245.26.57:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1.02 | 6.61 | 1.03 | 1 | 0.558 |

## LG 35.245.33.231:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.33.231:443/CPU Load | | | | | |
| 0 | 7.13 | 34 | 6 | 6.79 | 4.66 |
| LG 35.245.33.231:443/Memory Used | | | | | |
| 2 | 19 | 40 | 18 | 18.8 | 8.04 |
| LG 35.245.33.231:443/Throughput | | | | | |
| 0 | 16.3 | 54.9 | 16.5 | 16.2 | 8.19 |
| LG 35.245.33.231:443/User Load | | | | | |
| 0 | 41.7 | 77 | 45 | 41.8 | 22.5 |
| LG 35.245.33.231:443/Thread Count | | | | | |
| 39 | 102 | 139 | 105 | 102.4 | 23.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.33.231:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.245.33.231:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 | |
| **LG 35.245.33.231:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.33.231:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.33.231:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 98 | 151.5 | 236 | 157 | 150.3 | 28.1 | |
| **LG 35.245.33.231:443/Network/Segments sent/sec.** | | | | | | |
| 1.59 | 787.1 | 2,301 | 799.4 | 785.7 | 372.9 | |
| **LG 35.245.33.231:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.7 | 11.2 | 4.8 | 4.66 | 2.63 | |
| **LG 35.245.33.231:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.8 | 56.8 | 17.1 | 16.7 | 8.44 | |
| **LG 35.245.33.231:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.984 | 2.32 | 1.01 | 0.988 | 0.445 | |

## LG 35.245.40.17:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.40.17:443/CPU Load** | | | | | | |
| 0 | 7.22 | 34 | 6 | 6.86 | 4.81 | |
| **LG 35.245.40.17:443/Memory Used** | | | | | | |
| 1 | 20.1 | 40 | 20 | 20.1 | 7.64 | |
| **LG 35.245.40.17:443/Throughput** | | | | | | |
| 0 | 16.7 | 42.5 | 16.6 | 16.6 | 8.51 | |
| **LG 35.245.40.17:443/User Load** | | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.5 | |
| **LG 35.245.40.17:443/Thread Count** | | | | | | |
| 39 | 102.5 | 139 | 105 | 102.9 | 23.6 | |
| **LG 35.245.40.17:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.245.40.17:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 35.245.40.17:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.40.17:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.40.17:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 93 | 121.6 | 183 | 120 | 120.1 | 19.9 | |
| **LG 35.245.40.17:443/Network/Segments sent/sec.** | | | | | | |
| 1.66 | 809.2 | 1,946 | 801.2 | 805.4 | 397.3 | |
| **LG 35.245.40.17:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.71 | 13.7 | 4.83 | 4.68 | 2.65 | |
| **LG 35.245.40.17:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.2 | 43.9 | 17.2 | 17.1 | 8.79 | |
| **LG 35.245.40.17:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.01 | 2.33 | 1.01 | 1.01 | 0.476 | |

Neotys

## LG 35.245.52.211:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.52.211:443/CPU Load** | | | | | |
| 0 | 7.77 | 39 | 7 | 7.4 | 5.07 |
| **LG 35.245.52.211:443/Memory Used** | | | | | |
| 1 | 18.4 | 40 | 18 | 18.3 | 7.65 |
| **LG 35.245.52.211:443/Throughput** | | | | | |
| 0 | 16.5 | 38.1 | 17.5 | 16.6 | 7.99 |
| **LG 35.245.52.211:443/User Load** | | | | | |
| 0 | 42.3 | 77 | 45 | 42.5 | 22.3 |
| **LG 35.245.52.211:443/Thread Count** | | | | | |
| 39 | 103.6 | 137 | 106 | 104.1 | 23.6 |
| **LG 35.245.52.211:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| **LG 35.245.52.211:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| **LG 35.245.52.211:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.52.211:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.52.211:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 97 | 172.5 | 197 | 195 | 174.9 | 30.4 |
| **LG 35.245.52.211:443/Network/Segments sent/sec.** | | | | | |
| 3.25 | 803 | 1,836 | 855.8 | 806.9 | 368.1 |
| **LG 35.245.52.211:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.02 | 15.9 | 5.19 | 4.98 | 2.84 |
| **LG 35.245.52.211:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.004 | 17.1 | 39.3 | 18.1 | 17.1 | 8.24 |
| **LG 35.245.52.211:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.007 | 1 | 2.18 | 1.06 | 1.01 | 0.444 |

## LG 35.245.53.94:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.53.94:443/CPU Load** | | | | | |
| 0 | 7.05 | 29 | 6 | 6.75 | 4.6 |
| **LG 35.245.53.94:443/Memory Used** | | | | | |
| 2 | 18.4 | 39 | 18 | 18.4 | 7.73 |
| **LG 35.245.53.94:443/Throughput** | | | | | |
| 0 | 16.8 | 43.6 | 17.4 | 16.7 | 8.56 |
| **LG 35.245.53.94:443/User Load** | | | | | |
| 0 | 41.7 | 77 | 44 | 41.8 | 22.8 |
| **LG 35.245.53.94:443/Thread Count** | | | | | |
| 38 | 102.7 | 140 | 106 | 103.1 | 24.1 |
| **LG 35.245.53.94:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.101 | 0.12 | 0.1 | 0.1 | 0.003 |
| **LG 35.245.53.94:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 35.245.53.94:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.53.94:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.53.94:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 91 | 124.6 | 196 | 118 | 123.1 | 24.8 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.53.94:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 813.5 | 2,064 | 853.7 | 809.9 | 399 | |
| **LG 35.245.53.94:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.91 | 12.7 | 4.83 | 4.86 | 2.84 | |
| **LG 35.245.53.94:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.3 | 44.8 | 18.1 | 17.3 | 8.83 | |
| **LG 35.245.53.94:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.01 | 2.45 | 1.06 | 1.01 | 0.481 | |

## LG 35.245.55.232:443
## Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.55.232:443/CPU Load** | | | | | | |
| 0 | 6.07 | 25 | 6 | 5.76 | 3.94 | |
| **LG 35.245.55.232:443/Memory Used** | | | | | | |
| 2 | 19.5 | 40 | 19 | 19.5 | 7.4 | |
| **LG 35.245.55.232:443/Throughput** | | | | | | |
| 0 | 16.6 | 38.1 | 16.9 | 16.5 | 8.25 | |
| **LG 35.245.55.232:443/User Load** | | | | | | |
| 0 | 42.2 | 77 | 45 | 42.4 | 22.5 | |
| **LG 35.245.55.232:443/Thread Count** | | | | | | |
| 39 | 102.5 | 139 | 105 | 102.9 | 23.1 | |
| **LG 35.245.55.232:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 | |
| **LG 35.245.55.232:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 | |
| **LG 35.245.55.232:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.55.232:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.55.232:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 89 | 129.2 | 193 | 117 | 127.7 | 29.5 | |
| **LG 35.245.55.232:443/Network/Segments sent/sec.** | | | | | | |
| 1.62 | 806.9 | 1,860 | 841.4 | 803.6 | 385.8 | |
| **LG 35.245.55.232:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.72 | 12.8 | 4.79 | 4.67 | 2.62 | |
| **LG 35.245.55.232:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.1 | 39.4 | 17.5 | 17 | 8.52 | |
| **LG 35.245.55.232:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1 | 2.23 | 1.04 | 1 | 0.462 | |

## LG 35.245.56.116:443
## Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.56.116:443/CPU Load** | | | | | | |
| 0 | 6.21 | 25 | 6 | 5.91 | 3.97 | |
| **LG 35.245.56.116:443/Memory Used** | | | | | | |
| 2 | 21.8 | 41 | 22 | 21.9 | 8.63 | |
| **LG 35.245.56.116:443/Throughput** | | | | | | |
| 0 | 16.6 | 36.6 | 17.2 | 16.6 | 8.17 | |
| **LG 35.245.56.116:443/User Load** | | | | | | |
| 0 | 41.8 | 77 | 45 | 42 | 22.6 | |
| **LG 35.245.56.116:443/Thread Count** | | | | | | |
| 38 | 103.2 | 138 | 105 | 103.8 | 24.3 | |

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.56.116:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 | |
| **LG 35.245.56.116:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 | |
| **LG 35.245.56.116:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.56.116:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.56.116:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 95 | 159.8 | 196 | 157 | 161.3 | 37 | |
| **LG 35.245.56.116:443/Network/Segments sent/sec.** | | | | | | |
| 1.61 | 809.6 | 1,799 | 839.7 | 811.2 | 378.8 | |
| **LG 35.245.56.116:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.86 | 11.4 | 5.12 | 4.84 | 2.65 | |
| **LG 35.245.56.116:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.2 | 38 | 17.8 | 17.2 | 8.44 | |
| **LG 35.245.56.116:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.01 | 2.11 | 1.05 | 1.01 | 0.453 | |

## LG 35.245.58.90:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.58.90:443/CPU Load** | | | | | | |
| 0 | 7.38 | 29 | 6.5 | 7.07 | 4.74 | |
| **LG 35.245.58.90:443/Memory Used** | | | | | | |
| 1 | 17.6 | 40 | 17 | 17.4 | 7.4 | |
| **LG 35.245.58.90:443/Throughput** | | | | | | |
| 0 | 16.7 | 37.4 | 17 | 16.7 | 8.18 | |
| **LG 35.245.58.90:443/User Load** | | | | | | |
| 0 | 42.2 | 77 | 45 | 42.4 | 22.3 | |
| **LG 35.245.58.90:443/Thread Count** | | | | | | |
| 39 | 104.3 | 138 | 105.5 | 104.9 | 24 | |
| **LG 35.245.58.90:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.103 | 0.17 | 0.1 | 0.101 | 0.012 | |
| **LG 35.245.58.90:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 | |
| **LG 35.245.58.90:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.58.90:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.58.90:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 91 | 121.2 | 171 | 121 | 120.1 | 15.7 | |
| **LG 35.245.58.90:443/Network/Segments sent/sec.** | | | | | | |
| 1.61 | 807 | 1,827 | 818.4 | 807.8 | 381.3 | |
| **LG 35.245.58.90:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.77 | 11.8 | 4.93 | 4.75 | 2.69 | |
| **LG 35.245.58.90:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17.2 | 38.7 | 17.6 | 17.3 | 8.44 | |
| **LG 35.245.58.90:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 1.01 | 2.15 | 1.02 | 1.01 | 0.46 | |

Neotys

## LG 35.245.6.209:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.6.209:443/CPU Load | | | | | |
| 0 | 6.57 | 24 | 6 | 6.3 | 4.17 |
| LG 35.245.6.209:443/Memory Used | | | | | |
| 2 | 17 | 40 | 16 | 16.8 | 7.2 |
| LG 35.245.6.209:443/Throughput | | | | | |
| 0 | 16.5 | 36.4 | 16.5 | 16.5 | 8.05 |
| LG 35.245.6.209:443/User Load | | | | | |
| 0 | 43.4 | 77 | 48 | 43.7 | 22.9 |
| LG 35.245.6.209:443/Thread Count | | | | | |
| 39 | 104.6 | 138 | 109 | 105.2 | 24.2 |
| LG 35.245.6.209:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.245.6.209:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.133 | 0 | 0 | 0.009 |
| LG 35.245.6.209:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.6.209:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.6.209:443/Controller Connection/Ping Duration (ms) | | | | | |
| 85 | 110.5 | 155 | 116 | 109.4 | 17.1 |
| LG 35.245.6.209:443/Network/Segments sent/sec. | | | | | |
| 2.4 | 804.4 | 1,756 | 824 | 806.5 | 373.6 |
| LG 35.245.6.209:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.98 | 12.8 | 5.17 | 4.96 | 2.71 |
| LG 35.245.6.209:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.003 | 17.1 | 37.5 | 17.1 | 17.1 | 8.31 |
| LG 35.245.6.209:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 1.01 | 2.11 | 1.03 | 1.01 | 0.447 |

## LG 35.245.6.245:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.6.245:443/CPU Load | | | | | |
| 0 | 6.44 | 31 | 6 | 6.12 | 4.1 |
| LG 35.245.6.245:443/Memory Used | | | | | |
| 1 | 17.3 | 41 | 16 | 17 | 7.39 |
| LG 35.245.6.245:443/Throughput | | | | | |
| 0 | 16.8 | 46.7 | 17.4 | 16.9 | 8.07 |
| LG 35.245.6.245:443/User Load | | | | | |
| 0 | 42 | 77 | 45 | 42.1 | 22.4 |
| LG 35.245.6.245:443/Thread Count | | | | | |
| 39 | 104 | 139 | 106 | 104.6 | 24.5 |
| LG 35.245.6.245:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.14 | 0.1 | 0.1 | 0.006 |
| LG 35.245.6.245:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.008 |
| LG 35.245.6.245:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.6.245:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.6.245:443/Controller Connection/Ping Duration (ms) | | | | | |
| 107 | 153.4 | 193 | 154 | 154 | 11.5 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.6.245:443/Network/Segments sent/sec.** | | | | | |
| 1.61 | 822.1 | 2,391 | 853.7 | 824 | 377.1 |
| **LG 35.245.6.245:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.89 | 11.2 | 5.27 | 4.89 | 2.66 |
| **LG 35.245.6.245:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.4 | 48.2 | 18 | 17.4 | 8.33 |
| **LG 35.245.6.245:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.02 | 2.89 | 1.06 | 1.02 | 0.455 |

## LG 35.245.60.2:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.60.2:443/CPU Load** | | | | | |
| 0 | 7.8 | 35 | 7 | 7.45 | 4.97 |
| **LG 35.245.60.2:443/Memory Used** | | | | | |
| 2 | 18.3 | 39 | 18 | 18.2 | 7.05 |
| **LG 35.245.60.2:443/Throughput** | | | | | |
| 0 | 17 | 52.3 | 17.1 | 16.8 | 8.72 |
| **LG 35.245.60.2:443/User Load** | | | | | |
| 0 | 43.8 | 78 | 49 | 44.1 | 22.7 |
| **LG 35.245.60.2:443/Thread Count** | | | | | |
| 39 | 106.5 | 140 | 109 | 107.2 | 25 |
| **LG 35.245.60.2:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.102 | 0.145 | 0.1 | 0.1 | 0.008 |
| **LG 35.245.60.2:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.006 |
| **LG 35.245.60.2:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.60.2:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.60.2:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 92 | 118.8 | 141 | 123 | 119 | 9.52 |
| **LG 35.245.60.2:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 825.2 | 2,654 | 826.5 | 817.3 | 404.9 |
| **LG 35.245.60.2:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 5.08 | 14 | 5.08 | 5.04 | 2.81 |
| **LG 35.245.60.2:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.6 | 54.1 | 17.7 | 17.4 | 8.99 |
| **LG 35.245.60.2:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1.03 | 3.29 | 1.04 | 1.02 | 0.489 |

## LG 35.245.61.52:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.61.52:443/CPU Load** | | | | | |
| 0 | 7.37 | 29 | 7 | 7.01 | 4.87 |
| **LG 35.245.61.52:443/Memory Used** | | | | | |
| 1 | 17.4 | 42 | 16 | 17.1 | 7.6 |
| **LG 35.245.61.52:443/Throughput** | | | | | |
| 0 | 16.5 | 42.7 | 16.9 | 16.3 | 8.38 |
| **LG 35.245.61.52:443/User Load** | | | | | |
| 0 | 42.3 | 77 | 45 | 42.4 | 22.5 |
| **LG 35.245.61.52:443/Thread Count** | | | | | |
| 39 | 103.1 | 139 | 106 | 103.5 | 23.5 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.61.52:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 | |
| **LG 35.245.61.52:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 | |
| **LG 35.245.61.52:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.61.52:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.61.52:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 105 | 145.4 | 204 | 125 | 144.1 | 30.4 | |
| **LG 35.245.61.52:443/Network/Segments sent/sec.** | | | | | | |
| 1.57 | 794.2 | 1,939 | 801.7 | 789.5 | 382 | |
| **LG 35.245.61.52:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.7 | 11.2 | 4.83 | 4.67 | 2.57 | |
| **LG 35.245.61.52:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 17 | 44 | 17.5 | 16.8 | 8.64 | |
| **LG 35.245.61.52:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.993 | 2.46 | 1.03 | 0.989 | 0.463 | |

## LG 35.245.74.160:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.74.160:443/CPU Load** | | | | | | |
| 0 | 7.29 | 33 | 7 | 6.92 | 4.87 | |
| **LG 35.245.74.160:443/Memory Used** | | | | | | |
| 2 | 18.5 | 39 | 18 | 18.4 | 7.44 | |
| **LG 35.245.74.160:443/Throughput** | | | | | | |
| 0 | 16.2 | 41.2 | 16.7 | 16.1 | 8.35 | |
| **LG 35.245.74.160:443/User Load** | | | | | | |
| 0 | 42.9 | 77 | 49 | 43.2 | 22.8 | |
| **LG 35.245.74.160:443/Thread Count** | | | | | | |
| 39 | 104.7 | 139 | 109 | 105.3 | 24.9 | |
| **LG 35.245.74.160:443/Http client/Thread Pool used** | | | | | | |
| 0.1 | 0.101 | 0.12 | 0.1 | 0.1 | 0.003 | |
| **LG 35.245.74.160:443/Http client/Task Pool used** | | | | | | |
| 0 | 0.002 | 0.217 | 0 | 0 | 0.017 | |
| **LG 35.245.74.160:443/Controller Connection/Disconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.74.160:443/Controller Connection/Reconnections** | | | | | | |
| 0 | 0 | 0 | 0 | 0 | - | |
| **LG 35.245.74.160:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| 118 | 146 | 166 | 155 | 146.4 | 18.8 | |
| **LG 35.245.74.160:443/Network/Segments sent/sec.** | | | | | | |
| 1.6 | 781.7 | 1,873 | 818.3 | 777.3 | 384.3 | |
| **LG 35.245.74.160:443/Network/Segments retransmitted/sec.** | | | | | | |
| 0 | 4.8 | 13.5 | 4.8 | 4.74 | 2.68 | |
| **LG 35.245.74.160:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| 0.002 | 16.7 | 42.4 | 17.2 | 16.6 | 8.62 | |
| **LG 35.245.74.160:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| 0.005 | 0.976 | 2.32 | 1.02 | 0.975 | 0.461 | |

Neotys

## LG 35.245.88.174:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.88.174:443/CPU Load | | | | | |
| 0 | 7.59 | 29 | 7 | 7.24 | 4.86 |
| LG 35.245.88.174:443/Memory Used | | | | | |
| 2 | 20 | 40 | 20 | 20.1 | 7.42 |
| LG 35.245.88.174:443/Throughput | | | | | |
| 0 | 17.6 | 43.1 | 17.8 | 17.5 | 8.73 |
| LG 35.245.88.174:443/User Load | | | | | |
| 0 | 42.4 | 78 | 45.5 | 42.6 | 22.8 |
| LG 35.245.88.174:443/Thread Count | | | | | |
| 39 | 103 | 139 | 106.5 | 103.4 | 23.5 |
| LG 35.245.88.174:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 35.245.88.174:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.007 |
| LG 35.245.88.174:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.88.174:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.88.174:443/Controller Connection/Ping Duration (ms) | | | | | |
| 106 | 144.6 | 202 | 124 | 143.3 | 26.7 |
| LG 35.245.88.174:443/Network/Segments sent/sec. | | | | | |
| 2.53 | 849.1 | 2,026 | 858.2 | 846 | 406.1 |
| LG 35.245.88.174:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 4.91 | 12.4 | 5.03 | 4.87 | 2.73 |
| LG 35.245.88.174:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.004 | 18.1 | 44.4 | 18.3 | 18.1 | 9.01 |
| LG 35.245.88.174:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.006 | 1.05 | 2.53 | 1.07 | 1.05 | 0.49 |

## LG 35.245.88.204:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| LG 35.245.88.204:443/CPU Load | | | | | |
| 0 | 6.99 | 39 | 6 | 6.65 | 4.54 |
| LG 35.245.88.204:443/Memory Used | | | | | |
| 1 | 20.8 | 39 | 22 | 20.9 | 7.85 |
| LG 35.245.88.204:443/Throughput | | | | | |
| 0 | 17.1 | 42 | 17.3 | 17.1 | 8.33 |
| LG 35.245.88.204:443/User Load | | | | | |
| 0 | 43.6 | 78 | 49 | 43.8 | 22.7 |
| LG 35.245.88.204:443/Thread Count | | | | | |
| 39 | 104.6 | 139 | 109 | 105.1 | 24 |
| LG 35.245.88.204:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| LG 35.245.88.204:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.005 |
| LG 35.245.88.204:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.88.204:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.88.204:443/Controller Connection/Ping Duration (ms) | | | | | |
| 89 | 113.1 | 193 | 111 | 110.5 | 19.2 |

Neotys

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.88.204:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 832 | 2,041 | 834.8 | 829.6 | 389.3 |
| **LG 35.245.88.204:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.99 | 13.4 | 5.15 | 4.95 | 2.78 |
| **LG 35.245.88.204:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 17.7 | 43.4 | 17.8 | 17.6 | 8.6 |
| **LG 35.245.88.204:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 1.03 | 2.31 | 1.06 | 1.04 | 0.458 |

## LG 35.245.89.151:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.89.151:443/CPU Load** | | | | | | |
| | 0 | 7.45 | 33 | 7 | 7.12 | 4.77 |
| **LG 35.245.89.151:443/Memory Used** | | | | | | |
| | 2 | 20.9 | 41 | 22 | 21 | 7.75 |
| **LG 35.245.89.151:443/Throughput** | | | | | | |
| | 0 | 16.1 | 44.2 | 16.7 | 16 | 8.19 |
| **LG 35.245.89.151:443/User Load** | | | | | | |
| | 0 | 43.2 | 77 | 48 | 43.5 | 22.6 |
| **LG 35.245.89.151:443/Thread Count** | | | | | | |
| | 39 | 104 | 138 | 108 | 104.6 | 23.9 |
| **LG 35.245.89.151:443/Http client/Thread Pool used** | | | | | | |
| | 0.1 | 0.101 | 0.13 | 0.1 | 0.1 | 0.004 |
| **LG 35.245.89.151:443/Http client/Task Pool used** | | | | | | |
| | 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| **LG 35.245.89.151:443/Controller Connection/Disconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.89.151:443/Controller Connection/Reconnections** | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.89.151:443/Controller Connection/Ping Duration (ms)** | | | | | | |
| | 87 | 151.6 | 203 | 163 | 152 | 42.7 |
| **LG 35.245.89.151:443/Network/Segments sent/sec.** | | | | | | |
| | 1.6 | 782 | 2,089 | 797 | 777.3 | 380.1 |
| **LG 35.245.89.151:443/Network/Segments retransmitted/sec.** | | | | | | |
| | 0 | 4.88 | 12.4 | 4.8 | 4.83 | 2.68 |
| **LG 35.245.89.151:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | | |
| | 0.002 | 16.7 | 45.6 | 17.2 | 16.6 | 8.44 |
| **LG 35.245.89.151:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | | |
| | 0.005 | 0.975 | 2.53 | 1 | 0.973 | 0.453 |

## LG 35.245.89.6:443
### Performance Counters

| | Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|---|
| **LG 35.245.89.6:443/CPU Load** | | | | | | |
| | 0 | 7.06 | 32 | 6 | 6.72 | 4.47 |
| **LG 35.245.89.6:443/Memory Used** | | | | | | |
| | 1 | 19.2 | 41 | 19 | 19 | 7.66 |
| **LG 35.245.89.6:443/Throughput** | | | | | | |
| | 0 | 16.2 | 48.9 | 17.1 | 16.2 | 7.63 |
| **LG 35.245.89.6:443/User Load** | | | | | | |
| | 0 | 42 | 77 | 45 | 42.1 | 22.1 |
| **LG 35.245.89.6:443/Thread Count** | | | | | | |
| | 39 | 103.8 | 139 | 106 | 104.4 | 24.4 |

Neotys

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.89.6:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| **LG 35.245.89.6:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| **LG 35.245.89.6:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.89.6:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.89.6:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 86 | 110 | 154 | 115 | 108.9 | 16.1 |
| **LG 35.245.89.6:443/Network/Segments sent/sec.** | | | | | |
| 1.59 | 786.1 | 2,373 | 827 | 785.4 | 353.1 |
| **LG 35.245.89.6:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.66 | 12.4 | 4.69 | 4.6 | 2.63 |
| **LG 35.245.89.6:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 16.8 | 50.6 | 17.7 | 16.8 | 7.86 |
| **LG 35.245.89.6:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 0.986 | 2.74 | 1.03 | 0.989 | 0.426 |

## LG 35.245.98.188:443
### Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|---|---|---|---|---|
| **LG 35.245.98.188:443/CPU Load** | | | | | |
| 0 | 8.04 | 45 | 8 | 7.64 | 5.39 |
| **LG 35.245.98.188:443/Memory Used** | | | | | |
| 2 | 19.3 | 41 | 19 | 19.3 | 7.44 |
| **LG 35.245.98.188:443/Throughput** | | | | | |
| 0 | 16.6 | 39.4 | 17 | 16.5 | 8.26 |
| **LG 35.245.98.188:443/User Load** | | | | | |
| 0 | 42.3 | 78 | 45.5 | 42.5 | 22.7 |
| **LG 35.245.98.188:443/Thread Count** | | | | | |
| 39 | 104.4 | 139 | 106.5 | 105 | 24.6 |
| **LG 35.245.98.188:443/Http client/Thread Pool used** | | | | | |
| 0.1 | 0.102 | 0.15 | 0.1 | 0.1 | 0.008 |
| **LG 35.245.98.188:443/Http client/Task Pool used** | | | | | |
| 0 | 0.001 | 0.033 | 0 | 0 | 0.004 |
| **LG 35.245.98.188:443/Controller Connection/Disconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.98.188:443/Controller Connection/Reconnections** | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| **LG 35.245.98.188:443/Controller Connection/Ping Duration (ms)** | | | | | |
| 84 | 112.7 | 157 | 114 | 111.7 | 19.8 |
| **LG 35.245.98.188:443/Network/Segments sent/sec.** | | | | | |
| 1.6 | 801.9 | 1,827 | 832 | 800.7 | 378.9 |
| **LG 35.245.98.188:443/Network/Segments retransmitted/sec.** | | | | | |
| 0 | 4.86 | 12.6 | 4.99 | 4.83 | 2.76 |
| **LG 35.245.98.188:443/Network/eth0 (eth0)/Megabits received/sec.** | | | | | |
| 0.002 | 17.1 | 40.6 | 17.7 | 17.1 | 8.52 |
| **LG 35.245.98.188:443/Network/eth0 (eth0)/Megabits sent/sec.** | | | | | |
| 0.005 | 1 | 2.33 | 1.04 | 1 | 0.453 |

Neotys

## Controller
### Alerts

| Sev. | Alert | Occurrences | First Occurrence | Duration % |
|---|---|---|---|---|
| | Controller/Total Disconnections >= 1.0 | 1 | 00:29:26.751 | 1.5 |
| Load Generator Diconnected >=1 | | | | |

Neotys

## Average page response time



| Min | Average | Max |
|:---:|:---:|:---:|
| 0.124 | 1.87 | 6.247 |

**Notes:** Displays the average response time, in seconds, of all pages during the test.

## Average request response time



| Min | Average | Max |
|---|---|---|
| 0.046 | 0.61 | 278.517 |

**Notes:** Displays the average response time, in seconds, of all requests during the test.

Neotys

## Average response time (Transactions)



| Min | Average | Max | Median | Avg-90% | Std. Dev. |
|------|---------|---------|--------|---------|-----------|
| 2.29 | 35.65 | 101.429 | 33.936 | 35.499 | 17.827 |

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.

## Requests per second



| Min | Average | Max |
| --- | --- | --- |
| 10.7 | 12,245 | 16,481.4 |

**Notes:** Displays the number of requests per second.

Neotys

## Errors



| Min | Average | Max |
|---|---|---|
| 0 | 352.6 | 983 |

**Notes:** Displays the number of errors per sampling interval.

## Throughput



| Min | Average | Max |
|---|---|---|
| 0 | 2,897.72 | 3,839.89 |

**Notes:** Displays the number of megabits of data per second returned by the server.

Neotys

## Response time against load



| Min | Average | Max |
|-----|---------|-----|
| 0.121 | 1.585 | 18.737 |

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Neotys

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

## Top 10 First Alerts



**Notes:** Displays the list of alerts on the monitored counters during the test.