

Mdot_04162020_TDC



Date	Apr 15, 2020 10:58:00 PM
Project	elt_lt_repo
Scenario	Jan_MultiDigital_2020
Comment	
Notes	Mdot_04162020_TDC

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	3
Hot spots.....	5
Errors.....	5
Alerts.....	5
General statistics.....	5
Transaction statistics.....	5
Execution context.....	8
Scenario	7
Servers.....	10
Populations.....	11
User Paths.....	12
Transactions.....	13
Pages.....	16
Media Contents.....	24
Push messages.....	15
Monitors.....	25
Main graphs.....	38
Average page response time.....	38
Average request response time.....	39
Average response time (Transactions).....	40
Requests per second.....	41
Errors.....	42
Throughput.....	43
Response time against load.....	44
Distribution of Transaction Durations.....	45

Summary


Results summary

Name	22:57 - 15 Apr 2020 mDOT LT	Project	elt_It_repo
Description		Scenario	Jan_MultiDigital_2020
Status	✓ Passed	Load Policy	• The population Mdot_Iconic is customized
Start date	Apr 15, 2020 10:58:00 PM		
End date	Apr 15, 2020 11:22:33 PM	Stop Policy	• Population Mdot_Iconic: immediate.
Duration	00:24:32		
Termination reason	Manual action	Filters	None
LG Hosts	157.250.33.88:443 , 157.250.46.17:443 , 157.250.38.196:443 , 157.250.45.245:443 , 157.250.32.142:443 , 157.250.36.65:443 , 157.250.37.218:443 , 157.250.46.133:443 , 157.250.38.9:443 , 157.250.45.24:443 , 157.250.33.185:443 , 157.250.41.241:443 , 157.250.33.102:443 , 157.250.45.86:443 , 157.250.42.142:443 , 157.250.41.92:443 , 157.250.41.6:443 , 157.250.40.20:443 , 157.250.48.119:443 , 157.250.45.73:443	Debug	Disabled

Statistics Summary

Total pages	840314	—	Average pages/s	570.5	—
Total requests	2818698	—	Average requests/s	1,913.6	—
Total users launched	7068	—	Average Request response time	1.25 s	—
Total iterations completed	13654	—	Average Page response time	3.77 s	—
Total throughput	77,253 MB	—	Average throughput	419.57 Mb/s	—
Total request errors	18	—	Error rate	0 %	—
Total action errors	0	—	Alerts total duration	0 %	—

 = No SLA
  = Passed
  = Warning
  = Failed



Hot spots

Top 5 errors

User Path	Parent	Page	Count
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_03_SelectI/smartphones/apple-iphone-11-pro/			7
7_0225_dc_m_EUP_Exp_fidpp	/od/cust/auth/protection		3
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/selectPlan			2
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_06_SignIn /vzauth/UI/Login_1			2
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/cart/addOrRemoveAccessory			1

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/selectPlan			36.6
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/cart/addOrRemoveAccessory			22.2
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/cart/addOrRemoveAccessory			22.1
7_0225_dc_m_EUP_Exp_fidpp	/od/cust/auth/protection		21.9
7_0225_dc_m_EUP_Exp_fiPromoNothanks	/od/cust/auth/cart/getCartDetails		21.2

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/cart/addOrRemoveAccessory			729.5
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/selectPlan			632.3
7_0225_dc_m_EUP_Exp_fiThen	/vzauth/UI/Login_1		603
7_0225_dc_m_EUP_Exp_fimdot_EUP_Exp_09_NoAcc/od/cust/auth/cart/addOrRemoveAccessory			593.3
7_0225_dc_m_EUP_Exp_fidpp	/od/cust/auth/protection		589.8

Errors

Request errors

Error Type	Count	Description
Assertions	14	Validation of the response failed.
NL-REDIRECT-03	3	NeoLoad could not follow the sendRedirect directive for the previous request. The previous request did not issue a redirection.
NL-NETWORK-01	1	Miscellaneous I/O error when connecting to the server.
Total	18	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.199	498.2	1,117	7,068	17	0.2	-
All pages						
0.002	3.77	729.5	840,314	18	0	-
All requests						
0	1.25	729.5	2,818,698	18	0	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.003	12.9	812.2	211,919	18	0	0.681	68.9	166	33.4	7.08	-

Scenario

Summary

Name	22:57 - 15 Apr 2020 mDOT LT	Project	elt_lt_repo
Description		Scenario	Jan_MultiDigital_2020
Status	✓ Passed	Load Policy	• The population Mdot_Iconic is customized
Start date	Apr 15, 2020 10:58:00 PM	Stop Policy	• Population Mdot_Iconic: immediate.
End date	Apr 15, 2020 11:22:33 PM		
Duration	00:24:32		
Termination reason	Manual action	Filters	None
LG Hosts	157.250.33.88:443 , 157.250.46.17:443 , 157.250.38.196:443 , 157.250.45.245:443 , 157.250.32.142:443 , 157.250.36.65:443 , 157.250.37.218:443 , 157.250.46.133:443 , 157.250.38.9:443 , 157.250.45.24:443 , 157.250.33.185:443 , 157.250.41.241:443 , 157.250.33.102:443 , 157.250.45.86:443 , 157.250.42.142:443 , 157.250.41.92:443 , 157.250.41.6:443 , 157.250.40.20:443 , 157.250.48.119:443 , 157.250.45.73:443	Debug	Disabled

Populations

Mdot_Iconic

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
7_0225_dc_m_EUP_	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	iPhone 6	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
7_0225_dc_m_EUP_E		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	22:57 - 15 Apr 2020 mDOT LT	Project	elt_it_repo
Description		Scenario	Jan_MultiDigital_2020
Status	✓ Passed	Load Policy	• The population Mdot_Iconic is customized
Start date	Apr 15, 2020 10:58:00 PM		
End date	Apr 15, 2020 11:22:33 PM	Stop Policy	• Population Mdot_Iconic: immediate.
Duration	00:24:32		
Termination reason	Manual action	Filters	None
LG Hosts	157.250.33.88:443 , 157.250.46.17:443 , 157.250.38.196:443 , 157.250.45.245:443 , 157.250.32.142:443 , 157.250.36.65:443 , 157.250.37.218:443 , 157.250.46.133:443 , 157.250.38.9:443 , 157.250.45.24:443 , 157.250.33.185:443 , 157.250.41.241:443 , 157.250.33.102:443 , 157.250.45.86:443 , 157.250.42.142:443 , 157.250.41.92:443 , 157.250.41.6:443 , 157.250.40.20:443 , 157.250.48.119:443 , 157.250.45.73:443	Debug	Disabled

NeoLoad version 6.8.0;build=20190103-16
Graphs granularity Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings



7_0225_dc_m_EUP_Exp_final_final

Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
ss72.vzw.com	443		No
www.verizonwireless.com	443		No
login.verizonwireless.com	443		No
verizonwireless.com	80		No
scache1.vzw.com	443		No
ss7.vzw.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No
ss71.vzw.com	443		No
mobile.vzw.com	443		No


Graphs



Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
Mdot_Iconic	2818698 (100%)	1,913.6	3.77s (0%)	0% (0%)
Global	2818698 (100%)	1,913.6	3.77s	0%




















User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 7_0225_dc_m_EUP_Exp_final_final						
0.199	498.2	1,117	7,068	17	0.2	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

7_0225_dc_m_EUP_Exp_final_final

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 7_0225_dc_m_EUP_Exp_final_final											
0.199	498.2	1,117	7,068	17	0.2	-	-	-	-	-	-
 Init											
0	0	0.001	7,068	0	0	-	-	-	-	-	-
 Actions											
0.59	151	1,059	13,654	15	0.1	-	-	-	-	-	-
 mdot_EUP_Exp_01_Homepage											
0.184	0.294	2.63	20,409	0	0	0.319	0.38	0.47	0.098	0.287	-
 mdot_EUP_Exp_02_SmartPhones											
0.177	0.368	10.99	20,099	0	0	0.281	0.508	1.05	0.668	0.301	-
 mdot_EUP_Exp_03_SelectDeviceAndAddCart											
0.164	0.763	5.82	19,809	7	0	0.688	1.42	1.89	0.283	0.718	-
 mdot_EUP_Exp_04_ZipCode											
0.036	0.064	1.87	19,472	0	0	0.054	0.115	0.16	0.045	0.059	-
 mdot_EUP_Exp_05_UpgradeExistingline											
0.135	0.167	2.19	19,214	0	0	0.16	0.2	0.288	0.05	0.162	-
 mdot_EUP_Exp_06_SignIn1											
0.333	21.1	356.7	18,528	2	0	9.29	85.6	160.8	32.2	16.2	-
 Then											
0.107	20.7	603	17,907	0	0	-	-	-	-	-	-
 Else											
0.029	0.029	0.029	1	0	0	-	-	-	-	-	-
 mdot_EUP_Exp_06A_skipoffer											
0.003	0.003	0.003	1	0	0	0.003	0.003	0.003	0	0	-
 mdot_EUP_Exp_07_UpgradeSelectDevice											
0.166	0.258	3.69	17,735	0	0	0.235	0.395	0.538	0.098	0.248	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	17,735	0	0	-	-	-	-	-	-
 dpp											
0.749	22.1	589.9	17,151	3	0	8.95	90.7	166	35.6	16.5	-
 Then											
-	-	-	-	0	-	-	-	-	-	-	-
 Else											
0	0	0.001	17,148	0	0	-	-	-	-	-	-
 mdot_EUP_Exp_08_TMP											
2.83	24.5	552	16,557	1	0	11.6	94.4	165.7	35.1	19.1	-

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 Then											
5.08	87.2	810	5,560	1	0	-	-	-	-	-	-
📁 mdot_EUP_Exp_09_NoAccessoryNext											
0.999	41.5	633.8	6,186	1	0	21.2	160.5	271.2	58.3	33.1	-
📁 PromoNothanks											
1.56	38.2	538	5,784	0	0	19.1	142.1	261.6	52.2	30.5	-
📁 mdot_EUP_Exp_11_ClickCheckout											
0.902	17.9	524.3	5,560	1	0	6.92	70.9	150.5	30.1	13.2	-
📁 Else											
0	0	0.001	9,924	0	0	-	-	-	-	-	-
📁 Then											
4.07	95.1	825.6	8,081	1	0	-	-	-	-	-	-
📁 mdot_EUP_Exp_09_NoAccessoryNext											
0.862	56.4	812.2	8,973	3	0	31.1	213.9	354.4	76.4	45.8	-
📁 PromoNothanks											
1.26	34.9	601.6	8,360	0	0	16.4	133	239.6	49.8	27.5	-
📁 mdot_EUP_Exp_11_ClickCheckout											
0.932	17.2	535	8,081	0	0	6.39	67.6	141.5	29.6	12.7	-
📁 Else											
0	0	0.001	5,559	0	0	-	-	-	-	-	-
📁 End											
0	0	0.001	4,568	0	0	-	-	-	-	-	-

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

7_0225_dc_m_EUP_Exp_final_final














Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						




7_0225_dc_m_EUP_Exp_final_final

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 7_0225_dc_m_EUP_Exp_final_final						
0.199	498.2	1,117	7,068	17	0.2	-
 Actions						
0.59	151	1,059	13,654	15	0.1	-
 mdot_EUP_Exp_01_Homepage						
0.184	0.294	2.63	20,409	0	0	-
 /						
0.184	0.293	2.63	20,718	0	0	-
 mdot_EUP_Exp_02_SmartPhones						
0.177	0.368	10.99	20,099	0	0	-
 /smartphones/						
0.09	0.239	10.34	20,402	0	0	-
 /t/onedigital/uf/build/chunk.1...a7161083da2d758c6.js						
0.004	0.008	0.265	20,402	0	0	-
 /t/onedigital/uf/build/assets/css/4.min.css						
0.007	0.028	0.566	20,402	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.032	0.052	1.24	20,401	0	0	-
 /gtag/js						
0.016	0.028	1.14	20,401	0	0	-
 /pagead/viewthroughconversion/1052677307/_1						
0.005	0.009	0.43	20,401	0	0	-
 mdot_EUP_Exp_03_SelectDeviceAndAddCart						
0.164	0.763	5.82	19,809	7	0	-
 /smartphones/apple-iphone-11-pro/						
0.15	0.36	2.64	20,094	7	0	-
 /chrome/config/plugins_3/plugins_win.json						
0.308	0.349	5.16	20,081	0	0	-
 /is/image/VerizonWireless/AppI..._Pro_Silver_09102019						
0.002	0.004	0.218	20,080	0	0	-
 /rest/v1/delivery						
0.032	0.049	0.619	20,080	0	0	-
 mdot_EUP_Exp_04_ZipCode						
0.036	0.064	1.87	19,472	0	0	-
 /activityi;dc_pre=CNv_r8Pt6-gC...d0;ord=4367555780079						
0.036	0.064	1.87	19,799	0	0	-
 mdot_EUP_Exp_05_UpgradeExistingline						
0.135	0.167	2.19	19,214	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /vzauth/UI/Login						
0.131	0.162	2.15	19,471	0	0	-
 /pagead/viewthroughconversion/1052677307/_2						
0.002	0.004	0.259	19,471	0	0	-
 mdot_EUP_Exp_06_SignIn1						
0.333	21.1	356.7	18,528	2	0	-
 /vzauth/UI/Login						
0.044	0.064	1.52	19,212	0	0	-
 /vzauth/UI/Login_1						
0.284	21.1	356.6	18,528	2	0	-
 Then						
0.107	20.7	603	17,907	0	0	-
 /vzauth/UI/Login_1						
0.107	20.7	603	17,907	0	0	-
 Else						
0.029	0.029	0.029	1	0	0	-
 /activityi;dc_pre=CIGvm9_t6-gC...d0;ord=9498481517957						
0.026	0.026	0.026	1	0	0	-
 mdot_EUP_Exp_06A_skipoffer						
0.003	0.003	0.003	1	0	0	-
 /pagead/viewthroughconversion/1052677307/_1						
0.003	0.003	0.003	1	0	0	-
 mdot_EUP_Exp_07_UpgradeSelectDevice						
0.166	0.258	3.69	17,735	0	0	-
 /od/cust/mtnDetail/json						
0.162	0.253	3.68	17,903	0	0	-
 /activityi;dc_pre=CNi5hubt6-gC...d0;ord=7377007114986						
0.003	0.005	0.109	17,903	0	0	-
 dpp						
0.749	22.1	589.9	17,151	3	0	-
 /od/cust/auth/protection						
0.613	21.9	589.8	17,154	3	0	-
 /rest/v1/delivery						
0.005	0.009	0.277	17,151	0	0	-
 /activityi;dc_pre=CJ_-9vTt6-gC...bwi00;ord=1;num=9984						
0.002	0.004	0.384	17,151	0	0	-
 /pagead/conversion/1052677307/						
0.005	0.011	0.413	17,150	0	0	-
 /pagead/viewthroughconversion/1052677307/_1						
0.02	0.034	1.17	17,150	0	0	-
 /onereactive/shop/responsive/build/manifest.json						
0.079	0.093	0.547	17,148	0	0	-
 mdot_EUP_Exp_08_TMP						
2.83	24.5	552	16,557	1	0	-
 /od/cust/auth/accessories/						
0.117	20.7	547.2	16,610	1	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
	 /activityi;dc_pre=CPTI9_zt6-gC...d0;ord=5069439580678					
0.006	0.012	0.444	16,609	0	0	-
	 /activityi;dc_pre=CJbhif3t6-gC...bwi00;ord=1;num=7749					
0.004	0.009	0.382	16,609	0	0	-
	 /pagead/viewthroughconversion/1030624533/_2					
2.28	3.69	10.08	16,563	0	0	-
	 /onereactive/shop/responsive/build/manifest.json					
0.079	0.093	0.515	16,563	0	0	-
	 /is/image/VerizonWireless/grip...mount-dms3-1175-iset					
0.029	0.046	0.585	16,563	0	0	-
	 Then					
5.08	87.2	810	5,560	1	0	-
	 mdot_EUP_Exp_09_NoAccessoryNext					
0.999	41.5	633.8	6,186	1	0	-
	 /od/cust/auth/cart/addOrRemoveAccessory					
0.136	22.1	593.3	6,392	0	0	-
	 /activityi;dc_pre=CMfNnoPu6-...d0;ord=7779283362533					
0.002	0.004	0.212	6,392	0	0	-
	 /od/cust/auth/selectPlan					
0.724	20.5	463.6	6,186	1	0	-
	 /rest/v1/delivery					
0.002	0.004	0.083	6,186	0	0	-
	 /activityi;dc_pre=COdbJlfu6-...d0;ord=9989430253108					
0.066	0.078	0.442	6,186	0	0	-
	 /activityi;dc_pre=CJaVnlfu6-...bwi00;ord=1;num=5832					
0.002	0.005	0.133	6,186	0	0	-
	 /content/vzw-engage/c2c/btn....ontainer-mobile.html					
0.022	0.027	1.42	6,186	0	0	-
	 PromoNothanks					
1.56	38.2	538	5,784	0	0	-
	 /activityi;dc_pre=CLOSzo7u6-...d0;ord=7833799915229					
0.04	0.106	8.5	6,186	0	0	-
	 /od/cust/auth/cart/getCartDetails					
1.12	21.2	524.8	5,961	0	0	-
	 /rest/v1/delivery					
0.064	0.073	0.326	5,961	0	0	-
	 /activityi;dc_pre=CInH_JDu6-...d0;ord=3955442120266					
0.002	0.005	0.253	5,961	0	0	-
	 /activityi;dc_pre=CILZgpHu6-...bwi00;ord=1;num=8816					
0.068	0.079	0.478	5,961	0	0	-
	 /pagead/viewthroughconversion/1030624533/_1					
0.089	17.6	374.9	5,784	0	0	-
	 mdot_EUP_Exp_11_ClickCheckout					
0.902	17.9	524.3	5,560	1	0	-
	 /activityi;dc_pre=CN6esZTu6-...d0;ord=5658703974890					
0.672	0.977	55.1	5,782	1	0	-




Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /od/cust/auth/checkout						
0.175	16.9	523.3	5,567	0	0	-
 /activityi;dc_pre=Cl_lzZbu6-...zwvp0;u9=mobile;u12=						
0.003	0.005	0.097	5,567	0	0	-
 /pagead/viewthroughconversion/1030624533/_2						
0.002	0.004	0.102	5,567	0	0	-
 /pagead/viewthroughconversion/1052677307/_1						
0.002	0.004	0.096	5,567	0	0	-
 Then						
4.07	95.1	825.6	8,081	1	0	-
 mdot_EUP_Exp_09_NoAccessoryNext						
0.862	56.4	812.2	8,973	3	0	-
 /od/cust/auth/cart/addOrRemoveAccessory						
0.128	22.2	729.5	9,576	1	0	-
 /activityi;dc_pre=CMfNnoPu6-...d0;ord=7779283362533						
0.002	0.004	0.222	9,576	0	0	-
 /od/cust/auth/selectPlan						
0.621	36.6	632.3	8,975	2	0	-
 /rest/v1/delivery						
0.002	0.004	0.241	8,975	0	0	-
 /activityi;dc_pre=CODbjlfu6-...d0;ord=9989430253108						
0.066	0.078	0.306	8,973	0	0	-
 /activityi;dc_pre=CJaVnlfu6-...bwi00;ord=1;num=5832						
0.002	0.006	0.257	8,973	0	0	-
 /content/vzw-engage/c2c/btn....ontainer-mobile.html						
0.022	0.027	1.54	8,973	0	0	-
 PromoNothanks						
1.26	34.9	601.6	8,360	0	0	-
 /activityi;dc_pre=CLOSzo7u6-...d0;ord=7833799915229						
0.04	0.093	6.07	8,973	0	0	-
 /od/cust/auth/cart/getCartDetails						
0.947	19.5	406.5	8,651	0	0	-
 /rest/v1/delivery						
0.064	0.073	0.172	8,650	0	0	-
 /activityi;dc_pre=ClnH_JDu6-...d0;ord=3955442120266						
0.002	0.004	0.256	8,649	0	0	-
 /activityi;dc_pre=CILZgpHu6-...bwi00;ord=1;num=8816						
0.068	0.079	0.554	8,649	0	0	-
 /pagead/viewthroughconversion/1030624533/_1						
0.087	16.2	389.1	8,360	0	0	-
 mdot_EUP_Exp_11_ClickCheckout						
0.932	17.2	535	8,081	0	0	-
 /activityi;dc_pre=CN6esZTu6-...d0;ord=5658703974890						
0.682	0.955	11.3	8,352	0	0	-
 /od/cust/auth/checkout						
0.18	16.2	533.4	8,088	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /activityi;dc_pre=Cl_lzZbu6-...zwvp0;u9=mobile;u12=						
0.003	0.005	0.172	8,088	0	0	-
 /pagead/viewthroughconversion/1030624533/_2						
0.002	0.004	0.103	8,088	0	0	-
 /pagead/viewthroughconversion/1052677307/_1						
0.002	0.004	0.094	8,088	0	0	-



















Shared Containers

SLA	Value	Severity
Empty list		

7_0225_dc_m_EUP_Exp_final_final

SLA	Value	Severity
 7_0225_dc_m_EUP_Exp_final_final		
 Actions		
 mdot_EUP_Exp_01_Homepage		
 /		
 mdot_EUP_Exp_02_SmartPhones		
 /smartphones/		
 /t/onedigital/uf/build/chunk.1...a7161083da2d758c6.js		
 /t/onedigital/uf/build/assets/css/4.min.css		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /gtag/js		
 /pagead/viewthroughconversion/1052677307/_1		
 mdot_EUP_Exp_03_SelectDeviceAndAddCart		
 /smartphones/apple-iphone-11-pro/		
 /chrome/config/plugins_3/plugins_win.json		
 /is/image/VerizonWireless/Apl..._Pro_Silver_09102019		
 /rest/v1/delivery		
 mdot_EUP_Exp_04_ZipCode		
 /activityi;dc_pre=CNv_r8Pt6-gC...d0;ord=4367555780079		
 mdot_EUP_Exp_05_UpgradeExistingline		
 /vzauth/UI/Login		
 /pagead/viewthroughconversion/1052677307/_2		
 mdot_EUP_Exp_06_SignIn1		
 /vzauth/UI/Login		
 /vzauth/UI/Login_1		
 Then		
 /vzauth/UI/Login_1		
 Else		
 /activityi;dc_pre=CIGvm9_t6-gC...d0;ord=9498481517957		
 mdot_EUP_Exp_06A_skipoffer		
 /pagead/viewthroughconversion/1052677307/_1		
 mdot_EUP_Exp_07_UpgradeSelectDevice		
 /od/cust/mtnDetail/json		
 /activityi;dc_pre=CNi5hubt6-gC...d0;ord=7377007114986		

SLA	Value	Severity
 dpp		
 /od/cust/auth/protection		
 /rest/v1/delivery		
 /activityi;dc_pre=CJ_-9vTt6-gC...bwi00;ord=1;num=9984		
 /pagead/conversion/1052677307/		
 /pagead/viewthroughconversion/1052677307/_1		
 /onereactive/shop/responsive/build/manifest.json		
 mdot_EUP_Exp_08_TMP		
 /od/cust/auth/accessories/		
 /activityi;dc_pre=CPTI9_zt6-gC...d0;ord=5069439580678		
 /activityi;dc_pre=CJbhif3t6-gC...bwi00;ord=1;num=7749		
 /pagead/viewthroughconversion/1030624533/_2		
 /onereactive/shop/responsive/build/manifest.json		
 /is/image/VerizonWireless/grip...mount-dms3-1175-iset		
 Then		
 mdot_EUP_Exp_09_NoAccessoryNext		
 /od/cust/auth/cart/addOrRemoveAccessory		
 /activityi;dc_pre=CMfNnoPu6-...d0;ord=7779283362533		
 /od/cust/auth/selectPlan		
 /rest/v1/delivery		
 /activityi;dc_pre=CODbjlfu6-...d0;ord=9989430253108		
 /activityi;dc_pre=CJaVnlfu6-...bwi00;ord=1;num=5832		
 /content/vzw-engage/c2c/btn....ontainer-mobile.html		
 PromoNothanks		
 /activityi;dc_pre=CLOSzo7u6-...d0;ord=7833799915229		
 /od/cust/auth/cart/getCartDetails		
 /rest/v1/delivery		
 /activityi;dc_pre=ClnH_JDu6-...d0;ord=3955442120266		
 /activityi;dc_pre=CILZgpHu6-...bwi00;ord=1;num=8816		
 /pagead/viewthroughconversion/1030624533/_1		
 mdot_EUP_Exp_11_ClickCheckout		
 /activityi;dc_pre=CN6esZTu6-...d0;ord=5658703974890		
 /od/cust/auth/checkout		
 /activityi;dc_pre=Cl_lzZbu6-...zwvp0;u9=mobile;u12=		
 /pagead/viewthroughconversion/1030624533/_2		
 /pagead/viewthroughconversion/1052677307/_1		
 Then		
 mdot_EUP_Exp_09_NoAccessoryNext		
 /od/cust/auth/cart/addOrRemoveAccessory		
 /activityi;dc_pre=CMfNnoPu6-...d0;ord=7779283362533		

SLA	Value	Severity
 /od/cust/auth/selectPlan		
 /rest/v1/delivery		
 /activityi;dc_pre=CODbjlfu6-...d0;ord=9989430253108		
 /activityi;dc_pre=CJaVnlfu6-...bwi00;ord=1;num=5832		
 /content/vzw-engage/c2c/btn....ontainer-mobile.html		
 PromoNothanks		
 /activityi;dc_pre=CLOSzo7u6-...d0;ord=7833799915229		
 /od/cust/auth/cart/getCartDetails		
 /rest/v1/delivery		
 /activityi;dc_pre=ClnH_JDu6-...d0;ord=3955442120266		
 /activityi;dc_pre=CILZgpHu6-...bwi00;ord=1;num=8816		
 /pagead/viewthroughconversion/1030624533/_1		
 mdot_EUP_Exp_11_ClickCheckout		
 /activityi;dc_pre=CN6esZTu6-...d0;ord=5658703974890		
 /od/cust/auth/checkout		
 /activityi;dc_pre=Cl_lzZbu6-...zwvp0;u9=mobile;u12=		
 /pagead/viewthroughconversion/1030624533/_2		
 /pagead/viewthroughconversion/1052677307/_1		

7_0225_dc_m_EUP_Exp_final_final

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Controller

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	3,408	5,430	3,431	3,474	1,564
Controller/Throughput					
0	418.2	840.8	425.1	418.2	134.6
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
2	3.93	16	4	3.7	1.61
Controller/Memory Used					
3	14.7	27	15	14.6	6.98
Controller/Thread Count					
643	667.5	872	664	664.2	24.2
Controller/Connected					
20	20	20	20	20	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	261.3	3,297	0	176.9	550.5
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - New Jersey/User Load					
0	3,408	5,430	3,431	3,474	1,563
Controller/USA East - New Jersey/Mdot_Iconic/User Load					
0	3,408	5,430	3,431	3,474	1,563
Controller/USA East - New Jersey/Mdot_Iconic/7_0225_dc_m...inal_final/User Load					
0	3,408	5,430	3,431	3,474	1,563

LG 157.250.32.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.32.142:443/CPU Load					
0	8.94	34	8	8.62	3.77
LG 157.250.32.142:443/Memory Used					
1	17.6	33	17	17.6	8.05
LG 157.250.32.142:443/Throughput					
0	21.4	48.4	21.3	21.4	7.81
LG 157.250.32.142:443/User Load					
0	170.8	272	172	174	78.3

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.32.142:443/Thread Count					
21	251.3	362	255	255	90.1
LG 157.250.32.142:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.103	0.005
LG 157.250.32.142:443/Http client/Task Pool used					
0	0.001	0.033	0	0	0.003
LG 157.250.32.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.32.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.32.142:443/Controller Connection/Ping Duration (ms)					
133	168.3	217	162	167.4	28.3
LG 157.250.32.142:443/Network/Segments sent/sec.					
0	825.4	1,769	829	824.4	272.4
LG 157.250.32.142:443/Network/Segments retransmitted/sec.					
0	0.01	1.2	0	0	0.084
LG 157.250.32.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22.4	50.5	22.2	22.4	8.13
LG 157.250.32.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.75	3.29	1.78	1.76	0.556

LG 157.250.33.102:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.102:443/CPU Load					
0	8.64	25	8	8.45	3.28
LG 157.250.33.102:443/Memory Used					
1	17.8	35	17	17.7	8.34
LG 157.250.33.102:443/Throughput					
0	21.1	46.4	20.9	21	7.75
LG 157.250.33.102:443/User Load					
0	170.2	271	173	173.4	78.1
LG 157.250.33.102:443/Thread Count					
20	250	362	249	253.7	89.6
LG 157.250.33.102:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.103	0.006
LG 157.250.33.102:443/Http client/Task Pool used					
0	0.003	0.15	0	0	0.013
LG 157.250.33.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.33.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.33.102:443/Controller Connection/Ping Duration (ms)					
115	157.2	220	144	155.8	31.2
LG 157.250.33.102:443/Network/Segments sent/sec.					
0	805.4	1,790	805.6	803.3	269.3
LG 157.250.33.102:443/Network/Segments retransmitted/sec.					
0	0.014	0.8	0	0	0.087
LG 157.250.33.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22	48.5	21.8	21.9	8.05
LG 157.250.33.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.72	3.63	1.73	1.73	0.546

LG 157.250.33.185:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.185:443/CPU Load					
0	8.26	26	8	8.03	3.36
LG 157.250.33.185:443/Memory Used					
1	17	34	16	16.9	8
LG 157.250.33.185:443/Throughput					
0	20.7	49.4	20.8	20.6	7.72
LG 157.250.33.185:443/User Load					
0	170.2	272	174	173.5	77.7
LG 157.250.33.185:443/Thread Count					
20	250.3	357	263	254.3	88.4
LG 157.250.33.185:443/Http client/Thread Pool used					
0.1	0.103	0.12	0.1	0.102	0.004
LG 157.250.33.185:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 157.250.33.185:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.33.185:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.33.185:443/Controller Connection/Ping Duration (ms)					
111	190.1	219	215	192.7	36
LG 157.250.33.185:443/Network/Segments sent/sec.					
0	796.8	1,949	784.7	791.6	270.1
LG 157.250.33.185:443/Network/Segments retransmitted/sec.					
0	0.005	0.597	0	0	0.043
LG 157.250.33.185:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.5	51.5	21.6	21.4	8
LG 157.250.33.185:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.69	3.37	1.69	1.7	0.542

LG 157.250.33.88:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.88:443/CPU Load					
0	8.63	20	8	8.44	3.11
LG 157.250.33.88:443/Memory Used					
1	17.5	35	17	17.5	8.6
LG 157.250.33.88:443/Throughput					
0	21.1	43.1	20.8	21	7.39
LG 157.250.33.88:443/User Load					
0	170.1	272	172	173.5	77.8
LG 157.250.33.88:443/Thread Count					
20	252	370	253	255.5	90.9
LG 157.250.33.88:443/Http client/Thread Pool used					
0.1	0.103	0.135	0.1	0.102	0.005
LG 157.250.33.88:443/Http client/Task Pool used					
0	0.002	0.2	0	0	0.013
LG 157.250.33.88:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.33.88:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.33.88:443/Controller Connection/Ping Duration (ms)					
90	159.5	267	137	157.4	42.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.33.88:443/Network/Segments sent/sec.					
0	810.6	1,798	814.8	809.7	261.4
LG 157.250.33.88:443/Network/Segments retransmitted/sec.					
0	0.043	9.09	0	0	0.533
LG 157.250.33.88:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22	45	21.7	22	7.69
LG 157.250.33.88:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.72	3.49	1.73	1.73	0.542

LG 157.250.36.65:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.36.65:443/CPU Load					
0	8.79	24	8	8.58	3.29
LG 157.250.36.65:443/Memory Used					
1	17	34	16	16.9	8.22
LG 157.250.36.65:443/Throughput					
0	21.3	46.6	21.6	21.4	7.71
LG 157.250.36.65:443/User Load					
0	170.5	271	172	173.8	78.4
LG 157.250.36.65:443/Thread Count					
21	250.1	360	251	254	88.9
LG 157.250.36.65:443/Http client/Thread Pool used					
0.1	0.104	0.125	0.105	0.104	0.005
LG 157.250.36.65:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.009
LG 157.250.36.65:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.36.65:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.36.65:443/Controller Connection/Ping Duration (ms)					
94	180.3	262	204	180.5	44.9
LG 157.250.36.65:443/Network/Segments sent/sec.					
0	819.8	1,850	826.2	818.5	272.3
LG 157.250.36.65:443/Network/Segments retransmitted/sec.					
0	0.016	2.6	0	0	0.162
LG 157.250.36.65:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22.3	48.6	22.6	22.3	8.02
LG 157.250.36.65:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.75	3.39	1.77	1.76	0.554

LG 157.250.37.218:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.218:443/CPU Load					
0	7.99	22	8	7.82	2.95
LG 157.250.37.218:443/Memory Used					
1	17	34	16	16.9	8.15
LG 157.250.37.218:443/Throughput					
0	20.7	45.3	20.5	20.6	7.59
LG 157.250.37.218:443/User Load					
0	171.1	272	172	174.4	78.6
LG 157.250.37.218:443/Thread Count					
21	252.3	360	263	256.3	90.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.37.218:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.102	0.004
LG 157.250.37.218:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.011
LG 157.250.37.218:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.37.218:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.37.218:443/Controller Connection/Ping Duration (ms)					
90	184.8	223	212	187.7	39.7
LG 157.250.37.218:443/Network/Segments sent/sec.					
0	800.2	1,808	804.2	795.6	270.1
LG 157.250.37.218:443/Network/Segments retransmitted/sec.					
0	0.007	0.4	0	0	0.041
LG 157.250.37.218:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.6	47.3	21.4	21.5	7.92
LG 157.250.37.218:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.7	3.47	1.69	1.7	0.543

LG 157.250.38.196:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.196:443/CPU Load					
0	8.32	24	8	8.1	3.47
LG 157.250.38.196:443/Memory Used					
1	18	34	18	17.9	8.5
LG 157.250.38.196:443/Throughput					
0	20.3	47.9	20.2	20.2	7.9
LG 157.250.38.196:443/User Load					
0	170.2	271	171	173.4	77.9
LG 157.250.38.196:443/Thread Count					
21	250.2	364	260	254	89
LG 157.250.38.196:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.005
LG 157.250.38.196:443/Http client/Task Pool used					
0	0.002	0.15	0	0	0.012
LG 157.250.38.196:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.38.196:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.38.196:443/Controller Connection/Ping Duration (ms)					
89	182.5	253	209	183.3	42.8
LG 157.250.38.196:443/Network/Segments sent/sec.					
0	784	1,921	769.8	779.9	275
LG 157.250.38.196:443/Network/Segments retransmitted/sec.					
0	0.02	3.44	0	0	0.211
LG 157.250.38.196:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.2	50	21.1	21.1	8.21
LG 157.250.38.196:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.66	3.91	1.66	1.67	0.553

LG 157.250.38.9:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.38.9:443/CPU Load					
0	8.39	19	8	8.18	3.37
LG 157.250.38.9:443/Memory Used					
1	17.4	35	17	17.3	8.72
LG 157.250.38.9:443/Throughput					
0	20.5	50.9	20	20.4	7.92
LG 157.250.38.9:443/User Load					
0	170.6	271	173	173.9	78.3
LG 157.250.38.9:443/Thread Count					
21	252.3	360	261	256.3	90.2
LG 157.250.38.9:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.102	0.006
LG 157.250.38.9:443/Http client/Task Pool used					
0	0.003	0.15	0	0	0.016
LG 157.250.38.9:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.38.9:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.38.9:443/Controller Connection/Ping Duration (ms)					
100	149.6	224	136	147.9	29.7
LG 157.250.38.9:443/Network/Segments sent/sec.					
0	792.3	1,746	783.4	788.1	269.4
LG 157.250.38.9:443/Network/Segments retransmitted/sec.					
0	0.049	13	0	0	0.754
LG 157.250.38.9:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.4	53.1	20.9	21.3	8.24
LG 157.250.38.9:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.68	3.59	1.65	1.69	0.555

LG 157.250.40.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.20:443/CPU Load					
0	9.76	27	9	9.56	3.62
LG 157.250.40.20:443/Memory Used					
1	17.9	35	18	17.9	8.27
LG 157.250.40.20:443/Throughput					
0	20.8	46.1	20.6	20.7	7.67
LG 157.250.40.20:443/User Load					
0	169.8	271	171	173	77.9
LG 157.250.40.20:443/Thread Count					
20	251.6	369	253	255.3	90.9
LG 157.250.40.20:443/Http client/Thread Pool used					
0.1	0.102	0.115	0.1	0.101	0.003
LG 157.250.40.20:443/Http client/Task Pool used					
0	0.002	0.117	0	0	0.012
LG 157.250.40.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.40.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.40.20:443/Controller Connection/Ping Duration (ms)					
95	164.6	263	143	163	40.1

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.40.20:443/Network/Segments sent/sec.					
0	801.8	1,745	814.4	799.2	267.8
LG 157.250.40.20:443/Network/Segments retransmitted/sec.					
0	0.024	4.22	0	0	0.256
LG 157.250.40.20:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.7	48.1	21.5	21.6	7.97
LG 157.250.40.20:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.7	3.3	1.72	1.71	0.541

LG 157.250.41.241:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.241:443/CPU Load					
0	9.56	34	9	9.36	3.71
LG 157.250.41.241:443/Memory Used					
1	18.2	33	18	18.2	8.23
LG 157.250.41.241:443/Throughput					
0	21	44	21.6	21	7.7
LG 157.250.41.241:443/User Load					
0	170.3	271	171	173.5	78.1
LG 157.250.41.241:443/Thread Count					
20	250.1	358	261	254	88.6
LG 157.250.41.241:443/Http client/Thread Pool used					
0.1	0.104	0.135	0.1	0.103	0.006
LG 157.250.41.241:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 157.250.41.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.41.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.41.241:443/Controller Connection/Ping Duration (ms)					
93	158	218	151	157.9	33.8
LG 157.250.41.241:443/Network/Segments sent/sec.					
0	798.9	1,777	795	796.4	266.2
LG 157.250.41.241:443/Network/Segments retransmitted/sec.					
0	0.043	8	0	0	0.479
LG 157.250.41.241:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22	46	22.5	21.9	8.01
LG 157.250.41.241:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.72	3.32	1.75	1.73	0.541

LG 157.250.41.6:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.6:443/CPU Load					
0	10.27	29	10	10.08	3.73
LG 157.250.41.6:443/Memory Used					
1	17.7	35	17	17.6	8.5
LG 157.250.41.6:443/Throughput					
0	20.7	42.7	20.6	20.6	7.64
LG 157.250.41.6:443/User Load					
0	170.1	271	171	173.5	78.4
LG 157.250.41.6:443/Thread Count					
20	251.7	362	251	255.6	89.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.6:443/Http client/Thread Pool used					
0.1	0.103	0.14	0.1	0.102	0.006
LG 157.250.41.6:443/Http client/Task Pool used					
0	0.001	0.1	0	0	0.008
LG 157.250.41.6:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.41.6:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.41.6:443/Controller Connection/Ping Duration (ms)					
126	182.9	217	176	184	26.9
LG 157.250.41.6:443/Network/Segments sent/sec.					
0	795.8	1,931	794.2	792.6	269.2
LG 157.250.41.6:443/Network/Segments retransmitted/sec.					
0	0.039	8.38	0	0	0.491
LG 157.250.41.6:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.6	44.5	21.5	21.5	7.93
LG 157.250.41.6:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.7	3.59	1.71	1.71	0.554

LG 157.250.41.92:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.41.92:443/CPU Load					
1	10.85	27	10	10.63	3.96
LG 157.250.41.92:443/Memory Used					
1	18.5	34	18	18.5	8.35
LG 157.250.41.92:443/Throughput					
0	20.9	41.8	20.7	20.8	7.95
LG 157.250.41.92:443/User Load					
0	170.8	272	172	174	78.3
LG 157.250.41.92:443/Thread Count					
20	250.9	363	256	254.6	88.5
LG 157.250.41.92:443/Http client/Thread Pool used					
0.1	0.104	0.14	0.1	0.103	0.007
LG 157.250.41.92:443/Http client/Task Pool used					
0	0.002	0.1	0	0	0.012
LG 157.250.41.92:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.41.92:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.41.92:443/Controller Connection/Ping Duration (ms)					
90	175.1	251	175	175.2	34.7
LG 157.250.41.92:443/Network/Segments sent/sec.					
0	797.3	1,571	799.1	793.5	276.9
LG 157.250.41.92:443/Network/Segments retransmitted/sec.					
0	0.033	5.2	0	0	0.322
LG 157.250.41.92:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.8	43.5	21.8	21.8	8.28
LG 157.250.41.92:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.71	3.24	1.73	1.71	0.545

LG 157.250.42.142:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.42.142:443/CPU Load					
0	9.88	26	9	9.64	3.71
LG 157.250.42.142:443/Memory Used					
1	17	34	16	16.8	8.46
LG 157.250.42.142:443/Throughput					
0	21.3	44.3	21.2	21.2	7.87
LG 157.250.42.142:443/User Load					
0	170.7	272	172	174	78.5
LG 157.250.42.142:443/Thread Count					
20	252.8	367	256	256.5	90.2
LG 157.250.42.142:443/Http client/Thread Pool used					
0.1	0.104	0.145	0.1	0.102	0.007
LG 157.250.42.142:443/Http client/Task Pool used					
0	0.002	0.133	0	0	0.013
LG 157.250.42.142:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.42.142:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.42.142:443/Controller Connection/Ping Duration (ms)					
89	145.7	215	136	144.7	33.2
LG 157.250.42.142:443/Network/Segments sent/sec.					
0	817.9	1,737	820.2	817.1	272.1
LG 157.250.42.142:443/Network/Segments retransmitted/sec.					
0	0.044	10.11	0	0	0.592
LG 157.250.42.142:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22.1	46	22	22.1	8.16
LG 157.250.42.142:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.74	3.57	1.75	1.75	0.557

LG 157.250.45.245:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.245:443/CPU Load					
0	8.44	31	8	8.11	3.76
LG 157.250.45.245:443/Memory Used					
1	17.5	35	17	17.4	8.48
LG 157.250.45.245:443/Throughput					
0	20.5	43.5	20.6	20.4	7.5
LG 157.250.45.245:443/User Load					
0	170.6	272	173	173.9	78
LG 157.250.45.245:443/Thread Count					
20	251.5	366	262	255.2	90.2
LG 157.250.45.245:443/Http client/Thread Pool used					
0.1	0.103	0.12	0.1	0.102	0.004
LG 157.250.45.245:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 157.250.45.245:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.45.245:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.45.245:443/Controller Connection/Ping Duration (ms)					
116	163.4	219	156	162.6	30.5

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.245:443/Network/Segments sent/sec.					
0	790.5	1,824	781.4	787.9	262.6
LG 157.250.45.245:443/Network/Segments retransmitted/sec.					
0	0.052	11.6	0	0	0.684
LG 157.250.45.245:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.4	45.3	21.5	21.3	7.79
LG 157.250.45.245:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.68	3.41	1.69	1.68	0.538

LG 157.250.45.24:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.24:443/CPU Load					
0	8.68	24	8	8.45	3.53
LG 157.250.45.24:443/Memory Used					
1	18.5	36	18	18.5	8.6
LG 157.250.45.24:443/Throughput					
0	20.9	47.8	21.1	20.8	7.85
LG 157.250.45.24:443/User Load					
0	170.2	271	171	173.5	78.1
LG 157.250.45.24:443/Thread Count					
21	250.9	367	254	254.6	90.4
LG 157.250.45.24:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.005
LG 157.250.45.24:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.007
LG 157.250.45.24:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.45.24:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.45.24:443/Controller Connection/Ping Duration (ms)					
92	172.8	214	175	174.7	40.5
LG 157.250.45.24:443/Network/Segments sent/sec.					
0	803	1,853	808.8	800.7	273.2
LG 157.250.45.24:443/Network/Segments retransmitted/sec.					
0	0.036	9.12	0	0	0.534
LG 157.250.45.24:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.8	49.8	22.1	21.7	8.16
LG 157.250.45.24:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.71	3.33	1.72	1.72	0.554

LG 157.250.45.73:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.73:443/CPU Load					
0	9.78	32	9	9.58	3.6
LG 157.250.45.73:443/Memory Used					
1	17.6	35	17	17.5	8.62
LG 157.250.45.73:443/Throughput					
0	20.9	40.9	21.1	20.9	7.58
LG 157.250.45.73:443/User Load					
0	170.3	272	174	173.6	78.1
LG 157.250.45.73:443/Thread Count					
20	250.3	360	255	254.2	88.7

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.73:443/Http client/Thread Pool used					
0.1	0.103	0.125	0.1	0.102	0.005
LG 157.250.45.73:443/Http client/Task Pool used					
0	0.003	0.25	0	0	0.02
LG 157.250.45.73:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.45.73:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.45.73:443/Controller Connection/Ping Duration (ms)					
121	181.9	228	178	182.6	29.5
LG 157.250.45.73:443/Network/Segments sent/sec.					
0	804.6	1,624	795.6	803.4	266.1
LG 157.250.45.73:443/Network/Segments retransmitted/sec.					
0	0.025	4.4	0	0	0.27
LG 157.250.45.73:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22	42.9	22.2	21.9	7.93
LG 157.250.45.73:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.71	3.26	1.69	1.72	0.548

LG 157.250.45.86:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.45.86:443/CPU Load					
0	8.12	32	7	7.81	3.56
LG 157.250.45.86:443/Memory Used					
1	18	35	18	18	8.06
LG 157.250.45.86:443/Throughput					
0	21	46.5	21.1	21	7.69
LG 157.250.45.86:443/User Load					
0	170.9	272	172	174.3	78.5
LG 157.250.45.86:443/Thread Count					
20	252.8	371	262	256.6	91.9
LG 157.250.45.86:443/Http client/Thread Pool used					
0.1	0.102	0.115	0.1	0.101	0.003
LG 157.250.45.86:443/Http client/Task Pool used					
0	0.001	0.117	0	0	0.008
LG 157.250.45.86:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.45.86:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.45.86:443/Controller Connection/Ping Duration (ms)					
96	161.3	217	147	161.6	40.4
LG 157.250.45.86:443/Network/Segments sent/sec.					
0	812.7	1,899	805.4	806	279
LG 157.250.45.86:443/Network/Segments retransmitted/sec.					
0	0.02	4.85	0	0	0.284
LG 157.250.45.86:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.9	48.5	22	21.8	7.98
LG 157.250.45.86:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.72	3.77	1.73	1.72	0.56

LG 157.250.46.133:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.133:443/CPU Load					
0	8.71	26	8	8.41	3.52
LG 157.250.46.133:443/Memory Used					
1	18.9	36	19	18.9	8.74
LG 157.250.46.133:443/Throughput					
0	21.1	52	20.9	21.1	7.64
LG 157.250.46.133:443/User Load					
0	170.1	271	171	173.4	78
LG 157.250.46.133:443/Thread Count					
21	250.1	366	255	253.8	89.1
LG 157.250.46.133:443/Http client/Thread Pool used					
0.1	0.104	0.13	0.1	0.103	0.007
LG 157.250.46.133:443/Http client/Task Pool used					
0	0.002	0.183	0	0	0.014
LG 157.250.46.133:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.46.133:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.46.133:443/Controller Connection/Ping Duration (ms)					
91	166.9	218	174	168.1	45.5
LG 157.250.46.133:443/Network/Segments sent/sec.					
0	815.9	1,982	823.8	812.4	270.3
LG 157.250.46.133:443/Network/Segments retransmitted/sec.					
0	0.008	1.2	0	0	0.077
LG 157.250.46.133:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22.1	54.3	21.8	22	7.96
LG 157.250.46.133:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.73	3.84	1.78	1.74	0.56

LG 157.250.46.17:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.17:443/CPU Load					
0	8.68	32	8	8.41	3.58
LG 157.250.46.17:443/Memory Used					
1	17.2	34	17	17.1	8.3
LG 157.250.46.17:443/Throughput					
0	21.1	44	21.7	21.1	7.57
LG 157.250.46.17:443/User Load					
0	170.4	272	172	173.7	78.1
LG 157.250.46.17:443/Thread Count					
21	253.2	375	251	256.5	91.7
LG 157.250.46.17:443/Http client/Thread Pool used					
0.1	0.103	0.13	0.1	0.102	0.006
LG 157.250.46.17:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.007
LG 157.250.46.17:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.46.17:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.46.17:443/Controller Connection/Ping Duration (ms)					
104	179.7	223	190	181.4	36.8


Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.46.17:443/Network/Segments sent/sec.					
0	815.4	1,943	813.2	812.5	270.7
LG 157.250.46.17:443/Network/Segments retransmitted/sec.					
0	0.021	5.6	0	0	0.327
LG 157.250.46.17:443/Network/eth0 (eth0)/Megabits received/sec.					
0	22.1	46	22.7	22.1	7.88
LG 157.250.46.17:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.73	3.27	1.74	1.74	0.542

LG 157.250.48.119:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 157.250.48.119:443/CPU Load					
0	10.91	28	10	10.7	3.74
LG 157.250.48.119:443/Memory Used					
1	17.3	34	17	17.3	8.57
LG 157.250.48.119:443/Throughput					
0	21	49.9	21.3	20.9	7.3
LG 157.250.48.119:443/User Load					
0	170	271	171	173.4	78.2
LG 157.250.48.119:443/Thread Count					
20	250.2	364	251	254	90.2
LG 157.250.48.119:443/Http client/Thread Pool used					
0.1	0.102	0.12	0.1	0.101	0.004
LG 157.250.48.119:443/Http client/Task Pool used					
0	0.002	0.067	0	0	0.008
LG 157.250.48.119:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 157.250.48.119:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 157.250.48.119:443/Controller Connection/Ping Duration (ms)					
89	166.4	223	174	167.3	40.6
LG 157.250.48.119:443/Network/Segments sent/sec.					
0	800.7	1,799	811.8	800	258.3
LG 157.250.48.119:443/Network/Segments retransmitted/sec.					
0	0.033	5.42	0	0.001	0.322
LG 157.250.48.119:443/Network/eth0 (eth0)/Megabits received/sec.					
0	21.8	52	22.2	21.8	7.57
LG 157.250.48.119:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	1.72	3.73	1.75	1.73	0.542


Average page response time



Min	Average	Max
0.087	3.775	13.403

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



Min	Average	Max
0.029	1.255	131.009

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
0.264	12.869	62.596	10.244	12.565	9.84

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Requests per second



Min	Average	Max
0.6	1,891.7	3,674

Notes: Displays the number of requests per second.


Errors



Min	Average	Max
0	0.1	2

Notes: Displays the number of errors per sampling interval.


Throughput



Min	Average	Max
0	412.02	771.61

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



Min	Average	Max
0.072	3.477	13.403

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.