

Enterprise Global Nav LT



| | |
|----------|--------------------------|
| Date | May 21, 2020 1:41:50 AM |
| Project | EPGNavigation |
| Scenario | Gnav Scenario |
| Comment | |
| Notes | Enterprise Global Nav LT |

| | |
|--------------------------------------------|-----|
| Table of Contents..... | 2 |
| Summary..... | 3 |
| Results summary..... | 3 |
| Statistics Summary..... | 6 |
| Hot spots..... | 8 |
| Errors..... | 8 |
| Alerts..... | 8 |
| General statistics..... | 8 |
| Transaction statistics..... | 8 |
| Execution context..... | 14 |
| Scenario | 9 |
| Servers..... | 19 |
| Cloud..... | 20 |
| Populations..... | 21 |
| User Paths..... | 22 |
| Transactions..... | 23 |
| Pages..... | 25 |
| Requests..... | 26 |
| Media Contents..... | 29 |
| Push messages..... | 24 |
| Monitors..... | 30 |
| Main graphs..... | 115 |
| Average page response time..... | 115 |
| Average request response time..... | 116 |
| Average response time (Transactions)..... | 117 |
| Requests per second..... | 118 |
| Errors..... | 119 |
| Throughput..... | 120 |
| Response time against load..... | 121 |
| Distribution of Transaction Durations..... | 122 |

Summary

Results summary

| | | | |
|---------------------------|--------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------|
| Name | 01:40 - 21 May 2020 1st Main Test on May 20 2020 | Project | EPGNavigation |
| Description | | Scenario | Gnav Scenario |
| Status | ✓ Passed | Load Policy | <ul style="list-style-type: none"> The population Gnav 2.0 (ImageURL) -- Main Run is customized |
| Start date | May 21, 2020 1:41:50 AM | Stop Policy | <ul style="list-style-type: none"> Population Gnav 2.0 (ImageURL) -- Main Run: immediate. |
| End date | May 21, 2020 2:25:25 AM | | |
| Duration | 00:43:34 | Filters | None |
| Termination reason | Manual action | | |
| LG Hosts | 34.94.44.119:443 | Debug | Disabled |
| | , | | |
| | 35.235.119.75:443 | | |
| | , | | |
| | 35.236.105.217:443 | | |
| | , | | |
| | 34.94.8.12:443 | | |
| | , | | |
| | 34.94.51.85:443 | | |
| | , | | |
| | 35.236.98.142:443 | | |
| | , | | |
| | 35.235.74.170:443 | | |
| | , | | |
| | 34.94.70.9:443 | | |
| | , | | |
| | 35.236.79.23:443 | | |
| | , | | |
| | 35.235.90.94:443 | | |
| | , | | |
| | 35.236.33.116:443 | | |
| | , | | |
| | 35.236.81.160:443 | | |
| | , | | |
| | 34.94.7.52:443 | | |
| | , | | |
| | 34.94.190.254:443 | | |
| | , | | |
| | 34.94.26.235:443 | | |
| | , | | |
| | 34.94.158.237:443 | | |
| | , | | |
| | 34.94.184.9:443 | | |
| | , | | |
| | 35.235.102.15:443 | | |
| | , | | |
| | 35.235.78.17:443 | | |
| | , | | |
| | 35.235.72.4:443 | | |
| | , | | |
| | 35.236.54.143:443 | | |
| | , | | |
| | 35.236.119.140:443 | | |
| | , | | |
| | 34.94.132.235:443 | | |
| | , | | |
| | 34.94.13.71:443 | | |
| | , | | |
| | 34.94.40.147:443 | | |
| | , | | |
| | 34.94.237.4:443 | | |
| | , | | |
| | 34.94.248.157:443 | | |
| | , | | |
| | 34.94.24.230:443 | | |
| | , | | |
| | 34.94.246.7:443 | | |
| | , | | |
| | 35.236.88.137:443 | | |
| | , | | |
| | 35.236.32.197:443 | | |
| | , | | |

| | | |
|--------------------|--|--|
| 35.236.108.40:443 | | |
| , | | |
| 35.236.81.42:443 | | |
| , | | |
| 34.94.6.231:443 | | |
| , | | |
| 34.94.108.192:443 | | |
| , | | |
| 34.94.77.233:443 | | |
| , | | |
| 34.94.170.168:443 | | |
| , | | |
| 35.236.58.170:443 | | |
| , | | |
| 34.94.206.132:443 | | |
| , | | |
| 34.94.177.181:443 | | |
| , | | |
| 35.235.104.18:443 | | |
| , | | |
| 35.235.122.114:443 | | |
| , | | |
| 34.94.43.110:443 | | |
| , | | |
| 35.235.126.90:443 | | |
| , | | |
| 34.94.33.203:443 | | |
| , | | |
| 34.94.97.2:443 | | |
| , | | |
| 34.94.180.76:443 | | |
| , | | |
| 35.235.74.239:443 | | |
| , | | |
| 34.94.213.246:443 | | |
| , | | |
| 34.94.152.236:443 | | |
| , | | |
| 104.40.68.231:443 | | |
| , | | |
| 104.40.64.13:443 | | |
| , | | |
| 104.40.67.204:443 | | |
| , | | |
| 104.40.67.219:443 | | |
| , | | |
| 104.40.64.30:443 | | |
| , | | |
| 104.40.69.32:443 | | |
| , | | |
| 104.40.67.136:443 | | |
| , | | |
| 40.112.165.148:443 | | |
| , | | |
| 40.112.165.224:443 | | |
| , | | |
| 104.42.171.120:443 | | |
| , | | |
| 104.40.74.136:443 | | |
| , | | |
| 23.101.204.207:443 | | |
| , | | |
| 104.40.74.146:443 | | |
| , | | |
| 104.40.75.21:443 | | |
| , | | |
| 104.40.75.230:443 | | |
| , | | |
| 104.40.75.237:443 | | |
| , | | |
| 104.40.65.246:443 | | |
| , | | |
| 104.40.75.254:443 | | |
| , | | |
| 23.101.195.245:443 | | |
| , | | |
| 23.101.193.82:443 | | |
| , | | |


| | | |
|--------------------|--|--|
| 23.101.204.105:443 | | |
| , | | |
| 23.101.205.71:443 | | |
| , | | |
| 23.101.205.214:443 | | |
| , | | |
| 104.42.181.172:443 | | |
| , | | |
| 104.42.180.160:443 | | |
| , | | |
| 104.42.178.212:443 | | |
| , | | |
| 104.42.178.175:443 | | |
| , | | |
| 104.42.179.6:443 | | |
| , | | |
| 40.112.160.100:443 | | |
| , | | |
| 104.42.169.174:443 | | |
| , | | |
| 40.112.164.110:443 | | |
| , | | |
| 40.112.164.0:443 | | |
| , | | |
| 40.112.164.217:443 | | |
| , | | |
| 40.112.162.153:443 | | |
| , | | |
| 40.112.163.56:443 | | |
| , | | |
| 40.112.160.178:443 | | |
| , | | |
| 40.112.166.101:443 | | |
| , | | |
| 40.112.172.202:443 | | |
| , | | |
| 40.112.173.110:443 | | |
| , | | |
| 104.42.177.183:443 | | |
| , | | |
| 40.65.109.171:443 | | |
| , | | |
| 40.65.105.11:443 | | |
| , | | |
| 40.65.105.254:443 | | |
| , | | |
| 52.233.72.175:443 | | |
| , | | |
| 40.65.121.126:443 | | |
| , | | |
| 52.151.46.253:443 | | |
| , | | |
| 52.137.79.142:443 | | |
| , | | |
| 40.65.123.161:443 | | |
| , | | |
| 40.65.123.165:443 | | |
| , | | |
| 52.156.127.97:443 | | |
| , | | |
| 40.65.107.214:443 | | |
| , | | |
| 52.183.59.193:443 | | |
| , | | |
| 52.229.52.32:443 | | |
| , | | |
| 13.66.220.114:443 | | |
| , | | |
| 13.77.137.53:443 | | |
| , | | |
| 13.77.180.9:443 | | |
| , | | |
| 52.229.22.23:443 | | |
| , | | |
| 13.77.154.71:443 | | |
| , | | |
| 40.65.124.11:443 | | |
| , | | |

| | | |
|--------------------|--|--|
| 13.66.199.177:443 | | |
| , | | |
| 52.191.167.28:443 | | |
| , | | |
| 13.66.226.120:443 | | |
| , | | |
| 13.77.159.52:443 | | |
| , | | |
| 52.191.187.233:443 | | |
| , | | |
| 52.183.43.64:443 | | |
| , | | |
| 52.229.28.162:443 | | |
| , | | |
| 52.183.71.34:443 | | |
| , | | |
| 52.233.72.152:443 | | |
| , | | |
| 13.66.202.132:443 | | |
| , | | |
| 13.66.219.236:443 | | |
| , | | |
| 52.229.58.237:443 | | |
| , | | |
| 13.77.158.81:443 | | |
| , | | |
| 13.66.227.5:443 | | |
| , | | |
| 52.183.32.75:443 | | |
| , | | |
| 52.191.171.91:443 | | |
| , | | |
| 52.175.239.178:443 | | |
| , | | |
| 52.175.226.35:443 | | |
| , | | |
| 52.175.239.210:443 | | |
| , | | |
| 52.183.6.138:443 | | |
| , | | |
| 52.175.227.151:443 | | |
| , | | |
| 52.229.61.81:443 | | |
| , | | |
| 52.183.43.12:443 | | |
| , | | |
| 52.175.221.133:443 | | |
| , | | |
| 52.233.72.239:443 | | |
| , | | |
| 52.229.18.74:443 | | |
| , | | |
| 52.156.112.244:443 | | |
| , | | |
| 13.66.229.37:443 | | |
| , | | |
| 52.191.164.19:443 | | |
| , | | |
| 52.233.72.86:443 | | |
| , | | |
| 52.158.231.86:443 | | |

Statistics Summary

| | | | | | |
|-----------------------------------|-----------|---|--------------------------------------|-------------|---|
| Total pages | 2874176 | — | Average pages/s | 1,099.1 | — |
| Total requests | 8621643 | — | Average requests/s | 3,297.0 | — |
| Total users launched | 42522 | — | Average Request response time | 1.1 s | — |
| Total iterations completed | 1885137 | — | Average Page response time | 3.25 s | — |
| Total throughput | 99,776 MB | — | Average throughput | 305.24 Mb/s | — |
| Total request errors | 3100 | — | Error rate | 0 % | — |
| Total action errors | 0 | — | Alerts total duration | 0 % | — |

— = No SLA ☀️ = Passed ☁️ = Warning ⚡️ = Failed



Hot spots

Top 5 errors

| User Path | Parent | Page | Count |
|---------------------------------------|-----------------------------------|--------------------------------------------------------|-------|
| dc_M_ HomePage Gnav 2.0 -- (Imageurl) | dc_M_ HomePage Gnav 2.0(Imageurl) | /one-digital/gnav/header/vbg/en....nocloudconfigs.html | 1580 |
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | dc_D_ HomePage Gnav 2.0(Imageurl) | /one-digital/gnav/header/vbg/en....nocloudconfigs.html | 1520 |

Top 5 alerts

| |
|-----------|
| No alerts |
|-----------|

First critical alerts

| |
|-----------|
| No alerts |
|-----------|

Top 5 average response time (Pages)

| User Path | Parent | Page | Duration |
|---------------------------------------|-----------------------------------|--------------------------------------------------------|----------|
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | dc_D_ HomePage Gnav 2.0(Imageurl) | /one-digital/gnav/header/vbg/en....nocloudconfigs.html | 4.88 |
| dc_M_ HomePage Gnav 2.0 -- (Imageurl) | dc_M_ HomePage Gnav 2.0(Imageurl) | /one-digital/gnav/header/vbg/en....nocloudconfigs.html | 4.87 |
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | dc_D_ HomePage Gnav 2.0(Imageurl) | /etc/clientlibs/verizon-atom/ak...ges/verizon-logo.svg | 0.007 |

Top 5 maximum response time (Pages)

| User Path | Parent | Page | Duration |
|---------------------------------------|-----------------------------------|--------------------------------------------------------|----------|
| dc_M_ HomePage Gnav 2.0 -- (Imageurl) | dc_M_ HomePage Gnav 2.0(Imageurl) | /one-digital/gnav/header/vbg/en....nocloudconfigs.html | 40.8 |
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | dc_D_ HomePage Gnav 2.0(Imageurl) | /one-digital/gnav/header/vbg/en....nocloudconfigs.html | 40.4 |
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | dc_D_ HomePage Gnav 2.0(Imageurl) | /etc/clientlibs/verizon-atom/ak...ges/verizon-logo.svg | 1.57 |

Errors

Request errors

| Error Type | Count | Description |
|---------------|-------|--------------------------------------------------------|
| 504 | 3,096 | Gateway Timeout |
| NL-NETWORK-01 | 3 | Miscellaneous I/O error when connecting to the server. |
| Assertions | 1 | Validation of the response failed. |
| Total | 3,100 | Total error count. |

Action errors

| |
|-----------|
| No errors |
|-----------|

Alerts

| |
|-----------|
| No alerts |
|-----------|

General statistics

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|----------------|-------|------|-----------|-------|----------|-------------|
| All User Paths | | | | | | |
| 0.044 | 222.9 | 473 | 42,554 | 3,003 | 7.1 | - |
| All pages | | | | | | |
| 0.001 | 3.25 | 40.8 | 2,874,176 | 3,100 | 0.1 | - |
| All requests | | | | | | |
| 0.001 | 1.1 | 40.8 | 8,621,643 | 3,100 | 0 | - |

Transaction statistics

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------------|------|------|-----------|-------|----------|---------|---------|---------|---------|---------|-------------|
| All Transactions | | | | | | | | | | | |
| 0.038 | 4.86 | 40.8 | 1,885,137 | 3,100 | 0.2 | 2.85 | 16.2 | 20.7 | 5.56 | 4.34 | - |

Scenario

Summary

| | | | |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------|
| Name | 01:40 - 21 May 2020 1st Main Test on May 20 2020 | Project | EPGNavigation |
| Description | | Scenario | Gnav Scenario |
| Status | ✓ Passed | Load Policy | • The population Gnav 2.0 (ImageURL) -- Main Run is customized |
| Start date | May 21, 2020 1:41:50 AM | Stop Policy | • Population Gnav 2.0 (ImageURL) -- Main Run: immediate. |
| End date | May 21, 2020 2:25:25 AM | Filters | None |
| Duration | 00:43:34 | | |
| Termination reason | Manual action | | |
| LG Hosts | 34.94.44.119:443 , 35.235.119.75:443 , 35.236.105.217:443 , 34.94.8.12:443 , 34.94.51.85:443 , 35.236.98.142:443 , 35.235.74.170:443 , 34.94.70.9:443 , 35.236.79.23:443 , 35.235.90.94:443 , 35.236.33.116:443 , 35.236.81.160:443 , 34.94.7.52:443 , 34.94.190.254:443 , 34.94.26.235:443 , 34.94.158.237:443 , 34.94.184.9:443 , 35.235.102.15:443 , 35.235.78.17:443 , 35.235.72.4:443 , 35.236.54.143:443 , 35.236.119.140:443 , 34.94.132.235:443 , 34.94.13.71:443 , 34.94.40.147:443 , 34.94.237.4:443 , 34.94.248.157:443 , 34.94.24.230:443 , 34.94.246.7:443 , 35.236.88.137:443 , | Debug | Disabled |

35.236.32.197:443
,
35.236.108.40:443
,
35.236.81.42:443
,
34.94.6.231:443
,
34.94.108.192:443
,
34.94.77.233:443
,
34.94.170.168:443
,
35.236.58.170:443
,
34.94.206.132:443
,
34.94.177.181:443
,
35.235.104.18:443
,
35.235.122.114:443
,
34.94.43.110:443
,
35.235.126.90:443
,
34.94.33.203:443
,
34.94.97.2:443
,
34.94.180.76:443
,
35.235.74.239:443
,
34.94.213.246:443
,
34.94.152.236:443
,
104.40.68.231:443
,
104.40.64.13:443
,
104.40.67.204:443
,
104.40.67.219:443
,
104.40.64.30:443
,
104.40.69.32:443
,
104.40.67.136:443
,
40.112.165.148:443
,
40.112.165.224:443
,
104.42.171.120:443
,
104.40.74.136:443
,
23.101.204.207:443
,
104.40.74.146:443
,
104.40.75.21:443
,
104.40.75.230:443
,
104.40.75.237:443
,
104.40.65.246:443
,
104.40.75.254:443
,
23.101.195.245:443
,

| | | |
|--------------------|--|--|
| 23.101.193.82:443 | | |
| , | | |
| 23.101.204.105:443 | | |
| , | | |
| 23.101.205.71:443 | | |
| , | | |
| 23.101.205.214:443 | | |
| , | | |
| 104.42.181.172:443 | | |
| , | | |
| 104.42.180.160:443 | | |
| , | | |
| 104.42.178.212:443 | | |
| , | | |
| 104.42.178.175:443 | | |
| , | | |
| 104.42.179.6:443 | | |
| , | | |
| 40.112.160.100:443 | | |
| , | | |
| 104.42.169.174:443 | | |
| , | | |
| 40.112.164.110:443 | | |
| , | | |
| 40.112.164.0:443 | | |
| , | | |
| 40.112.164.217:443 | | |
| , | | |
| 40.112.162.153:443 | | |
| , | | |
| 40.112.163.56:443 | | |
| , | | |
| 40.112.160.178:443 | | |
| , | | |
| 40.112.166.101:443 | | |
| , | | |
| 40.112.172.202:443 | | |
| , | | |
| 40.112.173.110:443 | | |
| , | | |
| 104.42.177.183:443 | | |
| , | | |
| 40.65.109.171:443 | | |
| , | | |
| 40.65.105.11:443 | | |
| , | | |
| 40.65.105.254:443 | | |
| , | | |
| 52.233.72.175:443 | | |
| , | | |
| 40.65.121.126:443 | | |
| , | | |
| 52.151.46.253:443 | | |
| , | | |
| 52.137.79.142:443 | | |
| , | | |
| 40.65.123.161:443 | | |
| , | | |
| 40.65.123.165:443 | | |
| , | | |
| 52.156.127.97:443 | | |
| , | | |
| 40.65.107.214:443 | | |
| , | | |
| 52.183.59.193:443 | | |
| , | | |
| 52.229.52.32:443 | | |
| , | | |
| 13.66.220.114:443 | | |
| , | | |
| 13.77.137.53:443 | | |
| , | | |
| 13.77.180.9:443 | | |
| , | | |
| 52.229.22.23:443 | | |
| , | | |
| 13.77.154.71:443 | | |
| , | | |

| | | |
|--------------------|--|--|
| 40.65.124.11:443 | | |
| , | | |
| 13.66.199.177:443 | | |
| , | | |
| 52.191.167.28:443 | | |
| , | | |
| 13.66.226.120:443 | | |
| , | | |
| 13.77.159.52:443 | | |
| , | | |
| 52.191.187.233:443 | | |
| , | | |
| 52.183.43.64:443 | | |
| , | | |
| 52.229.28.162:443 | | |
| , | | |
| 52.183.71.34:443 | | |
| , | | |
| 52.233.72.152:443 | | |
| , | | |
| 13.66.202.132:443 | | |
| , | | |
| 13.66.219.236:443 | | |
| , | | |
| 52.229.58.237:443 | | |
| , | | |
| 13.77.158.81:443 | | |
| , | | |
| 13.66.227.5:443 | | |
| , | | |
| 52.183.32.75:443 | | |
| , | | |
| 52.191.171.91:443 | | |
| , | | |
| 52.175.239.178:443 | | |
| , | | |
| 52.175.226.35:443 | | |
| , | | |
| 52.175.239.210:443 | | |
| , | | |
| 52.183.6.138:443 | | |
| , | | |
| 52.175.227.151:443 | | |
| , | | |
| 52.229.61.81:443 | | |
| , | | |
| 52.183.43.12:443 | | |
| , | | |
| 52.175.221.133:443 | | |
| , | | |
| 52.233.72.239:443 | | |
| , | | |
| 52.229.18.74:443 | | |
| , | | |
| 52.156.112.244:443 | | |
| , | | |
| 13.66.229.37:443 | | |
| , | | |
| 52.191.164.19:443 | | |
| , | | |
| 52.233.72.86:443 | | |
| , | | |
| 52.158.231.86:443 | | |

Populations

Gnav 2.0 (ImageURL) -- Main Run

| User Path | Percentage | WAN Emulation | Signal strength | Bandwidth # | Latency # | Packet loss % # | Bandwidth # | Latency # | Packet loss % # | Browser | Handle cookies | Connection | Handle cache |
|--------------------------------------------|------------|---------------|-----------------|-------------|-----------|-----------------|-------------|-----------|-----------------|----------|----------------|------------|--------------|
| dc_M_HomePage Gnav 2.0 -- (Imageurl) | 50.0% | Unlimited | | Unlimited | 0ms | 0% | Unlimited | 0ms | 0% | iPhone 6 | Yes | 6 | New user |

| User Path | Percentage | WAN Emulation | Signal strength | Bandwidth # | Latency # | Packet loss % # | Bandwidth # | Latency # | Packet loss % # | Browser | Handle cookies | Connection | Handle cache |
|---------------------------------------------|------------|---------------|-----------------|-------------|-----------|-----------------|-------------|-----------|-----------------|-------------|----------------|------------|--------------|
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | 50.0% | Unlimited | | Unlimited | 0ms | 0% | Unlimited | 0ms | 0% | Chrome 37.0 | Yes | 6 | New user |

User Paths

| Name | Description | On failed assertion | On error | Think time | Thinktime range |
|---------------------------------------------|-------------|--------------------------|------------|------------|-----------------|
| dc_M_ HomePage Gnav 2.0 -- (Imageurl) | | Go to the next iteration | Do nothing | 0ms | 0% |
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | | Go to the next iteration | Do nothing | 0ms | 0% |

Rendezvous

| Enabled | Name | Policy | Value | Timeout |
|------------|------|--------|-------|---------|
| Empty list | | | | |

Execution context

| | | | |
|---------------------------|--------------------------------------------------|--------------------|----------------------------------------------------------------|
| Name | 01:40 - 21 May 2020 1st Main Test on May 20 2020 | Project | EPGNavigation |
| Description | | Scenario | Gnav Scenario |
| Status | ✓ Passed | Load Policy | • The population Gnav 2.0 (ImageURL) -- Main Run is customized |
| Start date | May 21, 2020 1:41:50 AM | Stop Policy | • Population Gnav 2.0 (ImageURL) -- Main Run: immediate. |
| End date | May 21, 2020 2:25:25 AM | | |
| Duration | 00:43:34 | Filters | None |
| Termination reason | Manual action | | |
| LG Hosts | 34.94.44.119:443 | Debug | Disabled |
| | , | | |
| | 35.235.119.75:443 | | |
| | , | | |
| | 35.236.105.217:443 | | |
| | , | | |
| | 34.94.8.12:443 | | |
| | , | | |
| | 34.94.51.85:443 | | |
| | , | | |
| | 35.236.98.142:443 | | |
| | , | | |
| | 35.235.74.170:443 | | |
| | , | | |
| | 34.94.70.9:443 | | |
| | , | | |
| | 35.236.79.23:443 | | |
| | , | | |
| | 35.235.90.94:443 | | |
| | , | | |
| | 35.236.33.116:443 | | |
| | , | | |
| | 35.236.81.160:443 | | |
| | , | | |
| | 34.94.7.52:443 | | |
| | , | | |
| | 34.94.190.254:443 | | |
| | , | | |
| | 34.94.26.235:443 | | |
| | , | | |
| | 34.94.158.237:443 | | |
| | , | | |
| | 34.94.184.9:443 | | |
| | , | | |
| | 35.235.102.15:443 | | |
| | , | | |
| | 35.235.78.17:443 | | |
| | , | | |
| | 35.235.72.4:443 | | |
| | , | | |
| | 35.236.54.143:443 | | |
| | , | | |
| | 35.236.119.140:443 | | |
| | , | | |
| | 34.94.132.235:443 | | |
| | , | | |
| | 34.94.13.71:443 | | |
| | , | | |
| | 34.94.40.147:443 | | |
| | , | | |
| | 34.94.237.4:443 | | |
| | , | | |
| | 34.94.248.157:443 | | |
| | , | | |
| | 34.94.24.230:443 | | |
| | , | | |
| | 34.94.246.7:443 | | |
| | , | | |
| | 35.236.88.137:443 | | |
| | , | | |
| | 35.236.32.197:443 | | |
| | , | | |
| | 35.236.108.40:443 | | |

| | | | |
|---|--------------------|--|--|
| , | 35.236.81.42:443 | | |
| , | 34.94.6.231:443 | | |
| , | 34.94.108.192:443 | | |
| , | 34.94.77.233:443 | | |
| , | 34.94.170.168:443 | | |
| , | 35.236.58.170:443 | | |
| , | 34.94.206.132:443 | | |
| , | 34.94.177.181:443 | | |
| , | 35.235.104.18:443 | | |
| , | 35.235.122.114:443 | | |
| , | 34.94.43.110:443 | | |
| , | 35.235.126.90:443 | | |
| , | 34.94.33.203:443 | | |
| , | 34.94.97.2:443 | | |
| , | 34.94.180.76:443 | | |
| , | 35.235.74.239:443 | | |
| , | 34.94.213.246:443 | | |
| , | 34.94.152.236:443 | | |
| , | 104.40.68.231:443 | | |
| , | 104.40.64.13:443 | | |
| , | 104.40.67.204:443 | | |
| , | 104.40.67.219:443 | | |
| , | 104.40.64.30:443 | | |
| , | 104.40.69.32:443 | | |
| , | 104.40.67.136:443 | | |
| , | 40.112.165.148:443 | | |
| , | 40.112.165.224:443 | | |
| , | 104.42.171.120:443 | | |
| , | 104.40.74.136:443 | | |
| , | 23.101.204.207:443 | | |
| , | 104.40.74.146:443 | | |
| , | 104.40.75.21:443 | | |
| , | 104.40.75.230:443 | | |
| , | 104.40.75.237:443 | | |
| , | 104.40.65.246:443 | | |
| , | 104.40.75.254:443 | | |
| , | 23.101.195.245:443 | | |
| , | 23.101.193.82:443 | | |
| , | 23.101.204.105:443 | | |

| | | | |
|---|--------------------|--|--|
| , | 23.101.205.71:443 | | |
| , | 23.101.205.214:443 | | |
| , | 104.42.181.172:443 | | |
| , | 104.42.180.160:443 | | |
| , | 104.42.178.212:443 | | |
| , | 104.42.178.175:443 | | |
| , | 104.42.179.6:443 | | |
| , | 40.112.160.100:443 | | |
| , | 104.42.169.174:443 | | |
| , | 40.112.164.110:443 | | |
| , | 40.112.164.0:443 | | |
| , | 40.112.164.217:443 | | |
| , | 40.112.162.153:443 | | |
| , | 40.112.163.56:443 | | |
| , | 40.112.160.178:443 | | |
| , | 40.112.166.101:443 | | |
| , | 40.112.172.202:443 | | |
| , | 40.112.173.110:443 | | |
| , | 104.42.177.183:443 | | |
| , | 40.65.109.171:443 | | |
| , | 40.65.105.11:443 | | |
| , | 40.65.105.254:443 | | |
| , | 52.233.72.175:443 | | |
| , | 40.65.121.126:443 | | |
| , | 52.151.46.253:443 | | |
| , | 52.137.79.142:443 | | |
| , | 40.65.123.161:443 | | |
| , | 40.65.123.165:443 | | |
| , | 52.156.127.97:443 | | |
| , | 40.65.107.214:443 | | |
| , | 52.183.59.193:443 | | |
| , | 52.229.52.32:443 | | |
| , | 13.66.220.114:443 | | |
| , | 13.77.137.53:443 | | |
| , | 13.77.180.9:443 | | |
| , | 52.229.22.23:443 | | |
| , | 13.77.154.71:443 | | |
| , | 40.65.124.11:443 | | |
| , | 13.66.199.177:443 | | |

| | | | |
|---|--------------------|--|--|
| , | 52.191.167.28:443 | | |
| , | 13.66.226.120:443 | | |
| , | 13.77.159.52:443 | | |
| , | 52.191.187.233:443 | | |
| , | 52.183.43.64:443 | | |
| , | 52.229.28.162:443 | | |
| , | 52.183.71.34:443 | | |
| , | 52.233.72.152:443 | | |
| , | 13.66.202.132:443 | | |
| , | 13.66.219.236:443 | | |
| , | 52.229.58.237:443 | | |
| , | 13.77.158.81:443 | | |
| , | 13.66.227.5:443 | | |
| , | 52.183.32.75:443 | | |
| , | 52.191.171.91:443 | | |
| , | 52.175.239.178:443 | | |
| , | 52.175.226.35:443 | | |
| , | 52.175.239.210:443 | | |
| , | 52.183.6.138:443 | | |
| , | 52.175.227.151:443 | | |
| , | 52.229.61.81:443 | | |
| , | 52.183.43.12:443 | | |
| , | 52.175.221.133:443 | | |
| , | 52.233.72.239:443 | | |
| , | 52.229.18.74:443 | | |
| , | 52.156.112.244:443 | | |
| , | 13.66.229.37:443 | | |
| , | 52.191.164.19:443 | | |
| , | 52.233.72.86:443 | | |
| , | 52.158.231.86:443 | | |

NeoLoad version
Graphs granularity

6.8.0;build=20190103-16
Standard

Application proxy

| Name | Description |
|------------|-------------|
| Empty list | |

Zone application proxies

| Zone | Name | Description |
|------------|------|-------------|
| Empty list | | |

Constant variables

| Name | Value | Description |
|------------|-------|-------------|
| Empty list | | |

User Paths settings



| | |
|----------------------------------------------|--------------------------|
| dc_M_ HomePage Gnav 2.0 -- (Imageurl) | |
| Error policy: | Do nothing |
| Assertion policy: | Go to the next iteration |
| Thinktime policy: | replaced by 0ms. |
| Pacing: | No pacing |
| dc_D_ HomePage Gnav 2.0 -- (Imageurl) | |
| Error policy: | Do nothing |
| Assertion policy: | Go to the next iteration |
| Thinktime policy: | replaced by 0ms. |
| Pacing: | No pacing |

Servers

Servers

| Host | Port | HTTP/2 ready | HTTP/2 used |
|-----------------|------|--------------|-------------|
| www.verizon.com | 443 | | No |



Graphs



Statistics

| Zone | Cloud Provider | Load Generators | Total requests | Average requests/s | Avg. Page res. time | Error rate |
|---------------------------------------|-----------------------|-----------------|-----------------|--------------------|---------------------|---------------|
| USA West - California (Los Angeles 1) | Microsoft Azure | 50 | 3078005 (35.7%) | 1,177.1 | 3.65s (+12%) | 0% (-10.01%) |
| USA West - California (Los Angeles 2) | Google Compute Engine | 50 | 3077948 (35.7%) | 1,177.0 | 3.52s (+8.05%) | 0% (-34.13%) |
| USA West - California (San Francisco) | Microsoft Azure | 40 | 2465690 (28.6%) | 942.9 | 2.44s (-24.98%) | 0.1% (+55.1%) |
| Global | | 140 | 8621643 (100%) | 3,297.0 | 3.25s | 0% |



Graphs



Statistics

| Population | Total requests | Average requests/s | Avg. Page res. time | Error rate |
|---------------------------------|----------------|--------------------|---------------------|------------|
| Gnav 2.0 (ImageURL) -- Main Run | 8621643 (100%) | 3,297.0 | 3.25s (0%) | 0% (0%) |
| Global | 8621643 (100%) | 3,297.0 | 3.25s | 0% |






User Paths

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|-------------------------------------------------------------------------------------------------------------------------|-------|-------|--------|-------|----------|-------------|
|  dc_D_ HomePage Gnav 2.0 -- (ImageUrl) | | | | | | |
| 0.045 | 223.2 | 473 | 21,276 | 1,472 | 6.9 | - |
|  dc_M_ HomePage Gnav 2.0 -- (ImageUrl) | | | | | | |
| 0.044 | 222.5 | 463.1 | 21,278 | 1,531 | 7.2 | - |






Shared Containers

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------|-----|-----|-------|-----|----------|---------|---------|---------|---------|---------|-------------|
| Empty list | | | | | | | | | | | |

dc_D_ HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|-------------------------------------------------------------------------------------------------------------------------|-------|-------|---------|-------|----------|---------|---------|---------|---------|---------|-------------|
|  dc_D_ HomePage Gnav 2.0 -- (Imageurl) | | | | | | | | | | | |
| 0.045 | 223.2 | 473 | 21,276 | 1,472 | 6.9 | - | - | - | - | - | - |
|  Init | | | | | | | | | | | |
| 0 | 0 | 0.001 | 21,257 | 0 | 0 | - | - | - | - | - | - |
|  Actions | | | | | | | | | | | |
| 0.04 | 4.87 | 40.4 | 943,050 | 1,520 | 0.2 | - | - | - | - | - | - |
|  dc_D_ HomePage Gnav 2.0(Imageurl) | | | | | | | | | | | |
| 0.04 | 4.87 | 40.4 | 943,050 | 1,520 | 0.2 | 2.86 | 16.2 | 20.7 | 5.57 | 4.35 | - |
|  End | | | | | | | | | | | |
| 0 | 0 | 0.001 | 21,276 | 0 | 0 | - | - | - | - | - | - |

dc_M_ HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---------------------------------------------------------------------------------------------------------------------------|-------|-------|---------|-------|----------|---------|---------|---------|---------|---------|-------------|
|  dc_M_ HomePage Gnav 2.0 -- (Imageurl) | | | | | | | | | | | |
| 0.044 | 222.5 | 463.1 | 21,278 | 1,531 | 7.2 | - | - | - | - | - | - |
|  Init | | | | | | | | | | | |
| 0 | 0 | 0.001 | 21,265 | 0 | 0 | - | - | - | - | - | - |
|  Actions | | | | | | | | | | | |
| 0.038 | 4.85 | 40.8 | 942,087 | 1,580 | 0.2 | - | - | - | - | - | - |
|  dc_M_ HomePage Gnav 2.0(Imageurl) | | | | | | | | | | | |
| 0.038 | 4.85 | 40.8 | 942,087 | 1,580 | 0.2 | 2.84 | 16.2 | 20.6 | 5.55 | 4.33 | - |
|  End | | | | | | | | | | | |
| 0 | 0 | 0.001 | 21,278 | 0 | 0 | - | - | - | - | - | - |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

dc_D_HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |






dc_M_HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |





Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

dc_D_ HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|-----------------------------------------------------------------------------------------------------------------------------------------|-------|------|---------|-------|----------|-------------|
|  dc_D_ HomePage Gnav 2.0 -- (Imageurl) | | | | | | |
| 0.045 | 223.2 | 473 | 21,276 | 1,472 | 6.9 | - |
|  Actions | | | | | | |
| 0.04 | 4.87 | 40.4 | 943,050 | 1,520 | 0.2 | - |
|  dc_D_ HomePage Gnav 2.0(Imageurl) | | | | | | |
| 0.04 | 4.87 | 40.4 | 943,050 | 1,520 | 0.2 | - |
|  /one-digital/gnav/header/vbg/e....nocloudconfigs.html | | | | | | |
| 0.038 | 4.88 | 40.4 | 958,461 | 1,520 | 0.2 | - |
|  /etc/clientlibs/verizon-atom/a...ges/verizon-logo.svg | | | | | | |
| 0.001 | 0.007 | 1.57 | 958,457 | 0 | 0 | - |











dc_M_ HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|---------|-------|----------|-------------|
|  dc_M_ HomePage Gnav 2.0 -- (Imageurl) | | | | | | |
| 0.044 | 222.5 | 463.1 | 21,278 | 1,531 | 7.2 | - |
|  Actions | | | | | | |
| 0.038 | 4.85 | 40.8 | 942,087 | 1,580 | 0.2 | - |
|  dc_M_ HomePage Gnav 2.0(Imageurl) | | | | | | |
| 0.038 | 4.85 | 40.8 | 942,087 | 1,580 | 0.2 | - |
|  /one-digital/gnav/header/vbg/e....nocloudconfigs.html | | | | | | |
| 0.038 | 4.87 | 40.8 | 957,258 | 1,580 | 0.2 | - |








Shared Containers


| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

dc_D_ HomePage Gnav 2.0 -- (Imageurl)

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------|------|---------|-------|----------|-------------|
|  dc_D_ HomePage Gnav 2.0 -- (Imageurl) | | | | | | |
| 0.045 | 223.2 | 473 | 21,276 | 1,472 | 6.9 | - |
|  Actions | | | | | | |
| 0.04 | 4.87 | 40.4 | 943,050 | 1,520 | 0.2 | - |
|  dc_D_ HomePage Gnav 2.0(Imageurl) | | | | | | |
| 0.04 | 4.87 | 40.4 | 943,050 | 1,520 | 0.2 | - |
|  /one-digital/gnav/header/vbg/e....nocloudconfigs.html | | | | | | |
| 0.038 | 4.88 | 40.4 | 958,461 | 1,520 | 0.2 | - |
|  /one-digital/gnav/header/vbg....nocloudconfigs.html | | | | | | |
| 0.028 | 4.89 | 40.4 | 962,540 | 1,518 | 0.2 | - |
|  /etc/clientlibs/verizon-atom...ges/verizon-logo.svg | | | | | | |
| 0.002 | 0.022 | 1.62 | 956,954 | 0 | 0 | - |
|  /etc/designs/vzwcom/localization.js | | | | | | |
| 0.001 | 0.009 | 2.08 | 956,954 | 2 | 0 | - |
|  /etc/designs/vzwcom/gnav20.js | | | | | | |
| 0.002 | 0.023 | 1.79 | 956,944 | 0 | 0 | - |
|  /etc/clientlibs/verizon-atom/a...ges/verizon-logo.svg | | | | | | |
| 0.001 | 0.007 | 1.57 | 958,457 | 0 | 0 | - |
|  /etc/clientlibs/verizon-atom...ges/verizon-logo.svg | | | | | | |
| 0.001 | 0.007 | 1.57 | 958,460 | 0 | 0 | - |

dc_M_ HomePage Gnav 2.0 -- (Imageurl)











| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|---------|-------|----------|-------------|
|  dc_M_ HomePage Gnav 2.0 -- (Imageurl) | | | | | | |
| 0.044 | 222.5 | 463.1 | 21,278 | 1,531 | 7.2 | - |
|  Actions | | | | | | |
| 0.038 | 4.85 | 40.8 | 942,087 | 1,580 | 0.2 | - |
|  dc_M_ HomePage Gnav 2.0(Imageurl) | | | | | | |
| 0.038 | 4.85 | 40.8 | 942,087 | 1,580 | 0.2 | - |
|  /one-digital/gnav/header/vbg/e....nocloudconfigs.html | | | | | | |
| 0.038 | 4.87 | 40.8 | 957,258 | 1,580 | 0.2 | - |
|  /one-digital/gnav/header/vbg....nocloudconfigs.html | | | | | | |
| 0.028 | 4.88 | 40.8 | 962,707 | 1,579 | 0.2 | - |
|  /etc/clientlibs/verizon-atom...ges/verizon-logo.svg | | | | | | |
| 0.001 | 0.022 | 1.71 | 955,701 | 0 | 0 | - |
|  /etc/designs/vzwcom/localization.js | | | | | | |
| 0.001 | 0.009 | 2.08 | 955,699 | 1 | 0 | - |

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|-----------------------------------------------------------------------------------------------------------------|-------|------|---------|-----|----------|-------------|
|  /etc/designs/vzwcom/gnav20.js | | | | | | |
| 0.002 | 0.023 | 1.79 | 955,684 | 0 | 0 | - |









Shared Containers

| SLA | Value | Severity |
|------------|-------|----------|
| Empty list | | |

dc_D_ HomePage Gnav 2.0 -- (ImageUrl)

| SLA | Value | Severity |
|-----------------------------------------------------------------------------------------------------------------------------------------|-------|----------|
|  dc_D_ HomePage Gnav 2.0 -- (ImageUrl) | | |
|  Actions | | |
|  dc_D_ HomePage Gnav 2.0(Imageurl) | | |
|  /one-digital/gnav/header/vbg/e....nocloudconfigs.html | | |
|  /one-digital/gnav/header/vbg....nocloudconfigs.html | | |
|  /etc/clientlibs/verizon-atom...ges/verizon-logo.svg | | |
|  /etc/designs/vzwcom/localization.js | | |
|  /etc/designs/vzwcom/gnav20.js | | |
|  /etc/clientlibs/verizon-atom/a...ges/verizon-logo.svg | | |
|  /etc/clientlibs/verizon-atom...ges/verizon-logo.svg | | |

dc_M_ HomePage Gnav 2.0 -- (ImageUrl)

| SLA | Value | Severity |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------|----------|
|  dc_M_ HomePage Gnav 2.0 -- (ImageUrl) | | |
|  Actions | | |
|  dc_M_ HomePage Gnav 2.0(Imageurl) | | |
|  /one-digital/gnav/header/vbg/e....nocloudconfigs.html | | |
|  /one-digital/gnav/header/vbg....nocloudconfigs.html | | |
|  /etc/clientlibs/verizon-atom...ges/verizon-logo.svg | | |
|  /etc/designs/vzwcom/localization.js | | |
|  /etc/designs/vzwcom/gnav20.js | | |

dc_D_HomePage Gnav 2.0 -- (Imageurl)

| Count | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|------------|--------|---------|-------------|--------------|-----------|----------------------|
| Empty list | | | | | | |

dc_M_HomePage Gnav 2.0 -- (Imageurl)

| Count | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|------------|--------|---------|-------------|--------------|-----------|----------------------|
| Empty list | | | | | | |

Controller

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------------------------------|--------|--------|--------|---------|---------|
| Controller/User Load | | | | | |
| 0 | 21,905 | 42,536 | 20,000 | 22,033 | 12,677 |
| Controller/Throughput | | | | | |
| 0 | 303.8 | 725.5 | 302.1 | 301.2 | 181.2 |
| Controller/Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Critical Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Warning Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/CPU Load | | | | | |
| 1 | 13.6 | 62 | 5 | 13.2 | 11.4 |
| Controller/Memory Used | | | | | |
| 2 | 12 | 22 | 12 | 12 | 5.83 |
| Controller/Thread Count | | | | | |
| 1,032 | 1,296 | 6,311 | 1,173 | 1,177 | 746 |
| Controller/Connected | | | | | |
| 140 | 140 | 140 | 140 | 140 | 0 |
| Controller/Total Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Total Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Network/Segments sent/sec. | | | | | |
| 6,905 | 16,410 | 22,824 | 16,303 | 16,438 | 2,188 |
| Controller/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/NeoLoad Web/Megabits received/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/NeoLoad Web/Megabits sent/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Default zone/User Load | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/USA West - California (Los Angeles 2)/User Load | | | | | |
| 0 | 7,850 | 15,183 | 7,140 | 7,898 | 4,536 |
| Controller/USA West - California (Los Angeles 2)/Gnav 2....- Main Run/User Load | | | | | |
| 0 | 7,850 | 15,183 | 7,140 | 7,898 | 4,536 |
| Controller/USA West - California (Los Angeles 2)/Gnav 2....(ImageUrl)/User Load | | | | | |
| 0 | 3,926 | 7,589 | 3,568 | 3,949 | 2,268 |
| Controller/USA West - California (Los Angeles 2)/Gnav 2....(ImageUrl)/User Load | | | | | |
| 0 | 3,925 | 7,594 | 3,572 | 3,949 | 2,268 |
| Controller/USA West - California (San Francisco)/User Load | | | | | |
| 0 | 6,278 | 12,156 | 5,716 | 6,316 | 3,636 |
| Controller/USA West - California (San Francisco)/Gnav 2....- Main Run/User Load | | | | | |
| 0 | 6,278 | 12,156 | 5,716 | 6,316 | 3,636 |
| Controller/USA West - California (San Francisco)/Gnav 2....(ImageUrl)/User Load | | | | | |
| 0 | 3,139 | 6,078 | 2,857 | 3,158 | 1,818 |
| Controller/USA West - California (San Francisco)/Gnav 2....(ImageUrl)/User Load | | | | | |
| 0 | 3,140 | 6,078 | 2,859 | 3,159 | 1,818 |
| Controller/USA West - California (Los Angeles 1)/User Load | | | | | |
| 0 | 7,858 | 15,197 | 7,144 | 7,906 | 4,534 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------------------------------|-------|--------|-------|---------|---------|
| Controller/USA West - California (Los Angeles 1)/Gnav 2....- Main Run/User Load | | | | | |
| 0 | 7,858 | 15,197 | 7,144 | 7,906 | 4,534 |
| Controller/USA West - California (Los Angeles 1)/Gnav 2....(ImageUrl)/User Load | | | | | |
| 0 | 3,930 | 7,599 | 3,575 | 3,954 | 2,267 |
| Controller/USA West - California (Los Angeles 1)/Gnav 2....(ImageUrl)/User Load | | | | | |
| 0 | 3,928 | 7,598 | 3,569 | 3,952 | 2,267 |

LG 13.66.199.177:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.199.177:443/CPU Load | | | | | |
| 0 | 2.69 | 12 | 3 | 2.62 | 1.68 |
| LG 13.66.199.177:443/Memory Used | | | | | |
| 1 | 5.54 | 13 | 5 | 5.4 | 2.5 |
| LG 13.66.199.177:443/Throughput | | | | | |
| 0 | 2.16 | 6.05 | 2 | 2.1 | 1.43 |
| LG 13.66.199.177:443/User Load | | | | | |
| 0 | 155.1 | 303 | 142 | 155.9 | 90.6 |
| LG 13.66.199.177:443/Thread Count | | | | | |
| 40 | 219.2 | 372 | 205 | 219.8 | 93.5 |
| LG 13.66.199.177:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 13.66.199.177:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 13.66.199.177:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.199.177:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.199.177:443/Controller Connection/Ping Duration (ms) | | | | | |
| 77 | 108.8 | 156 | 103 | 108.1 | 22.8 |
| LG 13.66.199.177:443/Network/Segments sent/sec. | | | | | |
| 6.18 | 447 | 1,231 | 428 | 441.9 | 261.6 |
| LG 13.66.199.177:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 2.1 | 0 | 0 | 0.091 |
| LG 13.66.199.177:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.64 | 6.79 | 2.54 | 2.59 | 1.63 |
| LG 13.66.199.177:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.855 | 2.09 | 0.832 | 0.844 | 0.505 |

LG 13.66.202.132:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------|-------|------|------|---------|---------|
| LG 13.66.202.132:443/CPU Load | | | | | |
| 0 | 2.52 | 12 | 2 | 2.46 | 1.56 |
| LG 13.66.202.132:443/Memory Used | | | | | |
| 1 | 6.39 | 14 | 6 | 6.28 | 2.99 |
| LG 13.66.202.132:443/Throughput | | | | | |
| 0 | 2.17 | 6.58 | 1.99 | 2.11 | 1.41 |
| LG 13.66.202.132:443/User Load | | | | | |
| 0 | 155.7 | 304 | 142 | 156.5 | 90.3 |
| LG 13.66.202.132:443/Thread Count | | | | | |
| 40 | 219.8 | 376 | 205 | 220.2 | 92.8 |
| LG 13.66.202.132:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.202.132:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.083 | 0 | 0 | 0.004 |
| LG 13.66.202.132:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.202.132:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.202.132:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 136.9 | 189 | 142 | 137.2 | 37.2 |
| LG 13.66.202.132:443/Network/Segments sent/sec. | | | | | |
| 5.93 | 421.6 | 1,249 | 408.5 | 417.6 | 243.4 |
| LG 13.66.202.132:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 2.09 | 0 | 0 | 0.091 |
| LG 13.66.202.132:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.24 | 2.51 | 2.59 | 1.61 |
| LG 13.66.202.132:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.12 | 0.811 | 0.832 | 0.491 |

LG 13.66.219.236:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.219.236:443/CPU Load | | | | | |
| 0 | 2.62 | 15 | 2 | 2.53 | 1.72 |
| LG 13.66.219.236:443/Memory Used | | | | | |
| 1 | 5.73 | 14 | 5 | 5.61 | 2.51 |
| LG 13.66.219.236:443/Throughput | | | | | |
| 0 | 2.18 | 5.91 | 2.05 | 2.13 | 1.41 |
| LG 13.66.219.236:443/User Load | | | | | |
| 0 | 156.6 | 304 | 143 | 157.5 | 90.1 |
| LG 13.66.219.236:443/Thread Count | | | | | |
| 40 | 221.8 | 375 | 205 | 222.3 | 91.6 |
| LG 13.66.219.236:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.66.219.236:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| LG 13.66.219.236:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.219.236:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.219.236:443/Controller Connection/Ping Duration (ms) | | | | | |
| 105 | 136.1 | 175 | 136 | 136.3 | 8.23 |
| LG 13.66.219.236:443/Network/Segments sent/sec. | | | | | |
| 6.77 | 422 | 1,095 | 409.1 | 418 | 241.1 |
| LG 13.66.219.236:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.22 | 0 | 0 | 0.054 |
| LG 13.66.219.236:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 6.62 | 2.54 | 2.6 | 1.6 |
| LG 13.66.219.236:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.012 | 0.845 | 2.02 | 0.827 | 0.835 | 0.488 |

LG 13.66.220.114:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------|------|-----|-----|---------|---------|
| LG 13.66.220.114:443/CPU Load | | | | | |
| 0 | 2.58 | 13 | 2 | 2.49 | 1.63 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.220.114:443/Memory Used | | | | | |
| 0 | 5.32 | 14 | 5 | 5.18 | 2.85 |
| LG 13.66.220.114:443/Throughput | | | | | |
| 0 | 2.18 | 6.58 | 2.04 | 2.12 | 1.41 |
| LG 13.66.220.114:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.3 | 90.2 |
| LG 13.66.220.114:443/Thread Count | | | | | |
| 40 | 221.6 | 374 | 207 | 222.3 | 91.3 |
| LG 13.66.220.114:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.66.220.114:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.005 |
| LG 13.66.220.114:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.220.114:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.220.114:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 101.2 | 191 | 100 | 99.2 | 19.2 |
| LG 13.66.220.114:443/Network/Segments sent/sec. | | | | | |
| 3.76 | 423 | 1,200 | 417.2 | 418.3 | 243 |
| LG 13.66.220.114:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.8 | 0 | 0 | 0.122 |
| LG 13.66.220.114:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.64 | 7.35 | 2.5 | 2.59 | 1.61 |
| LG 13.66.220.114:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.846 | 2.2 | 0.832 | 0.835 | 0.491 |

LG 13.66.226.120:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.226.120:443/CPU Load | | | | | |
| 0 | 2.63 | 13 | 3 | 2.56 | 1.62 |
| LG 13.66.226.120:443/Memory Used | | | | | |
| 1 | 5.64 | 13 | 5 | 5.44 | 3.01 |
| LG 13.66.226.120:443/Throughput | | | | | |
| 0 | 2.18 | 6.53 | 2.05 | 2.12 | 1.41 |
| LG 13.66.226.120:443/User Load | | | | | |
| 0 | 156.2 | 304 | 143 | 157.1 | 90.1 |
| LG 13.66.226.120:443/Thread Count | | | | | |
| 40 | 219.8 | 372 | 206 | 220.3 | 92 |
| LG 13.66.226.120:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.66.226.120:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 13.66.226.120:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.226.120:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.226.120:443/Controller Connection/Ping Duration (ms) | | | | | |
| 93 | 140 | 202 | 140 | 140 | 15.3 |
| LG 13.66.226.120:443/Network/Segments sent/sec. | | | | | |
| 6.02 | 453.8 | 1,172 | 447.6 | 448.7 | 260.8 |
| LG 13.66.226.120:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.52 | 0 | 0 | 0.197 |
| LG 13.66.226.120:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.021 | 2.67 | 7.26 | 2.61 | 2.62 | 1.62 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------|-------|------|-------|---------|---------|
| LG 13.66.226.120:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.863 | 2.19 | 0.858 | 0.852 | 0.502 |

LG 13.66.227.5:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.227.5:443/CPU Load | | | | | |
| 0 | 2.65 | 12 | 3 | 2.58 | 1.64 |
| LG 13.66.227.5:443/Memory Used | | | | | |
| 0 | 5.82 | 14 | 5 | 5.65 | 2.96 |
| LG 13.66.227.5:443/Throughput | | | | | |
| 0 | 2.18 | 6.57 | 2.06 | 2.12 | 1.42 |
| LG 13.66.227.5:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.4 | 90.3 |
| LG 13.66.227.5:443/Thread Count | | | | | |
| 40 | 223.5 | 373 | 205 | 224.3 | 89.4 |
| LG 13.66.227.5:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 13.66.227.5:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 13.66.227.5:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.227.5:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.227.5:443/Controller Connection/Ping Duration (ms) | | | | | |
| 117 | 143.5 | 185 | 143 | 143 | 9.42 |
| LG 13.66.227.5:443/Network/Segments sent/sec. | | | | | |
| 6 | 425.1 | 1,130 | 415.2 | 420.4 | 243.2 |
| LG 13.66.227.5:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.22 | 0 | 0 | 0.053 |
| LG 13.66.227.5:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.65 | 7.28 | 2.56 | 2.59 | 1.62 |
| LG 13.66.227.5:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.847 | 2.14 | 0.829 | 0.836 | 0.492 |

LG 13.66.229.37:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------|-------|-------|------|---------|---------|
| LG 13.66.229.37:443/CPU Load | | | | | |
| 0 | 2.54 | 11 | 2 | 2.48 | 1.53 |
| LG 13.66.229.37:443/Memory Used | | | | | |
| 1 | 6.17 | 14 | 6 | 6.12 | 2.79 |
| LG 13.66.229.37:443/Throughput | | | | | |
| 0 | 2.18 | 6.48 | 2.07 | 2.13 | 1.41 |
| LG 13.66.229.37:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.4 | 90.4 |
| LG 13.66.229.37:443/Thread Count | | | | | |
| 40 | 221.4 | 373 | 207 | 222.1 | 92 |
| LG 13.66.229.37:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.66.229.37:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 13.66.229.37:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.66.229.37:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.66.229.37:443/Controller Connection/Ping Duration (ms) | | | | | |
| 79 | 110 | 189 | 101 | 108.4 | 23.8 |
| LG 13.66.229.37:443/Network/Segments sent/sec. | | | | | |
| 5.95 | 429.4 | 1,157 | 423.5 | 426 | 245.3 |
| LG 13.66.229.37:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.524 | 0 | 0 | 0.023 |
| LG 13.66.229.37:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.65 | 7.15 | 2.61 | 2.6 | 1.61 |
| LG 13.66.229.37:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.849 | 2.17 | 0.837 | 0.84 | 0.492 |

LG 13.77.137.53:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.77.137.53:443/CPU Load | | | | | |
| 0 | 2.61 | 16 | 3 | 2.54 | 1.64 |
| LG 13.77.137.53:443/Memory Used | | | | | |
| 1 | 5.23 | 13 | 5 | 5.05 | 2.86 |
| LG 13.77.137.53:443/Throughput | | | | | |
| 0 | 2.18 | 6.58 | 2.05 | 2.13 | 1.4 |
| LG 13.77.137.53:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.4 | 90.3 |
| LG 13.77.137.53:443/Thread Count | | | | | |
| 40 | 219.9 | 375 | 206 | 220.3 | 92.3 |
| LG 13.77.137.53:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.77.137.53:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 13.77.137.53:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.137.53:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.137.53:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 101.9 | 164 | 99 | 100.4 | 18.4 |
| LG 13.77.137.53:443/Network/Segments sent/sec. | | | | | |
| 6 | 425.9 | 1,191 | 418.2 | 422 | 244.2 |
| LG 13.77.137.53:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.61 | 0 | 0 | 0.114 |
| LG 13.77.137.53:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.65 | 7.31 | 2.53 | 2.61 | 1.61 |
| LG 13.77.137.53:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.847 | 2.19 | 0.825 | 0.837 | 0.49 |

LG 13.77.154.71:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------|------|------|------|---------|---------|
| LG 13.77.154.71:443/CPU Load | | | | | |
| 0 | 2.38 | 13 | 2 | 2.29 | 1.55 |
| LG 13.77.154.71:443/Memory Used | | | | | |
| 1 | 6.91 | 17 | 6 | 6.77 | 3.25 |
| LG 13.77.154.71:443/Throughput | | | | | |
| 0 | 2.17 | 6.59 | 2.02 | 2.11 | 1.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.77.154.71:443/User Load | | | | | |
| 0 | 155.2 | 304 | 143 | 156 | 90.4 |
| LG 13.77.154.71:443/Thread Count | | | | | |
| 40 | 218.7 | 372 | 207 | 219.3 | 92.7 |
| LG 13.77.154.71:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 13.77.154.71:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| LG 13.77.154.71:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.154.71:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.154.71:443/Controller Connection/Ping Duration (ms) | | | | | |
| 71 | 98.1 | 142 | 98 | 97.1 | 16.3 |
| LG 13.77.154.71:443/Network/Segments sent/sec. | | | | | |
| 6.01 | 421.8 | 1,160 | 411.1 | 417.5 | 244.3 |
| LG 13.77.154.71:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.23 | 0 | 0 | 0.054 |
| LG 13.77.154.71:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.28 | 2.49 | 2.58 | 1.61 |
| LG 13.77.154.71:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.16 | 0.805 | 0.83 | 0.491 |

LG 13.77.158.81:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.77.158.81:443/CPU Load | | | | | |
| 0 | 2.64 | 14 | 3 | 2.55 | 1.67 |
| LG 13.77.158.81:443/Memory Used | | | | | |
| 1 | 7.52 | 17 | 7 | 7.36 | 3.86 |
| LG 13.77.158.81:443/Throughput | | | | | |
| 0 | 2.18 | 6.32 | 2.01 | 2.12 | 1.42 |
| LG 13.77.158.81:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.2 | 90.3 |
| LG 13.77.158.81:443/Thread Count | | | | | |
| 40 | 221.5 | 374 | 206 | 222 | 90.7 |
| LG 13.77.158.81:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.77.158.81:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 13.77.158.81:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.158.81:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.158.81:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 111.8 | 185 | 104 | 109.6 | 29.1 |
| LG 13.77.158.81:443/Network/Segments sent/sec. | | | | | |
| 6 | 428 | 1,190 | 418.1 | 422.8 | 245.2 |
| LG 13.77.158.81:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.14 | 0 | 0 | 0.137 |
| LG 13.77.158.81:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.64 | 6.93 | 2.51 | 2.58 | 1.62 |
| LG 13.77.158.81:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.848 | 2.08 | 0.823 | 0.835 | 0.493 |

LG 13.77.159.52:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.77.159.52:443/CPU Load | | | | | |
| 0 | 2.59 | 12 | 2 | 2.5 | 1.66 |
| LG 13.77.159.52:443/Memory Used | | | | | |
| 1 | 5.78 | 13 | 5 | 5.73 | 2.47 |
| LG 13.77.159.52:443/Throughput | | | | | |
| 0 | 2.18 | 6.48 | 2.06 | 2.13 | 1.41 |
| LG 13.77.159.52:443/User Load | | | | | |
| 0 | 156.8 | 304 | 143 | 157.7 | 90.5 |
| LG 13.77.159.52:443/Thread Count | | | | | |
| 40 | 221 | 372 | 206 | 221.7 | 91.6 |
| LG 13.77.159.52:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.77.159.52:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 13.77.159.52:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.159.52:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.159.52:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 99.1 | 191 | 97 | 96.8 | 19.7 |
| LG 13.77.159.52:443/Network/Segments sent/sec. | | | | | |
| 6 | 423.3 | 1,187 | 410.4 | 419.2 | 243.6 |
| LG 13.77.159.52:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 0.7 | 0 | 0 | 0.033 |
| LG 13.77.159.52:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.66 | 7.15 | 2.53 | 2.61 | 1.62 |
| LG 13.77.159.52:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.847 | 2.11 | 0.813 | 0.837 | 0.492 |

LG 13.77.180.9:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 13.77.180.9:443/CPU Load | | | | | |
| 0 | 2.59 | 12 | 2 | 2.54 | 1.55 |
| LG 13.77.180.9:443/Memory Used | | | | | |
| 1 | 5.94 | 13 | 5 | 5.84 | 2.77 |
| LG 13.77.180.9:443/Throughput | | | | | |
| 0 | 2.17 | 6.64 | 2.05 | 2.12 | 1.41 |
| LG 13.77.180.9:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.7 | 90.5 |
| LG 13.77.180.9:443/Thread Count | | | | | |
| 40 | 220.6 | 373 | 205 | 221.1 | 90.4 |
| LG 13.77.180.9:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 13.77.180.9:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.083 | 0 | 0 | 0.004 |
| LG 13.77.180.9:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.180.9:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 13.77.180.9:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 98 | 179 | 95 | 96 | 18.3 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 13.77.180.9:443/Network/Segments sent/sec. | | | | | |
| 6.4 | 435.4 | 1,158 | 427.3 | 431.6 | 248.4 |
| LG 13.77.180.9:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.21 | 0 | 0 | 0.053 |
| LG 13.77.180.9:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.66 | 7.33 | 2.58 | 2.62 | 1.63 |
| LG 13.77.180.9:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.012 | 0.851 | 2.2 | 0.839 | 0.842 | 0.494 |

LG 40.65.105.11:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.105.11:443/CPU Load | | | | | |
| 0 | 2.85 | 13 | 3 | 2.76 | 1.87 |
| LG 40.65.105.11:443/Memory Used | | | | | |
| 1 | 4.26 | 11 | 4 | 4.11 | 1.81 |
| LG 40.65.105.11:443/Throughput | | | | | |
| 0 | 2.16 | 6.05 | 2 | 2.11 | 1.42 |
| LG 40.65.105.11:443/User Load | | | | | |
| 0 | 155.2 | 304 | 143 | 156 | 90.9 |
| LG 40.65.105.11:443/Thread Count | | | | | |
| 40 | 219.9 | 377 | 207 | 220.1 | 93.7 |
| LG 40.65.105.11:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 40.65.105.11:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 40.65.105.11:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.105.11:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.105.11:443/Controller Connection/Ping Duration (ms) | | | | | |
| 87 | 138.3 | 184 | 142 | 138.5 | 33.7 |
| LG 40.65.105.11:443/Network/Segments sent/sec. | | | | | |
| 6 | 412 | 1,030 | 403.6 | 408.1 | 239.2 |
| LG 40.65.105.11:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.014 | 7.37 | 0 | 0 | 0.32 |
| LG 40.65.105.11:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.6 | 6.76 | 2.47 | 2.55 | 1.61 |
| LG 40.65.105.11:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.834 | 2.03 | 0.808 | 0.824 | 0.491 |

LG 40.65.105.254:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 40.65.105.254:443/CPU Load | | | | | |
| 0 | 2.52 | 13 | 2 | 2.42 | 1.65 |
| LG 40.65.105.254:443/Memory Used | | | | | |
| 1 | 4.96 | 10 | 5 | 4.95 | 1.71 |
| LG 40.65.105.254:443/Throughput | | | | | |
| 0 | 2.18 | 6.45 | 2.09 | 2.12 | 1.41 |
| LG 40.65.105.254:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.7 | 90.2 |
| LG 40.65.105.254:443/Thread Count | | | | | |
| 40 | 221.5 | 382 | 205 | 221.7 | 90.5 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.105.254:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.004 |
| LG 40.65.105.254:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 40.65.105.254:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.105.254:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.105.254:443/Controller Connection/Ping Duration (ms) | | | | | |
| 87 | 139.9 | 168 | 143 | 141.5 | 14 |
| LG 40.65.105.254:443/Network/Segments sent/sec. | | | | | |
| 6.01 | 415.5 | 1,134 | 402.5 | 411.6 | 238.9 |
| LG 40.65.105.254:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 0.88 | 0 | 0 | 0.038 |
| LG 40.65.105.254:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 7.03 | 2.54 | 2.57 | 1.6 |
| LG 40.65.105.254:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.14 | 0.813 | 0.83 | 0.487 |

LG 40.65.107.214:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.107.214:443/CPU Load | | | | | |
| 0 | 2.73 | 15 | 2 | 2.6 | 1.87 |
| LG 40.65.107.214:443/Memory Used | | | | | |
| 1 | 5.02 | 10 | 5 | 5.01 | 1.72 |
| LG 40.65.107.214:443/Throughput | | | | | |
| 0 | 2.17 | 6.72 | 2.07 | 2.11 | 1.41 |
| LG 40.65.107.214:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.2 |
| LG 40.65.107.214:443/Thread Count | | | | | |
| 40 | 219.2 | 372 | 206 | 219.8 | 92.1 |
| LG 40.65.107.214:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.65.107.214:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.003 |
| LG 40.65.107.214:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.107.214:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.107.214:443/Controller Connection/Ping Duration (ms) | | | | | |
| 71 | 125.6 | 149 | 139 | 127.2 | 23.8 |
| LG 40.65.107.214:443/Network/Segments sent/sec. | | | | | |
| 6 | 418.2 | 1,170 | 409.5 | 414.3 | 241.2 |
| LG 40.65.107.214:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.81 | 0 | 0 | 0.122 |
| LG 40.65.107.214:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.36 | 2.53 | 2.58 | 1.61 |
| LG 40.65.107.214:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.16 | 0.824 | 0.83 | 0.489 |

LG 40.65.109.171:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.109.171:443/CPU Load | | | | | |
| 0 | 2.8 | 18 | 3 | 2.67 | 1.92 |
| LG 40.65.109.171:443/Memory Used | | | | | |
| 1 | 4.65 | 10 | 4 | 4.6 | 1.61 |
| LG 40.65.109.171:443/Throughput | | | | | |
| 0 | 2.17 | 7.13 | 2 | 2.11 | 1.42 |
| LG 40.65.109.171:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.7 |
| LG 40.65.109.171:443/Thread Count | | | | | |
| 40 | 220.6 | 372 | 206 | 221.3 | 92 |
| LG 40.65.109.171:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 40.65.109.171:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 40.65.109.171:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.109.171:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.109.171:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 135.8 | 143 | 141 | 138.5 | 14.2 |
| LG 40.65.109.171:443/Network/Segments sent/sec. | | | | | |
| 6.2 | 451.2 | 1,221 | 441.5 | 446.4 | 261.8 |
| LG 40.65.109.171:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.007 | 2.46 | 0 | 0 | 0.111 |
| LG 40.65.109.171:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.66 | 7.96 | 2.53 | 2.61 | 1.63 |
| LG 40.65.109.171:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.86 | 2.43 | 0.838 | 0.849 | 0.504 |

LG 40.65.121.126:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 40.65.121.126:443/CPU Load | | | | | |
| 0 | 2.66 | 11 | 3 | 2.59 | 1.63 |
| LG 40.65.121.126:443/Memory Used | | | | | |
| 1 | 5.61 | 12 | 5 | 5.56 | 2.18 |
| LG 40.65.121.126:443/Throughput | | | | | |
| 0 | 2.17 | 6.34 | 2.07 | 2.12 | 1.41 |
| LG 40.65.121.126:443/User Load | | | | | |
| 0 | 156.1 | 304 | 143 | 156.9 | 90.2 |
| LG 40.65.121.126:443/Thread Count | | | | | |
| 40 | 219.2 | 370 | 206 | 219.9 | 92 |
| LG 40.65.121.126:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 40.65.121.126:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 40.65.121.126:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.121.126:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.121.126:443/Controller Connection/Ping Duration (ms) | | | | | |
| 93 | 138.9 | 178 | 140 | 139.4 | 13.9 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.121.126:443/Network/Segments sent/sec. | | | | | |
| 6 | 422.9 | 1,086 | 409.6 | 419.1 | 243.2 |
| LG 40.65.121.126:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.8 | 0 | 0 | 0.122 |
| LG 40.65.121.126:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7 | 2.55 | 2.6 | 1.61 |
| LG 40.65.121.126:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.07 | 0.812 | 0.834 | 0.491 |

LG 40.65.123.161:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.123.161:443/CPU Load | | | | | |
| 0 | 2.61 | 14 | 2 | 2.53 | 1.66 |
| LG 40.65.123.161:443/Memory Used | | | | | |
| 1 | 6.38 | 14 | 6 | 6.27 | 2.98 |
| LG 40.65.123.161:443/Throughput | | | | | |
| 0 | 2.16 | 6.33 | 1.99 | 2.1 | 1.43 |
| LG 40.65.123.161:443/User Load | | | | | |
| 0 | 155.2 | 304 | 143 | 156 | 90.9 |
| LG 40.65.123.161:443/Thread Count | | | | | |
| 40 | 219.4 | 371 | 206 | 220.1 | 93.7 |
| LG 40.65.123.161:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 40.65.123.161:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 40.65.123.161:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.123.161:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.123.161:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 141.5 | 190 | 143 | 142.3 | 17.5 |
| LG 40.65.123.161:443/Network/Segments sent/sec. | | | | | |
| 6 | 416.3 | 1,180 | 402.9 | 412 | 243.1 |
| LG 40.65.123.161:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.702 | 0 | 0 | 0.03 |
| LG 40.65.123.161:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 6.92 | 2.44 | 2.56 | 1.62 |
| LG 40.65.123.161:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.836 | 2.07 | 0.8 | 0.825 | 0.494 |

LG 40.65.123.165:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 40.65.123.165:443/CPU Load | | | | | |
| 0 | 2.55 | 12 | 2 | 2.47 | 1.59 |
| LG 40.65.123.165:443/Memory Used | | | | | |
| 1 | 5.88 | 13 | 6 | 5.82 | 2.48 |
| LG 40.65.123.165:443/Throughput | | | | | |
| 0 | 2.17 | 6.25 | 1.99 | 2.12 | 1.42 |
| LG 40.65.123.165:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.7 | 90.2 |
| LG 40.65.123.165:443/Thread Count | | | | | |
| 40 | 218.7 | 372 | 205 | 219.2 | 92.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.123.165:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.65.123.165:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.004 |
| LG 40.65.123.165:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.123.165:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.123.165:443/Controller Connection/Ping Duration (ms) | | | | | |
| 79 | 146.5 | 187 | 146 | 147.3 | 14.5 |
| LG 40.65.123.165:443/Network/Segments sent/sec. | | | | | |
| 6 | 422.9 | 1,154 | 408.2 | 418.8 | 244.7 |
| LG 40.65.123.165:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.75 | 0 | 0 | 0.077 |
| LG 40.65.123.165:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 6.97 | 2.49 | 2.58 | 1.61 |
| LG 40.65.123.165:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.06 | 0.811 | 0.832 | 0.493 |

LG 40.65.124.11:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.65.124.11:443/CPU Load | | | | | |
| 0 | 2.82 | 17 | 3 | 2.69 | 1.92 |
| LG 40.65.124.11:443/Memory Used | | | | | |
| 1 | 4.8 | 11 | 5 | 4.72 | 1.73 |
| LG 40.65.124.11:443/Throughput | | | | | |
| 0 | 2.18 | 6.16 | 2.05 | 2.13 | 1.41 |
| LG 40.65.124.11:443/User Load | | | | | |
| 0 | 156.6 | 304 | 143 | 157.5 | 90.3 |
| LG 40.65.124.11:443/Thread Count | | | | | |
| 40 | 219.9 | 371 | 207 | 220.6 | 92.4 |
| LG 40.65.124.11:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 40.65.124.11:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 40.65.124.11:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.124.11:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.65.124.11:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 139.4 | 184 | 142 | 140.2 | 34 |
| LG 40.65.124.11:443/Network/Segments sent/sec. | | | | | |
| 5.93 | 422.8 | 1,215 | 406.4 | 418.3 | 244 |
| LG 40.65.124.11:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.695 | 0 | 0 | 0.03 |
| LG 40.65.124.11:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.65 | 6.87 | 2.5 | 2.6 | 1.62 |
| LG 40.65.124.11:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 2.08 | 0.808 | 0.835 | 0.492 |

LG 52.137.79.142:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.137.79.142:443/CPU Load | | | | | |
| 0 | 2.45 | 12 | 2 | 2.36 | 1.55 |
| LG 52.137.79.142:443/Memory Used | | | | | |
| 1 | 6.21 | 15 | 6 | 6.12 | 2.73 |
| LG 52.137.79.142:443/Throughput | | | | | |
| 0 | 2.18 | 6.46 | 2.02 | 2.13 | 1.41 |
| LG 52.137.79.142:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.3 | 90.4 |
| LG 52.137.79.142:443/Thread Count | | | | | |
| 40 | 220.2 | 372 | 205 | 220.9 | 93.1 |
| LG 52.137.79.142:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.137.79.142:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| LG 52.137.79.142:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.137.79.142:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.137.79.142:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 137.6 | 176 | 140 | 139.3 | 14.3 |
| LG 52.137.79.142:443/Network/Segments sent/sec. | | | | | |
| 6 | 430.4 | 1,232 | 420.1 | 426.8 | 246.2 |
| LG 52.137.79.142:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0.176 | 0 | 0 | 0.008 |
| LG 52.137.79.142:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.022 | 2.64 | 7.15 | 2.54 | 2.6 | 1.61 |
| LG 52.137.79.142:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.849 | 2.18 | 0.839 | 0.841 | 0.493 |

LG 52.151.46.253:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 52.151.46.253:443/CPU Load | | | | | |
| 0 | 2.76 | 15 | 2 | 2.63 | 1.86 |
| LG 52.151.46.253:443/Memory Used | | | | | |
| 1 | 4.91 | 11 | 5 | 4.87 | 1.62 |
| LG 52.151.46.253:443/Throughput | | | | | |
| 0 | 2.18 | 6.28 | 2.01 | 2.12 | 1.41 |
| LG 52.151.46.253:443/User Load | | | | | |
| 0 | 156.1 | 304 | 143 | 157 | 90.3 |
| LG 52.151.46.253:443/Thread Count | | | | | |
| 40 | 220.9 | 378 | 209 | 221.2 | 93.4 |
| LG 52.151.46.253:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.151.46.253:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 52.151.46.253:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.151.46.253:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.151.46.253:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 130.3 | 186 | 141 | 131 | 26.5 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.151.46.253:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 422.4 | 1,239 | 412.4 | 418.6 | 243.8 |
| LG 52.151.46.253:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.39 | 0 | 0 | 0.06 |
| LG 52.151.46.253:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.08 | 2.49 | 2.6 | 1.61 |
| LG 52.151.46.253:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.12 | 0.809 | 0.835 | 0.492 |

LG 52.156.112.244:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.156.112.244:443/CPU Load | | | | | |
| 0 | 2.7 | 16 | 2 | 2.57 | 1.83 |
| LG 52.156.112.244:443/Memory Used | | | | | |
| 1 | 5.18 | 10 | 5 | 5.15 | 1.87 |
| LG 52.156.112.244:443/Throughput | | | | | |
| 0 | 2.17 | 6.3 | 2.07 | 2.13 | 1.4 |
| LG 52.156.112.244:443/User Load | | | | | |
| 0 | 156.1 | 304 | 143 | 156.9 | 90.2 |
| LG 52.156.112.244:443/Thread Count | | | | | |
| 40 | 221.9 | 371 | 209 | 222.8 | 90.2 |
| LG 52.156.112.244:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 52.156.112.244:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 52.156.112.244:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.156.112.244:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.156.112.244:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 97 | 140 | 97 | 95.8 | 16.2 |
| LG 52.156.112.244:443/Network/Segments sent/sec. | | | | | |
| 5.98 | 416.3 | 1,166 | 404.5 | 412.8 | 238.4 |
| LG 52.156.112.244:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.349 | 0 | 0 | 0.015 |
| LG 52.156.112.244:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 6.94 | 2.54 | 2.58 | 1.59 |
| LG 52.156.112.244:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.03 | 0.828 | 0.832 | 0.486 |

LG 52.156.127.97:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 52.156.127.97:443/CPU Load | | | | | |
| 0 | 2.88 | 14 | 3 | 2.78 | 1.83 |
| LG 52.156.127.97:443/Memory Used | | | | | |
| 1 | 4.55 | 10 | 4 | 4.5 | 1.74 |
| LG 52.156.127.97:443/Throughput | | | | | |
| 0 | 2.17 | 6.24 | 2.04 | 2.11 | 1.41 |
| LG 52.156.127.97:443/User Load | | | | | |
| 0 | 155.4 | 304 | 143 | 156.2 | 90.6 |
| LG 52.156.127.97:443/Thread Count | | | | | |
| 40 | 220 | 372 | 207 | 220.7 | 91.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.156.127.97:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.156.127.97:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 52.156.127.97:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.156.127.97:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.156.127.97:443/Controller Connection/Ping Duration (ms) | | | | | |
| 77 | 114.9 | 178 | 100 | 113.3 | 29.6 |
| LG 52.156.127.97:443/Network/Segments sent/sec. | | | | | |
| 5.93 | 419.1 | 1,199 | 408.4 | 415 | 242.6 |
| LG 52.156.127.97:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 0.702 | 0 | 0 | 0.032 |
| LG 52.156.127.97:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 6.98 | 2.51 | 2.58 | 1.61 |
| LG 52.156.127.97:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.15 | 0.811 | 0.829 | 0.491 |

LG 52.158.231.86:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.158.231.86:443/CPU Load | | | | | |
| 0 | 2.59 | 13 | 2 | 2.52 | 1.62 |
| LG 52.158.231.86:443/Memory Used | | | | | |
| 1 | 5.03 | 11 | 5 | 4.97 | 1.89 |
| LG 52.158.231.86:443/Throughput | | | | | |
| 0 | 2.18 | 5.77 | 2.07 | 2.13 | 1.41 |
| LG 52.158.231.86:443/User Load | | | | | |
| 0 | 156.8 | 304 | 143 | 157.8 | 90.4 |
| LG 52.158.231.86:443/Thread Count | | | | | |
| 40 | 220.8 | 374 | 205 | 221.3 | 92.2 |
| LG 52.158.231.86:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.158.231.86:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 52.158.231.86:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.158.231.86:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.158.231.86:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 140.1 | 185 | 143 | 141.1 | 17.9 |
| LG 52.158.231.86:443/Network/Segments sent/sec. | | | | | |
| 6.01 | 422.5 | 1,083 | 412.2 | 419 | 242.5 |
| LG 52.158.231.86:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.22 | 0 | 0 | 0.053 |
| LG 52.158.231.86:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.009 | 2.65 | 6.48 | 2.57 | 2.61 | 1.61 |
| LG 52.158.231.86:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 1.98 | 0.828 | 0.836 | 0.49 |

LG 52.175.221.133:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.175.221.133:443/CPU Load | | | | | |
| 0 | 2.49 | 13 | 2 | 2.4 | 1.62 |
| LG 52.175.221.133:443/Memory Used | | | | | |
| 1 | 6.02 | 13 | 6 | 5.96 | 2.55 |
| LG 52.175.221.133:443/Throughput | | | | | |
| 0 | 2.16 | 6.18 | 1.99 | 2.11 | 1.4 |
| LG 52.175.221.133:443/User Load | | | | | |
| 0 | 155.3 | 304 | 143 | 156.1 | 90.6 |
| LG 52.175.221.133:443/Thread Count | | | | | |
| 40 | 219 | 373 | 206 | 219.4 | 93.1 |
| LG 52.175.221.133:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 52.175.221.133:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 52.175.221.133:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.221.133:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.221.133:443/Controller Connection/Ping Duration (ms) | | | | | |
| 88 | 145.1 | 191 | 146 | 144.7 | 14.7 |
| LG 52.175.221.133:443/Network/Segments sent/sec. | | | | | |
| 6 | 418.7 | 1,150 | 410.1 | 414.8 | 242.7 |
| LG 52.175.221.133:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 4 | 0 | 0 | 0.174 |
| LG 52.175.221.133:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 6.82 | 2.51 | 2.57 | 1.6 |
| LG 52.175.221.133:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.838 | 2.09 | 0.815 | 0.828 | 0.49 |

LG 52.175.226.35:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-----|---------|---------|
| LG 52.175.226.35:443/CPU Load | | | | | |
| 0 | 2.65 | 12 | 2 | 2.55 | 1.71 |
| LG 52.175.226.35:443/Memory Used | | | | | |
| 1 | 5.36 | 11 | 5 | 5.33 | 1.91 |
| LG 52.175.226.35:443/Throughput | | | | | |
| 0 | 2.17 | 6.48 | 2 | 2.11 | 1.42 |
| LG 52.175.226.35:443/User Load | | | | | |
| 0 | 155.8 | 304 | 143 | 156.6 | 90.5 |
| LG 52.175.226.35:443/Thread Count | | | | | |
| 40 | 221.2 | 371 | 205 | 222 | 89.7 |
| LG 52.175.226.35:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.175.226.35:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 52.175.226.35:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.226.35:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.226.35:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 142.7 | 158 | 147 | 145 | 14.6 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.175.226.35:443/Network/Segments sent/sec. | | | | | |
| 5.96 | 420.3 | 1,118 | 404.5 | 416.2 | 243.4 |
| LG 52.175.226.35:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.75 | 0 | 0 | 0.077 |
| LG 52.175.226.35:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 7.15 | 2.47 | 2.57 | 1.61 |
| LG 52.175.226.35:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.15 | 0.809 | 0.83 | 0.492 |

LG 52.175.227.151:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.175.227.151:443/CPU Load | | | | | |
| 0 | 2.86 | 13 | 3 | 2.76 | 1.84 |
| LG 52.175.227.151:443/Memory Used | | | | | |
| 1 | 4.28 | 11 | 4 | 4.13 | 1.81 |
| LG 52.175.227.151:443/Throughput | | | | | |
| 0 | 2.17 | 6.17 | 2.05 | 2.11 | 1.41 |
| LG 52.175.227.151:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.6 | 90.6 |
| LG 52.175.227.151:443/Thread Count | | | | | |
| 40 | 220.5 | 376 | 210 | 220.9 | 93 |
| LG 52.175.227.151:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 52.175.227.151:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.083 | 0 | 0 | 0.005 |
| LG 52.175.227.151:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.227.151:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.227.151:443/Controller Connection/Ping Duration (ms) | | | | | |
| 69 | 110.4 | 183 | 97 | 108.4 | 29.1 |
| LG 52.175.227.151:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 445.9 | 1,189 | 436.9 | 441.2 | 258.7 |
| LG 52.175.227.151:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 4.18 | 0 | 0 | 0.182 |
| LG 52.175.227.151:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.64 | 6.99 | 2.52 | 2.59 | 1.62 |
| LG 52.175.227.151:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.857 | 2.11 | 0.832 | 0.846 | 0.501 |

LG 52.175.239.178:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 52.175.239.178:443/CPU Load | | | | | |
| 0 | 2.77 | 13 | 3 | 2.68 | 1.73 |
| LG 52.175.239.178:443/Memory Used | | | | | |
| 1 | 4.97 | 10 | 5 | 4.95 | 1.65 |
| LG 52.175.239.178:443/Throughput | | | | | |
| 0 | 2.19 | 6.04 | 2.02 | 2.14 | 1.41 |
| LG 52.175.239.178:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.2 |
| LG 52.175.239.178:443/Thread Count | | | | | |
| 40 | 219.6 | 370 | 205 | 220.3 | 92.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.175.239.178:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 52.175.239.178:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 52.175.239.178:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.239.178:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.239.178:443/Controller Connection/Ping Duration (ms) | | | | | |
| 103 | 140.2 | 149 | 141 | 141.1 | 6.99 |
| LG 52.175.239.178:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 425.7 | 1,230 | 412 | 422.1 | 244.4 |
| LG 52.175.239.178:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.74 | 0 | 0 | 0.076 |
| LG 52.175.239.178:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.66 | 6.63 | 2.5 | 2.62 | 1.62 |
| LG 52.175.239.178:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.848 | 2.03 | 0.811 | 0.839 | 0.491 |

LG 52.175.239.210:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.175.239.210:443/CPU Load | | | | | |
| 0 | 2.71 | 12 | 3 | 2.61 | 1.73 |
| LG 52.175.239.210:443/Memory Used | | | | | |
| 1 | 4.93 | 10 | 5 | 4.93 | 1.58 |
| LG 52.175.239.210:443/Throughput | | | | | |
| 0 | 2.18 | 6.3 | 2.05 | 2.13 | 1.4 |
| LG 52.175.239.210:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.2 | 90.1 |
| LG 52.175.239.210:443/Thread Count | | | | | |
| 40 | 220.4 | 375 | 205 | 220.8 | 92 |
| LG 52.175.239.210:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 52.175.239.210:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 52.175.239.210:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.239.210:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.175.239.210:443/Controller Connection/Ping Duration (ms) | | | | | |
| 88 | 141.2 | 182 | 142 | 142 | 11.9 |
| LG 52.175.239.210:443/Network/Segments sent/sec. | | | | | |
| 5.94 | 429 | 1,217 | 423.9 | 425 | 244.8 |
| LG 52.175.239.210:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.25 | 0 | 0 | 0.228 |
| LG 52.175.239.210:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.65 | 7.1 | 2.6 | 2.61 | 1.61 |
| LG 52.175.239.210:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.849 | 2.13 | 0.839 | 0.839 | 0.49 |

LG 52.183.32.75:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.183.32.75:443/CPU Load | | | | | |
| 0 | 2.8 | 12 | 3 | 2.71 | 1.81 |
| LG 52.183.32.75:443/Memory Used | | | | | |
| 1 | 4.41 | 11 | 4 | 4.29 | 1.76 |
| LG 52.183.32.75:443/Throughput | | | | | |
| 0 | 2.18 | 6.33 | 2.06 | 2.13 | 1.41 |
| LG 52.183.32.75:443/User Load | | | | | |
| 0 | 156 | 304 | 143 | 156.8 | 90.5 |
| LG 52.183.32.75:443/Thread Count | | | | | |
| 40 | 219.3 | 372 | 204 | 219.8 | 92.4 |
| LG 52.183.32.75:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.183.32.75:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.183.32.75:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.32.75:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.32.75:443/Controller Connection/Ping Duration (ms) | | | | | |
| 72 | 148.3 | 187 | 140 | 149.9 | 33 |
| LG 52.183.32.75:443/Network/Segments sent/sec. | | | | | |
| 6.8 | 422.7 | 1,226 | 407.1 | 418.7 | 242.7 |
| LG 52.183.32.75:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.692 | 0 | 0 | 0.03 |
| LG 52.183.32.75:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.63 | 6.95 | 2.48 | 2.59 | 1.6 |
| LG 52.183.32.75:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.07 | 0.803 | 0.834 | 0.491 |

LG 52.183.43.12:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 52.183.43.12:443/CPU Load | | | | | |
| 0 | 2.79 | 15 | 3 | 2.67 | 1.85 |
| LG 52.183.43.12:443/Memory Used | | | | | |
| 1 | 4.79 | 10 | 5 | 4.77 | 1.55 |
| LG 52.183.43.12:443/Throughput | | | | | |
| 0 | 2.17 | 6.26 | 1.99 | 2.12 | 1.41 |
| LG 52.183.43.12:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.7 |
| LG 52.183.43.12:443/Thread Count | | | | | |
| 40 | 219.9 | 372 | 208 | 220.6 | 93.3 |
| LG 52.183.43.12:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.183.43.12:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.083 | 0 | 0 | 0.004 |
| LG 52.183.43.12:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.43.12:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.43.12:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 147.5 | 189 | 153 | 149.1 | 20.7 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.183.43.12:443/Network/Segments sent/sec. | | | | | |
| 6 | 425.8 | 1,259 | 410.6 | 421.9 | 245 |
| LG 52.183.43.12:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 4 | 0 | 0 | 0.174 |
| LG 52.183.43.12:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.65 | 6.9 | 2.47 | 2.6 | 1.62 |
| LG 52.183.43.12:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 2.07 | 0.799 | 0.836 | 0.493 |

LG 52.183.43.64:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.183.43.64:443/CPU Load | | | | | |
| 0 | 2.61 | 17 | 3 | 2.52 | 1.68 |
| LG 52.183.43.64:443/Memory Used | | | | | |
| 1 | 5.37 | 10 | 5 | 5.32 | 2.2 |
| LG 52.183.43.64:443/Throughput | | | | | |
| 0 | 2.17 | 6.35 | 2.07 | 2.11 | 1.41 |
| LG 52.183.43.64:443/User Load | | | | | |
| 0 | 155.7 | 304 | 142 | 156.6 | 90.2 |
| LG 52.183.43.64:443/Thread Count | | | | | |
| 40 | 219.1 | 373 | 204 | 219.6 | 92.6 |
| LG 52.183.43.64:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.183.43.64:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.183.43.64:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.43.64:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.43.64:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 137 | 178 | 142 | 138.7 | 17.9 |
| LG 52.183.43.64:443/Network/Segments sent/sec. | | | | | |
| 6 | 425.7 | 1,071 | 414.2 | 421.4 | 245.4 |
| LG 52.183.43.64:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.05 | 0 | 0 | 0.22 |
| LG 52.183.43.64:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 6.94 | 2.52 | 2.58 | 1.61 |
| LG 52.183.43.64:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.09 | 0.816 | 0.833 | 0.492 |

LG 52.183.59.193:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 52.183.59.193:443/CPU Load | | | | | |
| 0 | 2.7 | 12 | 2 | 2.61 | 1.77 |
| LG 52.183.59.193:443/Memory Used | | | | | |
| 1 | 4.18 | 11 | 4 | 4.03 | 1.85 |
| LG 52.183.59.193:443/Throughput | | | | | |
| 0 | 2.18 | 6.34 | 2.01 | 2.12 | 1.43 |
| LG 52.183.59.193:443/User Load | | | | | |
| 0 | 155.9 | 303 | 142 | 156.8 | 90.4 |
| LG 52.183.59.193:443/Thread Count | | | | | |
| 40 | 219.2 | 370 | 205 | 219.8 | 92.7 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.183.59.193:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 52.183.59.193:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.1 | 0 | 0 | 0.005 |
| LG 52.183.59.193:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.59.193:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.59.193:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 141.3 | 188 | 145 | 143.2 | 18.5 |
| LG 52.183.59.193:443/Network/Segments sent/sec. | | | | | |
| 3.75 | 448.3 | 1,211 | 435.6 | 442.9 | 260.4 |
| LG 52.183.59.193:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.79 | 0 | 0 | 0.121 |
| LG 52.183.59.193:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.63 | 7.06 | 2.51 | 2.58 | 1.63 |
| LG 52.183.59.193:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.86 | 2.19 | 0.838 | 0.848 | 0.506 |

LG 52.183.6.138:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.183.6.138:443/CPU Load | | | | | |
| 0 | 2.82 | 13 | 3 | 2.7 | 1.88 |
| LG 52.183.6.138:443/Memory Used | | | | | |
| 1 | 4.67 | 11 | 4 | 4.57 | 1.73 |
| LG 52.183.6.138:443/Throughput | | | | | |
| 0 | 2.18 | 7.21 | 2.04 | 2.13 | 1.41 |
| LG 52.183.6.138:443/User Load | | | | | |
| 0 | 156.9 | 304 | 143 | 157.8 | 90.5 |
| LG 52.183.6.138:443/Thread Count | | | | | |
| 40 | 220.5 | 372 | 205 | 221.1 | 92.9 |
| LG 52.183.6.138:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.183.6.138:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.183.6.138:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.6.138:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.6.138:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 124.4 | 186 | 110 | 123.7 | 34.2 |
| LG 52.183.6.138:443/Network/Segments sent/sec. | | | | | |
| 5.93 | 437.4 | 1,226 | 427.5 | 433 | 253 |
| LG 52.183.6.138:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.24 | 0 | 0 | 0.228 |
| LG 52.183.6.138:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.66 | 7.95 | 2.54 | 2.61 | 1.62 |
| LG 52.183.6.138:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.855 | 2.38 | 0.839 | 0.844 | 0.498 |

LG 52.183.71.34:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.183.71.34:443/CPU Load | | | | | |
| 0 | 2.51 | 12 | 2 | 2.42 | 1.6 |
| LG 52.183.71.34:443/Memory Used | | | | | |
| 1 | 5.23 | 12 | 5 | 5.18 | 2.02 |
| LG 52.183.71.34:443/Throughput | | | | | |
| 0 | 2.18 | 6.76 | 2.07 | 2.12 | 1.4 |
| LG 52.183.71.34:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.5 |
| LG 52.183.71.34:443/Thread Count | | | | | |
| 40 | 219.5 | 372 | 207 | 220 | 92.5 |
| LG 52.183.71.34:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 52.183.71.34:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 52.183.71.34:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.71.34:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.183.71.34:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 144 | 209 | 142 | 144.7 | 21.4 |
| LG 52.183.71.34:443/Network/Segments sent/sec. | | | | | |
| 6 | 423.7 | 1,107 | 415.1 | 420.2 | 244.3 |
| LG 52.183.71.34:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.35 | 0 | 0 | 0.015 |
| LG 52.183.71.34:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.64 | 7.48 | 2.53 | 2.6 | 1.61 |
| LG 52.183.71.34:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.25 | 0.817 | 0.834 | 0.491 |

LG 52.191.164.19:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 52.191.164.19:443/CPU Load | | | | | |
| 0 | 2.66 | 11 | 2 | 2.55 | 1.79 |
| LG 52.191.164.19:443/Memory Used | | | | | |
| 1 | 4.46 | 10 | 4 | 4.37 | 1.57 |
| LG 52.191.164.19:443/Throughput | | | | | |
| 0 | 2.17 | 6.79 | 2.03 | 2.11 | 1.41 |
| LG 52.191.164.19:443/User Load | | | | | |
| 0 | 155.4 | 304 | 143 | 156.2 | 90.5 |
| LG 52.191.164.19:443/Thread Count | | | | | |
| 40 | 219.6 | 375 | 207 | 220 | 93.1 |
| LG 52.191.164.19:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.191.164.19:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.191.164.19:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.164.19:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.164.19:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 102.9 | 186 | 101 | 99.8 | 23.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.191.164.19:443/Network/Segments sent/sec. | | | | | |
| 5.94 | 419.8 | 1,181 | 410.4 | 415.7 | 243.1 |
| LG 52.191.164.19:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.74 | 0 | 0 | 0.078 |
| LG 52.191.164.19:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 7.42 | 2.49 | 2.58 | 1.61 |
| LG 52.191.164.19:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.2 | 0.817 | 0.83 | 0.491 |

LG 52.191.167.28:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.191.167.28:443/CPU Load | | | | | |
| 0 | 2.66 | 11 | 3 | 2.57 | 1.71 |
| LG 52.191.167.28:443/Memory Used | | | | | |
| 1 | 4.68 | 10 | 5 | 4.64 | 1.63 |
| LG 52.191.167.28:443/Throughput | | | | | |
| 0 | 2.19 | 6 | 2.02 | 2.14 | 1.41 |
| LG 52.191.167.28:443/User Load | | | | | |
| 0 | 156.7 | 304 | 143 | 157.6 | 90.5 |
| LG 52.191.167.28:443/Thread Count | | | | | |
| 40 | 220.7 | 375 | 206 | 221.2 | 93.2 |
| LG 52.191.167.28:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.191.167.28:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.191.167.28:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.167.28:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.167.28:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 110.7 | 180 | 101 | 108.7 | 25.6 |
| LG 52.191.167.28:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 419.9 | 1,141 | 404.7 | 416.3 | 241.2 |
| LG 52.191.167.28:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.013 | 6.67 | 0 | 0 | 0.29 |
| LG 52.191.167.28:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 6.74 | 2.53 | 2.6 | 1.61 |
| LG 52.191.167.28:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 2.09 | 0.822 | 0.836 | 0.491 |

LG 52.191.171.91:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 52.191.171.91:443/CPU Load | | | | | |
| 0 | 2.78 | 10 | 3 | 2.68 | 1.77 |
| LG 52.191.171.91:443/Memory Used | | | | | |
| 1 | 4.69 | 10 | 5 | 4.67 | 1.83 |
| LG 52.191.171.91:443/Throughput | | | | | |
| 0 | 2.19 | 6.22 | 2.05 | 2.13 | 1.41 |
| LG 52.191.171.91:443/User Load | | | | | |
| 0 | 156.8 | 304 | 143 | 157.7 | 90.5 |
| LG 52.191.171.91:443/Thread Count | | | | | |
| 40 | 219.8 | 372 | 205 | 220.4 | 92.7 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.191.171.91:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.191.171.91:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 52.191.171.91:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.171.91:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.171.91:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 140.6 | 188 | 142 | 140.7 | 15.4 |
| LG 52.191.171.91:443/Network/Segments sent/sec. | | | | | |
| 6 | 427.5 | 1,156 | 415.6 | 423.4 | 244.9 |
| LG 52.191.171.91:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.3 | 0 | 0 | 0.143 |
| LG 52.191.171.91:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 6.82 | 2.54 | 2.6 | 1.61 |
| LG 52.191.171.91:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.849 | 2.04 | 0.832 | 0.839 | 0.492 |

LG 52.191.187.233:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.191.187.233:443/CPU Load | | | | | |
| 0 | 2.71 | 11 | 3 | 2.61 | 1.73 |
| LG 52.191.187.233:443/Memory Used | | | | | |
| 1 | 4.98 | 10 | 5 | 4.97 | 1.73 |
| LG 52.191.187.233:443/Throughput | | | | | |
| 0 | 2.17 | 6.21 | 2.06 | 2.1 | 1.41 |
| LG 52.191.187.233:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.5 |
| LG 52.191.187.233:443/Thread Count | | | | | |
| 40 | 219.5 | 374 | 205 | 219.8 | 93.3 |
| LG 52.191.187.233:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.191.187.233:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.191.187.233:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.187.233:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.191.187.233:443/Controller Connection/Ping Duration (ms) | | | | | |
| 113 | 145.8 | 156 | 147 | 146.9 | 7.68 |
| LG 52.191.187.233:443/Network/Segments sent/sec. | | | | | |
| 5.98 | 424.1 | 1,211 | 420.9 | 419.2 | 243.9 |
| LG 52.191.187.233:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0.174 | 0 | 0 | 0.008 |
| LG 52.191.187.233:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 6.8 | 2.56 | 2.58 | 1.62 |
| LG 52.191.187.233:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.05 | 0.828 | 0.83 | 0.492 |

LG 52.229.18.74:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.229.18.74:443/CPU Load | | | | | |
| 0 | 2.66 | 17 | 2 | 2.55 | 1.73 |
| LG 52.229.18.74:443/Memory Used | | | | | |
| 1 | 5.17 | 10 | 5 | 5.13 | 1.91 |
| LG 52.229.18.74:443/Throughput | | | | | |
| 0 | 2.18 | 6.47 | 2.08 | 2.12 | 1.41 |
| LG 52.229.18.74:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.4 | 90.4 |
| LG 52.229.18.74:443/Thread Count | | | | | |
| 40 | 220.6 | 376 | 207 | 221.2 | 93.2 |
| LG 52.229.18.74:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 52.229.18.74:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.004 |
| LG 52.229.18.74:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.18.74:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.18.74:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 137.7 | 181 | 140 | 138.5 | 16.3 |
| LG 52.229.18.74:443/Network/Segments sent/sec. | | | | | |
| 5.96 | 420.1 | 1,157 | 414.1 | 416.1 | 241.8 |
| LG 52.229.18.74:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.73 | 0 | 0 | 0.076 |
| LG 52.229.18.74:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.24 | 2.58 | 2.6 | 1.61 |
| LG 52.229.18.74:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.14 | 0.831 | 0.833 | 0.491 |

LG 52.229.22.23:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 52.229.22.23:443/CPU Load | | | | | |
| 0 | 2.84 | 13 | 3 | 2.75 | 1.78 |
| LG 52.229.22.23:443/Memory Used | | | | | |
| 1 | 4.72 | 9 | 5 | 4.7 | 1.54 |
| LG 52.229.22.23:443/Throughput | | | | | |
| 0 | 2.18 | 6.3 | 2.04 | 2.12 | 1.41 |
| LG 52.229.22.23:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.2 | 90.2 |
| LG 52.229.22.23:443/Thread Count | | | | | |
| 40 | 220.4 | 372 | 207 | 221.1 | 92.5 |
| LG 52.229.22.23:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 52.229.22.23:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 52.229.22.23:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.22.23:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.22.23:443/Controller Connection/Ping Duration (ms) | | | | | |
| 79 | 137.1 | 186 | 136 | 137.3 | 39.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.229.22.23:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 420.5 | 1,185 | 412.9 | 415.9 | 242.3 |
| LG 52.229.22.23:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.75 | 0 | 0 | 0.076 |
| LG 52.229.22.23:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.01 | 2.52 | 2.59 | 1.61 |
| LG 52.229.22.23:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.12 | 0.814 | 0.832 | 0.49 |

LG 52.229.28.162:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.229.28.162:443/CPU Load | | | | | |
| 0 | 2.69 | 16 | 2 | 2.59 | 1.77 |
| LG 52.229.28.162:443/Memory Used | | | | | |
| 1 | 5.39 | 12 | 5 | 5.33 | 2.16 |
| LG 52.229.28.162:443/Throughput | | | | | |
| 0 | 2.18 | 5.73 | 2.02 | 2.12 | 1.42 |
| LG 52.229.28.162:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.4 | 90.3 |
| LG 52.229.28.162:443/Thread Count | | | | | |
| 40 | 219.6 | 371 | 205 | 220.2 | 92.7 |
| LG 52.229.28.162:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 52.229.28.162:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.229.28.162:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.28.162:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.28.162:443/Controller Connection/Ping Duration (ms) | | | | | |
| 80 | 147.4 | 199 | 150 | 148.6 | 16.6 |
| LG 52.229.28.162:443/Network/Segments sent/sec. | | | | | |
| 6 | 426.6 | 1,253 | 410.6 | 422.3 | 246.3 |
| LG 52.229.28.162:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0.2 | 0 | 0 | 0.009 |
| LG 52.229.28.162:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.65 | 6.49 | 2.53 | 2.61 | 1.62 |
| LG 52.229.28.162:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.848 | 1.96 | 0.83 | 0.837 | 0.494 |

LG 52.229.52.32:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------|-------|------|------|---------|---------|
| LG 52.229.52.32:443/CPU Load | | | | | |
| 0 | 2.55 | 13 | 2 | 2.48 | 1.59 |
| LG 52.229.52.32:443/Memory Used | | | | | |
| 1 | 5.98 | 12 | 6 | 5.94 | 2.37 |
| LG 52.229.52.32:443/Throughput | | | | | |
| 0 | 2.17 | 5.97 | 2.07 | 2.11 | 1.41 |
| LG 52.229.52.32:443/User Load | | | | | |
| 0 | 155.4 | 303 | 142 | 156.2 | 90.4 |
| LG 52.229.52.32:443/Thread Count | | | | | |
| 40 | 219 | 371 | 204 | 219.6 | 93.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.229.52.32:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 52.229.52.32:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 52.229.52.32:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.52.32:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.52.32:443/Controller Connection/Ping Duration (ms) | | | | | |
| 71 | 133.4 | 180 | 136 | 134.2 | 21.5 |
| LG 52.229.52.32:443/Network/Segments sent/sec. | | | | | |
| 6 | 425 | 1,166 | 414.6 | 420.9 | 246.3 |
| LG 52.229.52.32:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 2.1 | 0 | 0 | 0.092 |
| LG 52.229.52.32:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 6.74 | 2.54 | 2.59 | 1.62 |
| LG 52.229.52.32:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.02 | 0.822 | 0.833 | 0.492 |

LG 52.229.58.237:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.229.58.237:443/CPU Load | | | | | |
| 0 | 2.66 | 11 | 3 | 2.6 | 1.58 |
| LG 52.229.58.237:443/Memory Used | | | | | |
| 1 | 5.81 | 12 | 5 | 5.77 | 2.51 |
| LG 52.229.58.237:443/Throughput | | | | | |
| 0 | 2.17 | 6.27 | 2.05 | 2.11 | 1.41 |
| LG 52.229.58.237:443/User Load | | | | | |
| 0 | 155.7 | 304 | 142 | 156.5 | 90.3 |
| LG 52.229.58.237:443/Thread Count | | | | | |
| 40 | 219.2 | 372 | 203 | 219.9 | 92.8 |
| LG 52.229.58.237:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.229.58.237:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.1 | 0 | 0 | 0.005 |
| LG 52.229.58.237:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.58.237:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.58.237:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 102.8 | 176 | 99 | 100.2 | 21.8 |
| LG 52.229.58.237:443/Network/Segments sent/sec. | | | | | |
| 6 | 428.3 | 1,206 | 418.9 | 423.8 | 246.9 |
| LG 52.229.58.237:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.05 | 0 | 0 | 0.046 |
| LG 52.229.58.237:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.64 | 6.97 | 2.53 | 2.6 | 1.62 |
| LG 52.229.58.237:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 2.06 | 0.824 | 0.834 | 0.493 |

LG 52.229.61.81:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.229.61.81:443/CPU Load | | | | | |
| 0 | 2.41 | 11 | 2 | 2.31 | 1.6 |
| LG 52.229.61.81:443/Memory Used | | | | | |
| 1 | 4.9 | 11 | 5 | 4.83 | 1.7 |
| LG 52.229.61.81:443/Throughput | | | | | |
| 0 | 2.18 | 6.14 | 2.07 | 2.13 | 1.41 |
| LG 52.229.61.81:443/User Load | | | | | |
| 0 | 156.2 | 304 | 143 | 157.1 | 90.3 |
| LG 52.229.61.81:443/Thread Count | | | | | |
| 40 | 220.8 | 373 | 208 | 221.4 | 90.9 |
| LG 52.229.61.81:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 52.229.61.81:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 52.229.61.81:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.61.81:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.229.61.81:443/Controller Connection/Ping Duration (ms) | | | | | |
| 84 | 156.1 | 186 | 176 | 158.1 | 30.7 |
| LG 52.229.61.81:443/Network/Segments sent/sec. | | | | | |
| 6 | 426.6 | 1,120 | 414.4 | 422.4 | 243.8 |
| LG 52.229.61.81:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.04 | 0 | 0 | 0.047 |
| LG 52.229.61.81:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 6.81 | 2.54 | 2.6 | 1.61 |
| LG 52.229.61.81:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.846 | 2.06 | 0.821 | 0.837 | 0.491 |

LG 52.233.72.152:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 52.233.72.152:443/CPU Load | | | | | |
| 0 | 2.78 | 14 | 3 | 2.68 | 1.77 |
| LG 52.233.72.152:443/Memory Used | | | | | |
| 1 | 4.65 | 11 | 4 | 4.55 | 1.72 |
| LG 52.233.72.152:443/Throughput | | | | | |
| 0 | 2.17 | 6.14 | 2.02 | 2.12 | 1.42 |
| LG 52.233.72.152:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.6 |
| LG 52.233.72.152:443/Thread Count | | | | | |
| 40 | 221.4 | 371 | 205 | 222.2 | 90 |
| LG 52.233.72.152:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 52.233.72.152:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 52.233.72.152:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.152:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.152:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 130.9 | 184 | 135 | 131.6 | 19.9 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.233.72.152:443/Network/Segments sent/sec. | | | | | |
| 5.96 | 434.7 | 1,260 | 420.3 | 430.8 | 252.3 |
| LG 52.233.72.152:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.93 | 0 | 0 | 0.084 |
| LG 52.233.72.152:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.64 | 6.89 | 2.54 | 2.6 | 1.62 |
| LG 52.233.72.152:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.849 | 2.07 | 0.825 | 0.84 | 0.497 |

LG 52.233.72.175:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.233.72.175:443/CPU Load | | | | | |
| 0 | 2.71 | 13 | 3 | 2.63 | 1.67 |
| LG 52.233.72.175:443/Memory Used | | | | | |
| 1 | 5.09 | 10 | 5 | 5.07 | 1.86 |
| LG 52.233.72.175:443/Throughput | | | | | |
| 0 | 2.17 | 5.95 | 2.06 | 2.12 | 1.4 |
| LG 52.233.72.175:443/User Load | | | | | |
| 0 | 155.8 | 304 | 143 | 156.6 | 90.1 |
| LG 52.233.72.175:443/Thread Count | | | | | |
| 40 | 219.3 | 372 | 206 | 219.9 | 92.3 |
| LG 52.233.72.175:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.233.72.175:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 52.233.72.175:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.175:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.175:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 138.3 | 171 | 141 | 140.3 | 14.9 |
| LG 52.233.72.175:443/Network/Segments sent/sec. | | | | | |
| 3.76 | 421.4 | 1,214 | 412.5 | 417.7 | 242.4 |
| LG 52.233.72.175:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.017 | 8.76 | 0 | 0 | 0.381 |
| LG 52.233.72.175:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.64 | 6.54 | 2.53 | 2.59 | 1.6 |
| LG 52.233.72.175:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 1.95 | 0.813 | 0.833 | 0.489 |

LG 52.233.72.239:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 52.233.72.239:443/CPU Load | | | | | |
| 0 | 2.58 | 15 | 2 | 2.47 | 1.77 |
| LG 52.233.72.239:443/Memory Used | | | | | |
| 1 | 4.89 | 10 | 5 | 4.86 | 1.69 |
| LG 52.233.72.239:443/Throughput | | | | | |
| 0 | 2.16 | 6.74 | 2.03 | 2.09 | 1.43 |
| LG 52.233.72.239:443/User Load | | | | | |
| 0 | 155 | 304 | 143 | 155.7 | 90.7 |
| LG 52.233.72.239:443/Thread Count | | | | | |
| 40 | 219.5 | 376 | 208 | 219.7 | 93.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.233.72.239:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 52.233.72.239:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.002 |
| LG 52.233.72.239:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.239:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.239:443/Controller Connection/Ping Duration (ms) | | | | | |
| 72 | 103.2 | 141 | 98 | 102.8 | 20.3 |
| LG 52.233.72.239:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 448.4 | 1,223 | 440.2 | 443 | 262.8 |
| LG 52.233.72.239:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.013 | 6.76 | 0 | 0 | 0.293 |
| LG 52.233.72.239:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.38 | 2.57 | 2.57 | 1.64 |
| LG 52.233.72.239:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.855 | 2.19 | 0.84 | 0.843 | 0.507 |

LG 52.233.72.86:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 52.233.72.86:443/CPU Load | | | | | |
| 0 | 2.72 | 14 | 3 | 2.61 | 1.79 |
| LG 52.233.72.86:443/Memory Used | | | | | |
| 1 | 4.66 | 10 | 5 | 4.65 | 1.8 |
| LG 52.233.72.86:443/Throughput | | | | | |
| 0 | 2.17 | 6.39 | 2.02 | 2.11 | 1.43 |
| LG 52.233.72.86:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.6 | 90.6 |
| LG 52.233.72.86:443/Thread Count | | | | | |
| 40 | 220.1 | 372 | 206 | 220.6 | 92.9 |
| LG 52.233.72.86:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.14 | 0.1 | 0.1 | 0.004 |
| LG 52.233.72.86:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 52.233.72.86:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.86:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 52.233.72.86:443/Controller Connection/Ping Duration (ms) | | | | | |
| 106 | 145 | 189 | 146 | 144.6 | 13 |
| LG 52.233.72.86:443/Network/Segments sent/sec. | | | | | |
| 5.93 | 419.1 | 1,037 | 407.1 | 415 | 243 |
| LG 52.233.72.86:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.04 | 0 | 0 | 0.046 |
| LG 52.233.72.86:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.01 | 2.63 | 7.17 | 2.48 | 2.59 | 1.63 |
| LG 52.233.72.86:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.14 | 0.802 | 0.829 | 0.493 |

LG 34.94.108.192:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.108.192:443/CPU Load | | | | | |
| 0 | 2.9 | 11 | 3 | 2.81 | 1.77 |
| LG 34.94.108.192:443/Memory Used | | | | | |
| 2 | 13.8 | 33 | 12 | 13.5 | 8.18 |
| LG 34.94.108.192:443/Throughput | | | | | |
| 0 | 2.14 | 6.39 | 2.03 | 2.09 | 1.37 |
| LG 34.94.108.192:443/User Load | | | | | |
| 0 | 155.9 | 303 | 143 | 156.8 | 90.5 |
| LG 34.94.108.192:443/Thread Count | | | | | |
| 40 | 219 | 369 | 208 | 219.8 | 92.7 |
| LG 34.94.108.192:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.108.192:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 |
| LG 34.94.108.192:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.108.192:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.108.192:443/Controller Connection/Ping Duration (ms) | | | | | |
| 60 | 164.9 | 3,024 | 87 | 98.1 | 439.1 |
| LG 34.94.108.192:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.4 | 1,173 | 390.9 | 390.2 | 234.1 |
| LG 34.94.108.192:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.05 | 0 | 0 | 0.05 |
| LG 34.94.108.192:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.73 | 2.36 | 2.4 | 1.5 |
| LG 34.94.108.192:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.826 | 2.12 | 0.819 | 0.816 | 0.488 |

LG 34.94.13.71:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.13.71:443/CPU Load | | | | | |
| 0 | 2.85 | 10 | 3 | 2.77 | 1.76 |
| LG 34.94.13.71:443/Memory Used | | | | | |
| 2 | 14.5 | 32 | 13 | 14.3 | 8.45 |
| LG 34.94.13.71:443/Throughput | | | | | |
| 0 | 2.13 | 6.65 | 2.07 | 2.09 | 1.35 |
| LG 34.94.13.71:443/User Load | | | | | |
| 0 | 155.8 | 303 | 143 | 156.6 | 90.3 |
| LG 34.94.13.71:443/Thread Count | | | | | |
| 40 | 218.8 | 369 | 204 | 219.5 | 92 |
| LG 34.94.13.71:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 34.94.13.71:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 34.94.13.71:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.13.71:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.13.71:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 144 | 1,473 | 117 | 110.5 | 213 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.13.71:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 391.9 | 1,250 | 391.6 | 388.1 | 230.6 |
| LG 34.94.13.71:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 4.11 | 0 | 0 | 0.179 |
| LG 34.94.13.71:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.99 | 2.4 | 2.4 | 1.48 |
| LG 34.94.13.71:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.824 | 2.24 | 0.817 | 0.815 | 0.483 |

LG 34.94.132.235:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.132.235:443/CPU Load | | | | | |
| 0 | 2.68 | 11 | 3 | 2.6 | 1.7 |
| LG 34.94.132.235:443/Memory Used | | | | | |
| 1 | 14.1 | 33 | 14 | 13.9 | 7.87 |
| LG 34.94.132.235:443/Throughput | | | | | |
| 0 | 2.12 | 6.59 | 2.04 | 2.07 | 1.37 |
| LG 34.94.132.235:443/User Load | | | | | |
| 0 | 155.3 | 304 | 143 | 156.1 | 90.6 |
| LG 34.94.132.235:443/Thread Count | | | | | |
| 40 | 217.8 | 368 | 205 | 218.5 | 92.6 |
| LG 34.94.132.235:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 34.94.132.235:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.132.235:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.132.235:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.132.235:443/Controller Connection/Ping Duration (ms) | | | | | |
| 64 | 170.8 | 2,986 | 85 | 88.1 | 481.7 |
| LG 34.94.132.235:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 390.9 | 1,221 | 389.3 | 386.6 | 232.9 |
| LG 34.94.132.235:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.25 | 0 | 0 | 0.054 |
| LG 34.94.132.235:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.88 | 2.35 | 2.39 | 1.5 |
| LG 34.94.132.235:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.821 | 2.16 | 0.805 | 0.811 | 0.487 |

LG 34.94.152.236:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|-------|---------|---------|
| LG 34.94.152.236:443/CPU Load | | | | | |
| 0 | 2.68 | 12 | 2 | 2.58 | 1.72 |
| LG 34.94.152.236:443/Memory Used | | | | | |
| 1 | 15.3 | 35 | 14 | 15.1 | 9.02 |
| LG 34.94.152.236:443/Throughput | | | | | |
| 0 | 2.12 | 7.17 | 2.02 | 2.07 | 1.37 |
| LG 34.94.152.236:443/User Load | | | | | |
| 0 | 155 | 303 | 142 | 155.7 | 90.4 |
| LG 34.94.152.236:443/Thread Count | | | | | |
| 40 | 223.2 | 367 | 209.5 | 224.5 | 88.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.152.236:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.152.236:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 34.94.152.236:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.152.236:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.152.236:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 90.3 | 166 | 85 | 88.2 | 21.1 |
| LG 34.94.152.236:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 393.3 | 1,140 | 386.2 | 388 | 233.8 |
| LG 34.94.152.236:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 2.32 | 0 | 0 | 0.1 |
| LG 34.94.152.236:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 7.47 | 2.4 | 2.38 | 1.51 |
| LG 34.94.152.236:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.822 | 2.31 | 0.812 | 0.81 | 0.487 |

LG 34.94.158.237:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.158.237:443/CPU Load | | | | | |
| 0 | 3.02 | 13 | 3 | 2.92 | 1.89 |
| LG 34.94.158.237:443/Memory Used | | | | | |
| 1 | 16.5 | 36 | 15.5 | 16.3 | 9.59 |
| LG 34.94.158.237:443/Throughput | | | | | |
| 0 | 2.15 | 6.42 | 2.08 | 2.1 | 1.37 |
| LG 34.94.158.237:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.6 |
| LG 34.94.158.237:443/Thread Count | | | | | |
| 40 | 219.3 | 367 | 205 | 220.2 | 92.5 |
| LG 34.94.158.237:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 34.94.158.237:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 34.94.158.237:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.158.237:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.158.237:443/Controller Connection/Ping Duration (ms) | | | | | |
| 72 | 139.8 | 1,008 | 120 | 118.9 | 139.2 |
| LG 34.94.158.237:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 393 | 1,159 | 390.7 | 388.8 | 233.5 |
| LG 34.94.158.237:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.24 | 0 | 0 | 0.185 |
| LG 34.94.158.237:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.82 | 2.41 | 2.4 | 1.5 |
| LG 34.94.158.237:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.001 | 0.827 | 2.17 | 0.817 | 0.818 | 0.487 |

LG 34.94.170.168:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.170.168:443/CPU Load | | | | | |
| 0 | 3.06 | 10 | 3 | 2.97 | 1.84 |
| LG 34.94.170.168:443/Memory Used | | | | | |
| 2 | 12.3 | 27 | 12 | 12.1 | 6.58 |
| LG 34.94.170.168:443/Throughput | | | | | |
| 0 | 2.15 | 6.61 | 2.06 | 2.1 | 1.37 |
| LG 34.94.170.168:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.2 | 90.2 |
| LG 34.94.170.168:443/Thread Count | | | | | |
| 40 | 218.7 | 369 | 207 | 219.6 | 91.8 |
| LG 34.94.170.168:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.94.170.168:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.170.168:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.170.168:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.170.168:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 141.7 | 1,368 | 118 | 111 | 196.1 |
| LG 34.94.170.168:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 393.2 | 1,191 | 387.2 | 388.9 | 232.4 |
| LG 34.94.170.168:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.05 | 0 | 0 | 0.047 |
| LG 34.94.170.168:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.89 | 2.39 | 2.39 | 1.5 |
| LG 34.94.170.168:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.004 | 0.826 | 2.14 | 0.815 | 0.816 | 0.486 |

LG 34.94.177.181:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.177.181:443/CPU Load | | | | | |
| 0 | 2.67 | 12 | 2.5 | 2.6 | 1.64 |
| LG 34.94.177.181:443/Memory Used | | | | | |
| 2 | 11.4 | 27 | 10 | 11.2 | 6.37 |
| LG 34.94.177.181:443/Throughput | | | | | |
| 0 | 2.15 | 6.94 | 2.09 | 2.1 | 1.37 |
| LG 34.94.177.181:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.4 | 90.4 |
| LG 34.94.177.181:443/Thread Count | | | | | |
| 40 | 218.9 | 369 | 205 | 219.6 | 91.9 |
| LG 34.94.177.181:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.177.181:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.083 | 0 | 0 | 0.004 |
| LG 34.94.177.181:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.177.181:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.177.181:443/Controller Connection/Ping Duration (ms) | | | | | |
| 69 | 157 | 1,491 | 120 | 124.6 | 214.9 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.177.181:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.2 | 1,166 | 400.9 | 392.3 | 233.7 |
| LG 34.94.177.181:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.012 | 6.2 | 0 | 0 | 0.27 |
| LG 34.94.177.181:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.46 | 7.25 | 2.47 | 2.42 | 1.51 |
| LG 34.94.177.181:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.83 | 2.26 | 0.838 | 0.821 | 0.487 |

LG 34.94.180.76:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.180.76:443/CPU Load | | | | | |
| 0 | 2.99 | 10 | 3 | 2.92 | 1.8 |
| LG 34.94.180.76:443/Memory Used | | | | | |
| 1 | 11.7 | 26 | 11 | 11.6 | 6.36 |
| LG 34.94.180.76:443/Throughput | | | | | |
| 0 | 2.14 | 6.47 | 2.09 | 2.1 | 1.35 |
| LG 34.94.180.76:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.2 | 90.2 |
| LG 34.94.180.76:443/Thread Count | | | | | |
| 40 | 220.2 | 368 | 204 | 221.1 | 89.4 |
| LG 34.94.180.76:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 34.94.180.76:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.180.76:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.180.76:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.180.76:443/Controller Connection/Ping Duration (ms) | | | | | |
| 67 | 106.7 | 126 | 116 | 107.5 | 17.6 |
| LG 34.94.180.76:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.1 | 1,186 | 399.7 | 390 | 231.6 |
| LG 34.94.180.76:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.706 | 0 | 0 | 0.031 |
| LG 34.94.180.76:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.82 | 2.41 | 2.4 | 1.49 |
| LG 34.94.180.76:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.827 | 2.15 | 0.821 | 0.818 | 0.483 |

LG 34.94.184.9:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------|-------|------|------|---------|---------|
| LG 34.94.184.9:443/CPU Load | | | | | |
| 0 | 2.77 | 13 | 3 | 2.67 | 1.76 |
| LG 34.94.184.9:443/Memory Used | | | | | |
| 1 | 12.2 | 26 | 11 | 12.1 | 6.82 |
| LG 34.94.184.9:443/Throughput | | | | | |
| 0 | 2.13 | 6.21 | 2.01 | 2.08 | 1.38 |
| LG 34.94.184.9:443/User Load | | | | | |
| 0 | 155.6 | 304 | 143 | 156.4 | 90.4 |
| LG 34.94.184.9:443/Thread Count | | | | | |
| 40 | 218.4 | 368 | 204 | 219.2 | 92 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.184.9:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.184.9:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.184.9:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 34.94.184.9:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 34.94.184.9:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 93.4 | 160 | 83 | 92.2 | 22.6 |
| LG 34.94.184.9:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.1 | 1,169 | 388.4 | 389.2 | 235.4 |
| LG 34.94.184.9:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.011 | 5.76 | 0 | 0 | 0.25 |
| LG 34.94.184.9:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.64 | 2.38 | 2.39 | 1.52 |
| LG 34.94.184.9:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.824 | 2.12 | 0.807 | 0.813 | 0.49 |

LG 34.94.190.254:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.190.254:443/CPU Load | | | | | |
| 0 | 2.83 | 9 | 3 | 2.74 | 1.69 |
| LG 34.94.190.254:443/Memory Used | | | | | |
| 1 | 10.99 | 25 | 11 | 10.84 | 5.66 |
| LG 34.94.190.254:443/Throughput | | | | | |
| 0 | 2.14 | 6.75 | 2.08 | 2.09 | 1.35 |
| LG 34.94.190.254:443/User Load | | | | | |
| 0 | 156.1 | 304 | 143 | 157 | 90.2 |
| LG 34.94.190.254:443/Thread Count | | | | | |
| 40 | 218.5 | 370 | 205 | 219.1 | 91.7 |
| LG 34.94.190.254:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.94.190.254:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 34.94.190.254:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 34.94.190.254:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 34.94.190.254:443/Controller Connection/Ping Duration (ms) | | | | | |
| 61 | 142.4 | 2,299 | 83 | 88.2 | 343.7 |
| LG 34.94.190.254:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.3 | 1,300 | 391.5 | 390.8 | 232.9 |
| LG 34.94.190.254:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.025 | 13.5 | 0 | 0 | 0.586 |
| LG 34.94.190.254:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 7.08 | 2.4 | 2.41 | 1.49 |
| LG 34.94.190.254:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.827 | 2.26 | 0.817 | 0.817 | 0.485 |

LG 34.94.206.132:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.206.132:443/CPU Load | | | | | |
| 0 | 2.84 | 14 | 3 | 2.74 | 1.82 |
| LG 34.94.206.132:443/Memory Used | | | | | |
| 2 | 11.2 | 24 | 11 | 11.1 | 5.87 |
| LG 34.94.206.132:443/Throughput | | | | | |
| 0 | 2.14 | 6 | 2.1 | 2.1 | 1.36 |
| LG 34.94.206.132:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.2 | 90.2 |
| LG 34.94.206.132:443/Thread Count | | | | | |
| 40 | 218.7 | 371 | 205 | 219.3 | 91.8 |
| LG 34.94.206.132:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.206.132:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 34.94.206.132:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.206.132:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.206.132:443/Controller Connection/Ping Duration (ms) | | | | | |
| 79 | 188 | 2,580 | 125 | 129 | 381.9 |
| LG 34.94.206.132:443/Network/Segments sent/sec. | | | | | |
| 1.61 | 397 | 1,184 | 397.9 | 393.1 | 234 |
| LG 34.94.206.132:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.016 | 7.41 | 0 | 0 | 0.323 |
| LG 34.94.206.132:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.4 | 2.42 | 2.41 | 1.5 |
| LG 34.94.206.132:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.828 | 2.02 | 0.816 | 0.819 | 0.486 |

LG 34.94.213.246:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.213.246:443/CPU Load | | | | | |
| 0 | 2.94 | 13 | 3 | 2.85 | 1.84 |
| LG 34.94.213.246:443/Memory Used | | | | | |
| 1 | 12.8 | 30 | 11 | 12.5 | 7.33 |
| LG 34.94.213.246:443/Throughput | | | | | |
| 0 | 2.14 | 6.41 | 2.05 | 2.1 | 1.36 |
| LG 34.94.213.246:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.6 |
| LG 34.94.213.246:443/Thread Count | | | | | |
| 40 | 218.3 | 370 | 205 | 218.9 | 92.1 |
| LG 34.94.213.246:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 34.94.213.246:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 34.94.213.246:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.213.246:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.213.246:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 169.4 | 2,520 | 86 | 101.1 | 402.6 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.213.246:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.9 | 1,298 | 395.2 | 391 | 234.7 |
| LG 34.94.213.246:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.43 | 0 | 0 | 0.064 |
| LG 34.94.213.246:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.77 | 2.37 | 2.4 | 1.5 |
| LG 34.94.213.246:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.001 | 0.825 | 2.13 | 0.814 | 0.817 | 0.486 |

LG 34.94.237.4:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.237.4:443/CPU Load | | | | | |
| 0 | 3.01 | 13 | 3 | 2.92 | 1.83 |
| LG 34.94.237.4:443/Memory Used | | | | | |
| 1 | 13.3 | 30 | 12 | 13 | 7.93 |
| LG 34.94.237.4:443/Throughput | | | | | |
| 0 | 2.15 | 6.05 | 2.1 | 2.11 | 1.35 |
| LG 34.94.237.4:443/User Load | | | | | |
| 0 | 156.6 | 304 | 143 | 157.5 | 90.5 |
| LG 34.94.237.4:443/Thread Count | | | | | |
| 40 | 218.8 | 368 | 205 | 219.6 | 92.1 |
| LG 34.94.237.4:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 34.94.237.4:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.237.4:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.237.4:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.237.4:443/Controller Connection/Ping Duration (ms) | | | | | |
| 61 | 145.9 | 2,556 | 83 | 84.9 | 384.3 |
| LG 34.94.237.4:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.5 | 1,180 | 395.1 | 393.1 | 232 |
| LG 34.94.237.4:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0.2 | 0 | 0 | 0.009 |
| LG 34.94.237.4:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.39 | 2.42 | 2.42 | 1.49 |
| LG 34.94.237.4:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.829 | 2.01 | 0.822 | 0.821 | 0.483 |

LG 34.94.24.230:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------|-------|-----|------|---------|---------|
| LG 34.94.24.230:443/CPU Load | | | | | |
| 0 | 2.98 | 15 | 3 | 2.88 | 1.87 |
| LG 34.94.24.230:443/Memory Used | | | | | |
| 1 | 12.9 | 30 | 11 | 12.6 | 7.17 |
| LG 34.94.24.230:443/Throughput | | | | | |
| 0 | 2.16 | 6.1 | 2.08 | 2.1 | 1.38 |
| LG 34.94.24.230:443/User Load | | | | | |
| 0 | 156.7 | 304 | 143 | 157.6 | 90.5 |
| LG 34.94.24.230:443/Thread Count | | | | | |
| 40 | 219.7 | 370 | 206 | 220.5 | 92.8 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.24.230:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.24.230:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.24.230:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.24.230:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.24.230:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 180 | 1,748 | 93 | 107 | 344.3 |
| LG 34.94.24.230:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.2 | 1,170 | 395.3 | 391.9 | 234.6 |
| LG 34.94.24.230:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.94 | 0 | 0 | 0.085 |
| LG 34.94.24.230:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.46 | 2.42 | 2.41 | 1.51 |
| LG 34.94.24.230:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.83 | 2.09 | 0.823 | 0.821 | 0.489 |

LG 34.94.246.7:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.246.7:443/CPU Load | | | | | |
| 0 | 2.9 | 11 | 3 | 2.82 | 1.77 |
| LG 34.94.246.7:443/Memory Used | | | | | |
| 2 | 12.3 | 26 | 11 | 12.1 | 6.83 |
| LG 34.94.246.7:443/Throughput | | | | | |
| 0 | 2.12 | 6.14 | 2.04 | 2.07 | 1.35 |
| LG 34.94.246.7:443/User Load | | | | | |
| 0 | 155.1 | 303 | 142 | 155.8 | 90.6 |
| LG 34.94.246.7:443/Thread Count | | | | | |
| 40 | 218.7 | 367 | 204 | 219.5 | 90.3 |
| LG 34.94.246.7:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.246.7:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 34.94.246.7:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.246.7:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.246.7:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 199.5 | 2,765 | 120 | 126 | 440.5 |
| LG 34.94.246.7:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 391.2 | 1,129 | 383 | 386.7 | 231.2 |
| LG 34.94.246.7:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.8 | 0 | 0 | 0.122 |
| LG 34.94.246.7:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.42 | 6.48 | 2.41 | 2.38 | 1.49 |
| LG 34.94.246.7:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.821 | 2.06 | 0.81 | 0.81 | 0.484 |

LG 34.94.248.157:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.248.157:443/CPU Load | | | | | |
| 0 | 2.65 | 13 | 2 | 2.58 | 1.7 |
| LG 34.94.248.157:443/Memory Used | | | | | |
| 1 | 11.3 | 26 | 10 | 11 | 6.48 |
| LG 34.94.248.157:443/Throughput | | | | | |
| 0 | 2.13 | 6.05 | 2.01 | 2.08 | 1.36 |
| LG 34.94.248.157:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.7 |
| LG 34.94.248.157:443/Thread Count | | | | | |
| 40 | 224.2 | 368 | 210 | 225.5 | 87.9 |
| LG 34.94.248.157:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.248.157:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.248.157:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.248.157:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.248.157:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 98.6 | 153 | 86 | 98.2 | 21.4 |
| LG 34.94.248.157:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394 | 1,077 | 389.1 | 390.1 | 232.7 |
| LG 34.94.248.157:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.01 | 0 | 0 | 0.13 |
| LG 34.94.248.157:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.42 | 2.37 | 2.4 | 1.5 |
| LG 34.94.248.157:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.824 | 2.05 | 0.813 | 0.816 | 0.484 |

LG 34.94.26.235:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.26.235:443/CPU Load | | | | | |
| 0 | 2.78 | 11 | 3 | 2.68 | 1.74 |
| LG 34.94.26.235:443/Memory Used | | | | | |
| 1 | 11.3 | 24 | 11 | 11.2 | 6.07 |
| LG 34.94.26.235:443/Throughput | | | | | |
| 0 | 2.15 | 6.84 | 2.08 | 2.1 | 1.37 |
| LG 34.94.26.235:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.6 |
| LG 34.94.26.235:443/Thread Count | | | | | |
| 40 | 219.1 | 372 | 206 | 219.7 | 92.9 |
| LG 34.94.26.235:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.26.235:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.004 |
| LG 34.94.26.235:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.26.235:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.26.235:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 120.9 | 1,432 | 82 | 86.9 | 209.6 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.26.235:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.2 | 1,273 | 392.1 | 391.8 | 234.8 |
| LG 34.94.26.235:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 2.21 | 0 | 0 | 0.096 |
| LG 34.94.26.235:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 7.18 | 2.42 | 2.41 | 1.51 |
| LG 34.94.26.235:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.829 | 2.25 | 0.823 | 0.819 | 0.488 |

LG 34.94.33.203:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.33.203:443/CPU Load | | | | | |
| 0 | 2.94 | 14 | 3 | 2.85 | 1.81 |
| LG 34.94.33.203:443/Memory Used | | | | | |
| 1 | 13.8 | 31 | 13 | 13.6 | 7.89 |
| LG 34.94.33.203:443/Throughput | | | | | |
| 0 | 2.13 | 6.09 | 2.04 | 2.09 | 1.36 |
| LG 34.94.33.203:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.7 | 90.3 |
| LG 34.94.33.203:443/Thread Count | | | | | |
| 40 | 218 | 369 | 205 | 218.8 | 90.9 |
| LG 34.94.33.203:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.33.203:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 34.94.33.203:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 34.94.33.203:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 34.94.33.203:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 141.9 | 2,295 | 80 | 86.9 | 343.2 |
| LG 34.94.33.203:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 392.9 | 1,160 | 389.1 | 388.5 | 232.4 |
| LG 34.94.33.203:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.007 | 3.7 | 0 | 0 | 0.161 |
| LG 34.94.33.203:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.52 | 2.39 | 2.39 | 1.49 |
| LG 34.94.33.203:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.003 | 0.824 | 2.12 | 0.821 | 0.815 | 0.484 |

LG 34.94.40.147:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------|-------|------|------|---------|---------|
| LG 34.94.40.147:443/CPU Load | | | | | |
| 0 | 2.85 | 12 | 3 | 2.77 | 1.73 |
| LG 34.94.40.147:443/Memory Used | | | | | |
| 2 | 11.2 | 25 | 11 | 11 | 5.83 |
| LG 34.94.40.147:443/Throughput | | | | | |
| 0 | 2.14 | 6.63 | 2.04 | 2.1 | 1.36 |
| LG 34.94.40.147:443/User Load | | | | | |
| 0 | 155.7 | 303 | 143 | 156.6 | 90.1 |
| LG 34.94.40.147:443/Thread Count | | | | | |
| 40 | 218 | 369 | 205 | 218.7 | 91.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.40.147:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.40.147:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.40.147:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.40.147:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.40.147:443/Controller Connection/Ping Duration (ms) | | | | | |
| 65 | 88.7 | 160 | 80 | 86.7 | 19.2 |
| LG 34.94.40.147:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 393.9 | 1,138 | 391.7 | 390.8 | 232.3 |
| LG 34.94.40.147:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.62 | 0 | 0 | 0.201 |
| LG 34.94.40.147:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.89 | 2.4 | 2.41 | 1.49 |
| LG 34.94.40.147:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.825 | 2.17 | 0.813 | 0.817 | 0.484 |

LG 34.94.43.110:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.43.110:443/CPU Load | | | | | |
| 0 | 2.72 | 11 | 3 | 2.64 | 1.65 |
| LG 34.94.43.110:443/Memory Used | | | | | |
| 1 | 15 | 33 | 14 | 14.9 | 8.51 |
| LG 34.94.43.110:443/Throughput | | | | | |
| 0 | 2.14 | 5.92 | 2.06 | 2.1 | 1.36 |
| LG 34.94.43.110:443/User Load | | | | | |
| 0 | 156 | 304 | 143 | 156.9 | 90.4 |
| LG 34.94.43.110:443/Thread Count | | | | | |
| 40 | 221.4 | 369 | 206.5 | 222.4 | 90 |
| LG 34.94.43.110:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.94.43.110:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 34.94.43.110:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.43.110:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.43.110:443/Controller Connection/Ping Duration (ms) | | | | | |
| 68 | 122.9 | 1,197 | 82 | 95.1 | 172.9 |
| LG 34.94.43.110:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395 | 1,100 | 393.1 | 391.2 | 232.3 |
| LG 34.94.43.110:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.81 | 0 | 0 | 0.122 |
| LG 34.94.43.110:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.32 | 2.42 | 2.41 | 1.5 |
| LG 34.94.43.110:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.827 | 2.02 | 0.825 | 0.819 | 0.484 |

LG 34.94.44.119:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.44.119:443/CPU Load | | | | | |
| 0 | 2.85 | 10 | 3 | 2.78 | 1.69 |
| LG 34.94.44.119:443/Memory Used | | | | | |
| 1 | 16 | 34 | 15 | 15.7 | 9.29 |
| LG 34.94.44.119:443/Throughput | | | | | |
| 0 | 2.13 | 6.02 | 2.07 | 2.09 | 1.36 |
| LG 34.94.44.119:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.5 |
| LG 34.94.44.119:443/Thread Count | | | | | |
| 40 | 218 | 368 | 205 | 218.8 | 92 |
| LG 34.94.44.119:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.44.119:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.44.119:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.44.119:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.44.119:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 112.7 | 425 | 83 | 98.2 | 75.4 |
| LG 34.94.44.119:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 392.1 | 1,295 | 385.2 | 388.1 | 233.4 |
| LG 34.94.44.119:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.58 | 0 | 0 | 0.199 |
| LG 34.94.44.119:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.4 | 2.39 | 2.39 | 1.5 |
| LG 34.94.44.119:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.823 | 2.03 | 0.809 | 0.814 | 0.485 |

LG 34.94.51.85:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.51.85:443/CPU Load | | | | | |
| 0 | 2.97 | 12 | 3 | 2.87 | 1.84 |
| LG 34.94.51.85:443/Memory Used | | | | | |
| 1 | 13.2 | 32 | 12 | 13 | 7.45 |
| LG 34.94.51.85:443/Throughput | | | | | |
| 0 | 2.16 | 6.38 | 2.11 | 2.11 | 1.36 |
| LG 34.94.51.85:443/User Load | | | | | |
| 0 | 156.7 | 304 | 143 | 157.6 | 90.5 |
| LG 34.94.51.85:443/Thread Count | | | | | |
| 40 | 219.3 | 370 | 206 | 220 | 92.2 |
| LG 34.94.51.85:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.94.51.85:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 34.94.51.85:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 34.94.51.85:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 34.94.51.85:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 134.6 | 1,913 | 81 | 88.9 | 284.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.51.85:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.5 | 1,192 | 397 | 393.7 | 233.5 |
| LG 34.94.51.85:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 2.78 | 0 | 0 | 0.125 |
| LG 34.94.51.85:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.73 | 2.43 | 2.42 | 1.5 |
| LG 34.94.51.85:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.831 | 2.12 | 0.815 | 0.822 | 0.486 |

LG 34.94.6.231:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.6.231:443/CPU Load | | | | | |
| 0 | 2.74 | 14 | 3 | 2.65 | 1.73 |
| LG 34.94.6.231:443/Memory Used | | | | | |
| 1 | 15.3 | 35 | 15 | 15 | 8.82 |
| LG 34.94.6.231:443/Throughput | | | | | |
| 0 | 2.14 | 6.51 | 2.05 | 2.09 | 1.35 |
| LG 34.94.6.231:443/User Load | | | | | |
| 0 | 155.6 | 303 | 142 | 156.5 | 90.3 |
| LG 34.94.6.231:443/Thread Count | | | | | |
| 40 | 218.2 | 368 | 205 | 219 | 92.2 |
| LG 34.94.6.231:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.6.231:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.6.231:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.6.231:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.6.231:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 129.9 | 1,600 | 85 | 92.3 | 235.3 |
| LG 34.94.6.231:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.4 | 1,171 | 402.2 | 391.8 | 232.7 |
| LG 34.94.6.231:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.57 | 0 | 0 | 0.199 |
| LG 34.94.6.231:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.83 | 2.43 | 2.41 | 1.49 |
| LG 34.94.6.231:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.826 | 2.16 | 0.831 | 0.818 | 0.484 |

LG 34.94.7.52:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------|-------|------|-----|---------|---------|
| LG 34.94.7.52:443/CPU Load | | | | | |
| 0 | 2.93 | 14 | 3 | 2.85 | 1.81 |
| LG 34.94.7.52:443/Memory Used | | | | | |
| 0 | 12.2 | 26 | 12 | 12 | 6.44 |
| LG 34.94.7.52:443/Throughput | | | | | |
| 0 | 2.15 | 5.94 | 2.1 | 2.1 | 1.36 |
| LG 34.94.7.52:443/User Load | | | | | |
| 0 | 155.9 | 303 | 143 | 156.8 | 90.4 |
| LG 34.94.7.52:443/Thread Count | | | | | |
| 40 | 222 | 369 | 205 | 223 | 89.3 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.7.52:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 34.94.7.52:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 34.94.7.52:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.7.52:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.7.52:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 130.2 | 168 | 124 | 131.6 | 34.8 |
| LG 34.94.7.52:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.5 | 1,272 | 399.8 | 393.7 | 233 |
| LG 34.94.7.52:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.01 | 0 | 0 | 0.131 |
| LG 34.94.7.52:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.3 | 2.45 | 2.41 | 1.49 |
| LG 34.94.7.52:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.829 | 2.12 | 0.83 | 0.82 | 0.484 |

LG 34.94.70.9:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.70.9:443/CPU Load | | | | | |
| 0 | 2.89 | 14 | 3 | 2.81 | 1.79 |
| LG 34.94.70.9:443/Memory Used | | | | | |
| 1 | 12.4 | 27 | 12 | 12.2 | 6.79 |
| LG 34.94.70.9:443/Throughput | | | | | |
| 0 | 2.15 | 6.41 | 2.11 | 2.1 | 1.36 |
| LG 34.94.70.9:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.4 |
| LG 34.94.70.9:443/Thread Count | | | | | |
| 40 | 219.7 | 368 | 204.5 | 220.6 | 90.9 |
| LG 34.94.70.9:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.94.70.9:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 34.94.70.9:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 34.94.70.9:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 34.94.70.9:443/Controller Connection/Ping Duration (ms) | | | | | |
| 66 | 173.1 | 2,936 | 118 | 108.8 | 423.9 |
| LG 34.94.70.9:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.1 | 1,327 | 394.7 | 391.9 | 233.6 |
| LG 34.94.70.9:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.37 | 0 | 0 | 0.19 |
| LG 34.94.70.9:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.65 | 2.43 | 2.41 | 1.5 |
| LG 34.94.70.9:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.83 | 2.14 | 0.83 | 0.82 | 0.486 |

LG 34.94.77.233:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.77.233:443/CPU Load | | | | | |
| 0 | 2.77 | 14 | 3 | 2.68 | 1.72 |
| LG 34.94.77.233:443/Memory Used | | | | | |
| 2 | 10.25 | 24 | 9 | 10.06 | 5.37 |
| LG 34.94.77.233:443/Throughput | | | | | |
| 0 | 2.15 | 6.5 | 2.1 | 2.09 | 1.38 |
| LG 34.94.77.233:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.6 |
| LG 34.94.77.233:443/Thread Count | | | | | |
| 40 | 218.6 | 369 | 205 | 219.3 | 90.8 |
| LG 34.94.77.233:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 34.94.77.233:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 34.94.77.233:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.77.233:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.77.233:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 117.6 | 1,378 | 83 | 83 | 208.9 |
| LG 34.94.77.233:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.6 | 1,162 | 399.7 | 392.4 | 234.5 |
| LG 34.94.77.233:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.4 | 0 | 0 | 0.062 |
| LG 34.94.77.233:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.83 | 2.44 | 2.41 | 1.51 |
| LG 34.94.77.233:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.001 | 0.828 | 2.15 | 0.835 | 0.817 | 0.489 |

LG 34.94.8.12:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 34.94.8.12:443/CPU Load | | | | | |
| 0 | 2.81 | 13 | 3 | 2.71 | 1.75 |
| LG 34.94.8.12:443/Memory Used | | | | | |
| 2 | 11.8 | 28 | 11 | 11.6 | 6.67 |
| LG 34.94.8.12:443/Throughput | | | | | |
| 0 | 2.16 | 6.12 | 2.04 | 2.12 | 1.36 |
| LG 34.94.8.12:443/User Load | | | | | |
| 0 | 156.9 | 304 | 143 | 157.8 | 90.5 |
| LG 34.94.8.12:443/Thread Count | | | | | |
| 40 | 218.5 | 368 | 205 | 219.3 | 91.8 |
| LG 34.94.8.12:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 34.94.8.12:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 34.94.8.12:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.8.12:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.8.12:443/Controller Connection/Ping Duration (ms) | | | | | |
| 64 | 150.3 | 2,817 | 85 | 87.3 | 407.9 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.8.12:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 398.8 | 1,119 | 395.1 | 395 | 233.6 |
| LG 34.94.8.12:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.014 | 7.18 | 0 | 0 | 0.312 |
| LG 34.94.8.12:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.46 | 6.51 | 2.4 | 2.43 | 1.5 |
| LG 34.94.8.12:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.833 | 2.04 | 0.821 | 0.825 | 0.486 |

LG 34.94.97.2:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 34.94.97.2:443/CPU Load | | | | | |
| 0 | 2.7 | 16 | 3 | 2.61 | 1.71 |
| LG 34.94.97.2:443/Memory Used | | | | | |
| 1 | 13.2 | 29 | 12 | 13 | 7.69 |
| LG 34.94.97.2:443/Throughput | | | | | |
| 0 | 2.14 | 7.67 | 2.09 | 2.09 | 1.35 |
| LG 34.94.97.2:443/User Load | | | | | |
| 0 | 155.8 | 303 | 143 | 156.6 | 90.3 |
| LG 34.94.97.2:443/Thread Count | | | | | |
| 40 | 218 | 369 | 204 | 218.7 | 91.9 |
| LG 34.94.97.2:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 34.94.97.2:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 34.94.97.2:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.97.2:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 34.94.97.2:443/Controller Connection/Ping Duration (ms) | | | | | |
| 77 | 150 | 2,109 | 116 | 100.1 | 313.1 |
| LG 34.94.97.2:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395 | 1,182 | 397.7 | 391 | 233.3 |
| LG 34.94.97.2:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.527 | 0 | 0 | 0.023 |
| LG 34.94.97.2:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 7.92 | 2.43 | 2.41 | 1.49 |
| LG 34.94.97.2:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.001 | 0.826 | 2.46 | 0.834 | 0.818 | 0.484 |

LG 35.235.102.15:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|-----|------|---------|---------|
| LG 35.235.102.15:443/CPU Load | | | | | |
| 0 | 2.9 | 15 | 3 | 2.82 | 1.82 |
| LG 35.235.102.15:443/Memory Used | | | | | |
| 2 | 11 | 24 | 11 | 10.88 | 5.64 |
| LG 35.235.102.15:443/Throughput | | | | | |
| 0 | 2.14 | 5.8 | 2.08 | 2.1 | 1.36 |
| LG 35.235.102.15:443/User Load | | | | | |
| 0 | 156 | 304 | 143 | 156.9 | 90.4 |
| LG 35.235.102.15:443/Thread Count | | | | | |
| 40 | 217.8 | 369 | 204 | 218.5 | 92.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.102.15:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.102.15:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.002 |
| LG 35.235.102.15:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 35.235.102.15:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 35.235.102.15:443/Controller Connection/Ping Duration (ms) | | | | | |
| 65 | 149 | 2,030 | 91 | 101.1 | 300.8 |
| LG 35.235.102.15:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.8 | 1,247 | 392 | 390.3 | 234.2 |
| LG 35.235.102.15:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 2.71 | 0 | 0 | 0.118 |
| LG 35.235.102.15:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.26 | 2.41 | 2.41 | 1.5 |
| LG 35.235.102.15:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.827 | 2 | 0.815 | 0.817 | 0.485 |

LG 35.235.104.18:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.104.18:443/CPU Load | | | | | |
| 0 | 2.77 | 15 | 3 | 2.71 | 1.67 |
| LG 35.235.104.18:443/Memory Used | | | | | |
| 1 | 11.8 | 27 | 11 | 11.6 | 6.34 |
| LG 35.235.104.18:443/Throughput | | | | | |
| 0 | 2.14 | 6.38 | 2.06 | 2.09 | 1.36 |
| LG 35.235.104.18:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.6 | 90.5 |
| LG 35.235.104.18:443/Thread Count | | | | | |
| 40 | 218.8 | 369 | 204 | 219.6 | 91.1 |
| LG 35.235.104.18:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.104.18:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.235.104.18:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.104.18:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.104.18:443/Controller Connection/Ping Duration (ms) | | | | | |
| 64 | 123.3 | 1,367 | 83 | 88.7 | 206.7 |
| LG 35.235.104.18:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.5 | 1,126 | 400.6 | 391.8 | 233.2 |
| LG 35.235.104.18:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.83 | 0 | 0 | 0.123 |
| LG 35.235.104.18:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.67 | 2.44 | 2.41 | 1.49 |
| LG 35.235.104.18:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.826 | 2.09 | 0.834 | 0.818 | 0.484 |

LG 35.235.119.75:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.119.75:443/CPU Load | | | | | |
| 0 | 2.74 | 10 | 3 | 2.66 | 1.71 |
| LG 35.235.119.75:443/Memory Used | | | | | |
| 1 | 12.2 | 35 | 11 | 11.7 | 7.37 |
| LG 35.235.119.75:443/Throughput | | | | | |
| 0 | 2.13 | 7.41 | 2.07 | 2.08 | 1.37 |
| LG 35.235.119.75:443/User Load | | | | | |
| 0 | 154.7 | 303 | 142 | 155.4 | 90.8 |
| LG 35.235.119.75:443/Thread Count | | | | | |
| 40 | 217.2 | 368 | 203 | 217.8 | 92.7 |
| LG 35.235.119.75:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.119.75:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 35.235.119.75:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.119.75:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.119.75:443/Controller Connection/Ping Duration (ms) | | | | | |
| 66 | 158 | 1,839 | 108 | 112.9 | 279.4 |
| LG 35.235.119.75:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.5 | 1,240 | 395.4 | 390.4 | 235.6 |
| LG 35.235.119.75:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 4.05 | 0 | 0 | 0.176 |
| LG 35.235.119.75:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 7.7 | 2.4 | 2.4 | 1.51 |
| LG 35.235.119.75:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.822 | 2.4 | 0.825 | 0.813 | 0.49 |

LG 35.235.122.114:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 35.235.122.114:443/CPU Load | | | | | |
| 0 | 2.99 | 16 | 3 | 2.89 | 1.87 |
| LG 35.235.122.114:443/Memory Used | | | | | |
| 2 | 11.6 | 27 | 11 | 11.4 | 6.55 |
| LG 35.235.122.114:443/Throughput | | | | | |
| 0 | 2.16 | 7.39 | 2.12 | 2.11 | 1.37 |
| LG 35.235.122.114:443/User Load | | | | | |
| 0 | 156.7 | 304 | 143 | 157.6 | 90.5 |
| LG 35.235.122.114:443/Thread Count | | | | | |
| 40 | 219.4 | 369 | 207 | 220.2 | 92.3 |
| LG 35.235.122.114:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.122.114:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.005 |
| LG 35.235.122.114:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 35.235.122.114:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 35.235.122.114:443/Controller Connection/Ping Duration (ms) | | | | | |
| 65 | 129 | 1,345 | 85 | 98.2 | 195.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.122.114:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.8 | 1,128 | 405.2 | 393.9 | 233.6 |
| LG 35.235.122.114:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.011 | 5.99 | 0 | 0 | 0.26 |
| LG 35.235.122.114:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 7.59 | 2.51 | 2.41 | 1.5 |
| LG 35.235.122.114:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.831 | 2.39 | 0.847 | 0.822 | 0.487 |

LG 35.235.126.90:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.126.90:443/CPU Load | | | | | |
| 0 | 3.1 | 14 | 3 | 2.99 | 1.98 |
| LG 35.235.126.90:443/Memory Used | | | | | |
| 2 | 11.2 | 27 | 10 | 10.96 | 6.29 |
| LG 35.235.126.90:443/Throughput | | | | | |
| 0 | 2.14 | 6.7 | 2.07 | 2.09 | 1.37 |
| LG 35.235.126.90:443/User Load | | | | | |
| 0 | 155.9 | 303 | 142 | 156.7 | 90.4 |
| LG 35.235.126.90:443/Thread Count | | | | | |
| 40 | 218.7 | 368 | 204 | 219.4 | 92.5 |
| LG 35.235.126.90:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.235.126.90:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.235.126.90:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.126.90:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.126.90:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 139.4 | 2,069 | 83 | 91 | 308.1 |
| LG 35.235.126.90:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 392.7 | 1,098 | 388.8 | 388.9 | 232 |
| LG 35.235.126.90:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.18 | 0 | 0 | 0.138 |
| LG 35.235.126.90:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 7 | 2.4 | 2.4 | 1.5 |
| LG 35.235.126.90:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.825 | 2.21 | 0.809 | 0.816 | 0.486 |

LG 35.235.72.4:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------|-------|-----|------|---------|---------|
| LG 35.235.72.4:443/CPU Load | | | | | |
| 0 | 2.86 | 11 | 3 | 2.78 | 1.7 |
| LG 35.235.72.4:443/Memory Used | | | | | |
| 2 | 11.6 | 27 | 10.5 | 11.3 | 6.57 |
| LG 35.235.72.4:443/Throughput | | | | | |
| 0 | 2.15 | 6.6 | 2.14 | 2.1 | 1.35 |
| LG 35.235.72.4:443/User Load | | | | | |
| 0 | 155.7 | 303 | 142 | 156.6 | 90.3 |
| LG 35.235.72.4:443/Thread Count | | | | | |
| 40 | 218.8 | 368 | 204 | 219.6 | 91.7 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 35.235.72.4:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.72.4:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 35.235.72.4:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.72.4:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.72.4:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 158.5 | 2,864 | 85 | 89.2 | 432 |
| LG 35.235.72.4:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.4 | 1,251 | 396 | 393.6 | 234.6 |
| LG 35.235.72.4:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.51 | 0 | 0 | 0.11 |
| LG 35.235.72.4:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.93 | 2.46 | 2.41 | 1.49 |
| LG 35.235.72.4:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.827 | 2.17 | 0.84 | 0.819 | 0.485 |

LG 35.235.74.170:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.74.170:443/CPU Load | | | | | |
| 0 | 3.05 | 10 | 3 | 2.98 | 1.82 |
| LG 35.235.74.170:443/Memory Used | | | | | |
| 1 | 12.7 | 28 | 12 | 12.5 | 7.13 |
| LG 35.235.74.170:443/Throughput | | | | | |
| 0 | 2.13 | 6.18 | 2.08 | 2.08 | 1.37 |
| LG 35.235.74.170:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.2 |
| LG 35.235.74.170:443/Thread Count | | | | | |
| 40 | 219.4 | 371 | 206 | 220.1 | 92.1 |
| LG 35.235.74.170:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.235.74.170:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.235.74.170:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.74.170:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.74.170:443/Controller Connection/Ping Duration (ms) | | | | | |
| 66 | 109.1 | 165 | 86 | 108.4 | 34.5 |
| LG 35.235.74.170:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 389.7 | 1,178 | 390.2 | 385.3 | 231.5 |
| LG 35.235.74.170:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.02 | 10.48 | 0 | 0 | 0.455 |
| LG 35.235.74.170:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.42 | 6.51 | 2.41 | 2.38 | 1.49 |
| LG 35.235.74.170:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.822 | 2.1 | 0.819 | 0.813 | 0.486 |

LG 35.235.74.239:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.74.239:443/CPU Load | | | | | |
| 0 | 2.87 | 10 | 3 | 2.8 | 1.73 |
| LG 35.235.74.239:443/Memory Used | | | | | |
| 2 | 12.4 | 27 | 12 | 12.2 | 6.69 |
| LG 35.235.74.239:443/Throughput | | | | | |
| 0 | 2.15 | 6.14 | 2.03 | 2.11 | 1.37 |
| LG 35.235.74.239:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.4 |
| LG 35.235.74.239:443/Thread Count | | | | | |
| 40 | 219.1 | 368 | 204 | 219.9 | 92.4 |
| LG 35.235.74.239:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.235.74.239:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.235.74.239:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.74.239:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.74.239:443/Controller Connection/Ping Duration (ms) | | | | | |
| 65 | 174 | 3,698 | 82 | 91.9 | 539.8 |
| LG 35.235.74.239:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 398 | 1,096 | 389.1 | 394.3 | 234.3 |
| LG 35.235.74.239:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.015 | 7.54 | 0 | 0 | 0.328 |
| LG 35.235.74.239:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.51 | 2.37 | 2.41 | 1.51 |
| LG 35.235.74.239:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.83 | 2.05 | 0.798 | 0.821 | 0.488 |

LG 35.235.78.17:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 35.235.78.17:443/CPU Load | | | | | |
| 0 | 2.73 | 10 | 3 | 2.65 | 1.65 |
| LG 35.235.78.17:443/Memory Used | | | | | |
| 1 | 13.7 | 32 | 12 | 13.4 | 7.81 |
| LG 35.235.78.17:443/Throughput | | | | | |
| 0 | 2.13 | 5.98 | 2.05 | 2.08 | 1.37 |
| LG 35.235.78.17:443/User Load | | | | | |
| 0 | 155.7 | 303 | 143 | 156.6 | 90 |
| LG 35.235.78.17:443/Thread Count | | | | | |
| 40 | 218.9 | 368 | 204 | 219.7 | 90.7 |
| LG 35.235.78.17:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.78.17:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 35.235.78.17:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.78.17:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.235.78.17:443/Controller Connection/Ping Duration (ms) | | | | | |
| 61 | 165.7 | 3,707 | 81 | 83.2 | 541.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.78.17:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.1 | 1,237 | 391.5 | 390.6 | 233.3 |
| LG 35.235.78.17:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.39 | 0 | 0 | 0.234 |
| LG 35.235.78.17:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.31 | 2.39 | 2.4 | 1.5 |
| LG 35.235.78.17:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.825 | 2.04 | 0.811 | 0.815 | 0.487 |

LG 35.235.90.94:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.235.90.94:443/CPU Load | | | | | |
| 0 | 2.96 | 14 | 3 | 2.87 | 1.83 |
| LG 35.235.90.94:443/Memory Used | | | | | |
| 1 | 13.2 | 28 | 13 | 13 | 7.27 |
| LG 35.235.90.94:443/Throughput | | | | | |
| 0 | 2.14 | 6.28 | 2.08 | 2.09 | 1.36 |
| LG 35.235.90.94:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.5 |
| LG 35.235.90.94:443/Thread Count | | | | | |
| 40 | 218.2 | 370 | 205 | 218.9 | 91.9 |
| LG 35.235.90.94:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.235.90.94:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.235.90.94:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 35.235.90.94:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 35.235.90.94:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 183.3 | 3,104 | 84 | 104.1 | 484.5 |
| LG 35.235.90.94:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.7 | 1,215 | 401.6 | 391 | 233.3 |
| LG 35.235.90.94:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.1 | 0 | 0 | 0.048 |
| LG 35.235.90.94:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.64 | 2.41 | 2.4 | 1.5 |
| LG 35.235.90.94:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.827 | 2.11 | 0.828 | 0.817 | 0.486 |

LG 35.236.105.217:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 35.236.105.217:443/CPU Load | | | | | |
| 0 | 2.81 | 11 | 3 | 2.72 | 1.71 |
| LG 35.236.105.217:443/Memory Used | | | | | |
| 1 | 12.7 | 28 | 12 | 12.5 | 7.03 |
| LG 35.236.105.217:443/Throughput | | | | | |
| 0 | 2.12 | 6.08 | 2.04 | 2.08 | 1.36 |
| LG 35.236.105.217:443/User Load | | | | | |
| 0 | 155.1 | 303 | 143 | 155.9 | 90.4 |
| LG 35.236.105.217:443/Thread Count | | | | | |
| 40 | 217.3 | 367 | 206 | 218.1 | 92 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.105.217:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.236.105.217:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 35.236.105.217:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 35.236.105.217:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 35.236.105.217:443/Controller Connection/Ping Duration (ms) | | | | | |
| 59 | 120.9 | 1,442 | 78 | 81.7 | 226.5 |
| LG 35.236.105.217:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 392.5 | 1,269 | 394.6 | 388.1 | 233.8 |
| LG 35.236.105.217:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.02 | 10.45 | 0 | 0 | 0.453 |
| LG 35.236.105.217:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.42 | 6.46 | 2.4 | 2.39 | 1.5 |
| LG 35.236.105.217:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.821 | 2.07 | 0.817 | 0.811 | 0.487 |

LG 35.236.108.40:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.108.40:443/CPU Load | | | | | |
| 0 | 3.02 | 13 | 3 | 2.93 | 1.89 |
| LG 35.236.108.40:443/Memory Used | | | | | |
| 1 | 14.2 | 33 | 14 | 13.9 | 8.1 |
| LG 35.236.108.40:443/Throughput | | | | | |
| 0 | 2.14 | 6.27 | 2.08 | 2.1 | 1.36 |
| LG 35.236.108.40:443/User Load | | | | | |
| 0 | 155.2 | 304 | 143 | 156 | 90.6 |
| LG 35.236.108.40:443/Thread Count | | | | | |
| 40 | 219.3 | 370 | 207 | 220.1 | 90.8 |
| LG 35.236.108.40:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.108.40:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 35.236.108.40:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.108.40:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.108.40:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 164.1 | 3,452 | 84 | 87.7 | 502.6 |
| LG 35.236.108.40:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 393.3 | 1,185 | 391.3 | 389.8 | 232.8 |
| LG 35.236.108.40:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.61 | 0 | 0 | 0.201 |
| LG 35.236.108.40:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.59 | 2.41 | 2.39 | 1.49 |
| LG 35.236.108.40:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.823 | 2.1 | 0.828 | 0.815 | 0.485 |

LG 35.236.119.140:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.119.140:443/CPU Load | | | | | |
| 0 | 2.7 | 10 | 3 | 2.63 | 1.64 |
| LG 35.236.119.140:443/Memory Used | | | | | |
| 1 | 10.92 | 25 | 10 | 10.67 | 6.26 |
| LG 35.236.119.140:443/Throughput | | | | | |
| 0 | 2.13 | 6.94 | 2.04 | 2.08 | 1.37 |
| LG 35.236.119.140:443/User Load | | | | | |
| 0 | 155.4 | 304 | 143 | 156.2 | 90.6 |
| LG 35.236.119.140:443/Thread Count | | | | | |
| 40 | 221.4 | 369 | 205 | 222.5 | 89.3 |
| LG 35.236.119.140:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.236.119.140:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 35.236.119.140:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.119.140:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.119.140:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 175.3 | 2,665 | 116 | 108.7 | 411.6 |
| LG 35.236.119.140:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.5 | 1,142 | 389.5 | 391.2 | 234.5 |
| LG 35.236.119.140:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.62 | 0 | 0 | 0.2 |
| LG 35.236.119.140:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 7.27 | 2.39 | 2.4 | 1.51 |
| LG 35.236.119.140:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.825 | 2.27 | 0.808 | 0.815 | 0.487 |

LG 35.236.32.197:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 35.236.32.197:443/CPU Load | | | | | |
| 0 | 2.93 | 14 | 3 | 2.81 | 1.88 |
| LG 35.236.32.197:443/Memory Used | | | | | |
| 2 | 15.4 | 35 | 14 | 15.1 | 8.96 |
| LG 35.236.32.197:443/Throughput | | | | | |
| 0 | 2.15 | 6.93 | 2.09 | 2.09 | 1.36 |
| LG 35.236.32.197:443/User Load | | | | | |
| 0 | 155.9 | 303 | 142 | 156.7 | 90.4 |
| LG 35.236.32.197:443/Thread Count | | | | | |
| 40 | 219 | 369 | 206 | 219.8 | 92.1 |
| LG 35.236.32.197:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.32.197:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 35.236.32.197:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.32.197:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.32.197:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 106.8 | 1,139 | 82 | 82.6 | 158.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.32.197:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.5 | 1,146 | 392.7 | 393.4 | 233.7 |
| LG 35.236.32.197:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.007 | 3.9 | 0 | 0 | 0.17 |
| LG 35.236.32.197:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 7.2 | 2.43 | 2.4 | 1.49 |
| LG 35.236.32.197:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.828 | 2.27 | 0.82 | 0.818 | 0.484 |

LG 35.236.33.116:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.33.116:443/CPU Load | | | | | |
| 0 | 3.02 | 17 | 3 | 2.89 | 1.95 |
| LG 35.236.33.116:443/Memory Used | | | | | |
| 1 | 12.7 | 30 | 11 | 12.5 | 7.15 |
| LG 35.236.33.116:443/Throughput | | | | | |
| 0 | 2.14 | 6.58 | 2.09 | 2.1 | 1.35 |
| LG 35.236.33.116:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.4 |
| LG 35.236.33.116:443/Thread Count | | | | | |
| 40 | 221.8 | 369 | 205.5 | 222.8 | 89.1 |
| LG 35.236.33.116:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.33.116:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 35.236.33.116:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.33.116:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.33.116:443/Controller Connection/Ping Duration (ms) | | | | | |
| 79 | 164.6 | 1,932 | 119 | 120.7 | 283.1 |
| LG 35.236.33.116:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.4 | 1,180 | 396.5 | 391.8 | 231.6 |
| LG 35.236.33.116:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.43 | 0 | 0 | 0.236 |
| LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.44 | 6.88 | 2.42 | 2.41 | 1.49 |
| LG 35.236.33.116:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.828 | 2.19 | 0.836 | 0.82 | 0.483 |

LG 35.236.54.143:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|-----|---------|---------|
| LG 35.236.54.143:443/CPU Load | | | | | |
| 0 | 2.87 | 13 | 3 | 2.79 | 1.74 |
| LG 35.236.54.143:443/Memory Used | | | | | |
| 1 | 11.9 | 28 | 11 | 11.6 | 6.88 |
| LG 35.236.54.143:443/Throughput | | | | | |
| 0 | 2.15 | 6.04 | 2.1 | 2.1 | 1.37 |
| LG 35.236.54.143:443/User Load | | | | | |
| 0 | 156.5 | 304 | 143 | 157.3 | 90.5 |
| LG 35.236.54.143:443/Thread Count | | | | | |
| 40 | 219.6 | 371 | 204 | 220.2 | 92.3 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.54.143:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.54.143:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 35.236.54.143:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.54.143:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.54.143:443/Controller Connection/Ping Duration (ms) | | | | | |
| 66 | 133.4 | 1,167 | 118 | 108.1 | 165.9 |
| LG 35.236.54.143:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 395.8 | 1,284 | 402.6 | 390.9 | 235 |
| LG 35.236.54.143:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.17 | 0 | 0 | 0.225 |
| LG 35.236.54.143:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.38 | 2.42 | 2.41 | 1.51 |
| LG 35.236.54.143:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.001 | 0.829 | 2.07 | 0.831 | 0.818 | 0.488 |

LG 35.236.58.170:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.58.170:443/CPU Load | | | | | |
| 0 | 2.93 | 13 | 3 | 2.83 | 1.86 |
| LG 35.236.58.170:443/Memory Used | | | | | |
| 1 | 12.3 | 28 | 12 | 12 | 6.68 |
| LG 35.236.58.170:443/Throughput | | | | | |
| 0 | 2.15 | 6.91 | 2.12 | 2.11 | 1.37 |
| LG 35.236.58.170:443/User Load | | | | | |
| 0 | 156.1 | 303 | 142 | 157 | 90.5 |
| LG 35.236.58.170:443/Thread Count | | | | | |
| 40 | 219.1 | 370 | 203 | 219.8 | 92.9 |
| LG 35.236.58.170:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.236.58.170:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 35.236.58.170:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.58.170:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.58.170:443/Controller Connection/Ping Duration (ms) | | | | | |
| 64 | 123.5 | 1,263 | 84 | 94.5 | 182.4 |
| LG 35.236.58.170:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396 | 1,164 | 401.8 | 392.1 | 233.8 |
| LG 35.236.58.170:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.75 | 0 | 0 | 0.077 |
| LG 35.236.58.170:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 7.21 | 2.45 | 2.41 | 1.5 |
| LG 35.236.58.170:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.828 | 2.27 | 0.834 | 0.82 | 0.487 |

LG 35.236.79.23:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.79.23:443/CPU Load | | | | | |
| 0 | 2.69 | 10 | 3 | 2.62 | 1.63 |
| LG 35.236.79.23:443/Memory Used | | | | | |
| 2 | 13.1 | 28 | 13 | 13 | 7.11 |
| LG 35.236.79.23:443/Throughput | | | | | |
| 0 | 2.14 | 6.6 | 2.03 | 2.09 | 1.37 |
| LG 35.236.79.23:443/User Load | | | | | |
| 0 | 156.2 | 304 | 143 | 157 | 90.1 |
| LG 35.236.79.23:443/Thread Count | | | | | |
| 40 | 218.1 | 369 | 203 | 218.8 | 91.5 |
| LG 35.236.79.23:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 35.236.79.23:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.236.79.23:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.79.23:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.79.23:443/Controller Connection/Ping Duration (ms) | | | | | |
| 60 | 157.4 | 3,025 | 78 | 84 | 456.9 |
| LG 35.236.79.23:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 396.3 | 1,294 | 400 | 391.2 | 234.9 |
| LG 35.236.79.23:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0 | 0.196 | 0 | 0 | 0.009 |
| LG 35.236.79.23:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.93 | 2.41 | 2.4 | 1.51 |
| LG 35.236.79.23:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.828 | 2.19 | 0.837 | 0.816 | 0.487 |

LG 35.236.81.160:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 35.236.81.160:443/CPU Load | | | | | |
| 0 | 2.73 | 12 | 3 | 2.62 | 1.75 |
| LG 35.236.81.160:443/Memory Used | | | | | |
| 2 | 14.1 | 32 | 13 | 13.9 | 7.94 |
| LG 35.236.81.160:443/Throughput | | | | | |
| 0 | 2.13 | 6.08 | 2.04 | 2.08 | 1.36 |
| LG 35.236.81.160:443/User Load | | | | | |
| 0 | 155 | 303 | 142 | 155.8 | 90.4 |
| LG 35.236.81.160:443/Thread Count | | | | | |
| 40 | 217.7 | 369 | 204 | 218.3 | 92.1 |
| LG 35.236.81.160:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 35.236.81.160:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 35.236.81.160:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.81.160:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.81.160:443/Controller Connection/Ping Duration (ms) | | | | | |
| 77 | 219.3 | 3,417 | 122 | 127.8 | 547.6 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.81.160:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 394.4 | 1,216 | 392.1 | 390.6 | 234.3 |
| LG 35.236.81.160:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.74 | 0 | 0 | 0.119 |
| LG 35.236.81.160:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.43 | 6.37 | 2.38 | 2.4 | 1.5 |
| LG 35.236.81.160:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.822 | 2.04 | 0.803 | 0.814 | 0.485 |

LG 35.236.81.42:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.81.42:443/CPU Load | | | | | |
| 0 | 3 | 15 | 3 | 2.89 | 1.92 |
| LG 35.236.81.42:443/Memory Used | | | | | |
| 2 | 12.4 | 27 | 12 | 12.3 | 6.64 |
| LG 35.236.81.42:443/Throughput | | | | | |
| 0 | 2.13 | 6.83 | 2.06 | 2.08 | 1.37 |
| LG 35.236.81.42:443/User Load | | | | | |
| 0 | 155.5 | 303 | 142 | 156.4 | 90.1 |
| LG 35.236.81.42:443/Thread Count | | | | | |
| 40 | 219.6 | 367 | 203 | 220.5 | 89.8 |
| LG 35.236.81.42:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.81.42:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 35.236.81.42:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.81.42:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.81.42:443/Controller Connection/Ping Duration (ms) | | | | | |
| 62 | 167.2 | 3,547 | 81 | 81.6 | 538.2 |
| LG 35.236.81.42:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 391.4 | 1,201 | 398 | 386.9 | 230 |
| LG 35.236.81.42:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.01 | 0 | 0 | 0.131 |
| LG 35.236.81.42:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.42 | 7.16 | 2.38 | 2.38 | 1.49 |
| LG 35.236.81.42:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.822 | 2.24 | 0.808 | 0.811 | 0.484 |

LG 35.236.88.137:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 35.236.88.137:443/CPU Load | | | | | |
| 0 | 2.74 | 12 | 3 | 2.62 | 1.76 |
| LG 35.236.88.137:443/Memory Used | | | | | |
| 1 | 11.1 | 26 | 10 | 10.92 | 6.31 |
| LG 35.236.88.137:443/Throughput | | | | | |
| 0 | 2.15 | 6.16 | 2.09 | 2.1 | 1.35 |
| LG 35.236.88.137:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.1 | 90.6 |
| LG 35.236.88.137:443/Thread Count | | | | | |
| 40 | 218.9 | 370 | 205 | 219.6 | 92.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.88.137:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.88.137:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 35.236.88.137:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.88.137:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.88.137:443/Controller Connection/Ping Duration (ms) | | | | | |
| 66 | 125.2 | 1,135 | 84 | 99 | 162.8 |
| LG 35.236.88.137:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.4 | 1,197 | 395.7 | 393.5 | 233.5 |
| LG 35.236.88.137:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.015 | 7.83 | 0 | 0 | 0.341 |
| LG 35.236.88.137:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.46 | 6.52 | 2.42 | 2.42 | 1.5 |
| LG 35.236.88.137:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.83 | 2.09 | 0.828 | 0.821 | 0.485 |

LG 35.236.98.142:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 35.236.98.142:443/CPU Load | | | | | |
| 0 | 2.68 | 11 | 2 | 2.6 | 1.66 |
| LG 35.236.98.142:443/Memory Used | | | | | |
| 1 | 16.7 | 36 | 15 | 16.5 | 10.01 |
| LG 35.236.98.142:443/Throughput | | | | | |
| 0 | 2.14 | 6.27 | 2.04 | 2.1 | 1.36 |
| LG 35.236.98.142:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.2 | 90.2 |
| LG 35.236.98.142:443/Thread Count | | | | | |
| 40 | 219.8 | 367 | 205 | 220.8 | 90.6 |
| LG 35.236.98.142:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 35.236.98.142:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 35.236.98.142:443/Controller Connection/Disconnections | | | | | |
| 1 | 1 | 1 | 1 | 1 | 0 |
| LG 35.236.98.142:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| LG 35.236.98.142:443/Controller Connection/Ping Duration (ms) | | | | | |
| 63 | 81.9 | 162 | 83 | 80.5 | 13.4 |
| LG 35.236.98.142:443/Network/Segments sent/sec. | | | | | |
| 1.6 | 397.1 | 1,304 | 390.1 | 392.9 | 234 |
| LG 35.236.98.142:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.78 | 0 | 0 | 0.077 |
| LG 35.236.98.142:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.002 | 2.45 | 6.64 | 2.37 | 2.42 | 1.5 |
| LG 35.236.98.142:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.005 | 0.829 | 2.12 | 0.817 | 0.82 | 0.485 |

LG 104.40.64.13:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.64.13:443/CPU Load | | | | | |
| 0 | 2.91 | 12 | 3 | 2.82 | 1.82 |
| LG 104.40.64.13:443/Memory Used | | | | | |
| 1 | 4.96 | 9 | 5 | 4.96 | 1.89 |
| LG 104.40.64.13:443/Throughput | | | | | |
| 0 | 2.18 | 7.55 | 1.96 | 2.1 | 1.47 |
| LG 104.40.64.13:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.5 |
| LG 104.40.64.13:443/Thread Count | | | | | |
| 40 | 223.8 | 385 | 207 | 224.1 | 92.4 |
| LG 104.40.64.13:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.40.64.13:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 104.40.64.13:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.64.13:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.64.13:443/Controller Connection/Ping Duration (ms) | | | | | |
| 96 | 147.2 | 185 | 145 | 147.6 | 16.7 |
| LG 104.40.64.13:443/Network/Segments sent/sec. | | | | | |
| 5.64 | 421.9 | 1,287 | 410.2 | 415.4 | 247.6 |
| LG 104.40.64.13:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.016 | 7.61 | 0 | 0 | 0.332 |
| LG 104.40.64.13:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.007 | 2.65 | 8.16 | 2.49 | 2.59 | 1.67 |
| LG 104.40.64.13:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.846 | 2.45 | 0.809 | 0.83 | 0.503 |

LG 104.40.64.30:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 104.40.64.30:443/CPU Load | | | | | |
| 0 | 2.95 | 14 | 3 | 2.8 | 2.05 |
| LG 104.40.64.30:443/Memory Used | | | | | |
| 1 | 4.36 | 11 | 4 | 4.22 | 1.88 |
| LG 104.40.64.30:443/Throughput | | | | | |
| 0 | 2.17 | 6.84 | 1.93 | 2.09 | 1.46 |
| LG 104.40.64.30:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.7 | 90.5 |
| LG 104.40.64.30:443/Thread Count | | | | | |
| 40 | 221.7 | 380 | 207 | 222.2 | 94.2 |
| LG 104.40.64.30:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 104.40.64.30:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 104.40.64.30:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.64.30:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.64.30:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 122.3 | 186 | 106 | 121.3 | 38.3 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.64.30:443/Network/Segments sent/sec. | | | | | |
| 6 | 418.5 | 1,279 | 393.8 | 412.2 | 245.3 |
| LG 104.40.64.30:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 2.83 | 0 | 0 | 0.124 |
| LG 104.40.64.30:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.34 | 2.44 | 2.57 | 1.65 |
| LG 104.40.64.30:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.2 | 0.793 | 0.825 | 0.5 |

LG 104.40.65.246:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.65.246:443/CPU Load | | | | | |
| 0 | 2.75 | 13 | 3 | 2.65 | 1.73 |
| LG 104.40.65.246:443/Memory Used | | | | | |
| 1 | 5.01 | 11 | 5 | 4.93 | 2.02 |
| LG 104.40.65.246:443/Throughput | | | | | |
| 0 | 2.18 | 6.65 | 1.99 | 2.11 | 1.46 |
| LG 104.40.65.246:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.8 |
| LG 104.40.65.246:443/Thread Count | | | | | |
| 40 | 221.2 | 381 | 205 | 221.5 | 94.6 |
| LG 104.40.65.246:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.40.65.246:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.005 |
| LG 104.40.65.246:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.65.246:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.65.246:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 103.8 | 176 | 102 | 102 | 20.7 |
| LG 104.40.65.246:443/Network/Segments sent/sec. | | | | | |
| 6 | 419.2 | 1,283 | 398.8 | 413.3 | 246 |
| LG 104.40.65.246:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.02 | 10.16 | 0 | 0 | 0.441 |
| LG 104.40.65.246:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.35 | 2.44 | 2.58 | 1.65 |
| LG 104.40.65.246:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.17 | 0.798 | 0.83 | 0.501 |

LG 104.40.67.136:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------|-------|------|------|---------|---------|
| LG 104.40.67.136:443/CPU Load | | | | | |
| 0 | 2.59 | 19 | 2 | 2.47 | 1.8 |
| LG 104.40.67.136:443/Memory Used | | | | | |
| 1 | 5.11 | 11 | 5 | 5.07 | 1.94 |
| LG 104.40.67.136:443/Throughput | | | | | |
| 0 | 2.17 | 7.77 | 1.98 | 2.09 | 1.47 |
| LG 104.40.67.136:443/User Load | | | | | |
| 0 | 155.1 | 303 | 142 | 155.9 | 90.4 |
| LG 104.40.67.136:443/Thread Count | | | | | |
| 40 | 219.9 | 384 | 203 | 220 | 95.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.67.136:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.40.67.136:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 104.40.67.136:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.67.136:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.67.136:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 130.8 | 189 | 115 | 130.4 | 35.9 |
| LG 104.40.67.136:443/Network/Segments sent/sec. | | | | | |
| 6 | 416.1 | 1,276 | 398.4 | 409.6 | 245.7 |
| LG 104.40.67.136:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.12 | 0 | 0 | 0.093 |
| LG 104.40.67.136:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 8.38 | 2.47 | 2.55 | 1.66 |
| LG 104.40.67.136:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.837 | 2.53 | 0.787 | 0.822 | 0.502 |

LG 104.40.67.204:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.67.204:443/CPU Load | | | | | |
| 0 | 2.73 | 12 | 3 | 2.62 | 1.75 |
| LG 104.40.67.204:443/Memory Used | | | | | |
| 1 | 5.32 | 11 | 5 | 5.3 | 2.03 |
| LG 104.40.67.204:443/Throughput | | | | | |
| 0 | 2.17 | 7.38 | 1.98 | 2.1 | 1.47 |
| LG 104.40.67.204:443/User Load | | | | | |
| 0 | 155.8 | 303 | 142 | 156.6 | 90.6 |
| LG 104.40.67.204:443/Thread Count | | | | | |
| 40 | 222.4 | 381 | 204 | 222.9 | 92.1 |
| LG 104.40.67.204:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 104.40.67.204:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| LG 104.40.67.204:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.67.204:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.67.204:443/Controller Connection/Ping Duration (ms) | | | | | |
| 72 | 122.1 | 190 | 108 | 120.7 | 33.8 |
| LG 104.40.67.204:443/Network/Segments sent/sec. | | | | | |
| 6.2 | 421.4 | 1,410 | 397.8 | 415.1 | 247.7 |
| LG 104.40.67.204:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 1.77 | 0 | 0 | 0.08 |
| LG 104.40.67.204:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.65 | 8.04 | 2.47 | 2.59 | 1.67 |
| LG 104.40.67.204:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.37 | 0.8 | 0.829 | 0.502 |

LG 104.40.67.219:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.67.219:443/CPU Load | | | | | |
| 0 | 2.5 | 9 | 2 | 2.42 | 1.61 |
| LG 104.40.67.219:443/Memory Used | | | | | |
| 1 | 5.28 | 11 | 5 | 5.25 | 2 |
| LG 104.40.67.219:443/Throughput | | | | | |
| 0 | 2.17 | 6.95 | 1.96 | 2.09 | 1.46 |
| LG 104.40.67.219:443/User Load | | | | | |
| 0 | 155.2 | 304 | 143 | 156 | 90.8 |
| LG 104.40.67.219:443/Thread Count | | | | | |
| 40 | 219.6 | 386 | 205 | 219.5 | 94.7 |
| LG 104.40.67.219:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 104.40.67.219:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 104.40.67.219:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.67.219:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.67.219:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 139.2 | 192 | 144 | 140.1 | 21.8 |
| LG 104.40.67.219:443/Network/Segments sent/sec. | | | | | |
| 6 | 418.6 | 1,319 | 401.1 | 412.6 | 246.5 |
| LG 104.40.67.219:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.014 | 7.09 | 0 | 0 | 0.308 |
| LG 104.40.67.219:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.59 | 2.49 | 2.57 | 1.66 |
| LG 104.40.67.219:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.26 | 0.799 | 0.824 | 0.501 |

LG 104.40.68.231:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 104.40.68.231:443/CPU Load | | | | | |
| 0 | 2.68 | 13 | 2 | 2.58 | 1.77 |
| LG 104.40.68.231:443/Memory Used | | | | | |
| 1 | 5.06 | 10 | 5 | 5.04 | 1.7 |
| LG 104.40.68.231:443/Throughput | | | | | |
| 0 | 2.17 | 6.9 | 1.99 | 2.1 | 1.46 |
| LG 104.40.68.231:443/User Load | | | | | |
| 0 | 155.8 | 304 | 143 | 156.7 | 90.4 |
| LG 104.40.68.231:443/Thread Count | | | | | |
| 40 | 220.6 | 387 | 206 | 220.6 | 94.8 |
| LG 104.40.68.231:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.125 | 0.1 | 0.1 | 0.002 |
| LG 104.40.68.231:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 104.40.68.231:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.68.231:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.68.231:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 149.6 | 186 | 146 | 151.4 | 38.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.68.231:443/Network/Segments sent/sec. | | | | | |
| 5.65 | 420.1 | 1,270 | 397 | 414.5 | 246 |
| LG 104.40.68.231:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.25 | 0 | 0 | 0.185 |
| LG 104.40.68.231:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 2.64 | 7.58 | 2.47 | 2.58 | 1.65 |
| LG 104.40.68.231:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.23 | 0.796 | 0.828 | 0.5 |

LG 104.40.69.32:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.69.32:443/CPU Load | | | | | |
| 0 | 2.29 | 12 | 2 | 2.19 | 1.53 |
| LG 104.40.69.32:443/Memory Used | | | | | |
| 1 | 5.72 | 13 | 6 | 5.67 | 2.38 |
| LG 104.40.69.32:443/Throughput | | | | | |
| 0 | 2.18 | 6.88 | 1.94 | 2.11 | 1.46 |
| LG 104.40.69.32:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.8 |
| LG 104.40.69.32:443/Thread Count | | | | | |
| 40 | 220.3 | 380 | 205 | 220.6 | 94.2 |
| LG 104.40.69.32:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.125 | 0.1 | 0.1 | 0.002 |
| LG 104.40.69.32:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 104.40.69.32:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.69.32:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.69.32:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 145.9 | 184 | 144 | 146.3 | 14.4 |
| LG 104.40.69.32:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 414.5 | 1,352 | 386.9 | 408.3 | 244.5 |
| LG 104.40.69.32:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.007 | 2.83 | 0 | 0 | 0.124 |
| LG 104.40.69.32:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 7.51 | 2.39 | 2.55 | 1.64 |
| LG 104.40.69.32:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.838 | 2.24 | 0.783 | 0.823 | 0.5 |

LG 104.40.74.136:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 104.40.74.136:443/CPU Load | | | | | |
| 0 | 2.72 | 13 | 2 | 2.6 | 1.86 |
| LG 104.40.74.136:443/Memory Used | | | | | |
| 1 | 4.25 | 11 | 4 | 4.13 | 1.83 |
| LG 104.40.74.136:443/Throughput | | | | | |
| 0 | 2.17 | 7.92 | 1.94 | 2.1 | 1.46 |
| LG 104.40.74.136:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.8 |
| LG 104.40.74.136:443/Thread Count | | | | | |
| 40 | 220.8 | 385 | 205 | 221 | 95.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.74.136:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.40.74.136:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 104.40.74.136:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.74.136:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.74.136:443/Controller Connection/Ping Duration (ms) | | | | | |
| 79 | 127.2 | 186 | 110 | 126.4 | 35.4 |
| LG 104.40.74.136:443/Network/Segments sent/sec. | | | | | |
| 6 | 420.1 | 1,390 | 399.4 | 413.3 | 247.3 |
| LG 104.40.74.136:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.354 | 0 | 0 | 0.018 |
| LG 104.40.74.136:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 8.58 | 2.45 | 2.57 | 1.66 |
| LG 104.40.74.136:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.53 | 0.799 | 0.826 | 0.501 |

LG 104.40.74.146:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.74.146:443/CPU Load | | | | | |
| 0 | 2.81 | 16 | 3 | 2.69 | 1.88 |
| LG 104.40.74.146:443/Memory Used | | | | | |
| 1 | 5.36 | 12 | 5 | 5.33 | 2.09 |
| LG 104.40.74.146:443/Throughput | | | | | |
| 0 | 2.17 | 7.37 | 1.96 | 2.1 | 1.45 |
| LG 104.40.74.146:443/User Load | | | | | |
| 0 | 156 | 304 | 143 | 156.8 | 90.6 |
| LG 104.40.74.146:443/Thread Count | | | | | |
| 40 | 222.1 | 386 | 204 | 222.3 | 93 |
| LG 104.40.74.146:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 104.40.74.146:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.117 | 0 | 0 | 0.007 |
| LG 104.40.74.146:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.74.146:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.74.146:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 140.7 | 184 | 141 | 141.9 | 38.1 |
| LG 104.40.74.146:443/Network/Segments sent/sec. | | | | | |
| 6 | 419.7 | 1,355 | 395 | 413.8 | 245.7 |
| LG 104.40.74.146:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.013 | 6.73 | 0 | 0 | 0.293 |
| LG 104.40.74.146:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.96 | 2.45 | 2.58 | 1.65 |
| LG 104.40.74.146:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.36 | 0.792 | 0.829 | 0.499 |

LG 104.40.75.21:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 104.40.75.21:443/CPU Load | | | | | |
| 0 | 2.58 | 15 | 2 | 2.45 | 1.79 |
| LG 104.40.75.21:443/Memory Used | | | | | |
| 1 | 6.3 | 14 | 6 | 6.19 | 2.87 |
| LG 104.40.75.21:443/Throughput | | | | | |
| 0 | 2.17 | 7.4 | 1.99 | 2.1 | 1.46 |
| LG 104.40.75.21:443/User Load | | | | | |
| 0 | 155.1 | 304 | 143 | 155.9 | 90.8 |
| LG 104.40.75.21:443/Thread Count | | | | | |
| 40 | 221.5 | 382 | 205 | 221.9 | 93.5 |
| LG 104.40.75.21:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 104.40.75.21:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.001 |
| LG 104.40.75.21:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.21:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.21:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 143.7 | 184 | 145 | 144.8 | 18.6 |
| LG 104.40.75.21:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 413.5 | 1,384 | 391 | 407.8 | 244.3 |
| LG 104.40.75.21:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.354 | 0 | 0 | 0.018 |
| LG 104.40.75.21:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 7.9 | 2.41 | 2.55 | 1.64 |
| LG 104.40.75.21:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.836 | 2.4 | 0.78 | 0.822 | 0.498 |

LG 104.40.75.230:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 104.40.75.230:443/CPU Load | | | | | |
| 0 | 2.8 | 10 | 3 | 2.72 | 1.69 |
| LG 104.40.75.230:443/Memory Used | | | | | |
| 1 | 5.43 | 11 | 5 | 5.41 | 2.09 |
| LG 104.40.75.230:443/Throughput | | | | | |
| 0 | 2.18 | 7.5 | 1.96 | 2.11 | 1.47 |
| LG 104.40.75.230:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.1 | 90.5 |
| LG 104.40.75.230:443/Thread Count | | | | | |
| 40 | 221.3 | 385 | 206 | 221.5 | 94.3 |
| LG 104.40.75.230:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.40.75.230:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 104.40.75.230:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.230:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.230:443/Controller Connection/Ping Duration (ms) | | | | | |
| 94 | 141.6 | 183 | 143 | 141.7 | 14 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.75.230:443/Network/Segments sent/sec. | | | | | |
| 6 | 420 | 1,324 | 394.4 | 413.5 | 246.3 |
| LG 104.40.75.230:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.014 | 6.88 | 0 | 0 | 0.3 |
| LG 104.40.75.230:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 8.06 | 2.46 | 2.58 | 1.66 |
| LG 104.40.75.230:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.44 | 0.786 | 0.828 | 0.501 |

LG 104.40.75.237:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.75.237:443/CPU Load | | | | | |
| 0 | 2.49 | 12 | 2 | 2.38 | 1.66 |
| LG 104.40.75.237:443/Memory Used | | | | | |
| 1 | 6.54 | 17 | 6 | 6.41 | 3.06 |
| LG 104.40.75.237:443/Throughput | | | | | |
| 0 | 2.18 | 7.74 | 1.98 | 2.11 | 1.47 |
| LG 104.40.75.237:443/User Load | | | | | |
| 0 | 156 | 304 | 143 | 156.9 | 90.3 |
| LG 104.40.75.237:443/Thread Count | | | | | |
| 40 | 221.8 | 386 | 206 | 221.9 | 93.6 |
| LG 104.40.75.237:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.40.75.237:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 104.40.75.237:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.237:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.237:443/Controller Connection/Ping Duration (ms) | | | | | |
| 74 | 137.2 | 185 | 142 | 138.2 | 21.4 |
| LG 104.40.75.237:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 417.4 | 1,367 | 396.2 | 411 | 245.2 |
| LG 104.40.75.237:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.203 | 0 | 0 | 0.012 |
| LG 104.40.75.237:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 8.17 | 2.44 | 2.56 | 1.66 |
| LG 104.40.75.237:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.5 | 0.787 | 0.826 | 0.502 |

LG 104.40.75.254:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 104.40.75.254:443/CPU Load | | | | | |
| 0 | 2.81 | 11 | 3 | 2.69 | 1.91 |
| LG 104.40.75.254:443/Memory Used | | | | | |
| 1 | 4.18 | 10 | 4 | 4.06 | 1.78 |
| LG 104.40.75.254:443/Throughput | | | | | |
| 0 | 2.19 | 7.04 | 1.95 | 2.11 | 1.48 |
| LG 104.40.75.254:443/User Load | | | | | |
| 0 | 156.6 | 304 | 143 | 157.5 | 90.7 |
| LG 104.40.75.254:443/Thread Count | | | | | |
| 40 | 222 | 384 | 205 | 222.2 | 95 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.40.75.254:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 104.40.75.254:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 104.40.75.254:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.254:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.40.75.254:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 108.3 | 184 | 104 | 105.8 | 25.2 |
| LG 104.40.75.254:443/Network/Segments sent/sec. | | | | | |
| 6 | 419.2 | 1,245 | 393.3 | 413.1 | 246.3 |
| LG 104.40.75.254:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.28 | 0 | 0 | 0.1 |
| LG 104.40.75.254:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 7.71 | 2.44 | 2.58 | 1.67 |
| LG 104.40.75.254:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.31 | 0.782 | 0.829 | 0.504 |

LG 104.42.169.174:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.169.174:443/CPU Load | | | | | |
| 0 | 3.22 | 14 | 3 | 3.14 | 1.89 |
| LG 104.42.169.174:443/Memory Used | | | | | |
| 1 | 6.33 | 17 | 6 | 6.18 | 3.01 |
| LG 104.42.169.174:443/Throughput | | | | | |
| 0 | 2.18 | 6.79 | 1.93 | 2.11 | 1.46 |
| LG 104.42.169.174:443/User Load | | | | | |
| 0 | 156.1 | 304 | 143 | 157 | 90.5 |
| LG 104.42.169.174:443/Thread Count | | | | | |
| 40 | 221 | 385 | 207 | 221.1 | 94.7 |
| LG 104.42.169.174:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 104.42.169.174:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 104.42.169.174:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.169.174:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.169.174:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 149.3 | 187 | 142 | 150.7 | 32.7 |
| LG 104.42.169.174:443/Network/Segments sent/sec. | | | | | |
| 3.75 | 418.5 | 1,309 | 396.9 | 412.5 | 246.9 |
| LG 104.42.169.174:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.95 | 0 | 0 | 0.085 |
| LG 104.42.169.174:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.64 | 7.39 | 2.42 | 2.58 | 1.66 |
| LG 104.42.169.174:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.22 | 0.792 | 0.828 | 0.501 |

LG 104.42.171.120:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.171.120:443/CPU Load | | | | | |
| 0 | 3.05 | 13 | 3 | 2.94 | 2 |
| LG 104.42.171.120:443/Memory Used | | | | | |
| 1 | 4.44 | 11 | 4 | 4.3 | 1.91 |
| LG 104.42.171.120:443/Throughput | | | | | |
| 0 | 2.17 | 7.67 | 1.94 | 2.1 | 1.47 |
| LG 104.42.171.120:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.4 |
| LG 104.42.171.120:443/Thread Count | | | | | |
| 40 | 220.2 | 384 | 206 | 220.3 | 94.4 |
| LG 104.42.171.120:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.42.171.120:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.067 | 0 | 0 | 0.005 |
| LG 104.42.171.120:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.171.120:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.171.120:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 122.8 | 186 | 107 | 121.7 | 32 |
| LG 104.42.171.120:443/Network/Segments sent/sec. | | | | | |
| 6 | 419.2 | 1,344 | 395 | 413.3 | 246.8 |
| LG 104.42.171.120:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.78 | 0 | 0 | 0.078 |
| LG 104.42.171.120:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 8.24 | 2.44 | 2.58 | 1.66 |
| LG 104.42.171.120:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.43 | 0.787 | 0.827 | 0.501 |

LG 104.42.177.183:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|------|------|---------|---------|
| LG 104.42.177.183:443/CPU Load | | | | | |
| 0 | 2.74 | 15 | 3 | 2.64 | 1.79 |
| LG 104.42.177.183:443/Memory Used | | | | | |
| 1 | 4.92 | 9 | 5 | 4.92 | 1.77 |
| LG 104.42.177.183:443/Throughput | | | | | |
| 0 | 2.19 | 7.06 | 1.97 | 2.12 | 1.46 |
| LG 104.42.177.183:443/User Load | | | | | |
| 0 | 156.7 | 304 | 143 | 157.5 | 90.7 |
| LG 104.42.177.183:443/Thread Count | | | | | |
| 40 | 222 | 390 | 204 | 221.9 | 95 |
| LG 104.42.177.183:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.42.177.183:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.1 | 0 | 0 | 0.006 |
| LG 104.42.177.183:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.177.183:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.177.183:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 102.9 | 163 | 103 | 101.5 | 17.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.177.183:443/Network/Segments sent/sec. | | | | | |
| 3.75 | 421.7 | 1,335 | 392.5 | 416.2 | 246.5 |
| LG 104.42.177.183:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.015 | 7.74 | 0 | 0 | 0.336 |
| LG 104.42.177.183:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.65 | 7.73 | 2.43 | 2.6 | 1.66 |
| LG 104.42.177.183:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.846 | 2.29 | 0.784 | 0.833 | 0.501 |

LG 104.42.178.175:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.178.175:443/CPU Load | | | | | |
| 0 | 2.79 | 13 | 3 | 2.68 | 1.82 |
| LG 104.42.178.175:443/Memory Used | | | | | |
| 1 | 5.24 | 10 | 5 | 5.24 | 1.8 |
| LG 104.42.178.175:443/Throughput | | | | | |
| 0 | 2.17 | 7.75 | 1.98 | 2.1 | 1.46 |
| LG 104.42.178.175:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.9 |
| LG 104.42.178.175:443/Thread Count | | | | | |
| 40 | 220.7 | 390 | 204 | 220.3 | 95.6 |
| LG 104.42.178.175:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 104.42.178.175:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 104.42.178.175:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.178.175:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.178.175:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 119.7 | 180 | 120 | 119.8 | 25.2 |
| LG 104.42.178.175:443/Network/Segments sent/sec. | | | | | |
| 3.76 | 418.6 | 1,315 | 394.1 | 412.6 | 246.8 |
| LG 104.42.178.175:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.24 | 0 | 0 | 0.054 |
| LG 104.42.178.175:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.63 | 8.31 | 2.46 | 2.58 | 1.65 |
| LG 104.42.178.175:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.43 | 0.789 | 0.827 | 0.501 |

LG 104.42.178.212:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 104.42.178.212:443/CPU Load | | | | | |
| 0 | 3.03 | 15 | 3 | 2.9 | 2.01 |
| LG 104.42.178.212:443/Memory Used | | | | | |
| 1 | 4.33 | 11 | 4 | 4.18 | 1.91 |
| LG 104.42.178.212:443/Throughput | | | | | |
| 0 | 2.17 | 7.71 | 1.97 | 2.09 | 1.47 |
| LG 104.42.178.212:443/User Load | | | | | |
| 0 | 155.6 | 304 | 143 | 156.5 | 90.3 |
| LG 104.42.178.212:443/Thread Count | | | | | |
| 40 | 221.9 | 391 | 207 | 221.6 | 95.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.178.212:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.145 | 0.1 | 0.1 | 0.005 |
| LG 104.42.178.212:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.006 |
| LG 104.42.178.212:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.178.212:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.178.212:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 145.3 | 231 | 145 | 145.2 | 20.5 |
| LG 104.42.178.212:443/Network/Segments sent/sec. | | | | | |
| 6 | 418.8 | 1,356 | 398.4 | 412.2 | 246.3 |
| LG 104.42.178.212:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 5.01 | 0 | 0 | 0.218 |
| LG 104.42.178.212:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 8.28 | 2.43 | 2.57 | 1.66 |
| LG 104.42.178.212:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.45 | 0.802 | 0.824 | 0.502 |

LG 104.42.179.6:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.179.6:443/CPU Load | | | | | |
| 0 | 2.63 | 15 | 2 | 2.49 | 1.87 |
| LG 104.42.179.6:443/Memory Used | | | | | |
| 1 | 5.35 | 12 | 5 | 5.3 | 2.07 |
| LG 104.42.179.6:443/Throughput | | | | | |
| 0 | 2.18 | 7.6 | 2 | 2.1 | 1.47 |
| LG 104.42.179.6:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.7 | 90.6 |
| LG 104.42.179.6:443/Thread Count | | | | | |
| 40 | 224.3 | 388 | 211 | 224.6 | 93.8 |
| LG 104.42.179.6:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.12 | 0.1 | 0.1 | 0.002 |
| LG 104.42.179.6:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 104.42.179.6:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.179.6:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.179.6:443/Controller Connection/Ping Duration (ms) | | | | | |
| 86 | 143.4 | 185 | 145 | 143.6 | 14.5 |
| LG 104.42.179.6:443/Network/Segments sent/sec. | | | | | |
| 4.22 | 419.6 | 1,311 | 393.9 | 413.2 | 246.6 |
| LG 104.42.179.6:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.35 | 0 | 0 | 0.015 |
| LG 104.42.179.6:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 2.64 | 8.09 | 2.47 | 2.57 | 1.66 |
| LG 104.42.179.6:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.45 | 0.796 | 0.826 | 0.502 |

LG 104.42.180.160:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.180.160:443/CPU Load | | | | | |
| 0 | 3.06 | 12 | 3 | 2.97 | 1.85 |
| LG 104.42.180.160:443/Memory Used | | | | | |
| 1 | 5.72 | 11 | 6 | 5.74 | 2.24 |
| LG 104.42.180.160:443/Throughput | | | | | |
| 0 | 2.18 | 7.68 | 1.97 | 2.11 | 1.48 |
| LG 104.42.180.160:443/User Load | | | | | |
| 0 | 156 | 304 | 143 | 156.8 | 90.6 |
| LG 104.42.180.160:443/Thread Count | | | | | |
| 40 | 225.3 | 395 | 209.5 | 225.2 | 93 |
| LG 104.42.180.160:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 104.42.180.160:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 104.42.180.160:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.180.160:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.180.160:443/Controller Connection/Ping Duration (ms) | | | | | |
| 98 | 141.8 | 184 | 143 | 142 | 12.9 |
| LG 104.42.180.160:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 415.6 | 1,219 | 392.7 | 409.5 | 243.6 |
| LG 104.42.180.160:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.013 | 6.56 | 0 | 0 | 0.285 |
| LG 104.42.180.160:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 8.25 | 2.39 | 2.56 | 1.65 |
| LG 104.42.180.160:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.47 | 0.783 | 0.826 | 0.501 |

LG 104.42.181.172:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 104.42.181.172:443/CPU Load | | | | | |
| 0 | 3.21 | 12 | 3 | 3.15 | 1.74 |
| LG 104.42.181.172:443/Memory Used | | | | | |
| 1 | 6.12 | 16 | 5 | 5.97 | 3.06 |
| LG 104.42.181.172:443/Throughput | | | | | |
| 0 | 2.18 | 7.9 | 1.92 | 2.11 | 1.47 |
| LG 104.42.181.172:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.1 | 90.4 |
| LG 104.42.181.172:443/Thread Count | | | | | |
| 40 | 221.4 | 392 | 205 | 221.2 | 95.4 |
| LG 104.42.181.172:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 104.42.181.172:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.083 | 0 | 0 | 0.004 |
| LG 104.42.181.172:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.181.172:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 104.42.181.172:443/Controller Connection/Ping Duration (ms) | | | | | |
| 80 | 141.6 | 187 | 142 | 141.9 | 12.8 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 104.42.181.172:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 419.7 | 1,319 | 390.2 | 413.7 | 246.5 |
| LG 104.42.181.172:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.709 | 0 | 0 | 0.031 |
| LG 104.42.181.172:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 8.41 | 2.41 | 2.58 | 1.66 |
| LG 104.42.181.172:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.844 | 2.54 | 0.783 | 0.829 | 0.502 |

LG 23.101.193.82:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 23.101.193.82:443/CPU Load | | | | | |
| 0 | 3.18 | 18 | 3 | 3.06 | 1.97 |
| LG 23.101.193.82:443/Memory Used | | | | | |
| 1 | 6.44 | 16 | 6 | 6.26 | 3.15 |
| LG 23.101.193.82:443/Throughput | | | | | |
| 0 | 2.17 | 7.43 | 1.94 | 2.1 | 1.47 |
| LG 23.101.193.82:443/User Load | | | | | |
| 0 | 155.6 | 304 | 143 | 156.4 | 90.8 |
| LG 23.101.193.82:443/Thread Count | | | | | |
| 40 | 220.1 | 381 | 206 | 220.4 | 94.6 |
| LG 23.101.193.82:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 23.101.193.82:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 23.101.193.82:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.193.82:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.193.82:443/Controller Connection/Ping Duration (ms) | | | | | |
| 82 | 142.3 | 184 | 144 | 143.3 | 19.3 |
| LG 23.101.193.82:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 416.3 | 1,458 | 381.9 | 409.9 | 247.6 |
| LG 23.101.193.82:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.001 | 0.711 | 0 | 0 | 0.031 |
| LG 23.101.193.82:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 8.08 | 2.4 | 2.56 | 1.66 |
| LG 23.101.193.82:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.42 | 0.761 | 0.824 | 0.504 |

LG 23.101.195.245:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 23.101.195.245:443/CPU Load | | | | | |
| 0 | 2.98 | 15 | 3 | 2.87 | 1.93 |
| LG 23.101.195.245:443/Memory Used | | | | | |
| 1 | 5.13 | 10 | 5 | 5.14 | 1.73 |
| LG 23.101.195.245:443/Throughput | | | | | |
| 0 | 2.17 | 7.89 | 1.97 | 2.1 | 1.47 |
| LG 23.101.195.245:443/User Load | | | | | |
| 0 | 155.4 | 303 | 142 | 156.3 | 90.3 |
| LG 23.101.195.245:443/Thread Count | | | | | |
| 40 | 220.7 | 385 | 205 | 220.8 | 95.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 23.101.195.245:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 23.101.195.245:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 23.101.195.245:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.195.245:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.195.245:443/Controller Connection/Ping Duration (ms) | | | | | |
| 86 | 161 | 186 | 183 | 163.6 | 30 |
| LG 23.101.195.245:443/Network/Segments sent/sec. | | | | | |
| 5.63 | 418.4 | 1,329 | 397.5 | 412 | 246.1 |
| LG 23.101.195.245:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.8 | 0 | 0 | 0.078 |
| LG 23.101.195.245:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.008 | 2.63 | 8.46 | 2.43 | 2.57 | 1.66 |
| LG 23.101.195.245:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.84 | 2.54 | 0.78 | 0.825 | 0.501 |

LG 23.101.204.105:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 23.101.204.105:443/CPU Load | | | | | |
| 0 | 3.06 | 14 | 3 | 2.99 | 1.79 |
| LG 23.101.204.105:443/Memory Used | | | | | |
| 1 | 5.79 | 14 | 5 | 5.67 | 2.65 |
| LG 23.101.204.105:443/Throughput | | | | | |
| 0 | 2.18 | 7.02 | 2 | 2.1 | 1.47 |
| LG 23.101.204.105:443/User Load | | | | | |
| 0 | 155.6 | 304 | 143 | 156.4 | 90.8 |
| LG 23.101.204.105:443/Thread Count | | | | | |
| 40 | 220.8 | 389 | 204 | 220.7 | 95.9 |
| LG 23.101.204.105:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 23.101.204.105:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 23.101.204.105:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.204.105:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.204.105:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 142.7 | 185 | 145 | 143.3 | 19.1 |
| LG 23.101.204.105:443/Network/Segments sent/sec. | | | | | |
| 3.76 | 415.5 | 1,306 | 396.3 | 409.3 | 245.3 |
| LG 23.101.204.105:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.008 | 4.24 | 0 | 0 | 0.184 |
| LG 23.101.204.105:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.62 | 7.59 | 2.46 | 2.55 | 1.65 |
| LG 23.101.204.105:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.28 | 0.797 | 0.824 | 0.501 |

LG 23.101.204.207:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 23.101.204.207:443/CPU Load | | | | | |
| 0 | 2.75 | 11 | 2.5 | 2.64 | 1.82 |
| LG 23.101.204.207:443/Memory Used | | | | | |
| 1 | 4.21 | 11 | 4 | 4.05 | 1.91 |
| LG 23.101.204.207:443/Throughput | | | | | |
| 0 | 2.18 | 7.49 | 1.94 | 2.11 | 1.46 |
| LG 23.101.204.207:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.6 |
| LG 23.101.204.207:443/Thread Count | | | | | |
| 40 | 220.5 | 386 | 205 | 220.5 | 95.1 |
| LG 23.101.204.207:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.001 |
| LG 23.101.204.207:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 23.101.204.207:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.204.207:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.204.207:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 104.9 | 186 | 105 | 102.1 | 23 |
| LG 23.101.204.207:443/Network/Segments sent/sec. | | | | | |
| 6 | 418 | 1,335 | 405.7 | 412 | 244.5 |
| LG 23.101.204.207:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.77 | 0 | 0 | 0.077 |
| LG 23.101.204.207:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 8.07 | 2.45 | 2.57 | 1.64 |
| LG 23.101.204.207:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.39 | 0.796 | 0.827 | 0.499 |

LG 23.101.205.214:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 23.101.205.214:443/CPU Load | | | | | |
| 0 | 3.06 | 13 | 3 | 2.96 | 1.87 |
| LG 23.101.205.214:443/Memory Used | | | | | |
| 0 | 6.29 | 17 | 6 | 6.11 | 3.16 |
| LG 23.101.205.214:443/Throughput | | | | | |
| 0 | 2.18 | 6.93 | 1.96 | 2.1 | 1.47 |
| LG 23.101.205.214:443/User Load | | | | | |
| 0 | 155.8 | 304 | 143 | 156.6 | 90.9 |
| LG 23.101.205.214:443/Thread Count | | | | | |
| 40 | 220.2 | 384 | 205 | 220.2 | 94.6 |
| LG 23.101.205.214:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 23.101.205.214:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 23.101.205.214:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.205.214:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.205.214:443/Controller Connection/Ping Duration (ms) | | | | | |
| 78 | 144.7 | 676 | 105 | 130.4 | 98.5 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 23.101.205.214:443/Network/Segments sent/sec. | | | | | |
| 4.69 | 412.2 | 1,313 | 387.8 | 405.8 | 244.4 |
| LG 23.101.205.214:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.01 | 5.17 | 0 | 0 | 0.224 |
| LG 23.101.205.214:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 2.6 | 7.48 | 2.4 | 2.54 | 1.65 |
| LG 23.101.205.214:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.837 | 2.24 | 0.78 | 0.822 | 0.502 |

LG 23.101.205.71:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 23.101.205.71:443/CPU Load | | | | | |
| 0 | 2.38 | 13 | 2 | 2.28 | 1.61 |
| LG 23.101.205.71:443/Memory Used | | | | | |
| 1 | 5.36 | 11 | 5 | 5.33 | 2.13 |
| LG 23.101.205.71:443/Throughput | | | | | |
| 0 | 2.18 | 7.49 | 1.94 | 2.1 | 1.48 |
| LG 23.101.205.71:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.2 | 90.7 |
| LG 23.101.205.71:443/Thread Count | | | | | |
| 40 | 220.5 | 388 | 206 | 220.5 | 95.3 |
| LG 23.101.205.71:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 23.101.205.71:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.017 | 0 | 0 | 0.002 |
| LG 23.101.205.71:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.205.71:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 23.101.205.71:443/Controller Connection/Ping Duration (ms) | | | | | |
| 87 | 144.7 | 185 | 145 | 145.7 | 12.7 |
| LG 23.101.205.71:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 416.1 | 1,388 | 399.1 | 409.2 | 245.7 |
| LG 23.101.205.71:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.003 | 1.43 | 0 | 0 | 0.062 |
| LG 23.101.205.71:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 8.05 | 2.47 | 2.55 | 1.66 |
| LG 23.101.205.71:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.37 | 0.816 | 0.822 | 0.503 |

LG 40.112.160.100:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 40.112.160.100:443/CPU Load | | | | | |
| 0 | 2.73 | 12 | 3 | 2.62 | 1.77 |
| LG 40.112.160.100:443/Memory Used | | | | | |
| 1 | 4.98 | 10 | 5 | 4.97 | 1.7 |
| LG 40.112.160.100:443/Throughput | | | | | |
| 0 | 2.17 | 7.45 | 1.98 | 2.09 | 1.46 |
| LG 40.112.160.100:443/User Load | | | | | |
| 0 | 155.2 | 303 | 142 | 156 | 90.6 |
| LG 40.112.160.100:443/Thread Count | | | | | |
| 40 | 220 | 384 | 207 | 220.1 | 94.9 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.160.100:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| LG 40.112.160.100:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.183 | 0 | 0 | 0.01 |
| LG 40.112.160.100:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.160.100:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.160.100:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 140.9 | 159 | 145 | 143.2 | 13.4 |
| LG 40.112.160.100:443/Network/Segments sent/sec. | | | | | |
| 6 | 417.7 | 1,417 | 410.3 | 411.6 | 246.6 |
| LG 40.112.160.100:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.22 | 0 | 0 | 0.184 |
| LG 40.112.160.100:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.98 | 2.49 | 2.57 | 1.65 |
| LG 40.112.160.100:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.38 | 0.801 | 0.824 | 0.501 |

LG 40.112.160.178:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.160.178:443/CPU Load | | | | | |
| 0 | 2.72 | 13 | 3 | 2.6 | 1.82 |
| LG 40.112.160.178:443/Memory Used | | | | | |
| 1 | 4.63 | 10 | 5 | 4.59 | 1.57 |
| LG 40.112.160.178:443/Throughput | | | | | |
| 0 | 2.18 | 7.96 | 2.01 | 2.11 | 1.45 |
| LG 40.112.160.178:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.7 |
| LG 40.112.160.178:443/Thread Count | | | | | |
| 40 | 220.8 | 386 | 205 | 220.8 | 94.9 |
| LG 40.112.160.178:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.105 | 0.1 | 0.1 | 0 |
| LG 40.112.160.178:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.083 | 0 | 0 | 0.005 |
| LG 40.112.160.178:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.160.178:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.160.178:443/Controller Connection/Ping Duration (ms) | | | | | |
| 80 | 129.9 | 185 | 144 | 130.1 | 23.6 |
| LG 40.112.160.178:443/Network/Segments sent/sec. | | | | | |
| 5.99 | 419.3 | 1,353 | 406.3 | 413.6 | 246.2 |
| LG 40.112.160.178:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.005 | 2.45 | 0 | 0 | 0.107 |
| LG 40.112.160.178:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.64 | 8.58 | 2.52 | 2.58 | 1.65 |
| LG 40.112.160.178:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.57 | 0.807 | 0.828 | 0.5 |

LG 40.112.162.153:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.162.153:443/CPU Load | | | | | |
| 0 | 3.39 | 14 | 3 | 3.32 | 1.91 |
| LG 40.112.162.153:443/Memory Used | | | | | |
| 1 | 6.56 | 16 | 6 | 6.36 | 3.5 |
| LG 40.112.162.153:443/Throughput | | | | | |
| 0 | 2.18 | 6.59 | 1.99 | 2.11 | 1.46 |
| LG 40.112.162.153:443/User Load | | | | | |
| 0 | 156.2 | 304 | 143 | 157 | 90.8 |
| LG 40.112.162.153:443/Thread Count | | | | | |
| 40 | 221.1 | 384 | 206 | 221.3 | 94.3 |
| LG 40.112.162.153:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.115 | 0.1 | 0.1 | 0.002 |
| LG 40.112.162.153:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.1 | 0 | 0 | 0.005 |
| LG 40.112.162.153:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.162.153:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.162.153:443/Controller Connection/Ping Duration (ms) | | | | | |
| 101 | 138.1 | 145 | 141 | 139.6 | 9.5 |
| LG 40.112.162.153:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 418 | 1,291 | 390.7 | 411.9 | 245.3 |
| LG 40.112.162.153:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.006 | 3.17 | 0 | 0 | 0.138 |
| LG 40.112.162.153:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.21 | 2.44 | 2.57 | 1.65 |
| LG 40.112.162.153:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.16 | 0.792 | 0.827 | 0.499 |

LG 40.112.163.56:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---------------------------------------------------------------|-------|-------|------|---------|---------|
| LG 40.112.163.56:443/CPU Load | | | | | |
| 0 | 2.83 | 15 | 3 | 2.73 | 1.82 |
| LG 40.112.163.56:443/Memory Used | | | | | |
| 1 | 5.45 | 11 | 5 | 5.42 | 2.08 |
| LG 40.112.163.56:443/Throughput | | | | | |
| 0 | 2.18 | 7.04 | 2.01 | 2.1 | 1.47 |
| LG 40.112.163.56:443/User Load | | | | | |
| 0 | 156.2 | 304 | 143 | 157 | 90.7 |
| LG 40.112.163.56:443/Thread Count | | | | | |
| 40 | 221.1 | 385 | 204 | 221.2 | 94.2 |
| LG 40.112.163.56:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.112.163.56:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 40.112.163.56:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.163.56:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.163.56:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 113.1 | 184 | 105 | 111.4 | 26.7 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.163.56:443/Network/Segments sent/sec. | | | | | |
| 3.76 | 421.5 | 1,340 | 400.2 | 414.9 | 247 |
| LG 40.112.163.56:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.007 | 3.87 | 0 | 0 | 0.168 |
| LG 40.112.163.56:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.65 | 7.54 | 2.48 | 2.58 | 1.66 |
| LG 40.112.163.56:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 2.29 | 0.794 | 0.829 | 0.502 |

LG 40.112.164.0:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.164.0:443/CPU Load | | | | | |
| 0 | 3.16 | 15 | 3 | 3.08 | 1.87 |
| LG 40.112.164.0:443/Memory Used | | | | | |
| 1 | 5.64 | 16 | 5 | 5.46 | 2.89 |
| LG 40.112.164.0:443/Throughput | | | | | |
| 0 | 2.17 | 7.11 | 1.97 | 2.1 | 1.46 |
| LG 40.112.164.0:443/User Load | | | | | |
| 0 | 155.2 | 304 | 143 | 156 | 90.8 |
| LG 40.112.164.0:443/Thread Count | | | | | |
| 40 | 220.4 | 380 | 207 | 220.7 | 93 |
| LG 40.112.164.0:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.112.164.0:443/Http client/Task Pool used | | | | | |
| 0 | 0.001 | 0.05 | 0 | 0 | 0.004 |
| LG 40.112.164.0:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.164.0:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.164.0:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 142.8 | 193 | 144 | 143.9 | 18.9 |
| LG 40.112.164.0:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 414.8 | 1,370 | 396 | 408.1 | 245.7 |
| LG 40.112.164.0:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 1.06 | 0 | 0 | 0.046 |
| LG 40.112.164.0:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 7.71 | 2.46 | 2.55 | 1.65 |
| LG 40.112.164.0:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.837 | 2.31 | 0.797 | 0.822 | 0.501 |

LG 40.112.164.110:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 40.112.164.110:443/CPU Load | | | | | |
| 0 | 3 | 11 | 3 | 2.93 | 1.79 |
| LG 40.112.164.110:443/Memory Used | | | | | |
| 1 | 4.91 | 10 | 5 | 4.87 | 1.73 |
| LG 40.112.164.110:443/Throughput | | | | | |
| 0 | 2.18 | 7.28 | 1.93 | 2.11 | 1.47 |
| LG 40.112.164.110:443/User Load | | | | | |
| 0 | 156.4 | 304 | 143 | 157.3 | 90.6 |
| LG 40.112.164.110:443/Thread Count | | | | | |
| 40 | 222.7 | 387 | 205 | 222.8 | 93.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.164.110:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.11 | 0.1 | 0.1 | 0.001 |
| LG 40.112.164.110:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.002 |
| LG 40.112.164.110:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.164.110:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.164.110:443/Controller Connection/Ping Duration (ms) | | | | | |
| 73 | 112.1 | 182 | 103 | 110.7 | 27.1 |
| LG 40.112.164.110:443/Network/Segments sent/sec. | | | | | |
| 3.76 | 420.6 | 1,320 | 396.9 | 414.4 | 246.2 |
| LG 40.112.164.110:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.009 | 4.61 | 0 | 0 | 0.201 |
| LG 40.112.164.110:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.65 | 7.91 | 2.38 | 2.58 | 1.66 |
| LG 40.112.164.110:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.845 | 2.38 | 0.784 | 0.83 | 0.501 |

LG 40.112.164.217:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.164.217:443/CPU Load | | | | | |
| 0 | 3.77 | 15 | 4 | 3.71 | 2.04 |
| LG 40.112.164.217:443/Memory Used | | | | | |
| 1 | 6.18 | 14 | 6 | 6.1 | 2.82 |
| LG 40.112.164.217:443/Throughput | | | | | |
| 0 | 2.18 | 6.89 | 2 | 2.1 | 1.47 |
| LG 40.112.164.217:443/User Load | | | | | |
| 0 | 155.9 | 304 | 143 | 156.8 | 90.6 |
| LG 40.112.164.217:443/Thread Count | | | | | |
| 40 | 223.5 | 387 | 207 | 223.6 | 91.9 |
| LG 40.112.164.217:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.112.164.217:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.003 |
| LG 40.112.164.217:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.164.217:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.164.217:443/Controller Connection/Ping Duration (ms) | | | | | |
| 107 | 144.2 | 185 | 145 | 143.7 | 12.2 |
| LG 40.112.164.217:443/Network/Segments sent/sec. | | | | | |
| 6.4 | 416.4 | 1,316 | 396.7 | 409.8 | 245 |
| LG 40.112.164.217:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.012 | 3.72 | 0 | 0 | 0.165 |
| LG 40.112.164.217:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.62 | 7.47 | 2.43 | 2.56 | 1.65 |
| LG 40.112.164.217:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.012 | 0.841 | 2.27 | 0.802 | 0.825 | 0.5 |

LG 40.112.165.148:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.165.148:443/CPU Load | | | | | |
| 0 | 2.99 | 15 | 3 | 2.88 | 1.97 |
| LG 40.112.165.148:443/Memory Used | | | | | |
| 1 | 4.06 | 10 | 4 | 3.97 | 1.6 |
| LG 40.112.165.148:443/Throughput | | | | | |
| 0 | 2.18 | 7.05 | 1.93 | 2.11 | 1.46 |
| LG 40.112.165.148:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.2 | 90.5 |
| LG 40.112.165.148:443/Thread Count | | | | | |
| 40 | 220.4 | 383 | 205 | 220.5 | 94.5 |
| LG 40.112.165.148:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.112.165.148:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 40.112.165.148:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.165.148:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.165.148:443/Controller Connection/Ping Duration (ms) | | | | | |
| 76 | 134.4 | 192 | 124 | 134.2 | 37.5 |
| LG 40.112.165.148:443/Network/Segments sent/sec. | | | | | |
| 6.4 | 416.8 | 1,232 | 394.1 | 411.5 | 243.2 |
| LG 40.112.165.148:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 0.705 | 0 | 0 | 0.032 |
| LG 40.112.165.148:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.57 | 2.46 | 2.57 | 1.64 |
| LG 40.112.165.148:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.842 | 2.27 | 0.793 | 0.828 | 0.498 |

LG 40.112.165.224:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|----------------------------------------------------------------|-------|-----|------|---------|---------|
| LG 40.112.165.224:443/CPU Load | | | | | |
| 0 | 3.03 | 11 | 3 | 2.96 | 1.82 |
| LG 40.112.165.224:443/Memory Used | | | | | |
| 1 | 6.02 | 13 | 6 | 5.96 | 2.56 |
| LG 40.112.165.224:443/Throughput | | | | | |
| 0 | 2.17 | 7.1 | 1.94 | 2.1 | 1.48 |
| LG 40.112.165.224:443/User Load | | | | | |
| 0 | 155.5 | 304 | 143 | 156.3 | 90.8 |
| LG 40.112.165.224:443/Thread Count | | | | | |
| 40 | 219.8 | 382 | 205 | 220 | 93.8 |
| LG 40.112.165.224:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.112.165.224:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.1 | 0 | 0 | 0.005 |
| LG 40.112.165.224:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.165.224:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.165.224:443/Controller Connection/Ping Duration (ms) | | | | | |
| 75 | 137.6 | 181 | 142 | 139.5 | 16.4 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.165.224:443/Network/Segments sent/sec. | | | | | |
| 5.8 | 418.9 | 1,351 | 396.6 | 412.6 | 248.1 |
| LG 40.112.165.224:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.013 | 6.44 | 0 | 0 | 0.281 |
| LG 40.112.165.224:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 7.65 | 2.41 | 2.57 | 1.67 |
| LG 40.112.165.224:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.31 | 0.794 | 0.826 | 0.505 |

LG 40.112.166.101:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.166.101:443/CPU Load | | | | | |
| 0 | 2.74 | 15 | 3 | 2.64 | 1.76 |
| LG 40.112.166.101:443/Memory Used | | | | | |
| 1 | 5.22 | 13 | 5 | 5.15 | 2.06 |
| LG 40.112.166.101:443/Throughput | | | | | |
| 0 | 2.18 | 7.06 | 1.94 | 2.11 | 1.46 |
| LG 40.112.166.101:443/User Load | | | | | |
| 0 | 156.3 | 304 | 143 | 157.2 | 90.6 |
| LG 40.112.166.101:443/Thread Count | | | | | |
| 40 | 220.2 | 382 | 205 | 220.4 | 94.4 |
| LG 40.112.166.101:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.125 | 0.1 | 0.1 | 0.002 |
| LG 40.112.166.101:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.067 | 0 | 0 | 0.004 |
| LG 40.112.166.101:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.166.101:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.166.101:443/Controller Connection/Ping Duration (ms) | | | | | |
| 101 | 141.3 | 185 | 142 | 141 | 13.3 |
| LG 40.112.166.101:443/Network/Segments sent/sec. | | | | | |
| 3.75 | 418.4 | 1,273 | 391.1 | 412.5 | 244.7 |
| LG 40.112.166.101:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.007 | 3.84 | 0 | 0 | 0.167 |
| LG 40.112.166.101:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.005 | 2.63 | 7.68 | 2.41 | 2.57 | 1.65 |
| LG 40.112.166.101:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.843 | 2.32 | 0.785 | 0.83 | 0.499 |

LG 40.112.172.202:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 40.112.172.202:443/CPU Load | | | | | |
| 0 | 3.06 | 16 | 3 | 2.97 | 1.85 |
| LG 40.112.172.202:443/Memory Used | | | | | |
| 1 | 6.53 | 16 | 6 | 6.37 | 3.04 |
| LG 40.112.172.202:443/Throughput | | | | | |
| 0 | 2.18 | 8.24 | 1.93 | 2.1 | 1.47 |
| LG 40.112.172.202:443/User Load | | | | | |
| 0 | 155.7 | 304 | 143 | 156.5 | 90.3 |
| LG 40.112.172.202:443/Thread Count | | | | | |
| 40 | 221.3 | 394 | 206 | 221.3 | 95.4 |


| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.172.202:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.101 | 0.135 | 0.1 | 0.1 | 0.004 |
| LG 40.112.172.202:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.05 | 0 | 0 | 0.003 |
| LG 40.112.172.202:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.172.202:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.172.202:443/Controller Connection/Ping Duration (ms) | | | | | |
| 81 | 143 | 208 | 145 | 143.1 | 20.6 |
| LG 40.112.172.202:443/Network/Segments sent/sec. | | | | | |
| 5.82 | 417.1 | 1,330 | 391.8 | 410.6 | 245.8 |
| LG 40.112.172.202:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.002 | 0.877 | 0 | 0 | 0.038 |
| LG 40.112.172.202:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.63 | 8.76 | 2.39 | 2.56 | 1.66 |
| LG 40.112.172.202:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.841 | 2.65 | 0.788 | 0.825 | 0.502 |

LG 40.112.173.110:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-------------------------------------------------------------------------|-------|-------|-------|---------|---------|
| LG 40.112.173.110:443/CPU Load | | | | | |
| 0 | 3.64 | 14 | 4 | 3.58 | 1.95 |
| LG 40.112.173.110:443/Memory Used | | | | | |
| 1 | 6.56 | 16 | 6 | 6.29 | 3.6 |
| LG 40.112.173.110:443/Throughput | | | | | |
| 0 | 2.18 | 6.98 | 2 | 2.11 | 1.46 |
| LG 40.112.173.110:443/User Load | | | | | |
| 0 | 156.1 | 304 | 143 | 156.9 | 90.3 |
| LG 40.112.173.110:443/Thread Count | | | | | |
| 40 | 220.7 | 383 | 206 | 220.9 | 94.6 |
| LG 40.112.173.110:443/Http client/Thread Pool used | | | | | |
| 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0 |
| LG 40.112.173.110:443/Http client/Task Pool used | | | | | |
| 0 | 0 | 0.033 | 0 | 0 | 0.003 |
| LG 40.112.173.110:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.173.110:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 40.112.173.110:443/Controller Connection/Ping Duration (ms) | | | | | |
| 85 | 135.9 | 184 | 142 | 135.8 | 33.9 |
| LG 40.112.173.110:443/Network/Segments sent/sec. | | | | | |
| 5.83 | 412.4 | 1,305 | 389.6 | 406.2 | 242.6 |
| LG 40.112.173.110:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.004 | 1.94 | 0 | 0 | 0.084 |
| LG 40.112.173.110:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.023 | 2.61 | 7.61 | 2.44 | 2.55 | 1.64 |
| LG 40.112.173.110:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.011 | 0.839 | 2.27 | 0.794 | 0.824 | 0.499 |


Average page response time



| Min | Average | Max |
|------|---------|-------|
| 0.05 | 3.255 | 6.556 |

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



| Min | Average | Max |
|------|---------|-------|
| 0.02 | 1.105 | 15.34 |

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



| Min | Average | Max | Median | Avg-90% | Std. Dev. |
|-------|---------|--------|--------|---------|-----------|
| 0.075 | 4.861 | 22.133 | 4.757 | 4.865 | 2.62 |

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



| Min | Average | Max |
|-----|---------|---------|
| 7.7 | 3,421.3 | 6,768.4 |

Notes: Displays the number of requests per second.


Errors



| Min | Average | Max |
|-----|---------|-----|
| 0 | 24.6 | 736 |

Notes: Displays the number of errors per sampling interval.


Throughput



| Min | Average | Max |
|-----|---------|--------|
| 0 | 314.25 | 627.02 |


Notes: Displays the number of megabits of data per second returned by the server.

Response time against load



Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.