NSA CPC MVA LT1

Date	Jan 29, 2020 10:25:02 PM
Project	MF_CPC_01222020
Scenario	SCN1
Comment	LT1_01_29_2020
Notes	NSA CPC MVA LT1_01292020

Table of Contents

Neotys

Results summary

Name	22:24 - 29 Jan 2020	Project	MF_CPC_01222020
Description	LT1_01_29_2020	Scenario	SCN1
Status	✔ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 29, 2020 10:25:02 PM		
End date	Jan 29, 2020 10:32:42 PM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:07:40		
Termination reason	Manual action	Filters	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	Debug	Disabled

Statistics Summary

Total pages	14120	—	Average pages/s	30.6	—
Total requests	33912	—	Average requests/s	73.6	—
Total users launched	250	—	Average Request response time	0.908 s	—
Total iterations completed	440	—	Average Page response time	2.06 s	—
Total throughput	1,582 MB	—	Average throughput	27.45 Mb/s	—
Total request errors	200	—	Error rate	0.6 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA   ☀ = Passed   ☁ = Warning   ⛈ = Failed

Neotys

Neotys

Hot spots

Top 5 errors

User Path	Parent	Page	Count
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	38
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	29
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	25
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	23
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	22

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	7.49
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	7.12
CPC_ALP_MultiLine	MF_CPC_13_01GenFeatur	/digital/soe/digital/secure/compareplanpage	6.88
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	6.74
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	6.22

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/asyncPullMyFeed	301.3
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	55.3
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	55.2
CPC_ALP_MultiLine	MF_CPC_13_02GenFeatur	/digital/soe/digital/secure/compareplanpage	55.2
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	55.2

Errors

Request errors

Error Type	Count	Description
500	136	Internal Server Error
Assertions	43	Validation of the response failed.
502	14	Bad Gateway
504	6	Gateway Timeout
NL-NETWORK-01	1	Miscellaneous I/O error when connecting to the server.
Total	200	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
31.8	120.7	305.8	242	90	37.2	-
All pages						
0.026	2.06	301.3	14,120	199	1.4	-
All requests						
0.013	0.907	302.2	33,912	200	0.6	-

Transaction statistics

Neotys

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.031	3.84	79.5	7,433	172	2.3	0.663	21.6	38.7	7.6	2.55	-

Neotys

Scenario

Summary

Name	22:24 - 29 Jan 2020	Project	MF_CPC_01222020
Description	LT1_01_29_2020	Scenario	SCN1
Status	✔ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 29, 2020 10:25:02 PM		
End date	Jan 29, 2020 10:32:42 PM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:07:40		
Termination reason	Manual action	Filters	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	Debug	Disabled

Populations

NSA_CPC

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
CPC_ALP_MultiLine	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
CPC_ALP_MultiLine		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Name	22:24 - 29 Jan 2020	Project	MF_CPC_01222020
Description	LT1_01_29_2020	Scenario	SCN1
Status	✔ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 29, 2020 10:25:02 PM		
End date	Jan 29, 2020 10:32:42 PM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:07:40		
Termination reason	Manual action	Filters	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	Debug	Disabled

NeoLoad version   6.8.0;build=20190103-16
Graphs granularity   Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

CPC_ALP_MultiLine
Error policy: Do nothing
Assertion policy: Go to the next iteration
Thinktime policy: replaced by 0ms.
Pacing: No pacing

Neotys

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	Yes	Yes
mobile-exp.ae.vzw.com	443	Yes	Yes
pie.prod.verizon.com	443	No	No
twbaccessmgr.verizonwireless.c443		No	No
login.verizonwireless.com	443	No	No
scache.vzw.com	443	Yes	Yes
ecache.verizonwireless.com	443	Yes	Yes

Neotys

Graphs

Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA_CPC	33912 (100%)	73.6	2.06s (0%)	0.6% (0%)
Global	33912 (100%)	73.6	2.06s	0.6%

Neotys

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 CPC_ALP_MultiLine						
31.8	120.7	305.8	242	90	37.2	-

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
👤 **CPC_ALP_MultiLine**											
31.8	120.7	305.8	242	90	37.2	-	-	-	-	-	-
📁 **Init**											
0	0	0	250	0	0	-	-	-	-	-	-
📁 **Actions**											
2.51	59.3	161.3	440	106	24.1	-	-	-	-	-	-
📁 **MF_CPC_01_OpenApp**											
0.481	0.595	1.06	682	0	0	0.587	0.697	0.915	0.065	0.589	-
📁 **MF_CPC_02_ImCustomer**											
0.031	0.041	0.146	664	0	0	0.038	0.065	0.093	0.013	0.04	-
📁 **MF_CPC_03_OAuthLogin**											
0.341	0.391	0.686	644	0	0	0.394	0.45	0.578	0.042	0.386	-
📁 **MF_CPC_04_SignInNext**											
1.52	3.9	33.1	605	4	0.7	3.76	4.87	6.83	1.38	3.81	-
📁 **MF_CPC_05_Account**											
0.268	0.521	1.06	563	0	0	0.49	0.782	0.902	0.127	0.511	-
📁 **MF_CPC_06_MyPlan**											
0.94	1.46	4.51	532	1	0.2	1.38	2.17	2.67	0.377	1.42	-
📁 **Then**											
-	-	-	-	0	-	-	-	-	-	-	-
📁 **Else**											
0	0	0.001	531	0	0	-	-	-	-	-	-
📁 **MF_CPC_07_SwitchPlan**											
1.16	8.6	53.9	517	25	4.8	5.02	24	36.2	7.71	7.64	-
📁 **MF_CPC_08_ExploreMMPlans**											
0.272	6.34	55.3	497	22	4.4	2	23.3	41.6	8.28	5.27	-
📁 **Then**											
0.203	20.5	99.3	354	40	11.3	-	-	-	-	-	-
📁 **MF_CPC_09_01SelectPlan_Line1**											
0.131	1.87	50	369	3	0.8	0.311	8.98	32.5	5.2	0.864	-
📁 **MF_CPC_12_01ContinueCPC**											
0.25	11.6	71	360	37	10.3	4.37	44.9	59.5	14.5	9.86	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**											
0.164	7.01	53.5	344	20	5.8	0.555	27.5	43.3	10.23	5.68	-
📁 **Else**											
0	0	0	123	0	0	-	-	-	-	-	-
📁 **Then**											
0.192	19.9	104.2	91	11	12.1	-	-	-	-	-	-

Neotys

	Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 MF_CPC_09_02SelectPlan_Line1												
	0.138	1.83	26.1	98	1	1	0.308	10.9	26.1	4.84	0.828	-
📁 MF_CPC_10_02SelectPlan_Line2												
	0.129	1.5	22.2	96	0	0	0.309	8.3	22.2	3.7	0.751	-
📁 MF_CPC_12_02ContinueCPC												
	0.446	9.76	59.4	95	9	9.5	2.56	36	59.4	12.3	7.99	-
📁 MF_CPC_13_02GenFeatureChangesGotIT												
	0.287	6.47	55.2	89	6	6.7	0.545	36.1	55.3	11.4	4.41	-
📁 Else												
	0	0	0	366	0	0	-	-	-	-	-	-
📁 Then												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_09_03SelectPlan_Line1												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_10_03SelectPlan_Line2												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_11_03SelectPlan_Line3												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_12_03ContinueCPC												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_13_03GenFeatureChangesGotIT												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 Else												
	0	0	0	455	0	0	-	-	-	-	-	-
📁 MF_CPC_14_ReviewChangesContinue												
	0.144	4.91	38.1	444	2	0.5	0.58	21.8	23.5	6.87	4.1	-
📁 MF_CPC_15_PlanStartDate												
	0.214	12.6	79.5	437	42	9.6	7.47	38.7	62.4	12.9	11	-
📁 MF_CPC_16_Logout												
	0.108	0.148	0.327	397	0	0	0.145	0.199	0.275	0.029	0.145	-
📁 End												
	0	0	0	242	0	0	-	-	-	-	-	-

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Neotys

Pages

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 CPC_ALP_MultiLine						
31.8	120.7	305.8	242	90	37.2	-
📁 Actions						
2.51	59.3	161.3	440	106	24.1	-
📁 MF_CPC_01_OpenApp						
0.481	0.595	1.06	682	0	0	-
📄 /mobileFirstSS/launchApp						
0.175	0.232	0.711	690	0	0	-
📄 /hybridClient/is/image/Verizon...elcome_Main_1_300dpi						
0.271	0.362	0.477	690	0	0	-
📁 MF_CPC_02_ImCustomer						
0.031	0.041	0.146	664	0	0	-
📄 /mobileFirstSS/userSignIn						
0.031	0.041	0.146	682	0	0	-
📁 MF_CPC_03_OAuthLogin						
0.341	0.391	0.686	644	0	0	-
📄 /mobileFirstSS/signUp						
0.029	0.039	0.203	664	0	0	-
📄 /vzauth/oauth2/authorize						
0.266	0.308	0.602	664	0	0	-
📄 /am/content/fonts/NHaasGroteskDSStd-55Rg.woff2						
0.04	0.042	0.052	664	0	0	-
📁 MF_CPC_04_SignInNext						
1.52	3.9	33.1	605	4	0.7	-
📄 /vzauth/UI/Login						
0.223	0.29	3.28	643	0	0	-
📄 /mobileFirstSS/launchApp						
0.973	1.37	10.17	636	0	0	-
📄 /mobileFirstSS/asyncPullMyFeed						
0.026	1.18	301.3	633	4	0.6	-
📄 /mobileFirstSS/loadCart						
0.312	1.19	30.6	623	1	0.2	-
📄 /hybridClient/is/image/Verizon...00dollars-off-samsun						
0.257	0.34	0.414	620	0	0	-
📁 MF_CPC_05_Account						
0.268	0.521	1.06	563	0	0	-
📄 /mobileFirstSS/accountLanding						
0.268	0.519	1.06	601	0	0	-

Neotys

Min	Avg	Max	Count	Err	% of Err	SLA Profile
📁 **MF_CPC_06_MyPlan**						
0.94	1.46	4.51	532	1	0.2	-
🔵 **/mobileFirstSS/myPlan**						
0.94	1.46	4.51	557	1	0.2	-
📁 **MF_CPC_07_SwitchPlan**						
1.16	8.6	53.9	517	25	4.8	-
🔵 **/vzauth/UI/Login**						
0.136	0.171	0.932	531	0	0	-
🔵 **/vzauth/UI/Login_1**						
0.649	0.876	1.53	531	0	0	-
🔵 **/digital/soe/digital/secure/exploreoptions**						
0.246	7.49	53	525	25	4.8	-
📁 **MF_CPC_08_ExploreMMPlans**						
0.272	6.34	55.3	497	22	4.4	-
🔵 **/digital/soe/digital/secure/explore_plan_mm**						
0.272	6.22	55.3	511	22	4.3	-
📁 **Then**						
0.203	20.5	99.3	354	40	11.3	-
📁 **MF_CPC_09_01SelectPlan_Line1**						
0.131	1.87	50	369	3	0.8	-
🔵 **/digital/soe/digital/secure/mm_promotion**						
0.131	1.85	50	373	3	0.8	-
📁 **MF_CPC_12_01ContinueCPC**						
0.25	11.6	71	360	37	10.3	-
🔵 **/digital/soe/digital/secure/compareplanpage**						
0.173	4.51	55.2	366	23	6.3	-
🔵 **/digital/soe/digital/secure/compareplanpage_2**						
0.229	7.12	55.2	357	29	8.1	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**						
0.164	7.01	53.5	344	20	5.8	-
🔵 **/digital/soe/digital/secure/compareplanpage**						
0.164	6.88	53.5	351	20	5.7	-
📁 **Then**						
0.192	19.9	104.2	91	11	12.1	-
📁 **MF_CPC_09_02SelectPlan_Line1**						
0.138	1.83	26.1	98	1	1	-
🔵 **/digital/soe/digital/secure/mm_promotion**						
0.134	1.78	26.1	101	1	1	-
📁 **MF_CPC_10_02SelectPlan_Line2**						
0.129	1.5	22.2	96	0	0	-
🔵 **/digital/soe/digital/secure/mm_promotion**						
0.129	1.49	22.2	97	0	0	-
📁 **MF_CPC_12_02ContinueCPC**						
0.446	9.76	59.4	95	9	9.5	-
🔵 **/digital/soe/digital/secure/compareplanpage**						
0.244	4.46	38.2	96	6	6.2	-

Neotys

Min	Avg	Max	Count	Err	% of Err	SLA Profile
		/digital/soe/digital/secure/compareplanpage_2				
0.22	5.33	44.6	94	8	8.5	-
		MF_CPC_13_02GenFeatureChangesGotIT				
0.287	6.47	55.2	89	6	6.7	-
		/digital/soe/digital/secure/compareplanpage				
0.287	6.15	55.2	94	6	6.4	-
		MF_CPC_14_ReviewChangesContinue				
0.144	4.91	38.1	444	2	0.5	-
		/digital/soe/digital/secure/effectivedate				
0.144	4.79	38.1	455	2	0.4	-
		MF_CPC_15_PlanStartDate				
0.214	12.6	79.5	437	42	9.6	-
		/digital/soe/digital/secure/reviewplan				
0.214	6.74	55.2	440	38	8.6	-
		/digital/soe/digital/secure/reviewplan_1				
0.117	6.04	50.8	419	10	2.4	-
		MF_CPC_16_Logout				
0.108	0.148	0.327	397	0	0	-
		/mobileFirstSS/invalidateSession				
0.108	0.148	0.327	412	0	0	-

Neotys

SLA per User Path

Shared Containers

SLA	Value	Severity
Empty list		

CPC_ALP_MultiLine

SLA	Value	Severity
👤 CPC_ALP_MultiLine		
📁 Actions		
📁 MF_CPC_01_OpenApp		
🌐 /mobileFirstSS/launchApp		
🌐 /hybridClient/is/image/Verizon...elcome_Main_1_300dpi		
📁 MF_CPC_02_ImCustomer		
🌐 /mobileFirstSS/userSignIn		
📁 MF_CPC_03_OAuthLogin		
🌐 /mobileFirstSS/signUp		
🌐 /vzauth/oauth2/authorize		
🌐 /am/content/fonts/NHaasGroteskDSStd-55Rg.woff2		
📁 MF_CPC_04_SignInNext		
🌐 /vzauth/UI/Login		
🌐 /mobileFirstSS/launchApp		
🌐 /mobileFirstSS/asyncPullMyFeed		
🌐 /mobileFirstSS/loadCart		
🌐 /hybridClient/is/image/Verizon...00dollars-off-samsun		
📁 MF_CPC_05_Account		
🌐 /mobileFirstSS/accountLanding		
📁 MF_CPC_06_MyPlan		
🌐 /mobileFirstSS/myPlan		
📁 MF_CPC_07_SwitchPlan		
🌐 /vzauth/UI/Login		
🌐 /vzauth/UI/Login_1		
🌐 /digital/soe/digital/secure/exploreoptions		
📁 MF_CPC_08_ExploreMMPlans		
🌐 /digital/soe/digital/secure/explore_plan_mm		
📁 Then		
📁 MF_CPC_09_01SelectPlan_Line1		
🌐 /digital/soe/digital/secure/mm_promotion		
📁 MF_CPC_12_01ContinueCPC		
🌐 /digital/soe/digital/secure/compareplanpage		
🌐 /digital/soe/digital/secure/compareplanpage_2		

SLA	Value	Severity
📁 **MF_CPC_13_01GenFeatureChangesGotIT**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
📁 **Then**		
📁 **MF_CPC_09_02SelectPlan_Line1**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_10_02SelectPlan_Line2**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_02ContinueCPC**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
🌐 **/digital/soe/digital/secure/compareplanpage_2**		
📁 **MF_CPC_13_02GenFeatureChangesGotIT**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
📁 **MF_CPC_14_ReviewChangesContinue**		
🌐 **/digital/soe/digital/secure/effectivedate**		
📁 **MF_CPC_15_PlanStartDate**		
🌐 **/digital/soe/digital/secure/reviewplan**		
🌐 **/digital/soe/digital/secure/reviewplan_1**		
📁 **MF_CPC_16_Logout**		
🌐 **/mobileFirstSS/invalidateSession**		

Neotys

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration

Neotys

Controller
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	162.7	250	183.5	165.2	86.9
Controller/Throughput					
0	26.8	59.2	26.4	26.5	13.1
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
0	6.31	15	6	6.26	1.87
Controller/Memory Used					
0	9.67	16	9	9.66	3.61
Controller/Thread Count					
0	623.9	681	630	629.9	65.3
Controller/Connected					
0	9.89	10	10	10	1.03
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	69.9	1,172	0	26.3	226.2
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	164.5	250	186	167	85.7
Controller/USA East - South Carolina (Berkeley County)/NSA_CPC/User Load					
0	164.5	250	186	167	85.7
Controller/USA East - South Carolina (Berkeley County)/N..._MultiLine/User Load					
0	164.5	250	186	167	85.7

LG 34.74.188.58:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.188.58:443/CPU Load					
0	2.37	12	2	2.05	2.32
LG 34.74.188.58:443/Memory Used					
1	6.44	15	6	6.26	3.27
LG 34.74.188.58:443/Throughput					
0	2.57	7.58	2.44	2.45	1.76
LG 34.74.188.58:443/User Load					
0	16.4	25	19	16.7	8.59

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.188.58:443/Thread Count						
	21	73.8	83	77	74.7	10.69
LG 34.74.188.58:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 34.74.188.58:443/Http client/Task Pool used						
	0	0	0.017	0	0	0.002
LG 34.74.188.58:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 34.74.188.58:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 34.74.188.58:443/Controller Connection/Ping Duration (ms)						
	27	33	68	27	30.9	14.6
LG 34.74.188.58:443/Network/Segments sent/sec.						
	0	111.4	317.7	100	107.4	66.6
LG 34.74.188.58:443/Network/Segments retransmitted/sec.						
	0	0	0	0	0	0
LG 34.74.188.58:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	2.68	7.92	2.51	2.55	1.82
LG 34.74.188.58:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.168	0.428	0.155	0.162	0.092

LG 34.74.200.102:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.200.102:443/CPU Load						
	0	2.39	12	2	2.12	2.13
LG 34.74.200.102:443/Memory Used						
	1	6.33	13	6	6.24	2.99
LG 34.74.200.102:443/Throughput						
	0	2.6	8.84	2.36	2.41	2.09
LG 34.74.200.102:443/User Load						
	0	16.5	25	19	16.8	8.51
LG 34.74.200.102:443/Thread Count						
	21	74	84	77	74.9	10.61
LG 34.74.200.102:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 34.74.200.102:443/Http client/Task Pool used						
	0	0	0	0	0	0
LG 34.74.200.102:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 34.74.200.102:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 34.74.200.102:443/Controller Connection/Ping Duration (ms)						
	27	32	56	28	30.6	10.02
LG 34.74.200.102:443/Network/Segments sent/sec.						
	0	110.3	331.7	97	104.1	76.4
LG 34.74.200.102:443/Network/Segments retransmitted/sec.						
	0	0.011	1	0	0	0.104
LG 34.74.200.102:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	2.7	9.15	2.46	2.51	2.17
LG 34.74.200.102:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.164	0.398	0.158	0.16	0.088

Neotys

LG 35.185.48.161:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.48.161:443/CPU Load					
0	2.35	11	2	2.1	2.21
LG 35.185.48.161:443/Memory Used					
1	6.53	15	6	6.36	3.36
LG 35.185.48.161:443/Throughput					
0	2.75	8.24	2.49	2.6	2.08
LG 35.185.48.161:443/User Load					
0	16.6	25	19	16.9	8.5
LG 35.185.48.161:443/Thread Count					
21	74.3	84	77	75.2	10.81
LG 35.185.48.161:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.48.161:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.185.48.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.48.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.48.161:443/Controller Connection/Ping Duration (ms)					
28	34	68	28	32	14.2
LG 35.185.48.161:443/Network/Segments sent/sec.					
0	114.4	288.2	102.6	110	71.9
LG 35.185.48.161:443/Network/Segments retransmitted/sec.					
0	0.004	0.4	0	0	0.041
LG 35.185.48.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.86	8.49	2.57	2.7	2.14
LG 35.185.48.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.17	0.376	0.17	0.167	0.085

LG 35.190.146.241:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.146.241:443/CPU Load					
0	2.05	9	2	1.86	1.87
LG 35.190.146.241:443/Memory Used					
1	6.27	14	6	6.11	3.16
LG 35.190.146.241:443/Throughput					
0	2.52	10.33	2.14	2.33	2.08
LG 35.190.146.241:443/User Load					
0	16.3	25	18	16.5	8.65
LG 35.190.146.241:443/Thread Count					
21	74.2	84	77	75.2	11.5
LG 35.190.146.241:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.146.241:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.190.146.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.146.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.146.241:443/Controller Connection/Ping Duration (ms)					
27	33.3	68	27	31.3	14.5

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.146.241:443/Network/Segments sent/sec.						
	0	108.5	364.7	98.4	102.8	75.3
LG 35.190.146.241:443/Network/Segments retransmitted/sec.						
	0	0.024	0.6	0	0	0.11
LG 35.190.146.241:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	2.62	10.65	2.23	2.43	2.15
LG 35.190.146.241:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.156	0.39	0.152	0.152	0.084

LG 35.229.26.40:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.26.40:443/CPU Load						
	0	2.17	9	2	1.98	1.94
LG 35.229.26.40:443/Memory Used						
	1	6.42	14	6	6.24	3.27
LG 35.229.26.40:443/Throughput						
	0	2.74	7.82	2.6	2.63	1.98
LG 35.229.26.40:443/User Load						
	0	16.3	25	18	16.6	8.65
LG 35.229.26.40:443/Thread Count						
	21	73.9	84	76	75	11.4
LG 35.229.26.40:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 35.229.26.40:443/Http client/Task Pool used						
	0	0	0.017	0	0	0.002
LG 35.229.26.40:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 35.229.26.40:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 35.229.26.40:443/Controller Connection/Ping Duration (ms)						
	27	31.8	57	28	30.3	10.51
LG 35.229.26.40:443/Network/Segments sent/sec.						
	0	117.6	299.4	111.2	113.6	72.6
LG 35.229.26.40:443/Network/Segments retransmitted/sec.						
	0	0.004	0.4	0	0	0.041
LG 35.229.26.40:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	2.85	8.13	2.7	2.73	2.05
LG 35.229.26.40:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.17	0.379	0.17	0.167	0.086

LG 35.229.30.111:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.30.111:443/CPU Load						
	0	2.29	11	2	2.04	2.08
LG 35.229.30.111:443/Memory Used						
	1	7.03	15	7	6.9	3.55
LG 35.229.30.111:443/Throughput						
	0	2.92	8.94	2.54	2.76	2.31
LG 35.229.30.111:443/User Load						
	0	16.8	25	19	17	8.43
LG 35.229.30.111:443/Thread Count						
	21	75.4	85	78	76.1	10.72

Neotys

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.30.111:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.30.111:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.229.30.111:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.30.111:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.30.111:443/Controller Connection/Ping Duration (ms)					
27	31.7	59	27	30.1	11.4
LG 35.229.30.111:443/Network/Segments sent/sec.					
0	121.4	333	104.8	116.4	81.7
LG 35.229.30.111:443/Network/Segments retransmitted/sec.					
0	0.019	0.8	0	0	0.111
LG 35.229.30.111:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.04	9.21	2.63	2.87	2.38
LG 35.229.30.111:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.173	0.409	0.166	0.17	0.091

LG 35.229.62.135:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.62.135:443/CPU Load					
0	2.45	16	2	2.18	2.44
LG 35.229.62.135:443/Memory Used					
1	6.16	13	6	6.02	3.1
LG 35.229.62.135:443/Throughput					
0	2.77	8.18	2.56	2.63	2.16
LG 35.229.62.135:443/User Load					
0	16.2	25	18	16.5	8.65
LG 35.229.62.135:443/Thread Count					
21	73.5	84	76	74.5	11.2
LG 35.229.62.135:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.229.62.135:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.229.62.135:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.229.62.135:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.229.62.135:443/Controller Connection/Ping Duration (ms)					
27	32.4	59	28	30.9	11.1
LG 35.229.62.135:443/Network/Segments sent/sec.					
0	117.4	328.4	115.2	113.2	77.2
LG 35.229.62.135:443/Network/Segments retransmitted/sec.					
0	0.002	0.2	0	0	0.021
LG 35.229.62.135:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.88	8.52	2.67	2.74	2.23
LG 35.229.62.135:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.17	0.381	0.176	0.167	0.092

Neotys

LG 35.231.107.200:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/CPU Load					
0	2.45	16	2	2.17	2.27
LG 35.231.107.200:443/Memory Used					
1	6.7	14	7	6.58	3.39
LG 35.231.107.200:443/Throughput					
0	2.79	8.73	2.67	2.64	2.01
LG 35.231.107.200:443/User Load					
0	16.6	25	19	16.9	8.48
LG 35.231.107.200:443/Thread Count					
21	74.3	84	77	75.1	10.25
LG 35.231.107.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.107.200:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.107.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Ping Duration (ms)					
27	33.1	68	27	31.1	14.5
LG 35.231.107.200:443/Network/Segments sent/sec.					
0	117.2	335.4	108.6	112.7	72.5
LG 35.231.107.200:443/Network/Segments retransmitted/sec.					
0	0.022	0.8	0	0	0.112
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.9	9.04	2.78	2.75	2.08
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.169	0.356	0.17	0.167	0.085

LG 35.231.201.114:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/CPU Load					
0	2.3	9	2	2.12	1.89
LG 35.231.201.114:443/Memory Used					
1	6.75	16	6	6.56	3.56
LG 35.231.201.114:443/Throughput					
0	2.79	7.09	2.74	2.7	1.82
LG 35.231.201.114:443/User Load					
0	16.5	25	19	16.8	8.53
LG 35.231.201.114:443/Thread Count					
21	73.9	83	77	74.9	10.55
LG 35.231.201.114:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.201.114:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.231.201.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Ping Duration (ms)					
26	32.3	67	26	30.3	14.5

Neotys

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/Network/Segments sent/sec.					
0	119.4	278.7	114.4	116.9	68.1
LG 35.231.201.114:443/Network/Segments retransmitted/sec.					
0	0.006	0.4	0	0	0.046
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.9	7.33	2.86	2.81	1.88
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.175	0.331	0.188	0.174	0.084

LG 35.243.218.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/CPU Load					
0	2.12	13	2	1.88	2
LG 35.243.218.42:443/Memory Used					
1	6.67	16	6	6.44	3.59
LG 35.243.218.42:443/Throughput					
0	2.67	7.38	2.43	2.55	2.03
LG 35.243.218.42:443/User Load					
0	16.2	25	18	16.4	8.73
LG 35.243.218.42:443/Thread Count					
21	73.3	84	76	74.4	11.2
LG 35.243.218.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.218.42:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.243.218.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Ping Duration (ms)					
27	32.9	67	27	30.8	14.2
LG 35.243.218.42:443/Network/Segments sent/sec.					
0	114	272.3	106	110.7	72.9
LG 35.243.218.42:443/Network/Segments retransmitted/sec.					
0	0.022	0.8	0	0	0.123
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	2.78	7.62	2.52	2.66	2.09
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.168	0.352	0.175	0.165	0.086

Neotys

Average page response time

Min	Average	Max
0.215	2.062	10.346

Notes: Displays the average response time, in seconds, of all pages during the test.

Average request response time

Average request response time

Min	Average	Max
0.126	0.899	302.113

Notes: Displays the average response time, in seconds, of all requests during the test.

Neotys

Average response time (Transactions)

Min	Average	Max	Median	Avg-90%	Std. Dev.
0.359	3.841	12.841	2.949	3.614	2.964

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.

Neotys

Requests per second

Min	Average	Max
0	71.4	164.2

Notes: Displays the number of requests per second.

Neotys

Errors

Min	Average	Max
0	2.1	9

Notes: Displays the number of errors per sampling interval.

Neotys

Throughput

| Min	Average	Max
0	26.37	58.84

Notes: Displays the number of megabits of data per second returned by the server.

Neotys

Response time against load

Response time against load

Min	Average	Max
0.215	0.984	3.849

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations

Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.