NSA CPC MVA LT3

NeoLoad

Date	Jan 30, 2020 12:17:53 AM
Project	MF_CPC_01222020
Scenario	SCN2
Comment	LT3- 01_29
Notes	NSA CPC MVA LT3_01292020

Report generated by **NeoLoad 6.8**

Neotys

Table of Contents

Neotys

Summary

Results summary

|			
Name	00:17 - 30 Jan 2020	**Project**	MF_CPC_01222020
Description	LT3- 01_29	**Scenario**	SCN2
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 30, 2020 12:17:53 AM		
End date	Jan 30, 2020 12:48:04 AM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:30:11		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	**Debug**	Disabled

Statistics Summary

Total pages	257672	—	**Average pages/s**	142.2	—
Total requests	614395	—	**Average requests/s**	339.1	—
Total users launched	1500	—	**Average Request response time**	0.679 s	—
Total iterations completed	9881	—	**Average Page response time**	1.48 s	—
Total throughput	28,384 MB	—	**Average throughput**	125.32 Mb/s	—
Total request errors	7037	—	**Error rate**	1.1 %	—
Total action errors	0	—	**Alerts total duration**	0 %	—

— = No SLA   ☀ = Passed   ☁ = Warning   ⛈ = Failed

Neotys

Hot spots

Top 5 errors

User Path	Parent	Page	Count
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	1520
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	1389
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPl	/digital/soe/digital/secure/explore_plan_mm	1040
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	453
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	448

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	8.16
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPl	/digital/soe/digital/secure/explore_plan_mm	5.45
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	4.38
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	3.16
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	2.87

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/launchApp	302.3
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/loadCart	302.2
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/asyncPullMyFeed	300.7
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	300
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	299.9

Errors

Request errors

Error Type	Count	Description
500	4,477	Internal Server Error
Assertions	1,446	Validation of the response failed.
502	957	Bad Gateway
504	98	Gateway Timeout
NL-NETWORK-01	37	Miscellaneous I/O error when connecting to the server.
503	22	Service Unavailable - The server is currently unable to handle the request due to a temporary overloading or maintenance of the server.
Total	7,037	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
40.8	267.4	742.3	1,455	1,417	97.4	-
All pages						
0.013	1.48	302.3	257,672	6,462	2.5	-
All requests						
0.013	0.678	302.3	614,395	7,037	1.1	-

Transaction statistics

Neotys

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.029	2.66	314.6	141,148	5,898	4.2	0.573	11.4	30.5	7.74	1.48	-

Neotys

Summary

Name	00:17 - 30 Jan 2020	**Project**	MF_CPC_01222020
Description	LT3- 01_29	**Scenario**	SCN2
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 30, 2020 12:17:53 AM		
End date	Jan 30, 2020 12:48:04 AM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:30:11		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	**Debug**	Disabled

Populations

NSA_CPC

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
CPC_ALP_MultiLine	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
CPC_ALP_MultiLine		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Neotys

Name	00:17 - 30 Jan 2020	Project	MF_CPC_01222020
Description	LT3- 01_29	Scenario	SCN2
Status	✅ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 30, 2020 12:17:53 AM		
End date	Jan 30, 2020 12:48:04 AM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:30:11		
Termination reason	Manual action	Filters	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	Debug	Disabled

NeoLoad version   6.8.0;build=20190103-16
Graphs granularity   Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

CPC_ALP_MultiLine
Error policy: Do nothing
Assertion policy: Go to the next iteration
Thinktime policy: replaced by 0ms.
Pacing: No pacing

Neotys

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	Yes	Yes
mobile-exp.ae.vzw.com	443	Yes	Yes
pie.prod.verizon.com	443	No	No
twbaccessmgr.verizonwireless.com	443	No	No
login.verizonwireless.com	443	No	No
scache.vzw.com	443	Yes	Yes
ecache.verizonwireless.com	443	Yes	Yes

Neotys

Graphs

Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA_CPC	614395 (100%)	339.1	1.48s (0%)	1.1% (0%)
Global	614395 (100%)	339.1	1.48s	1.1%

Neotys

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 **CPC_ALP_MultiLine**						
40.8	267.4	742.3	1,455	1,417	97.4	-

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
👤 **CPC_ALP_MultiLine**											
40.8	267.4	742.3	1,455	1,417	97.4	-	-	-	-	-	-
📁 **Init**											
0	0	0	1,500	0	0	-	-	-	-	-	-
📁 **Actions**											
1.36	36	391	9,881	2,679	27.1	-	-	-	-	-	-
📁 **MF_CPC_01_OpenApp**											
0.431	0.581	3.85	11,297	3	0	0.575	0.625	0.694	0.091	0.576	-
📁 **MF_CPC_02_ImCustomer**											
0.029	0.036	0.328	11,201	0	0	0.034	0.053	0.085	0.014	0.034	-
📁 **MF_CPC_03_OAuthLogin**											
0.33	0.376	0.948	11,060	0	0	0.386	0.419	0.496	0.036	0.373	-
📁 **MF_CPC_04_SignInNext**											
0.422	3.9	305	10,879	68	0.6	3.02	3.93	5.37	15.1	3.07	-
📁 **MF_CPC_05_Account**											
0.193	0.473	12.3	10,652	0	0	0.433	0.688	0.943	0.248	0.453	-
📁 **MF_CPC_06_MyPlan**											
0.318	1.5	20.5	10,510	25	0.2	1.38	2.16	3.65	0.745	1.43	-
📁 **Then**											
-	-	-	-	0	-	-	-	-	-	-	-
📁 **Else**											
0	0	0.001	10,485	0	0	-	-	-	-	-	-
📁 **MF_CPC_07_SwitchPlan**											
0.374	9.24	300.6	10,230	1,557	15.2	4.98	27.5	36.2	9.67	8.21	-
📁 **MF_CPC_08_ExploreMMPlans**											
0.068	5.45	299.8	9,908	1,040	10.5	1.85	26	30.2	9.35	4.32	-
📁 **Then**											
0.116	7.76	302.7	6,943	829	11.9	-	-	-	-	-	-
📁 **MF_CPC_09_01SelectPlan_Line1**											
0.069	0.972	299.8	6,943	152	2.2	0.217	1.89	19.3	5.06	0.284	-
📁 **MF_CPC_12_01ContinueCPC**											
0.113	4.84	300.7	6,861	623	9.1	1.71	29.2	48.3	10.66	3.07	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**											
0.068	2.08	299.1	6,690	373	5.6	0.371	13.7	39.7	7.65	0.675	-
📁 **Else**											
0	0	0.001	2,965	0	0	-	-	-	-	-	-
📁 **Then**											
0.115	9.03	337.5	1,925	262	13.6	-	-	-	-	-	-

Neotys

	Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 MF_CPC_09_02SelectPlan_Line1												
	0.069	0.818	44.2	1,925	48	2.5	0.215	1.24	16.9	3.09	0.275	-
📁 MF_CPC_10_02SelectPlan_Line2												
	0.071	0.998	55.9	1,895	21	1.1	0.218	4.75	20.4	3.72	0.31	-
📁 MF_CPC_12_02ContinueCPC												
	0.112	5.17	311.8	1,895	182	9.6	1.79	30.5	50.4	11.9	3.33	-
📁 MF_CPC_13_02GenFeatureChangesGotIT												
	0.071	2.22	299.1	1,851	99	5.3	0.371	15.3	37.1	9.49	0.759	-
📁 Else												
	0	0	0.001	7,729	0	0	-	-	-	-	-	-
📁 Then												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_09_03SelectPlan_Line1												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_10_03SelectPlan_Line2												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_11_03SelectPlan_Line3												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_12_03ContinueCPC												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_13_03GenFeatureChangesGotIT												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 Else												
	0	0	0.001	9,580	0	0	-	-	-	-	-	-
📁 MF_CPC_14_ReviewChangesContinue												
	0.068	1.3	55.4	9,481	134	1.4	0.24	9.2	22.1	4.29	0.437	-
📁 MF_CPC_15_PlanStartDate												
	0.113	7.25	314.6	9,432	1,573	16.7	4.24	26.3	46.6	10.37	5.8	-
📁 MF_CPC_16_Logout												
	0.105	0.138	3.38	8,438	0	0	0.129	0.175	0.288	0.094	0.131	-
📁 End												
	0	0	0.001	1,455	0	0	-	-	-	-	-	-

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 CPC_ALP_MultiLine						
40.8	267.4	742.3	1,455	1,417	97.4	-
📁 Actions						
1.36	36	391	9,881	2,679	27.1	-
📁 MF_CPC_01_OpenApp						
0.431	0.581	3.85	11,297	3	0	-
📄 /mobileFirstSS/launchApp						
0.04	0.21	3.46	11,379	3	0	-
📄 /hybridClient/is/image/Verizon...elcome_Main_1_300dpi						
0.282	0.371	0.938	11,374	0	0	-
📁 MF_CPC_02_ImCustomer						
0.029	0.036	0.328	11,201	0	0	-
📄 /mobileFirstSS/userSignIn						
0.029	0.036	0.328	11,297	0	0	-
📁 MF_CPC_03_OAuthLogin						
0.33	0.376	0.948	11,060	0	0	-
📄 /mobileFirstSS/signUp						
0.027	0.034	0.486	11,200	0	0	-
📄 /vzauth/oauth2/authorize						
0.258	0.299	0.876	11,195	0	0	-
📄 /am/content/fonts/NHaasGroteskDSStd-55Rg.woff2						
0.039	0.041	0.468	11,194	0	0	-
📁 MF_CPC_04_SignInNext						
0.422	3.9	305	10,879	68	0.6	-
📄 /vzauth/UI/Login						
0.215	0.277	3.45	11,052	0	0	-
📄 /mobileFirstSS/launchApp						
0.144	1.54	302.3	11,022	9	0.1	-
📄 /mobileFirstSS/asyncPullMyFeed						
0.013	0.416	300.7	11,008	56	0.5	-
📄 /mobileFirstSS/loadCart						
0.298	1.67	302.2	10,925	16	0.1	-
📄 /hybridClient/is/image/Verizon...00dollars-off-samsun						
0.253	0.35	0.948	10,910	0	0	-
📁 MF_CPC_05_Account						
0.193	0.473	12.3	10,652	0	0	-
📄 /mobileFirstSS/accountLanding						
0.193	0.472	12.3	10,816	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
📁 **MF_CPC_06_MyPlan**						
0.318	1.5	20.5	10,510	25	0.2	-
📄 **/mobileFirstSS/myPlan**						
0.318	1.5	20.5	10,620	25	0.2	-
📁 **MF_CPC_07_SwitchPlan**						
0.374	9.24	300.6	10,230	1,557	15.2	-
📄 **/vzauth/UI/Login**						
0.132	0.184	3.38	10,480	0	0	-
📄 **/vzauth/UI/Login_1**						
0.152	0.89	51.4	10,474	54	0.5	-
📄 **/digital/soe/digital/secure/exploreoptions**						
0.068	8.16	299.8	10,230	1,520	14.9	-
📁 **MF_CPC_08_ExploreMMPlans**						
0.068	5.45	299.8	9,908	1,040	10.5	-
📄 **/digital/soe/digital/secure/explore_plan_mm**						
0.068	5.45	299.8	9,908	1,040	10.5	-
📁 **Then**						
0.116	7.76	302.7	6,943	829	11.9	-
📁 **MF_CPC_09_01SelectPlan_Line1**						
0.069	0.972	299.8	6,943	152	2.2	-
📄 **/digital/soe/digital/secure/mm_promotion**						
0.069	0.972	299.8	6,943	152	2.2	-
📁 **MF_CPC_12_01ContinueCPC**						
0.113	4.84	300.7	6,861	623	9.1	-
📄 **/digital/soe/digital/secure/compareplanpage**						
0.069	2.87	299.5	6,861	381	5.6	-
📄 **/digital/soe/digital/secure/compareplanpage_2**						
0.068	2.02	299.5	6,691	448	6.7	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**						
0.068	2.08	299.1	6,690	373	5.6	-
📄 **/digital/soe/digital/secure/compareplanpage**						
0.068	2.08	299.1	6,690	373	5.6	-
📁 **Then**						
0.115	9.03	337.5	1,925	262	13.6	-
📁 **MF_CPC_09_02SelectPlan_Line1**						
0.069	0.818	44.2	1,925	48	2.5	-
📄 **/digital/soe/digital/secure/mm_promotion**						
0.069	0.818	44.2	1,925	48	2.5	-
📁 **MF_CPC_10_02SelectPlan_Line2**						
0.071	0.998	55.9	1,895	21	1.1	-
📄 **/digital/soe/digital/secure/mm_promotion**						
0.071	0.998	55.9	1,895	21	1.1	-
📁 **MF_CPC_12_02ContinueCPC**						
0.112	5.17	311.8	1,895	182	9.6	-
📄 **/digital/soe/digital/secure/compareplanpage**						
0.069	2.85	55.1	1,895	104	5.5	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
			/digital/soe/digital/secure/compareplanpage_2			
0.068	2.37	299.4	1,852	137	7.4	-
			MF_CPC_13_02GenFeatureChangesGotIT			
0.071	2.22	299.1	1,851	99	5.3	-
			/digital/soe/digital/secure/compareplanpage			
0.071	2.22	299.1	1,851	99	5.3	-
			MF_CPC_14_ReviewChangesContinue			
0.068	1.3	55.4	9,481	134	1.4	-
			/digital/soe/digital/secure/effectivedate			
0.068	1.29	55.4	9,575	134	1.4	-
			MF_CPC_15_PlanStartDate			
0.113	7.25	314.6	9,432	1,573	16.7	-
			/digital/soe/digital/secure/reviewplan			
0.069	4.38	300	9,432	1,389	14.7	-
			/digital/soe/digital/secure/reviewplan_1			
0.069	3.16	299.9	8,540	453	5.3	-
			MF_CPC_16_Logout			
0.105	0.138	3.38	8,438	0	0	-
			/mobileFirstSS/invalidateSession			
0.105	0.138	3.38	8,438	0	0	-

Shared Containers

SLA	Value	Severity
Empty list		

CPC_ALP_MultiLine

SLA	Value	Severity
👤 **CPC_ALP_MultiLine**		
📁 **Actions**		
📁 **MF_CPC_01_OpenApp**		
🌐 **/mobileFirstSS/launchApp**		
🌐 **/hybridClient/is/image/Verizon...elcome_Main_1_300dpi**		
📁 **MF_CPC_02_ImCustomer**		
🌐 **/mobileFirstSS/userSignIn**		
📁 **MF_CPC_03_OAuthLogin**		
🌐 **/mobileFirstSS/signUp**		
🌐 **/vzauth/oauth2/authorize**		
🌐 **/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2**		
📁 **MF_CPC_04_SignInNext**		
🌐 **/vzauth/UI/Login**		
🌐 **/mobileFirstSS/launchApp**		
🌐 **/mobileFirstSS/asyncPullMyFeed**		
🌐 **/mobileFirstSS/loadCart**		
🌐 **/hybridClient/is/image/Verizon...00dollars-off-samsun**		
📁 **MF_CPC_05_Account**		
🌐 **/mobileFirstSS/accountLanding**		
📁 **MF_CPC_06_MyPlan**		
🌐 **/mobileFirstSS/myPlan**		
📁 **MF_CPC_07_SwitchPlan**		
🌐 **/vzauth/UI/Login**		
🌐 **/vzauth/UI/Login_1**		
🌐 **/digital/soe/digital/secure/exploreoptions**		
📁 **MF_CPC_08_ExploreMMPlans**		
🌐 **/digital/soe/digital/secure/explore_plan_mm**		
📁 **Then**		
📁 **MF_CPC_09_01SelectPlan_Line1**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_01ContinueCPC**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
🌐 **/digital/soe/digital/secure/compareplanpage_2**		

Neotys

SLA	Value	Severity
📁 **MF_CPC_13_01GenFeatureChangesGotIT**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
📁 **Then**		
📁 **MF_CPC_09_02SelectPlan_Line1**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_10_02SelectPlan_Line2**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_02ContinueCPC**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
🌐 **/digital/soe/digital/secure/compareplanpage_2**		
📁 **MF_CPC_13_02GenFeatureChangesGotIT**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
📁 **MF_CPC_14_ReviewChangesContinue**		
🌐 **/digital/soe/digital/secure/effectivedate**		
📁 **MF_CPC_15_PlanStartDate**		
🌐 **/digital/soe/digital/secure/reviewplan**		
🌐 **/digital/soe/digital/secure/reviewplan_1**		
📁 **MF_CPC_16_Logout**		
🌐 **/mobileFirstSS/invalidateSession**		

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration

Neotys

Controller
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	753	1,500	739	749	448.6
Controller/Throughput					
0	124.8	292.4	121.7	123.3	76.6
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
3	8.59	18	9	8.52	2.2
Controller/Memory Used					
3	7.18	12	7	7.15	2.3
Controller/Thread Count					
611	636.3	879	628	628.5	42.2
Controller/Connected					
10	10	10	10	10	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,327	7,440	1,408	1,247	1,253
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	753	1,500	739	749	448.6
Controller/USA East - South Carolina (Berkeley County)/NSA_CPC/User Load					
0	753	1,500	739	749	448.6
Controller/USA East - South Carolina (Berkeley County)/N..._MultiLine/User Load					
0	753	1,500	739	749	448.6

LG 34.74.188.58:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.188.58:443/CPU Load					
0	4.48	21	4	4.26	2.82
LG 34.74.188.58:443/Memory Used					
1	18.2	38	18	18.2	8.52
LG 34.74.188.58:443/Throughput					
0	12.6	33	12.2	12.3	8.09
LG 34.74.188.58:443/User Load					
0	75.1	150	74	74.8	45.2

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.188.58:443/Thread Count						
21	134.5	211	133	134.2	45.9	
LG 34.74.188.58:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 34.74.188.58:443/Http client/Task Pool used						
0	0	0.067	0	0	0.004	
LG 34.74.188.58:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 34.74.188.58:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 34.74.188.58:443/Controller Connection/Ping Duration (ms)						
27	29.8	67	27	27.9	9.96	
LG 34.74.188.58:443/Network/Segments sent/sec.						
0	490.8	1,281	463.8	481.7	298.4	
LG 34.74.188.58:443/Network/Segments retransmitted/sec.						
0	0.003	0.6	0	0	0.038	
LG 34.74.188.58:443/Network/eth0 (eth0)/Megabits received/sec.						
0	13	34.2	12.6	12.7	8.36	
LG 34.74.188.58:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.649	2.11	0.621	0.634	0.387	

LG 34.74.200.102:443

Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.200.102:443/CPU Load						
0	4.41	22	4	4.17	2.87	
LG 34.74.200.102:443/Memory Used						
1	17.9	35	18	17.9	7.98	
LG 34.74.200.102:443/Throughput						
0	12.4	39.3	11.8	12.1	8.07	
LG 34.74.200.102:443/User Load						
0	75.4	150	74	75	44.8	
LG 34.74.200.102:443/Thread Count						
21	135.1	211	135	134.8	45.7	
LG 34.74.200.102:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 34.74.200.102:443/Http client/Task Pool used						
0	0.001	0.067	0	0	0.005	
LG 34.74.200.102:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 34.74.200.102:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 34.74.200.102:443/Controller Connection/Ping Duration (ms)						
26	29.7	66	27	27.9	9.72	
LG 34.74.200.102:443/Network/Segments sent/sec.						
0	489.7	1,471	463.5	478.8	300	
LG 34.74.200.102:443/Network/Segments retransmitted/sec.						
0	0.003	0.4	0	0	0.031	
LG 34.74.200.102:443/Network/eth0 (eth0)/Megabits received/sec.						
0	12.9	40.6	12.3	12.6	8.35	
LG 34.74.200.102:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.647	1.97	0.636	0.633	0.382	

Neotys

LG 35.185.48.161:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.48.161:443/CPU Load					
0	4.86	23	5	4.65	3.07
LG 35.185.48.161:443/Memory Used					
1	17.4	32	18	17.5	7.96
LG 35.185.48.161:443/Throughput					
0	12.6	35.4	11.8	12.3	8.28
LG 35.185.48.161:443/User Load					
0	75.4	150	74	75	44.8
LG 35.185.48.161:443/Thread Count					
21	134.9	210	134	134.6	45.4
LG 35.185.48.161:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.48.161:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.185.48.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.48.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.48.161:443/Controller Connection/Ping Duration (ms)					
27	31.2	68	27	29.4	11.8
LG 35.185.48.161:443/Network/Segments sent/sec.					
0	486.2	1,263	458.7	474.8	299.4
LG 35.185.48.161:443/Network/Segments retransmitted/sec.					
0	0.004	0.8	0	0	0.051
LG 35.185.48.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0	13.1	36.5	12.3	12.7	8.55
LG 35.185.48.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.638	1.89	0.616	0.624	0.38

LG 35.190.146.241:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.146.241:443/CPU Load					
0	4.29	20	4	4.09	2.71
LG 35.190.146.241:443/Memory Used					
1	16.6	32	18	16.6	7.26
LG 35.190.146.241:443/Throughput					
0	12.3	38.7	11	12	8.01
LG 35.190.146.241:443/User Load					
0	75	150	74	74.6	45.2
LG 35.190.146.241:443/Thread Count					
21	134.1	210	133	133.9	45.9
LG 35.190.146.241:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.146.241:443/Http client/Task Pool used					
0	0	0.067	0	0	0.004
LG 35.190.146.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.146.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.146.241:443/Controller Connection/Ping Duration (ms)					
26	29.7	67	27	27.8	9.98

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.146.241:443/Network/Segments sent/sec.						
	0	483.8	1,382	439.6	473.6	295.5
LG 35.190.146.241:443/Network/Segments retransmitted/sec.						
	0	0.006	0.6	0	0	0.05
LG 35.190.146.241:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	12.7	39.9	11.4	12.4	8.28
LG 35.190.146.241:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.64	2	0.607	0.627	0.376

LG 35.229.26.40:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.26.40:443/CPU Load						
	0	4.27	19	4	4.08	2.73
LG 35.229.26.40:443/Memory Used						
	2	17.5	32	18	17.5	8.27
LG 35.229.26.40:443/Throughput						
	0	12.1	35.7	11.5	11.7	8.09
LG 35.229.26.40:443/User Load						
	0	75.6	150	74	75.1	44.3
LG 35.229.26.40:443/Thread Count						
	21	135.4	211	134	135.1	45.3
LG 35.229.26.40:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 35.229.26.40:443/Http client/Task Pool used						
	0	0.001	0.033	0	0	0.003
LG 35.229.26.40:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 35.229.26.40:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 35.229.26.40:443/Controller Connection/Ping Duration (ms)						
	26	29.5	66	27	27.7	9.77
LG 35.229.26.40:443/Network/Segments sent/sec.						
	0	476.3	1,317	436.3	461.8	298.8
LG 35.229.26.40:443/Network/Segments retransmitted/sec.						
	0	0.013	0.8	0	0	0.081
LG 35.229.26.40:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	12.6	36.9	11.9	12.2	8.37
LG 35.229.26.40:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.625	2.12	0.599	0.61	0.374

LG 35.229.30.111:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.30.111:443/CPU Load						
	0	4.69	22	4	4.48	2.94
LG 35.229.30.111:443/Memory Used						
	2	17.8	37	18	17.7	8.28
LG 35.229.30.111:443/Throughput						
	0	12.6	35.2	12	12.3	8.2
LG 35.229.30.111:443/User Load						
	0	75.4	150	74	75.1	45.1
LG 35.229.30.111:443/Thread Count						
	21	134.9	210	134	134.7	45.8

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.30.111:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.229.30.111:443/Http client/Task Pool used						
0	0	0.033	0	0	0.003	
LG 35.229.30.111:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.229.30.111:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.229.30.111:443/Controller Connection/Ping Duration (ms)						
26	29.6	67	27	27.8	9.5	
LG 35.229.30.111:443/Network/Segments sent/sec.						
0	488.9	1,326	470.5	477.7	298.4	
LG 35.229.30.111:443/Network/Segments retransmitted/sec.						
0	0.003	0.4	0	0	0.028	
LG 35.229.30.111:443/Network/eth0 (eth0)/Megabits received/sec.						
0	13	36.4	12.4	12.7	8.48	
LG 35.229.30.111:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.645	2.37	0.614	0.629	0.387	

LG 35.229.62.135:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.62.135:443/CPU Load						
0	4.62	18	4	4.45	2.78	
LG 35.229.62.135:443/Memory Used						
1	16.9	33	18	16.9	7.57	
LG 35.229.62.135:443/Throughput						
0	12.6	34.6	11.7	12.4	8.23	
LG 35.229.62.135:443/User Load						
0	75.2	150	74	74.8	44.8	
LG 35.229.62.135:443/Thread Count						
21	134.6	210	134	134.3	45.6	
LG 35.229.62.135:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.229.62.135:443/Http client/Task Pool used						
0	0.001	0.033	0	0	0.003	
LG 35.229.62.135:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.229.62.135:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.229.62.135:443/Controller Connection/Ping Duration (ms)						
26	29.6	67	27	27.7	9.77	
LG 35.229.62.135:443/Network/Segments sent/sec.						
0	493	1,307	466.8	483.3	302.2	
LG 35.229.62.135:443/Network/Segments retransmitted/sec.						
0	0.005	0.4	0	0	0.04	
LG 35.229.62.135:443/Network/eth0 (eth0)/Megabits received/sec.						
0	13.1	35.9	12.2	12.8	8.5	
LG 35.229.62.135:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.649	2.13	0.647	0.634	0.39	

Neotys

LG 35.231.107.200:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/CPU Load					
0	4.79	23	4	4.52	3.14
LG 35.231.107.200:443/Memory Used					
1	17	33	16	16.9	8.39
LG 35.231.107.200:443/Throughput					
0	12.3	30.5	12	12.1	7.94
LG 35.231.107.200:443/User Load					
0	75.5	150	74	75.1	44.8
LG 35.231.107.200:443/Thread Count					
21	134.9	210	133	134.6	45.4
LG 35.231.107.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.107.200:443/Http client/Task Pool used					
0	0.001	0.083	0	0	0.006
LG 35.231.107.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Ping Duration (ms)					
27	29.7	67	27	27.8	9.6
LG 35.231.107.200:443/Network/Segments sent/sec.					
0	478	1,118	476.9	469.5	289.2
LG 35.231.107.200:443/Network/Segments retransmitted/sec.					
0	0.005	0.8	0	0	0.05
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0	12.8	31.5	12.5	12.5	8.2
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.635	1.83	0.612	0.623	0.373

LG 35.231.201.114:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/CPU Load					
0	4.44	19	4	4.27	2.72
LG 35.231.201.114:443/Memory Used					
1	17.6	33	18	17.7	8.14
LG 35.231.201.114:443/Throughput					
0	12.8	36.4	11.8	12.5	8.32
LG 35.231.201.114:443/User Load					
0	75.4	150	74	75	44.8
LG 35.231.201.114:443/Thread Count					
21	135.3	211	133	135	45.6
LG 35.231.201.114:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.201.114:443/Http client/Task Pool used					
0	0.001	0.067	0	0	0.005
LG 35.231.201.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Ping Duration (ms)					
26	30.7	66	27	29	11.6

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/Network/Segments sent/sec.						
	0	502.9	1,357	476.5	492.9	307.3
LG 35.231.201.114:443/Network/Segments retransmitted/sec.						
	0	0.002	0.4	0	0	0.026
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	13.2	37.8	12.3	12.9	8.61
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.653	1.96	0.636	0.639	0.386

LG 35.243.218.42:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/CPU Load					
0	4.42	21	4	4.24	2.7
LG 35.243.218.42:443/Memory Used					
1	18.9	38	19	18.9	8.84
LG 35.243.218.42:443/Throughput					
0	12.4	39	11.3	12	8.26
LG 35.243.218.42:443/User Load					
0	75.1	150	73	74.6	44.8
LG 35.243.218.42:443/Thread Count					
21	134.5	211	133	134.1	45.4
LG 35.243.218.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.218.42:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.243.218.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Ping Duration (ms)					
27	28.4	65	27	27.1	6.91
LG 35.243.218.42:443/Network/Segments sent/sec.					
0	485.1	1,404	448.9	472.1	303.1
LG 35.243.218.42:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.031
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	12.8	40.3	11.7	12.4	8.54
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.641	2.18	0.626	0.628	0.381

Neotys

Average page response time

Min	Average	Max
0.229	1.478	6.591

Notes: Displays the average response time, in seconds, of all pages during the test.

Neotys

Average request response time

Min	Average	Max
0.132	0.679	301.343

Notes: Displays the average response time, in seconds, of all requests during the test.

Average response time (Transactions)

Min	Average	Max	Median	Avg-90%	Std. Dev.
0.403	2.664	15.783	1.975	2.423	1.888

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Neotys

Requests per second

Min	Average	Max
0	343.2	737.4

Notes: Displays the number of requests per second.

Neotys

Errors

Min	Average	Max
0	39.3	440

Notes: Displays the number of errors per sampling interval.

Neotys

Throughput

Min	Average	Max
0	126.15	281.03

Notes: Displays the number of megabits of data per second returned by the server.

Neotys

Response time against load

| Min	Average	Max
0.212	1.193	6.446

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Neotys

Distribution of Transaction Durations

Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.