

# NSA Upgrade Dryrun 03032020



Date	Mar 3, 2020 8:13:41 AM
Project	NSA_CPC_DDOT_MDOT
Scenario	Upgrade Dry run
Comment	
Notes	NSA Upgrade Dryrun 03032020

Table of Contents.....	2
Summary.....	3
Results summary.....	3
Statistics Summary.....	3
Hot spots.....	4
Errors.....	4
Alerts.....	4
General statistics.....	4
Transaction statistics.....	5
Execution context.....	7
Scenario .....	6
Servers.....	8
Populations.....	9
User Paths.....	10
Transactions.....	11
Pages.....	13
Requests.....	17
Media Contents.....	32
Push messages.....	12
Monitors.....	33
Main graphs.....	35
Average page response time.....	35
Average request response time.....	36
Average response time (Transactions).....	37
Requests per second.....	38
Errors.....	39
Throughput.....	40
Response time against load.....	41
Distribution of Transaction Durations.....	42

## Summary


### Results summary

<b>Name</b>	08:13 - 3 Mar 2020 -DryRun Upgrade	<b>Project</b>	NSA_CPC_DDOT_MDOT
<b>Description</b>		<b>Scenario</b>	Upgrade Dry run
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population NSA Upgrade is constant with 5 users.
<b>Start date</b>	Mar 3, 2020 8:13:41 AM	<b>Stop Policy</b>	• Population NSA Upgrade: immediate.
<b>End date</b>	Mar 3, 2020 8:24:21 AM		
<b>Duration</b>	00:10:40	<b>Filters</b>	None
<b>Termination reason</b>	Manual action	<b>Debug</b>	Debug only Virtual Users containing errors
<b>LG Hosts</b>	35.190.133.163:443		

### Statistics Summary

<b>Total pages</b>	1803	—	<b>Average pages/s</b>	2.8	—
<b>Total requests</b>	4120	—	<b>Average requests/s</b>	6.4	—
<b>Total users launched</b>	5	—	<b>Average Request response time</b>	0.604 s	—
<b>Total iterations completed</b>	30	—	<b>Average Page response time</b>	1.32 s	—
<b>Total throughput</b>	215.8 MB	—	<b>Average throughput</b>	2.69 Mb/s	—
<b>Total request errors</b>	2	—	<b>Error rate</b>	0 %	—
<b>Total action errors</b>	0	—	<b>Alerts total duration</b>	0 %	—

— = No SLA      ☀ = Passed      ☁ = Warning      ⚡ = Failed



## Hot spots

### Top 5 errors

User Path	Parent	Page	Count
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_05_Addto	/soe/digital/auth/orderprocesss...nbsapi/digital-nbs_1	1
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_05_Addto	/soe/digital/auth/deviceconfigs...etProtectionFeatures	1

### Top 5 alerts

No alerts
-----------

### First critical alerts

No alerts
-----------

### Top 5 average response time (Pages)

User Path	Parent	Page	Duration
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_07_NoAc	/soe/digital/auth/cartservice/cart/validate-cart	7.76
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_05_Addto	/soe/digital/auth/cartservice/cart/add-device	5.08
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_07_NoAc	/soe/digital/auth/personalizati...undleRecommendations	4.55
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_04_Select	/soe/digital/auth/personalizati...undleRecommendations	4.54
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_06_Veriz	/soe/digital/auth/personalizati...undleRecommendations	3.91

### Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_05_Addto	/soe/digital/auth/deviceconfigs...etProtectionFeatures	61.3
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_05_Addto	/soe/digital/auth/orderprocesss...nbsapi/digital-nbs_1	30.2
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_04_Select	/soe/digital/auth/personalizati...undleRecommendations	13.1
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_07_NoAc	/soe/digital/auth/cartservice/cart/validate-cart	11.5
D_NSA_Upgrade_0303202	D-MV0_NSA_UPG_05_Addto	/soe/digital/auth/cartservice/cart/add-device	9.86

## Errors

### Request errors

Error Type	Count	Description
500	1	Internal Server Error
502	1	Bad Gateway
Total	2	Total error count.

### Action errors

No errors
-----------

## Alerts

No alerts
-----------

## General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
469.5	479.2	485.2	5	1	20	-
All pages						
0.013	1.32	61.3	1,803	2	0.1	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All requests						
0.013	0.604	61.3	4,120	2	0	-

### Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
2.96	10.72	75.3	221	2	0.9	9.45	21.5	26.4	7.42	9.99	-

## Scenario

### Summary

<b>Name</b>	08:13 - 3 Mar 2020 -DryRun Upgrade	<b>Project</b>	NSA_CPC_DDOT_MDOT
<b>Description</b>		<b>Scenario</b>	Upgrade Dry run
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population NSA Upgrade is constant with 5 users.
<b>Start date</b>	Mar 3, 2020 8:13:41 AM	<b>Stop Policy</b>	• Population NSA Upgrade: immediate.
<b>End date</b>	Mar 3, 2020 8:24:21 AM		
<b>Duration</b>	00:10:40		
<b>Termination reason</b>	Manual action	<b>Filters</b>	None
<b>LG Hosts</b>	35.190.133.163:443	<b>Debug</b>	Debug only Virtual Users containing errors

### Populations

#### NSA Upgrade

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
D_NSA_Upgrade_030	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Chrome 37.0	Yes	6	New user

### User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
D_NSA_Upgrade_030		Go to the next iteration	Go to the next iteration	0ms	0%

### Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

## Execution context

<b>Name</b>	08:13 - 3 Mar 2020 -DryRun Upgrade	<b>Project</b>	NSA_CPC_DDOT_MDOT
<b>Description</b>		<b>Scenario</b>	Upgrade Dry run
<b>Status</b>	✓ Passed	<b>Load Policy</b>	• The population NSA Upgrade is constant with 5 users.
<b>Start date</b>	Mar 3, 2020 8:13:41 AM	<b>Stop Policy</b>	• Population NSA Upgrade: immediate.
<b>End date</b>	Mar 3, 2020 8:24:21 AM		
<b>Duration</b>	00:10:40	<b>Filters</b>	None
<b>Termination reason</b>	Manual action	<b>Debug</b>	Debug only Virtual Users containing errors
<b>LG Hosts</b>	35.190.133.163:443		

**NeoLoad version** 6.8.0;build=20190103-16  
**Graphs granularity** Standard

## Application proxy

Name	Description
Empty list	

## Zone application proxies

Zone	Name	Description
Empty list		

## Constant variables

Name	Value	Description
Empty list		

## User Paths settings



<b>D_NSA_Upgrade_03032020_Latest</b>		
Error policy:	Go to the next iteration	
Assertion policy:	Go to the next iteration	
Thinktime policy:	replaced by 0ms.	
Pacing:	No pacing	

## Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443		No
login.verizonwireless.com	443		No
gateway.verizonwireless.com	443		No
scache1.vzw.com	443		No
sanalytics.verizonwireless.com	443		No
ss7.vzw.com	443		No
scache.vzw.com	443		No
scache2.vzw.com	443		No
mobile.vzw.com	443		No




## Graphs



## Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA Upgrade	4120 (100%)	6.4	1.32s (0%)	0% (0%)
Global	4120 (100%)	6.4	1.32s	0%












## User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 D_NSA_Upgrade_03032020_Latest						
469.5	479.2	485.2	5	1	20	-

## Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

## D\_NSA\_Upgrade\_03032020\_Latest

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
 D_NSA_Upgrade_03032020_Latest											
469.5	479.2	485.2	5	1	20	-	-	-	-	-	-
 Init											
0	0	0	5	0	0	-	-	-	-	-	-
 Actions											
63.2	75.3	104.4	30	2	6.7	-	-	-	-	-	-
 D-MV0_NSA_UPG_01_LauchApp											
2.96	3.75	4.95	35	0	0	3.72	4.7	4.95	0.483	3.71	-
 D-MV0_NSA_UPG_02_SignIn											
3.26	5.41	9.3	35	0	0	5.52	7.29	9.29	1.32	5.3	-
 D-MV0_NSA_UPG_03_UpgradeSelectedDevcie											
5.94	9.72	14.5	34	0	0	9.56	14.1	14.5	2.24	9.54	-
 D-MV0_NSA_UPG_04_SelectDevcie											
6.54	8.92	17.6	31	0	0	8.38	15.5	17.6	2.35	8.46	-
 D-MV0_NSA_UPG_05_AddtoCart											
8.16	16.2	75.3	30	2	6.7	12.8	38.6	75.2	12.5	13.5	-
 D-MV0_NSA_UPG_06_VerizonProtect_Next											
9.46	13.3	19.1	28	0	0	13.1	17.8	19.1	2.53	13	-
 D-MV0_NSA_UPG_07_NoAccessory_Next											
15.6	20.8	26.4	28	0	0	20.6	26.2	26.4	3.05	20.6	-
 End											
0	0	0	5	0	0	-	-	-	-	-	-

### Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						


















### D\_NSA\_Upgrade\_03032020\_Latest
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
























## Shared Containers


Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

## D\_NSA\_Upgrade\_03032020\_Latest

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 D_NSA_Upgrade_03032020_Latest						
469.5	479.2	485.2	5	1	20	-
 Actions						
63.2	75.3	104.4	30	2	6.7	-
 D-MV0_NSA_UPG_01_LauchApp						
2.96	3.75	4.95	35	0	0	-
 /sales/digital/mdnselection.html						
1.25	1.61	2.37	35	0	0	-
 /content/vcg/digital.model.json						
0.3	0.696	0.947	35	0	0	-
 /switchui/warm-cache.html						
0.08	0.094	0.167	35	0	0	-
 /routing/countries						
0.082	0.094	0.146	35	0	0	-
 /soe/digital/auth/accountlandingservice/landing						
0.069	0.14	0.21	35	0	0	-
 /vzauth/UI/Login						
0.271	0.348	0.564	35	0	0	-
 /p						
0.07	0.088	0.17	35	0	0	-
 /cm/s_3						
0.251	0.585	0.792	35	0	0	-
 /id_1						
0.014	0.015	0.018	35	0	0	-
 /glassbox/VZW/SSO/reporting/cls_report						
0.073	0.076	0.083	35	0	0	-
 D-MV0_NSA_UPG_02_SignIn						
3.26	5.41	9.3	35	0	0	-
 /vzauth/UI/Login						
0.056	0.09	0.468	35	0	0	-
 /vzauth/UI/Login_1						
0.413	0.537	0.687	35	0	0	-
 /sales/digital/mdnselection.html						
0.182	0.499	0.702	35	0	0	-
 /soe/digital/auth/accountlandingservice/landing						
0.942	2.13	3.5	35	0	0	-
 /soe/digital/auth/cartservice/cart/retrieve-cart						
0.317	0.676	1.58	35	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /soe/digital/auth/devicepricing/service/dpEligibility						
0.72	1.4	6.08	35	0	0	-
 /events/1/2f8750092c						
0.068	0.077	0.141	35	0	0	-
 D-MV0_NSA_UPG_03_UpgradeSelectedDevicie						
5.94	9.72	14.5	34	0	0	-
 /soe/digital/auth/accountlandi...nding/getProcessStep						
0.656	1.25	2.35	35	0	0	-
 /sales/digital/smartphones.html						
0.38	0.476	0.614	35	0	0	-
 /switchui/warm-cache.html						
1.07	1.28	1.74	35	0	0	-
 /soe/digital/auth/personalizat...eviceRecommendations						
0.522	2.93	7.98	34	0	0	-
 /soe/digital/auth/browseservice/grid/productList						
2.23	3.59	6.75	34	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.156	0.195	0.814	34	0	0	-
 D-MV0_NSA_UPG_04_SelectDevicie						
6.54	8.92	17.6	31	0	0	-
 /sales/digital/pdp.html						
0.357	0.412	0.572	34	0	0	-
 /switchui/warm-cache.html						
1.01	1.2	1.47	34	0	0	-
 /soe/digital/auth/browseservice/getDetails						
0.551	1.18	2.71	34	0	0	-
 /soe/digital/auth/browseservice/getBazaarVoiceDetails						
0.42	1.1	2.5	33	0	0	-
 /soe/digital/auth/personalizat...undleRecommendations						
2.79	4.54	13.1	32	0	0	-
 /is/image/VerizonWireless/appl...pdp-feature-3-d-2019						
0.258	0.348	0.999	32	0	0	-
 /is/image/VerizonWireless/appl...pods-pro-746275-iset						
0.046	0.065	0.075	32	0	0	-
 D-MV0_NSA_UPG_05_AddtoCart						
8.16	16.2	75.3	30	2	6.7	-
 /soe/digital/auth/cartservice/cart/add-device						
1.83	5.08	9.86	31	0	0	-
 /sales/digital/protection.html						
0.357	0.426	0.574	31	0	0	-
 /switchui/warm-cache.html						
0.804	1.24	2.19	30	0	0	-
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs						
0.781	2.44	8.19	30	0	0	-
 /soe/digital/auth/deviceconfig...etProtectionFeatures						
1.08	3.84	61.3	30	1	3.3	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/Apl..._Space_Gray_09102019						
0.013	0.014	0.016	29	0	0	-
 /soe/digital/auth/orderprocess...nbsapi/digital-nbs_1						
0.963	3.24	30.2	29	1	3.4	-
 D-MV0_NSA_UPG_06_VerizonProtect_Next						
9.46	13.3	19.1	28	0	0	-
 /soe/digital/auth/cartservice/cart/add-features						
1.48	2.66	4.49	28	0	0	-
 /sales/digital/accessorybundle.html						
0.157	0.415	0.586	28	0	0	-
 /switchui/warm-cache.html						
0.786	0.884	1.12	28	0	0	-
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs						
1.09	2.93	9.48	28	0	0	-
 /soe/digital/auth/personalizat...undleRecommendations						
2.81	3.91	5.47	28	0	0	-
 /is/image/VerizonWireless/tech...-black-t21-7227-iset						
0.093	0.098	0.106	28	0	0	-
 /soe/digital/auth/orderprocess...nbsapi/digital-nbs_1						
1.1	2.35	6.24	28	0	0	-
 D-MV0_NSA_UPG_07_NoAccessory_Next						
15.6	20.8	26.4	28	0	0	-
 /soe/digital/auth/cartservice/cart/add-accessories						
0.439	1.02	2.45	28	0	0	-
 /sales/digital/promoInterceptor.html						
0.16	0.419	0.676	28	0	0	-
 /switchui/warm-cache.html						
0.522	0.815	1.13	28	0	0	-
 /soe/digital/auth/devicepricin...romoInterceptDetails						
0.161	0.476	1.06	28	0	0	-
 /sales/digital/cart.html						
0.355	0.42	0.574	28	0	0	-
 /switchui/warm-cache.html_1						
1	1.12	1.41	28	0	0	-
 /etc/clientlibs/vcg/digital/so...ia/edit.850de893.svg						
0.356	0.393	0.575	28	0	0	-
 /soe/digital/auth/cartservice/cart/validate-cart						
4.45	7.76	11.5	28	0	0	-
 /soe/digital/auth/cartservice/cart/save-cart						
0.23	0.513	1.19	28	0	0	-
 /etc/clientlibs/vcg/digital/so...al-cart.1c4a398c.svg						
0.357	0.391	0.582	28	0	0	-
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs						
0.978	2.46	7.12	28	0	0	-
 /soe/digital/auth/personalizat...undleRecommendations						
2.79	4.55	9.44	28	0	0	-




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/appl...pods-pro-746275-iset						
0.198	0.448	0.498	28	0	0	-


























## Shared Containers




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						
























## D\_NSA\_Upgrade\_03032020\_Latest






















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 D_NSA_Upgrade_03032020_Latest						
469.5	479.2	485.2	5	1	20	-
 Actions						
63.2	75.3	104.4	30	2	6.7	-
 D-MV0_NSA_UPG_01_LauchApp						
2.96	3.75	4.95	35	0	0	-
 /sales/digital/mdnselection.html						
1.25	1.61	2.37	35	0	0	-
 /sales/digital/mdnselection.html						
0.396	0.584	0.913	35	0	0	-
 /etc/clientlibs/vcg/digital/soe-digital.css						
0.493	0.627	0.805	35	0	0	-
 /etc/clientlibs/vcg/digital/...e-digital-nonprod.js						
0.202	0.553	0.72	35	0	0	-
 /etc/clientlibs/vcg/digital/soe-digital.js						
0.853	1.02	1.47	35	0	0	-
 /ui-one-digital/gn/build/gnav.css						
0.058	0.077	0.159	35	0	0	-
 /ui-one-digital/gn/build/gnav.js						
0.07	0.089	0.167	35	0	0	-
 /content/vcg/digital.model.json						
0.3	0.696	0.947	35	0	0	-
 /content/vcg/digital.model.json						
0.3	0.696	0.947	35	0	0	-
 /switchui/warm-cache.html						
0.08	0.094	0.167	35	0	0	-
 /ui-one-digital/global-heade...ct.globalheader.json						
0.055	0.067	0.14	35	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2						
0.025	0.026	0.031	35	0	0	-
 /routing/countries						
0.082	0.094	0.146	35	0	0	-
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2						
0.068	0.08	0.132	35	0	0	-
 /ui-one-digital/global-foote...ct.globalfooter.json						
0.013	0.013	0.016	35	0	0	-
 /soe/digital/auth/accountlandingservice/landing						
0.069	0.14	0.21	35	0	0	-
























Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /soe/digital/auth/accountlandingservice/landing						
0.069	0.14	0.21	35	0	0	-
 /vzauth/UI/Login						
0.271	0.348	0.564	35	0	0	-
 /vzauth/UI/Login						
0.162	0.199	0.229	35	0	0	-
 /am/css/bootstrap-3.3.7.min.css						
0.014	0.014	0.025	35	0	0	-
 /am/css/less-space.css						
0.013	0.014	0.029	35	0	0	-
 /am/css/style-2.0.css						
0.036	0.062	0.194	35	0	0	-
 /am/js/jquery-1.12.4.min.js						
0.031	0.077	0.21	35	0	0	-
 /am/js/bootstrap-3.3.7.min.js						
0.033	0.066	0.207	35	0	0	-
 /am/js/core.js						
0.031	0.067	0.161	35	0	0	-
 /search/staticContent/dist/js/autosuggest.js						
0.039	0.075	0.166	35	0	0	-
 /dam/ech/vzw-engage/js/VZ_Chat.js						
0.042	0.069	0.154	35	0	0	-
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2						
0.057	0.095	0.283	35	0	0	-
 /am/content/fonts/NeueHaasGroteskText55Roman.woff						
0.071	0.105	0.237	35	0	0	-
 /askverizon/js/askverizon.js						
0.105	0.141	0.309	35	0	0	-
 /support/etc/designs/support_rd/c2c.js						
0.079	0.123	0.292	35	0	0	-
 /askverizon/content/images/svg/chatbubblelcon.svg						
0.084	0.122	0.328	35	0	0	-
 /p						
0.07	0.088	0.17	35	0	0	-
 /glassbox/VZW/SSO/reporting/cls_report						
0.07	0.088	0.17	35	0	0	-
 /cm/s_3						
0.251	0.585	0.792	35	0	0	-
 /b/ss/vzwiglobal/10/JS-2.17.0/s49723279857527						
0.251	0.585	0.792	35	0	0	-
 /id_1						
0.014	0.015	0.018	35	0	0	-
 /id						
0.014	0.015	0.018	35	0	0	-
 /glassbox/VZW/SSO/reporting/cls_report						
0.073	0.076	0.083	35	0	0	-




















Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /glassbox/VZW/SSO/reporting/cls_report						
0.038	0.04	0.048	35	0	0	-
 /glassbox/VZW/SSO/reporting/cls_report						
0.034	0.035	0.038	35	0	0	-
 D-MV0_NSA_UPG_02_SignIn						
3.26	5.41	9.3	35	0	0	-
 /vzauth/UI/Login						
0.056	0.09	0.468	35	0	0	-
 /vzauth/UI/Login						
0.04	0.073	0.45	35	0	0	-
 /am/css/global-phoenix.css						
0.014	0.014	0.02	35	0	0	-
 /am/css/style.css						
0.013	0.013	0.015	35	0	0	-
 /am/d/css/global-phoenix.css						
0.013	0.013	0.018	35	0	0	-
 /am/d/css/style.css						
0.013	0.013	0.018	35	0	0	-
 /am/content/fonts/NeueHaasGroteskText.woff						
0.014	0.015	0.017	35	0	0	-
 /vzauth/UI/Login_1						
0.413	0.537	0.687	35	0	0	-
 /vzauth/UI/Login						
0.051	0.06	0.102	35	0	0	-
 /sales/digital/mdnselection.html						
0.356	0.477	0.631	35	0	0	-
 /sales/digital/mdnselection.html						
0.182	0.499	0.702	35	0	0	-
 /sales/digital/mdnselection.html						
0.155	0.471	0.672	35	0	0	-
 /ui-one-digital/global-head...er.globalheader.json						
0.013	0.013	0.015	35	0	0	-
 /ui-one-digital/global-foote...er.globalfooter.json						
0.013	0.014	0.017	35	0	0	-
 /soe/digital/auth/accountlandingservice/landing						
0.942	2.13	3.5	35	0	0	-
 /soe/digital/auth/accountlandingservice/landing						
0.942	2.13	3.5	35	0	0	-
 /soe/digital/auth/cartservice/cart/retrieve-cart						
0.317	0.676	1.58	35	0	0	-
 /soe/digital/auth/cartservice/cart/retrieve-cart						
0.317	0.676	1.58	35	0	0	-
 /soe/digital/auth/devicepricingervice/dpEligibility						
0.72	1.4	6.08	35	0	0	-
 /soe/digital/auth/devicepricingervice/dpEligibility						
0.358	0.949	5.5	35	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /etc/clientlibs/vcg/digital/...7.24471bc6.chunk.css						
0.356	0.447	0.679	35	0	0	-
 /events/1/2f8750092c						
0.068	0.077	0.141	35	0	0	-
 /is/image/VerizonWireless/bb_curve_pink						
0.068	0.077	0.141	35	0	0	-
 D-MV0_NSA_UPG_03_UpgradeSelectedDevicie						
5.94	9.72	14.5	34	0	0	-
 /soe/digital/auth/accountlandi...nding/getProcessStep						
0.656	1.25	2.35	35	0	0	-
 /soe/digital/auth/accountlan...nding/getProcessStep						
0.656	1.25	2.35	35	0	0	-
 /sales/digital/smartphones.html						
0.38	0.476	0.614	35	0	0	-
 /sales/digital/smartphones.html						
0.38	0.476	0.614	35	0	0	-
 /switchui/warm-cache.html						
1.07	1.28	1.74	35	0	0	-
 /etc/clientlibs/vcg/digital/...t.842d002b.chunk.css						
0.358	0.487	0.626	35	0	0	-
 /etc/clientlibs/vcg/digital/...nt.bdeb958f.chunk.js						
0.698	0.798	1.12	35	0	0	-
 /soe/digital/auth/personalizat...eviceRecommendations						
0.522	2.93	7.98	34	0	0	-
 /soe/digital/auth/personaliz...eviceRecommendations						
0.522	2.91	7.98	35	0	0	-
 /soe/digital/auth/browseservice/grid/productList						
2.23	3.59	6.75	34	0	0	-
 /soe/digital/auth/browseservice/grid/productList						
2.23	3.59	6.75	34	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.156	0.195	0.814	34	0	0	-
 /is/image/VerizonWireless/byod-tile-d-041819						
0.03	0.039	0.066	34	0	0	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.017	0.025	0.028	34	0	0	-
 /is/image/VerizonWireless/Ap...night_Green_09102019						
0.016	0.026	0.338	34	0	0	-
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019						
0.016	0.027	0.342	34	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black						
0.014	0.014	0.016	34	0	0	-
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white						
0.014	0.015	0.036	34	0	0	-
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-black						
0.014	0.015	0.018	34	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-white						
0.014	0.015	0.016	34	0	0	-
 /is/image/VerizonWireless/go...l-4-6-2-8-2-5-orange						
0.014	0.015	0.017	34	0	0	-
 D-MV0_NSA_UPG_04_SelectDevcie						
6.54	8.92	17.6	31	0	0	-
 /sales/digital/pdp.html						
0.357	0.412	0.572	34	0	0	-
 /sales/digital/pdp.html						
0.357	0.412	0.572	34	0	0	-
 /switchui/warm-cache.html						
1.01	1.2	1.47	34	0	0	-
 /etc/clientlibs/vcg/digital/...t.9db442c2.chunk.css						
0.357	0.433	0.572	34	0	0	-
 /etc/clientlibs/vcg/digital/...nt.75d65c9c.chunk.js						
0.643	0.764	0.963	34	0	0	-
 /soe/digital/auth/browseservice/getDetails						
0.551	1.18	2.71	34	0	0	-
 /soe/digital/auth/browseservice/getDetails						
0.551	1.18	2.71	34	0	0	-
 /soe/digital/auth/browseservice/getBazaarVoiceDetails						
0.42	1.1	2.5	33	0	0	-
 /soe/digital/auth/browseserv...etBazaarVoiceDetails						
0.42	1.09	2.5	34	0	0	-
 /soe/digital/auth/personalizat...undleRecommendations						
2.79	4.54	13.1	32	0	0	-
 /soe/digital/auth/personaliz...undleRecommendations						
2.79	4.51	13.1	33	0	0	-
 /is/image/VerizonWireless/appl...pdp-feature-3-d-2019						
0.258	0.348	0.999	32	0	0	-
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019						
0.016	0.027	0.338	32	0	0	-
 /is/image/VerizonWireless/ap...dp-feature2b-dm-2019						
0.016	0.017	0.022	32	0	0	-
 /is/image/VerizonWireless/ap...pdp-feature-6-d-2019						
0.018	0.02	0.03	32	0	0	-
 /is/image/VerizonWireless/ap...dp-feature-12-d-2019						
0.015	0.016	0.027	32	0	0	-
 /is/image/VerizonWireless/ap...dp-feature3b-dm-2019						
0.016	0.028	0.342	32	0	0	-
 /hybridClient/is/image/Veriz...y_09102019_IMAGESETS						
0.096	0.153	0.335	32	0	0	-
 /is/image/VerizonWireless/Ap... Space_Gray_09102019						
0.015	0.016	0.027	32	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_b						
0.07	0.077	0.094	32	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_c						
0.071	0.08	0.126	32	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_d						
0.07	0.08	0.122	32	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_e						
0.071	0.081	0.122	32	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_f						
0.072	0.081	0.122	32	0	0	-
 /is/image/VerizonWireless/apl...pods-pro-746275-iset						
0.046	0.065	0.075	32	0	0	-
 /is/image/VerizonWireless/ap...pods-pro-746275-iset						
0.015	0.025	0.029	32	0	0	-
 /is/image/VerizonWireless/ve...10wggwlwt-al-v2-iset						
0.015	0.024	0.031	32	0	0	-
 /is/image/VerizonWireless/za...-zag200103912-v-iset						
0.015	0.015	0.017	32	0	0	-
 D-MV0_NSA_UPG_05_AddtoCart						
8.16	16.2	75.3	30	2	6.7	-
 /soe/digital/auth/cartservice/cart/add-device						
1.83	5.08	9.86	31	0	0	-
 /soe/digital/auth/cartservice/cart/add-device						
1.83	5.08	9.86	31	0	0	-
 /sales/digital/protection.html						
0.357	0.426	0.574	31	0	0	-
 /sales/digital/protection.html						
0.357	0.426	0.574	31	0	0	-
 /switchui/warm-cache.html						
0.804	1.24	2.19	30	0	0	-
 /etc/clientlibs/vcg/digital/...t.30c0e234.chunk.css						
0.355	0.468	0.671	31	0	0	-
 /etc/clientlibs/vcg/digital/...nt.cd58e7d4.chunk.js						
0.442	0.767	1.83	30	0	0	-
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs						
0.781	2.44	8.19	30	0	0	-
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs						
0.781	2.44	8.19	30	0	0	-
 /soe/digital/auth/deviceconfig...etProtectionFeatures						
1.08	3.84	61.3	30	1	3.3	-
 /soe/digital/auth/deviceconf...etProtectionFeatures						
1.08	3.84	61.3	30	1	3.3	-
 /is/image/VerizonWireless/Apl..._Space_Gray_09102019						
0.013	0.014	0.016	29	0	0	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.013	0.014	0.016	29	0	0	-
 /soe/digital/auth/orderprocess...nbsapi/digital-nbs_1						
0.963	3.24	30.2	29	1	3.4	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs						
0.92	3.21	30.2	29	1	3.4	-
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019						
0.015	0.016	0.018	28	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_b						
0.014	0.016	0.02	28	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_c						
0.014	0.015	0.019	28	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_d						
0.015	0.022	0.039	28	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_e						
0.016	0.026	0.031	28	0	0	-
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_f						
0.014	0.027	0.065	28	0	0	-
 D-MV0_NSA_UPG_06_VerizonProtect_Next						
9.46	13.3	19.1	28	0	0	-
 /soe/digital/auth/cartservice/cart/add-features						
1.48	2.66	4.49	28	0	0	-
 /soe/digital/auth/cartservice/cart/add-features						
1.48	2.66	4.49	28	0	0	-
 /sales/digital/accessorybundle.html						
0.157	0.415	0.586	28	0	0	-
 /sales/digital/accessorybundle.html						
0.157	0.415	0.586	28	0	0	-
 /switchui/warm-cache.html						
0.786	0.884	1.12	28	0	0	-
 /etc/clientlibs/vcg/digital/...t.873d73f3.chunk.css						
0.357	0.406	0.627	28	0	0	-
 /etc/clientlibs/vcg/digital/...nt.f8060267.chunk.js						
0.426	0.477	0.642	28	0	0	-
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs						
1.09	2.93	9.48	28	0	0	-
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs						
1.09	2.93	9.48	28	0	0	-
 /soe/digital/auth/personalizat...undleRecommendations						
2.81	3.91	5.47	28	0	0	-
 /soe/digital/auth/personaliz...undleRecommendations						
2.81	3.91	5.47	28	0	0	-
 /is/image/VerizonWireless/tech...-black-t21-7227-iset						
0.093	0.098	0.106	28	0	0	-
 /is/image/VerizonWireless/te...-black-t21-7227-iset						
0.013	0.014	0.017	28	0	0	-
 /is/image/VerizonWireless/za...-zag200103912-v-iset						
0.013	0.013	0.016	28	0	0	-
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset						
0.013	0.013	0.017	28	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /is/image/VerizonWireless/co...iph-016-scpop-v-iset						
0.013	0.014	0.017	28	0	0	-
 /is/image/VerizonWireless/za...-zag200103915-v-iset						
0.013	0.013	0.016	28	0	0	-
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset						
0.013	0.013	0.016	28	0	0	-
 /is/image/VerizonWireless/sp...lue-129892-8531-iset						
0.013	0.014	0.019	28	0	0	-
 /soe/digital/auth/orderprocess...nbsapi/digital-nbs_1						
1.1	2.35	6.24	28	0	0	-
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs						
1.1	2.35	6.24	28	0	0	-
 D-MV0_NSA_UPG_07_NoAccessory_Next						
15.6	20.8	26.4	28	0	0	-
 /soe/digital/auth/cartservice/cart/add-accessories						
0.439	1.02	2.45	28	0	0	-
 /soe/digital/auth/cartservice/cart/add-accessories						
0.439	1.02	2.45	28	0	0	-
 /sales/digital/promolInterceptor.html						
0.16	0.419	0.676	28	0	0	-
 /sales/digital/promolInterceptor.html						
0.16	0.419	0.676	28	0	0	-
 /switchui/warm-cache.html						
0.522	0.815	1.13	28	0	0	-
 /etc/clientlibs/vcg/digital/...t.4048e7e5.chunk.css						
0.357	0.416	0.567	28	0	0	-
 /etc/clientlibs/vcg/digital/...nt.0be48e7e.chunk.js						
0.159	0.399	0.664	28	0	0	-
 /soe/digital/auth/devicepricin...romolInterceptDetails						
0.161	0.476	1.06	28	0	0	-
 /soe/digital/auth/devicepricin...romolInterceptDetails						
0.161	0.476	1.06	28	0	0	-
 /sales/digital/cart.html						
0.355	0.42	0.574	28	0	0	-
 /sales/digital/cart.html						
0.355	0.42	0.574	28	0	0	-
 /switchui/warm-cache.html_1						
1	1.12	1.41	28	0	0	-
 /etc/clientlibs/vcg/digital/...t.eda863bb.chunk.css						
0.358	0.408	0.571	28	0	0	-
 /etc/clientlibs/vcg/digital/...nt.73b462fe.chunk.js						
0.635	0.714	0.982	28	0	0	-
 /etc/clientlibs/vcg/digital/so...ia/edit.850de893.svg						
0.356	0.393	0.575	28	0	0	-
 /etc/clientlibs/vcg/digital/...ia/edit.850de893.svg						
0.356	0.393	0.575	28	0	0	-































Min	Avg	Max	Count	Err	% of Err	SLA Profile
 /soe/digital/auth/cartservice/cart/validate-cart						
4.45	7.76	11.5	28	0	0	-
 /soe/digital/auth/cartservice/cart/validate-cart						
4.45	7.76	11.5	28	0	0	-
 /soe/digital/auth/cartservice/cart/save-cart						
0.23	0.513	1.19	28	0	0	-
 /soe/digital/auth/cartservice/cart/save-cart						
0.23	0.513	1.19	28	0	0	-
 /etc/clientlibs/vcg/digital/so...al-cart.1c4a398c.svg						
0.357	0.391	0.582	28	0	0	-
 /etc/clientlibs/vcg/digital/...al-cart.1c4a398c.svg						
0.357	0.391	0.582	28	0	0	-
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs						
0.978	2.46	7.12	28	0	0	-
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs						
0.978	2.46	7.12	28	0	0	-
 /soe/digital/auth/personalizat...undleRecommendations						
2.79	4.55	9.44	28	0	0	-
 /soe/digital/auth/personaliz...undleRecommendations						
2.79	4.55	9.44	28	0	0	-
 /is/image/VerizonWireless/appl...pods-pro-746275-iset						
0.198	0.448	0.498	28	0	0	-
 /is/image/VerizonWireless/ap...pods-pro-746275-iset						
0.013	0.013	0.015	28	0	0	-
 /is/image/VerizonWireless/ve...10wgglwht-al-v2-iset						
0.013	0.013	0.016	28	0	0	-
 /etc/clientlibs/vcg/digital/...confont.06b58323.ttf						
0.169	0.42	0.469	28	0	0	-

## Shared Containers

SLA	Value	Severity
Empty list		

## D\_NSA\_Upgrade\_03032020\_Latest


SLA	Value	Severity
 D_NSA_Upgrade_03032020_Latest		
 Actions		
 D-MV0_NSA_UPG_01_LauchApp		
 /sales/digital/mdnselection.html		
 /sales/digital/mdnselection.html		
 /etc/clientlibs/vcg/digital/soe-digital.css		
 /etc/clientlibs/vcg/digital/...e-digital-nonprod.js		
 /etc/clientlibs/vcg/digital/soe-digital.js		
 /ui-one-digital/gn/build/gnav.css		
 /ui-one-digital/gn/build/gnav.js		
 /content/vcg/digital.model.json		
 /content/vcg/digital.model.json		
 /switchui/warm-cache.html		
 /ui-one-digital/global-heade...ct.globalheader.json		
 /globalnav/fonts/NeueHaasGroteskDisplayBold.woff2		
 /routing/countries		
 /globalnav/fonts/NeueHaasGroteskDisplay.woff2		
 /ui-one-digital/global-foote...ct.globalfooter.json		
 /soe/digital/auth/accountlandingservice/landing		
 /soe/digital/auth/accountlandingservice/landing		
 /vzauth/UI/Login		
 /vzauth/UI/Login		
 /am/css/bootstrap-3.3.7.min.css		
 /am/css/less-space.css		
 /am/css/style-2.0.css		
 /am/js/jquery-1.12.4.min.js		
 /am/js/bootstrap-3.3.7.min.js		
 /am/js/core.js		
 /search/staticContent/dist/js/autosuggest.js		
 /dam/echhn/vzw-engage/js/VZ_Chat.js		
 /am/content/fonts/NHaasGroteskDSW02-75Bd.woff2		
 /am/content/fonts/NeueHaasGroteskText55Roman.woff		
 /askverizon/js/askverizon.js		

SLA	Value	Severity
 /support/etc/designs/support_rd/c2c.js		
 /askverizon/content/images/svg/chatbubblelcon.svg		
 /p		
 /glassbox/VZW/SSO/reporting/cls_report		
 /cm/s_3		
 /b/ss/vzwglobal/10/JS-2.17.0/s49723279857527		
 /id_1		
 /id		
 /glassbox/VZW/SSO/reporting/cls_report		
 /glassbox/VZW/SSO/reporting/cls_report		
 /glassbox/VZW/SSO/reporting/cls_report		
 D-MV0_NSA_UPG_02_SignIn		
 /vzauth/UI/Login		
 /vzauth/UI/Login		
 /am/css/global-phoenix.css		
 /am/css/style.css		
 /am/d/css/global-phoenix.css		
 /am/d/css/style.css		
 /am/content/fonts/NeueHaasGroteskText.woff		
 /vzauth/UI/Login_1		
 /vzauth/UI/Login		
 /sales/digital/mdnselection.html		
 /sales/digital/mdnselection.html		
 /sales/digital/mdnselection.html		
 /ui-one-digital/global-heade...er.globalheader.json		
 /ui-one-digital/global-foote...er.globalfooter.json		
 /soe/digital/auth/accountlandingservice/landing		
 /soe/digital/auth/accountlandingservice/landing		
 /soe/digital/auth/cartservice/cart/retrieve-cart		
 /soe/digital/auth/cartservice/cart/retrieve-cart		
 /soe/digital/auth/devicepricingservice/dpEligibility		
 /soe/digital/auth/devicepricingservice/dpEligibility		
 /etc/clientlibs/vcg/digital/...7.24471bc6.chunk.css		
 /events/1/2f8750092c		
 /is/image/VerizonWireless/bb_curve_pink		
 D-MV0_NSA_UPG_03_UpgradeSelectedDevcie		
 /soe/digital/auth/accountlandi...nding/getProcessStep		
 /soe/digital/auth/accountlan...nding/getProcessStep		
 /sales/digital/smartphones.html		
 /sales/digital/smartphones.html		

SLA	Value	Severity
 /switchui/warm-cache.html		
 /etc/clientlibs/vcg/digital/...t.842d002b.chunk.css		
 /etc/clientlibs/vcg/digital/...nt.bdeb958f.chunk.js		
 /soe/digital/auth/personalizat...eviceRecommendations		
 /soe/digital/auth/personaliz...eviceRecommendations		
 /soe/digital/auth/browseservice/grid/productList		
 /soe/digital/auth/browseservice/grid/productList		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /is/image/VerizonWireless/byod-tile-d-041819		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...night_Green_09102019		
 /is/image/VerizonWireless/Ap...11_Pro_Gold_09102019		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-black		
 /is/image/VerizonWireless/go...-4xl-6-2-8-1-9-white		
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-black		
 /is/image/VerizonWireless/go...el-4-6-2-8-2-5-white		
 /is/image/VerizonWireless/go...l-4-6-2-8-2-5-orange		
 D-MV0_NSA_UPG_04_SelectDevcie		
 /sales/digital/pdp.html		
 /sales/digital/pdp.html		
 /switchui/warm-cache.html		
 /etc/clientlibs/vcg/digital/...t.9db442c2.chunk.css		
 /etc/clientlibs/vcg/digital/...nt.75d65c9c.chunk.js		
 /soe/digital/auth/browseservice/getDetails		
 /soe/digital/auth/browseservice/getDetails		
 /soe/digital/auth/browseservice/getBazaarVoiceDetails		
 /soe/digital/auth/browseserv...etBazaarVoiceDetails		
 /soe/digital/auth/personalizat...undleRecommendations		
 /soe/digital/auth/personaliz...undleRecommendations		
 /is/image/VerizonWireless/appl...pdp-feature-3-d-2019		
 /is/image/VerizonWireless/ap...pdp-feature-3-d-2019		
 /is/image/VerizonWireless/ap...dp-feature2b-dm-2019		
 /is/image/VerizonWireless/ap...pdp-feature-6-d-2019		
 /is/image/VerizonWireless/ap...dp-feature-12-d-2019		
 /is/image/VerizonWireless/ap...dp-feature3b-dm-2019		
 /hybridClient/is/image/Veriz...y_09102019_IMAGESETS		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_b		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_c		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_d		

SLA	Value	Severity
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_e		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_f		
 /is/image/VerizonWireless/appl...pods-pro-746275-iset		
 /is/image/VerizonWireless/ap...pods-pro-746275-iset		
 /is/image/VerizonWireless/ve...10wgglwht-al-v2-iset		
 /is/image/VerizonWireless/za...-zag200103912-v-iset		
 D-MV0_NSA_UPG_05_AddtoCart		
 /soe/digital/auth/cartservice/cart/add-device		
 /soe/digital/auth/cartservice/cart/add-device		
 /sales/digital/protection.html		
 /sales/digital/protection.html		
 /switchui/warm-cache.html		
 /etc/clientlibs/vcg/digital/...t.30c0e234.chunk.css		
 /etc/clientlibs/vcg/digital/...nt.cd58e7d4.chunk.js		
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs		
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs		
 /soe/digital/auth/deviceconfig...etProtectionFeatures		
 /soe/digital/auth/deviceconf...etProtectionFeatures		
 /is/image/VerizonWireless/Appl..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /soe/digital/auth/orderprocess...nbsapi/digital-nbs_1		
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs		
 /is/image/VerizonWireless/Ap..._Space_Gray_09102019		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_b		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_c		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_d		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_e		
 /is/image/VerizonWireless/Ap...pace_Gray_09102019_f		
 D-MV0_NSA_UPG_06_VerizonProtect_Next		
 /soe/digital/auth/cartservice/cart/add-features		
 /soe/digital/auth/cartservice/cart/add-features		
 /sales/digital/accessorybundle.html		
 /sales/digital/accessorybundle.html		
 /switchui/warm-cache.html		
 /etc/clientlibs/vcg/digital/...t.873d73f3.chunk.css		
 /etc/clientlibs/vcg/digital/...nt.f8060267.chunk.js		
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs		
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs		
 /soe/digital/auth/personalizat...undleRecommendations		
 /soe/digital/auth/personaliz...undleRecommendations		

SLA	Value	Severity
 /is/image/VerizonWireless/tech...-black-t21-7227-iset		
 /is/image/VerizonWireless/te...-black-t21-7227-iset		
 /is/image/VerizonWireless/za...-zag200103912-v-iset		
 /is/image/VerizonWireless/vz...ger-vpc24lght-m-iset		
 /is/image/VerizonWireless/co...iph-016-scpop-v-iset		
 /is/image/VerizonWireless/za...-zag200103915-v-iset		
 /is/image/VerizonWireless/vz...rge-wc10wggl-al-iset		
 /is/image/VerizonWireless/sp...lue-129892-8531-iset		
 /soe/digital/auth/orderprocess...nbsapi/digital-nbs_1		
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs		
 D-MV0_NSA_UPG_07_NoAccessory_Next		
 /soe/digital/auth/cartservice/cart/add-accessories		
 /soe/digital/auth/cartservice/cart/add-accessories		
 /sales/digital/promoInterceptor.html		
 /sales/digital/promoInterceptor.html		
 /switchui/warm-cache.html		
 /etc/clientlibs/vcg/digital/...t.4048e7e5.chunk.css		
 /etc/clientlibs/vcg/digital/...nt.0be48e7e.chunk.js		
 /soe/digital/auth/devicepricin...romolnterceptDetails		
 /soe/digital/auth/devicepric...romolnterceptDetails		
 /sales/digital/cart.html		
 /sales/digital/cart.html		
 /switchui/warm-cache.html_1		
 /etc/clientlibs/vcg/digital/...t.eda863bb.chunk.css		
 /etc/clientlibs/vcg/digital/...nt.73b462fe.chunk.js		
 /etc/clientlibs/vcg/digital/so...ia/edit.850de893.svg		
 /etc/clientlibs/vcg/digital/...ia/edit.850de893.svg		
 /soe/digital/auth/cartservice/cart/validate-cart		
 /soe/digital/auth/cartservice/cart/validate-cart		
 /soe/digital/auth/cartservice/cart/save-cart		
 /soe/digital/auth/cartservice/cart/save-cart		
 /etc/clientlibs/vcg/digital/so...al-cart.1c4a398c.svg		
 /etc/clientlibs/vcg/digital/...al-cart.1c4a398c.svg		
 /soe/digital/auth/orderprocess...e/nbsapi/digital-nbs		
 /soe/digital/auth/orderproce...e/nbsapi/digital-nbs		
 /soe/digital/auth/personalizat...undleRecommendations		
 /soe/digital/auth/personaliz...undleRecommendations		
 /is/image/VerizonWireless/appl...pods-pro-746275-iset		
 /is/image/VerizonWireless/ap...pods-pro-746275-iset		
 /is/image/VerizonWireless/ve...10wgglwht-al-v2-iset		

SLA	Value	Severity
	 /etc/clientlibs/vcg/digital/...confont.06b58323.ttf	

**D\_NSA\_Upgrade\_03032020\_Latest**

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						



## Controller

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>Controller/User Load</b>					
0	4.95	5	5	5	0.473
<b>Controller/Throughput</b>					
0	2.68	13.3	2	2.44	2.4
<b>Controller/Alerts</b>					
0	0	0	0	0	-
<b>Controller/Critical Alerts</b>					
0	0	0	0	0	-
<b>Controller/Warning Alerts</b>					
0	0	0	0	0	-
<b>Controller/CPU Load</b>					
0	1.41	7	1	1.21	1.38
<b>Controller/Memory Used</b>					
25	31.5	38	31	31.4	2.94
<b>Controller/Thread Count</b>					
530	557	564	557	557	3.36
<b>Controller/Connected</b>					
1	1	1	1	1	0
<b>Controller/Total Disconnections</b>					
0	0	0	0	0	0
<b>Controller/Total Reconnections</b>					
0	0	0	0	0	0
<b>Controller/Network/Segments sent/sec.</b>					
7,679	15,946	17,304	16,052	16,043	1,098
<b>Controller/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>Controller/NeoLoad Web/Megabits received/sec.</b>					
0	0	0	0	0	-
<b>Controller/NeoLoad Web/Megabits sent/sec.</b>					
0	0	0	0	0	-
<b>Controller/Default zone/User Load</b>					
0	0	0	0	0	-
<b>Controller/USA East - South Carolina (Berkeley County)/User Load</b>					
0	4.95	5	5	5	0.473
<b>Controller/USA East - South Carolina (Berkeley County)/NSA Upgrade/User Load</b>					
0	4.95	5	5	5	0.473
<b>Controller/USA East - South Carolina (Berkeley County)/N...020_Latest/User Load</b>					
0	4.95	5	5	5	0.473


## LG 35.190.133.163:443

### Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.190.133.163:443/CPU Load</b>					
0	4.07	43	3	3.32	5.25
<b>LG 35.190.133.163:443/Memory Used</b>					
3	12	22	11	11.9	4.31
<b>LG 35.190.133.163:443/Throughput</b>					
0	2.68	13.3	2	2.44	2.4
<b>LG 35.190.133.163:443/User Load</b>					
0	4.95	5	5	5	0.473

Min	Avg	Max	Med	Avg-90%	Std Dev
<b>LG 35.190.133.163:443/Thread Count</b>					
21	66.8	82	64	66.5	6.28
<b>LG 35.190.133.163:443/Http client/Thread Pool used</b>					
0.1	0.108	0.17	0.1	0.106	0.018
<b>LG 35.190.133.163:443/Http client/Task Pool used</b>					
0	0	0	0	0	0
<b>LG 35.190.133.163:443/Controller Connection/Disconnections</b>					
0	0	0	0	0	-
<b>LG 35.190.133.163:443/Controller Connection/Reconnections</b>					
0	0	0	0	0	-
<b>LG 35.190.133.163:443/Controller Connection/Ping Duration (ms)</b>					
27	38.3	68	27	37.2	17.2
<b>LG 35.190.133.163:443/Network/Segments sent/sec.</b>					
0	142.7	550.9	124.2	134.5	95.7
<b>LG 35.190.133.163:443/Network/Segments retransmitted/sec.</b>					
0	0	0	0	0	0
<b>LG 35.190.133.163:443/Network/eth0 (eth0)/Megabits received/sec.</b>					
0	2.75	13.4	2.05	2.51	2.44
<b>LG 35.190.133.163:443/Network/eth0 (eth0)/Megabits sent/sec.</b>					
0	0.266	0.877	0.249	0.253	0.139


## Average page response time



Min	Average	Max
0.237	1.325	8.435

**Notes:** Displays the average response time, in seconds, of all pages during the test.


## Average request response time



Min	Average	Max
0.12	0.604	5.21

**Notes:** Displays the average response time, in seconds, of all requests during the test.


## Average response time (Transactions)



Min	Average	Max	Median	Avg-90%	Std. Dev.
3.172	10.717	23.222	9.807	10.437	4.808

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.


## Requests per second



Min	Average	Max
0	6.4	25

**Notes:** Displays the number of requests per second.


## Errors



Min	Average	Max
0	0	1

**Notes:** Displays the number of errors per sampling interval.

## Throughput




Min	Average	Max
0	2.67	13.24

**Notes:** Displays the number of megabits of data per second returned by the server.




## Response time against load



Min	Average	Max
1.059	1.306	1.553

**Notes:** Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

## Distribution of Transaction Durations



**Notes:** Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.