NSA CPC MVA LT2

Date	Jan 27, 2020 10:15:23 PM
Project	MF_CPC_01222020
Scenario	SCN3
Comment	
Notes	NSA CPC MVA LT2

Table of Contents

Neotys

Results summary

| Name	22:15 - 27 Jan 2020-LT2	Project	MF_CPC_01222020
Description		Scenario	SCN3
Status	✔ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 27, 2020 10:15:23 PM		
End date	Jan 27, 2020 10:50:43 PM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:35:20		
Termination reason	Manual action	Filters	None
LG Hosts	35.185.118.14:443 , 35.196.8.14:443 , 35.243.218.42:443 , 34.73.82.43:443 , 35.190.179.239:443 , 35.227.94.232:443 , 34.74.12.20:443 , 34.73.126.92:443 , 35.231.201.114:443 , 35.231.107.200:443 , 34.73.14.83:443	Debug	Disabled

Statistics Summary

Total pages	84831	—	Average pages/s	40.0	—
Total requests	197403	—	Average requests/s	93.1	—
Total users launched	300	—	Average Request response time	0.399 s	—
Total iterations completed	3192	—	Average Page response time	0.861 s	—
Total throughput	9,207 MB	—	Average throughput	34.73 Mb/s	—
Total request errors	118	—	Error rate	0.1 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA   ☀ = Passed   ☁ = Warning   ⛈ = Failed

Neotys

Neotys

Hot spots

Top 5 errors

User Path	Parent	Page	Count
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	27
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	22
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	17
CPC_ALP_MultiLine	MF_CPC_06_MyPlan	/mobileFirstSS/myPlan	13
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/asyncPullMyFeed	10

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	3.44
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	3.17
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	2.17
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	1.95
CPC_ALP_MultiLine	MF_CPC_06_MyPlan	/mobileFirstSS/myPlan	1.8

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_01_OpenApp	/mobileFirstSS/launchApp	300.2
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/loadCart	59.7
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	30.3
CPC_ALP_MultiLine	MF_CPC_06_MyPlan	/mobileFirstSS/myPlan	30.1
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	20.6

Errors

Request errors

Error Type	Count	Description
500	69	Internal Server Error
Assertions	47	Validation of the response failed.
504	1	Gateway Timeout
NL-NETWORK-01	1	Miscellaneous I/O error when connecting to the server.
Total	118	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
101.1	243.9	454.4	300	73	24.3	-
All pages						
0.024	0.86	300.2	84,831	118	0.1	-
All requests						
0.013	0.399	300.2	197,403	118	0.1	-

Transaction statistics

Neotys

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.029	1.54	300.6	47,235	112	0.2	0.534	4.27	12	2.63	1.2	-

Neotys

Scenario

Summary

Name	22:15 - 27 Jan 2020-LT2	**Project**	MF_CPC_01222020
Description		**Scenario**	SCN3
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 27, 2020 10:15:23 PM		
End date	Jan 27, 2020 10:50:43 PM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:35:20		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.185.118.14:443 , 35.196.8.14:443 , 35.243.218.42:443 , 34.73.82.43:443 , 35.190.179.239:443 , 35.227.94.232:443 , 34.74.12.20:443 , 34.73.126.92:443 , 35.231.201.114:443 , 35.231.107.200:443 , 34.73.14.83:443	**Debug**	Disabled

Populations

NSA_CPC

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
CPC_ALP_MultiLine	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
CPC_ALP_MultiLine		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Neotys

Execution context

Name	22:15 - 27 Jan 2020-LT2	**Project**	MF_CPC_01222020
Description		**Scenario**	SCN3
Status	✅ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 27, 2020 10:15:23 PM		
End date	Jan 27, 2020 10:50:43 PM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:35:20		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.185.118.14:443 , 35.196.8.14:443 , 35.243.218.42:443 , 34.73.82.43:443 , 35.190.179.239:443 , 35.227.94.232:443 , 34.74.12.20:443 , 34.73.126.92:443 , 35.231.201.114:443 , 35.231.107.200:443 , 34.73.14.83:443	**Debug**	Disabled

NeoLoad version   6.8.0;build=20190103-16
Graphs granularity   Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

CPC_ALP_MultiLine
Error policy:	Do nothing
Assertion policy:	Go to the next iteration
Thinktime policy:	replaced by 0ms.
Pacing:	No pacing

Neotys

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	Yes	Yes
mobile-exp.ae.vzw.com	443	Yes	Yes
pie.prod.verizon.com	443	No	No
twbaccessmgr.verizonwireless.com	443	No	No
login.verizonwireless.com	443	No	No
scache.vzw.com	443	Yes	Yes
ecache.verizonwireless.com	443	Yes	Yes

Neotys

Populations

Graphs

Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA_CPC	197403 (100%)	93.1	0.861s (0%)	0.1% (0%)
Global	197403 (100%)	93.1	0.861s	0.1%

Neotys

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 **CPC_ALP_MultiLine**						
101.1	243.9	454.4	300	73	24.3	-

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 CPC_ALP_MultiLine											
101.1	243.9	454.4	300	73	24.3	-	-	-	-	-	-
📁 Init											
0	0	0	300	0	0	-	-	-	-	-	-
📁 Actions											
1.46	21.8	320.6	3,192	84	2.6	-	-	-	-	-	-
📁 MF_CPC_01_OpenApp											
0.467	0.66	300.6	3,479	1	0	0.57	0.614	0.729	5.09	0.567	-
📁 MF_CPC_02_ImCustomer											
0.029	0.037	4.45	3,466	0	0	0.033	0.044	0.069	0.094	0.033	-
📁 MF_CPC_03_OAuthLogin											
0.332	0.382	2.17	3,448	0	0	0.389	0.418	0.54	0.063	0.377	-
📁 MF_CPC_04_SignInNext											
0.48	3.82	62	3,430	12	0.3	3.43	6.09	13.8	2.07	3.5	-
📁 MF_CPC_05_Account											
0.213	0.512	12.2	3,390	0	0	0.431	0.702	1.13	0.645	0.456	-
📁 MF_CPC_06_MyPlan											
0.387	1.8	30.1	3,371	13	0.4	1.34	4.5	11.9	1.93	1.43	-
📁 Then											
-	-	-	-	0	-	-	-	-	-	-	-
📁 Else											
0	0	0.001	3,358	0	0	-	-	-	-	-	-
📁 MF_CPC_07_SwitchPlan											
1.71	4.47	31.3	3,340	26	0.8	3.66	10.26	13.5	2.32	4.09	-
📁 MF_CPC_08_ExploreMMPlans											
0.502	2.17	18	3,322	8	0.2	1.62	6.96	12.5	2.11	1.75	-
📁 Then											
0.383	2.47	14.5	2,574	17	0.7	-	-	-	-	-	-
📁 MF_CPC_09_01SelectPlan_Line1											
0.12	0.26	0.966	2,603	0	0	0.268	0.334	0.413	0.053	0.258	-
📁 MF_CPC_12_01ContinueCPC											
0.183	1.85	19.7	2,592	17	0.7	1.57	2.11	11.5	1.52	1.6	-
📁 MF_CPC_13_01GenFeatureChangesGotIT											
0.2	0.375	0.948	2,562	5	0.2	0.383	0.468	0.528	0.062	0.374	-
📁 Else											
0	0	0	699	0	0	-	-	-	-	-	-
📁 Then											
0.772	2.88	14.1	671	3	0.4	-	-	-	-	-	-

Neotys

	Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 **MF_CPC_09_02SelectPlan_Line1**												
	0.122	0.258	0.504	686	0	0	0.268	0.327	0.422	0.048	0.257	-
📁 **MF_CPC_10_02SelectPlan_Line2**												
	0.121	0.257	1.79	680	0	0	0.266	0.328	0.425	0.077	0.254	-
📁 **MF_CPC_12_02ContinueCPC**												
	0.196	1.98	13.2	676	3	0.4	1.64	2.18	12	1.71	1.66	-
📁 **MF_CPC_13_02GenFeatureChangesGotIT**												
	0.202	0.373	0.833	668	0	0	0.38	0.474	0.526	0.064	0.373	-
📁 **Else**												
	0	0	0.001	2,570	0	0	-	-	-	-	-	-
📁 **Then**												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 **MF_CPC_09_03SelectPlan_Line1**												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 **MF_CPC_10_03SelectPlan_Line2**												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 **MF_CPC_11_03SelectPlan_Line3**												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 **MF_CPC_12_03ContinueCPC**												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 **MF_CPC_13_03GenFeatureChangesGotIT**												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 **Else**												
	0	0	0.001	3,238	0	0	-	-	-	-	-	-
📁 **MF_CPC_14_ReviewChangesContinue**												
	0.136	0.269	1.81	3,206	0	0	0.281	0.348	0.415	0.066	0.267	-
📁 **MF_CPC_15_PlanStartDate**												
	0.242	5.12	24.1	3,171	27	0.9	3.56	12.5	16.5	3.46	4.71	-
📁 **MF_CPC_16_Logout**												
	0.108	0.136	4.41	3,145	0	0	0.125	0.165	0.311	0.131	0.126	-
📁 **End**												
	0	0	0.001	300	0	0	-	-	-	-	-	-

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
CPC_ALP_MultiLine						
101.1	243.9	454.4	300	73	24.3	-
Actions						
1.46	21.8	320.6	3,192	84	2.6	-
MF_CPC_01_OpenApp						
0.467	0.66	300.6	3,479	1	0	-
/mobileFirstSS/launchApp						
0.172	0.295	300.2	3,491	1	0	-
/hybridClient/is/image/Verizon...elcome_Main_1_300dpi						
0.281	0.364	1.4	3,491	0	0	-
MF_CPC_02_ImCustomer						
0.029	0.037	4.45	3,466	0	0	-
/mobileFirstSS/userSignIn						
0.029	0.037	4.45	3,479	0	0	-
MF_CPC_03_OAuthLogin						
0.332	0.382	2.17	3,448	0	0	-
/mobileFirstSS/signUp						
0.027	0.034	1.85	3,466	0	0	-
/vzauth/oauth2/authorize						
0.263	0.304	1.37	3,466	0	0	-
/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2						
0.039	0.042	0.272	3,466	0	0	-
MF_CPC_04_SignInNext						
0.48	3.82	62	3,430	12	0.3	-
/vzauth/UI/Login						
0.219	0.283	3.37	3,448	0	0	-
/mobileFirstSS/launchApp						
0.189	1.68	19	3,445	1	0	-
/mobileFirstSS/asyncPullMyFeed						
0.024	0.346	12.9	3,442	10	0.3	-
/mobileFirstSS/loadCart						
0.366	1.17	59.7	3,431	1	0	-
/hybridClient/is/image/Verizon...00dollars-off-samsun						
0.249	0.342	0.582	3,429	0	0	-
MF_CPC_05_Account						
0.213	0.512	12.2	3,390	0	0	-
/mobileFirstSS/accountLanding						
0.213	0.511	12.2	3,418	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
📁 **MF_CPC_06_MyPlan**						
0.387	1.8	30.1	3,371	13	0.4	-
🔵 **/mobileFirstSS/myPlan**						
0.387	1.8	30.1	3,387	13	0.4	-
📁 **MF_CPC_07_SwitchPlan**						
1.71	4.47	31.3	3,340	26	0.8	-
🔵 **/vzauth/UI/Login**						
0.134	0.17	3.32	3,358	0	0	-
🔵 **/vzauth/UI/Login_1**						
0.635	0.864	1.57	3,358	0	0	-
🔵 **/digital/soe/digital/secure/exploreoptions**						
0.736	3.44	30.3	3,351	27	0.8	-
📁 **MF_CPC_08_ExploreMMPlans**						
0.502	2.17	18	3,322	8	0.2	-
🔵 **/digital/soe/digital/secure/explore_plan_mm**						
0.502	2.17	18	3,336	8	0.2	-
📁 **Then**						
0.383	2.47	14.5	2,574	17	0.7	-
📁 **MF_CPC_09_01SelectPlan_Line1**						
0.12	0.26	0.966	2,603	0	0	-
🔵 **/digital/soe/digital/secure/mm_promotion**						
0.12	0.26	0.966	2,623	0	0	-
📁 **MF_CPC_12_01ContinueCPC**						
0.183	1.85	19.7	2,592	17	0.7	-
🔵 **/digital/soe/digital/secure/compareplanpage**						
0.183	1.47	19.3	2,600	17	0.7	-
🔵 **/digital/soe/digital/secure/compareplanpage_2**						
0.194	0.38	1.06	2,588	5	0.2	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**						
0.2	0.375	0.948	2,562	5	0.2	-
🔵 **/digital/soe/digital/secure/compareplanpage**						
0.2	0.375	0.948	2,578	5	0.2	-
📁 **Then**						
0.772	2.88	14.1	671	3	0.4	-
📁 **MF_CPC_09_02SelectPlan_Line1**						
0.122	0.258	0.504	686	0	0	-
🔵 **/digital/soe/digital/secure/mm_promotion**						
0.122	0.259	0.706	691	0	0	-
📁 **MF_CPC_10_02SelectPlan_Line2**						
0.121	0.257	1.79	680	0	0	-
🔵 **/digital/soe/digital/secure/mm_promotion**						
0.121	0.257	1.79	686	0	0	-
📁 **MF_CPC_12_02ContinueCPC**						
0.196	1.98	13.2	676	3	0.4	-
🔵 **/digital/soe/digital/secure/compareplanpage**						
0.196	1.61	12.9	679	3	0.4	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
			/digital/soe/digital/secure/compareplanpage_2			
0.203	0.373	0.717	676	0	0	-
			MF_CPC_13_02GenFeatureChangesGotIT			
0.202	0.373	0.833	668	0	0	-
			/digital/soe/digital/secure/compareplanpage			
0.202	0.373	0.833	673	0	0	-
			MF_CPC_14_ReviewChangesContinue			
0.136	0.269	1.81	3,206	0	0	-
			/digital/soe/digital/secure/effectivedate			
0.136	0.269	1.81	3,238	0	0	-
			MF_CPC_15_PlanStartDate			
0.242	5.12	24.1	3,171	27	0.9	-
			/digital/soe/digital/secure/reviewplan			
0.242	3.17	20.6	3,193	22	0.7	-
			/digital/soe/digital/secure/reviewplan_1			
0.856	1.95	10.68	3,181	5	0.2	-
			MF_CPC_16_Logout			
0.108	0.136	4.41	3,145	0	0	-
			/mobileFirstSS/invalidateSession			
0.108	0.136	4.41	3,163	0	0	-

Neotys

Shared Containers

SLA	Value	Severity
Empty list		

CPC_ALP_MultiLine

SLA	Value	Severity
🧍 **CPC_ALP_MultiLine**		
📁 **Actions**		
📁 **MF_CPC_01_OpenApp**		
🌐 **/mobileFirstSS/launchApp**		
🌐 **/hybridClient/is/image/Verizon...elcome_Main_1_300dpi**		
📁 **MF_CPC_02_ImCustomer**		
🌐 **/mobileFirstSS/userSignIn**		
📁 **MF_CPC_03_OAuthLogin**		
🌐 **/mobileFirstSS/signUp**		
🌐 **/vzauth/oauth2/authorize**		
🌐 **/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2**		
📁 **MF_CPC_04_SignInNext**		
🌐 **/vzauth/UI/Login**		
🌐 **/mobileFirstSS/launchApp**		
🌐 **/mobileFirstSS/asyncPullMyFeed**		
🌐 **/mobileFirstSS/loadCart**		
🌐 **/hybridClient/is/image/Verizon...00dollars-off-samsun**		
📁 **MF_CPC_05_Account**		
🌐 **/mobileFirstSS/accountLanding**		
📁 **MF_CPC_06_MyPlan**		
🌐 **/mobileFirstSS/myPlan**		
📁 **MF_CPC_07_SwitchPlan**		
🌐 **/vzauth/UI/Login**		
🌐 **/vzauth/UI/Login_1**		
🌐 **/digital/soe/digital/secure/exploreoptions**		
📁 **MF_CPC_08_ExploreMMPlans**		
🌐 **/digital/soe/digital/secure/explore_plan_mm**		
📁 **Then**		
📁 **MF_CPC_09_01SelectPlan_Line1**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_01ContinueCPC**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
🌐 **/digital/soe/digital/secure/compareplanpage_2**		

Neotys

SLA	Value	Severity
📁 **MF_CPC_13_01GenFeatureChangesGotIT**		
🔵 **/digital/soe/digital/secure/compareplanpage**		
📁 **Then**		
📁 **MF_CPC_09_02SelectPlan_Line1**		
🔵 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_10_02SelectPlan_Line2**		
🔵 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_02ContinueCPC**		
🔵 **/digital/soe/digital/secure/compareplanpage**		
🔵 **/digital/soe/digital/secure/compareplanpage_2**		
📁 **MF_CPC_13_02GenFeatureChangesGotIT**		
🔵 **/digital/soe/digital/secure/compareplanpage**		
📁 **MF_CPC_14_ReviewChangesContinue**		
🔵 **/digital/soe/digital/secure/effectivedate**		
📁 **MF_CPC_15_PlanStartDate**		
🔵 **/digital/soe/digital/secure/reviewplan**		
🔵 **/digital/soe/digital/secure/reviewplan_1**		
📁 **MF_CPC_16_Logout**		
🔵 **/mobileFirstSS/invalidateSession**		

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration

Neotys

Controller
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	192.6	300	200	196.2	93.2
Controller/Throughput					
0	34.6	76.1	35.4	34.6	17
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
1	5.62	16	5	5.42	2.16
Controller/Memory Used					
3	7.64	14	7	7.58	3.15
Controller/Thread Count					
627	643.9	732	643	643.5	5.04
Controller/Connected					
11	11	11	11	11	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,355	4,359	1,268	1,293	1,289
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	192.6	300	200	196.2	93.2
Controller/USA East - South Carolina (Berkeley County)/NSA_CPC/User Load					
0	192.6	300	200	196.2	93.2
Controller/USA East - South Carolina (Berkeley County)/N..._MultiLine/User Load					
0	192.6	300	200	196.2	93.2

LG 34.73.126.92:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.126.92:443/CPU Load					
0	1.57	17	1	1.35	1.72
LG 34.73.126.92:443/Memory Used					
1	9.3	20	9	9.15	4.74
LG 34.73.126.92:443/Throughput					
0	3.05	9.24	2.78	2.95	2.06
LG 34.73.126.92:443/User Load					
0	17.4	27	18	17.7	8.38

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.126.92:443/Thread Count						
	21	75.8	86	77	76.4	9.45
LG 34.73.126.92:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 34.73.126.92:443/Http client/Task Pool used						
	0	0	0.017	0	0	0.002
LG 34.73.126.92:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 34.73.126.92:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 34.73.126.92:443/Controller Connection/Ping Duration (ms)						
	27	28.1	60	27	27.1	5.54
LG 34.73.126.92:443/Network/Segments sent/sec.						
	0	125.5	366.6	119	122.5	72.5
LG 34.73.126.92:443/Network/Segments retransmitted/sec.						
	0	0.006	1.2	0	0	0.067
LG 34.73.126.92:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	3.17	9.53	2.89	3.07	2.13
LG 34.73.126.92:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.185	0.442	0.184	0.184	0.088

LG 34.73.14.83:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.14.83:443/CPU Load						
	0	1.55	17	1	1.36	1.51
LG 34.73.14.83:443/Memory Used						
	1	9.77	21	9	9.63	4.81
LG 34.73.14.83:443/Throughput						
	0	3.3	11.9	3.19	3.22	2.02
LG 34.73.14.83:443/User Load						
	0	18.2	28	19	18.5	8.52
LG 34.73.14.83:443/Thread Count						
	21	76.7	87	78	77.2	9.33
LG 34.73.14.83:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 34.73.14.83:443/Http client/Task Pool used						
	0	0	0	0	0	0
LG 34.73.14.83:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 34.73.14.83:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 34.73.14.83:443/Controller Connection/Ping Duration (ms)						
	27	28.3	62	27	27.3	5.86
LG 34.73.14.83:443/Network/Segments sent/sec.						
	0	136.1	447.2	133.6	133.9	72.6
LG 34.73.14.83:443/Network/Segments retransmitted/sec.						
	0	0.008	1.2	0	0	0.085
LG 34.73.14.83:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	3.43	12.3	3.32	3.34	2.08
LG 34.73.14.83:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.197	0.488	0.198	0.196	0.088

Neotys

LG 34.73.82.43:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.82.43:443/CPU Load					
0	1.45	18	1	1.2	1.87
LG 34.73.82.43:443/Memory Used					
1	7.85	15	8	7.81	3.48
LG 34.73.82.43:443/Throughput					
0	3.2	10.39	2.99	3.1	2.1
LG 34.73.82.43:443/User Load					
0	17.5	27	18	17.8	8.37
LG 34.73.82.43:443/Thread Count					
21	75.9	86	77	76.4	9.44
LG 34.73.82.43:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.82.43:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.73.82.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.82.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.82.43:443/Controller Connection/Ping Duration (ms)					
27	28.3	65	27	27.2	6.37
LG 34.73.82.43:443/Network/Segments sent/sec.					
0	132	372.1	127.2	128.6	76.2
LG 34.73.82.43:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.04
LG 34.73.82.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.33	10.7	3.12	3.22	2.17
LG 34.73.82.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.188	0.446	0.191	0.186	0.09

LG 34.74.12.20:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.12.20:443/CPU Load					
0	1.62	19	1	1.35	1.91
LG 34.74.12.20:443/Memory Used					
1	9.78	22	9	9.63	4.92
LG 34.74.12.20:443/Throughput					
0	3.26	11.2	3.07	3.14	2.07
LG 34.74.12.20:443/User Load					
0	18	28	19	18.3	8.66
LG 34.74.12.20:443/Thread Count					
21	76.5	87	78	76.9	9.37
LG 34.74.12.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.12.20:443/Http client/Task Pool used					
0	0	0.017	0	0	0.001
LG 34.74.12.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.12.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.12.20:443/Controller Connection/Ping Duration (ms)					
27	28.8	66	28	27.6	6.55

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.12.20:443/Network/Segments sent/sec.						
0	134.2	409.2	133.2	130.8	74.3	
LG 34.74.12.20:443/Network/Segments retransmitted/sec.						
0	0.01	1	0	0	0.079	
LG 34.74.12.20:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.38	11.5	3.17	3.26	2.14	
LG 34.74.12.20:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.194	0.463	0.198	0.193	0.09	

LG 35.185.118.14:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.118.14:443/CPU Load						
0	1.37	13	1	1.16	1.52	
LG 35.185.118.14:443/Memory Used						
1	10.85	29	10	10.49	6.43	
LG 35.185.118.14:443/Throughput						
0	3	11.8	2.61	2.85	2.16	
LG 35.185.118.14:443/User Load						
0	17.2	27	18	17.5	8.49	
LG 35.185.118.14:443/Thread Count						
21	75.3	86	77	76.1	10.1	
LG 35.185.118.14:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.185.118.14:443/Http client/Task Pool used						
0	0	0	0	0	0	
LG 35.185.118.14:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.185.118.14:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.185.118.14:443/Controller Connection/Ping Duration (ms)						
27	28.3	65	27	27.2	6.37	
LG 35.185.118.14:443/Network/Segments sent/sec.						
0	125.7	417.3	117.6	121.2	77.7	
LG 35.185.118.14:443/Network/Segments retransmitted/sec.						
0	0.007	0.8	0	0	0.063	
LG 35.185.118.14:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.12	12.2	2.7	2.97	2.23	
LG 35.185.118.14:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.183	0.444	0.177	0.181	0.091	

LG 35.190.179.239:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.179.239:443/CPU Load						
0	1.47	14	1	1.27	1.52	
LG 35.190.179.239:443/Memory Used						
1	9.5	22	9	9.35	4.84	
LG 35.190.179.239:443/Throughput						
0	3.07	10.17	2.82	2.95	2.16	
LG 35.190.179.239:443/User Load						
0	17.3	27	18	17.7	8.42	
LG 35.190.179.239:443/Thread Count						
21	75.9	87	77	76.5	9.75	

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.179.239:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.190.179.239:443/Http client/Task Pool used						
0	0	0.017	0	0	0.001	
LG 35.190.179.239:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.190.179.239:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.190.179.239:443/Controller Connection/Ping Duration (ms)						
27	28.3	64	27	27.2	6.2	
LG 35.190.179.239:443/Network/Segments sent/sec.						
0	126	376.1	115	123	74.9	
LG 35.190.179.239:443/Network/Segments retransmitted/sec.						
0	0.009	0.8	0	0	0.066	
LG 35.190.179.239:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.18	10.43	2.91	3.07	2.23	
LG 35.190.179.239:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.184	0.451	0.182	0.183	0.09	

LG 35.196.8.14:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.8.14:443/CPU Load						
0	1.45	12	1	1.23	1.58	
LG 35.196.8.14:443/Memory Used						
1	8.4	17	8	8.33	3.85	
LG 35.196.8.14:443/Throughput						
0	3.1	10.51	2.6	2.95	2.23	
LG 35.196.8.14:443/User Load						
0	17.4	27	18	17.8	8.38	
LG 35.196.8.14:443/Thread Count						
21	75.7	86	77	76.3	9.53	
LG 35.196.8.14:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.196.8.14:443/Http client/Task Pool used						
0	0	0.05	0	0	0.003	
LG 35.196.8.14:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.196.8.14:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.196.8.14:443/Controller Connection/Ping Duration (ms)						
27	28.4	65	27	27.3	6.35	
LG 35.196.8.14:443/Network/Segments sent/sec.						
0	128.4	395.2	115.4	123.9	78.6	
LG 35.196.8.14:443/Network/Segments retransmitted/sec.						
0	0.007	0.8	0	0	0.073	
LG 35.196.8.14:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.21	10.91	2.69	3.06	2.3	
LG 35.196.8.14:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.186	0.474	0.183	0.183	0.092	

LG 35.227.94.232:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.94.232:443/CPU Load					
0	1.45	13	1	1.23	1.57
LG 35.227.94.232:443/Memory Used					
1	9.08	20	8	8.95	4.56
LG 35.227.94.232:443/Throughput					
0	3.11	9.18	2.86	3.01	2.06
LG 35.227.94.232:443/User Load					
0	17.3	27	18	17.6	8.45
LG 35.227.94.232:443/Thread Count					
21	75.4	86	76	76.1	9.87
LG 35.227.94.232:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.94.232:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.227.94.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.94.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.94.232:443/Controller Connection/Ping Duration (ms)					
27	28.9	65	28	27.8	6.3
LG 35.227.94.232:443/Network/Segments sent/sec.					
0	127.9	334.6	122.2	125.3	72.9
LG 35.227.94.232:443/Network/Segments retransmitted/sec.					
0	0.009	0.8	0	0	0.077
LG 35.227.94.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.23	9.46	2.98	3.13	2.12
LG 35.227.94.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.186	0.418	0.186	0.186	0.09

LG 35.231.107.200:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/CPU Load					
0	1.49	16	1	1.29	1.58
LG 35.231.107.200:443/Memory Used					
1	9.48	21	9	9.34	4.83
LG 35.231.107.200:443/Throughput					
0	3.18	11.4	2.84	3.04	2.24
LG 35.231.107.200:443/User Load					
0	17.8	28	18	18.1	8.67
LG 35.231.107.200:443/Thread Count					
21	76.4	88	77	76.9	9.79
LG 35.231.107.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.107.200:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 35.231.107.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Ping Duration (ms)					
27	28.4	64	27	27.3	6.19

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/Network/Segments sent/sec.						
	0	131.8	402.4	122.4	127.4	79.6
LG 35.231.107.200:443/Network/Segments retransmitted/sec.						
	0	0.008	1.2	0	0	0.085
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	3.31	11.7	2.97	3.16	2.31
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.19	0.41	0.182	0.188	0.093

LG 35.231.201.114:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/CPU Load						
	0	1.39	12	1	1.2	1.46
LG 35.231.201.114:443/Memory Used						
	1	10.32	25	10	10.09	5.57
LG 35.231.201.114:443/Throughput						
	0	3.13	8.93	2.92	3.04	2.03
LG 35.231.201.114:443/User Load						
	0	17.3	27	18	17.6	8.42
LG 35.231.201.114:443/Thread Count						
	21	75.5	86	77	76.2	9.82
LG 35.231.201.114:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 35.231.201.114:443/Http client/Task Pool used						
	0	0	0	0	0	0
LG 35.231.201.114:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Ping Duration (ms)						
	26	27.7	64	27	26.7	6.3
LG 35.231.201.114:443/Network/Segments sent/sec.						
	0	131.1	326.4	127.6	129	72.6
LG 35.231.201.114:443/Network/Segments retransmitted/sec.						
	0	0.007	1	0	0	0.076
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	3.25	9.16	3.04	3.16	2.09
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.188	0.39	0.185	0.188	0.087

LG 35.243.218.42:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/CPU Load						
	0	1.48	15	1	1.26	1.66
LG 35.243.218.42:443/Memory Used						
	1	9.34	21	9	9.19	4.85
LG 35.243.218.42:443/Throughput						
	0	3.15	10.46	3	3.06	2.01
LG 35.243.218.42:443/User Load						
	0	17.2	27	18	17.6	8.46
LG 35.243.218.42:443/Thread Count						
	21	75.4	86	77	76.1	9.97

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 35.243.218.42:443/Http client/Task Pool used						
	0	0	0.017	0	0	0.002
LG 35.243.218.42:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Ping Duration (ms)						
	26	28.3	65	27	27.2	6.39
LG 35.243.218.42:443/Network/Segments sent/sec.						
	0	129.3	372.4	124.6	127	72
LG 35.243.218.42:443/Network/Segments retransmitted/sec.						
	0	0.007	1	0	0	0.074
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	3.27	10.79	3.13	3.18	2.07
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.186	0.411	0.191	0.186	0.088

Neotys

Average page response time

Min	Average	Max
0.335	0.861	1.338

Notes: Displays the average response time, in seconds, of all pages during the test.

Average request response time

Min	Average	Max
0.195	0.399	4.851

Notes: Displays the average response time, in seconds, of all requests during the test.

Neotys

Average response time (Transactions)

Min	Average	Max	Median	Avg-90%	Std. Dev.
0.581	1.54	2.333	1.478	1.52	0.292

Notes: Displays the average response time, in seconds, of all Transactions during the test.

Neotys

Requests per second

Min	Average	Max
1.2	93.1	159.6

Notes: Displays the number of requests per second.

Errors

Min	Average	Max
0	1.1	5

Notes: Displays the number of errors per sampling interval.

Neotys

Throughput

Min	Average	Max
0	34.12	59.36

Notes: Displays the number of megabits of data per second returned by the server.

Neotys

Response time against load

Response time against load

Min	Average	Max
0.259	0.801	1.635

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Neotys

Distribution of Transaction Durations

Distribution of Transaction Durations

Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.