NSA CPC MVA LT1

Date	Jan 27, 2020 9:58:24 PM
Project	MF_CPC_01222020
Scenario	SCN1
Comment	
Notes	NSA CPC MVA LT1

Table of Contents

Neotys

Results summary

| Name	21:57 - 27 Jan 2020-MainLt1	Project	MF_CPC_01222020
Description		Scenario	SCN1
Status	✔ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 27, 2020 9:58:24 PM		
End date	Jan 27, 2020 10:08:30 PM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:10:05		
Termination reason	Manual action	Filters	None
LG Hosts	35.185.118.14:443 , 35.196.8.14:443 , 35.243.218.42:443 , 34.73.82.43:443 , 35.190.179.239:443 , 35.227.94.232:443 , 34.74.12.20:443 , 34.73.126.92:443 , 35.231.201.114:443 , 35.231.107.200:443 , 34.73.14.83:443	Debug	Disabled

Statistics Summary

Total pages	23335	—	Average pages/s	38.5	—
Total requests	55629	—	Average requests/s	91.8	—
Total users launched	252	—	Average Request response time	0.445 s	—
Total iterations completed	792	—	Average Page response time	0.959 s	—
Total throughput	2,622 MB	—	Average throughput	34.61 Mb/s	—
Total request errors	351	—	Error rate	0.6 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA ☀ = Passed ☁ = Warning ⛈ = Failed

Neotys

Hot spots

Top 5 errors

User Path	Parent	Page	Count
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	86
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	66
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	46
CPC_ALP_MultiLine	MF_CPC_13_01GenFeatur	/digital/soe/digital/secure/compareplanpage	44
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	44

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	4.8
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	4.06
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	3.38
CPC_ALP_MultiLine	MF_CPC_12_02ContinueC	/digital/soe/digital/secure/compareplanpage	2.85
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPl	/digital/soe/digital/secure/explore_plan_mm	2.22

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	30.5
CPC_ALP_MultiLine	MF_CPC_12_02ContinueC	/digital/soe/digital/secure/compareplanpage	30.5
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	30.5
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	30.4
CPC_ALP_MultiLine	MF_CPC_06_MyPlan	/mobileFirstSS/myPlan	14.6

Errors

Request errors

Error Type	Count	Description
500	280	Internal Server Error
Assertions	70	Validation of the response failed.
NL-NETWORK-01	1	Miscellaneous I/O error when connecting to the server.
Total	351	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
0.553	91.9	317.7	251	134	53.4	-
All pages						
0.026	0.958	30.5	23,335	341	1.5	-
All requests						
0.013	0.445	300.2	55,629	351	0.6	-

Transaction statistics

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.029	1.75	37.9	12,638	286	2.3	0.555	4.07	30.6	3.72	1.2	-

Neotys

Scenario

Summary

Name	21:57 - 27 Jan 2020-MainLt1	**Project**	MF_CPC_01222020
Description		**Scenario**	SCN1
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 27, 2020 9:58:24 PM		
End date	Jan 27, 2020 10:08:30 PM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:10:05		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.185.118.14:443 , 35.196.8.14:443 , 35.243.218.42:443 , 34.73.82.43:443 , 35.190.179.239:443 , 35.227.94.232:443 , 34.74.12.20:443 , 34.73.126.92:443 , 35.231.201.114:443 , 35.231.107.200:443 , 34.73.14.83:443	**Debug**	Disabled

Populations

NSA_CPC

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
CPC_ALP_MultiLine	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
CPC_ALP_MultiLine		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Execution context

Name	21:57 - 27 Jan 2020-MainLt1	**Project**	MF_CPC_01222020
Description		**Scenario**	SCN1
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 27, 2020 9:58:24 PM		
End date	Jan 27, 2020 10:08:30 PM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:10:05		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.185.118.14:443 , 35.196.8.14:443 , 35.243.218.42:443 , 34.73.82.43:443 , 35.190.179.239:443 , 35.227.94.232:443 , 34.74.12.20:443 , 34.73.126.92:443 , 35.231.201.114:443 , 35.231.107.200:443 , 34.73.14.83:443	**Debug**	Disabled

NeoLoad version   6.8.0;build=20190103-16
Graphs granularity   Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

CPC_ALP_MultiLine
Error policy: Do nothing
Assertion policy: Go to the next iteration
Thinktime policy: replaced by 0ms.
Pacing: No pacing

Neotys

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	Yes	Yes
mobile-exp.ae.vzw.com	443	Yes	Yes
pie.prod.verizon.com	443	No	No
twbaccessmgr.verizonwireless.c443		No	No
login.verizonwireless.com	443	No	No
scache.vzw.com	443	Yes	Yes
ecache.verizonwireless.com	443	Yes	Yes

Neotys

Graphs

Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA_CPC	55629 (100%)	91.8	0.959s (0%)	0.6% (0%)
Global	55629 (100%)	91.8	0.959s	0.6%

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 **CPC_ALP_MultiLine**						
0.553	91.9	317.7	251	134	53.4	-

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile

Transactions

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
👤 **CPC_ALP_MultiLine**											
0.553	91.9	317.7	251	134	53.4	-	-	-	-	-	-
📁 **Init**											
0	0	0	252	0	0	-	-	-	-	-	-
📁 **Actions**											
1.53	24.7	74.7	792	161	20.3	-	-	-	-	-	-
📁 **MF_CPC_01_OpenApp**											
0.49	0.579	1.02	1,030	0	0	0.576	0.655	0.851	0.053	0.574	-
📁 **MF_CPC_02_ImCustomer**											
0.029	0.036	0.095	1,020	0	0	0.035	0.05	0.072	0.007	0.035	-
📁 **MF_CPC_03_OAuthLogin**											
0.338	0.404	3.38	1,006	0	0	0.396	0.429	0.909	0.186	0.385	-
📁 **MF_CPC_04_SignInNext**											
0.502	3.61	15	986	9	0.9	3.38	4.65	12.8	1.44	3.42	-
📁 **MF_CPC_05_Account**											
0.218	0.532	11.7	963	0	0	0.463	0.819	0.955	0.401	0.507	-
📁 **MF_CPC_06_MyPlan**											
0.453	1.79	14.6	947	5	0.5	1.35	4.06	12.1	1.79	1.45	-
📁 **Then**											
-	-	-	-	0	-	-	-	-	-	-	-
📁 **Else**											
0	0	0.001	942	0	0	-	-	-	-	-	-
📁 **MF_CPC_07_SwitchPlan**											
1.7	5.87	31.9	914	66	7.2	3.61	31.2	31.4	6.9	4.6	-
📁 **MF_CPC_08_ExploreMMPlans**											
0.886	2.23	14.1	890	1	0.1	1.64	7.5	12.6	2.18	1.79	-
📁 **Then**											
0.31	4.43	31.5	645	86	13.3	-	-	-	-	-	-
📁 **MF_CPC_09_01SelectPlan_Line1**											
0.123	0.263	0.565	670	0	0	0.271	0.337	0.412	0.049	0.262	-
📁 **MF_CPC_12_01ContinueCPC**											
0.12	3.77	31	657	86	13.1	1.61	30.6	30.7	7.39	2.47	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**											
0.158	0.381	0.676	603	44	7.3	0.391	0.479	0.519	0.062	0.381	-
📁 **Else**											
0	0	0	199	0	0	-	-	-	-	-	-
📁 **Then**											
0.582	4.18	31.7	182	21	11.5	-	-	-	-	-	-

Neotys

	Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 MF_CPC_09_02SelectPlan_Line1												
	0.127	0.273	1.03	194	0	0	0.274	0.345	0.547	0.075	0.267	-
📁 MF_CPC_10_02SelectPlan_Line2												
	0.123	0.263	0.597	191	0	0	0.27	0.354	0.581	0.06	0.261	-
📁 MF_CPC_12_02ContinueCPC												
	0.19	3.27	30.8	185	21	11.4	1.68	14.4	30.7	6.21	1.98	-
📁 MF_CPC_13_02GenFeatureChangesGotIT												
	0.211	0.37	0.569	169	8	4.7	0.371	0.494	0.533	0.067	0.368	-
📁 Else												
	0	0	0	604	0	0	-	-	-	-	-	-
📁 Then												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_09_03SelectPlan_Line1												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_10_03SelectPlan_Line2												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_11_03SelectPlan_Line3												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_12_03ContinueCPC												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_13_03GenFeatureChangesGotIT												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 Else												
	0	0	0	773	0	0	-	-	-	-	-	-
📁 MF_CPC_14_ReviewChangesContinue												
	0.137	0.269	1.11	756	0	0	0.281	0.349	0.407	0.069	0.266	-
📁 MF_CPC_15_PlanStartDate												
	0.431	5.41	37.9	735	46	6.3	3.32	31.1	31.6	6.6	4.1	-
📁 MF_CPC_16_Logout												
	0.111	0.136	0.354	722	0	0	0.129	0.175	0.304	0.029	0.132	-
📁 End												
	0	0	0	251	0	0	-	-	-	-	-	-

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 CPC_ALP_MultiLine						
0.553	91.9	317.7	251	134	53.4	-
📁 Actions						
1.53	24.7	74.7	792	161	20.3	-
📁 MF_CPC_01_OpenApp						
0.49	0.579	1.02	1,030	0	0	-
/mobileFirstSS/launchApp						
0.175	0.216	0.687	1,042	0	0	-
/hybridClient/is/image/Verizon...elcome_Main_1_300dpi						
0.28	0.363	0.518	1,042	0	0	-
📁 MF_CPC_02_ImCustomer						
0.029	0.036	0.095	1,020	0	0	-
/mobileFirstSS/userSignIn						
0.029	0.036	0.095	1,030	0	0	-
📁 MF_CPC_03_OAuthLogin						
0.338	0.404	3.38	1,006	0	0	-
/mobileFirstSS/signUp						
0.028	0.035	0.149	1,020	0	0	-
/vzauth/oauth2/authorize						
0.266	0.326	3.3	1,020	0	0	-
/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2						
0.04	0.043	0.084	1,020	0	0	-
📁 MF_CPC_04_SignInNext						
0.502	3.61	15	986	9	0.9	-
/vzauth/UI/Login						
0.22	0.28	0.813	1,005	0	0	-
/mobileFirstSS/launchApp						
0.196	1.59	13	1,003	4	0.4	-
/mobileFirstSS/asyncPullMyFeed						
0.026	0.402	10.79	998	5	0.5	-
/mobileFirstSS/loadCart						
0.307	1.01	4.27	991	0	0	-
/hybridClient/is/image/Verizon...00dollars-off-samsun						
0.261	0.341	0.386	991	0	0	-
📁 MF_CPC_05_Account						
0.218	0.532	11.7	963	0	0	-
/mobileFirstSS/accountLanding						
0.218	0.532	11.7	976	0	0	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
📁 **MF_CPC_06_MyPlan**						
0.453	1.79	14.6	947	5	0.5	-
🌐 **/mobileFirstSS/myPlan**						
0.453	1.78	14.6	960	5	0.5	-
📁 **MF_CPC_07_SwitchPlan**						
1.7	5.87	31.9	914	66	7.2	-
🌐 **/vzauth/UI/Login**						
0.136	0.17	1.99	941	0	0	-
🌐 **/vzauth/UI/Login_1**						
0.634	0.861	1.57	941	0	0	-
🌐 **/digital/soe/digital/secure/exploreoptions**						
0.889	4.8	30.5	929	66	7.1	-
📁 **MF_CPC_08_ExploreMMPlans**						
0.886	2.23	14.1	890	1	0.1	-
🌐 **/digital/soe/digital/secure/explore_plan_mm**						
0.886	2.22	14.1	909	1	0.1	-
📁 **Then**						
0.31	4.43	31.5	645	86	13.3	-
📁 **MF_CPC_09_01SelectPlan_Line1**						
0.123	0.263	0.565	670	0	0	-
🌐 **/digital/soe/digital/secure/mm_promotion**						
0.123	0.263	0.565	689	0	0	-
📁 **MF_CPC_12_01ContinueCPC**						
0.12	3.77	31	657	86	13.1	-
🌐 **/digital/soe/digital/secure/compareplanpage**						
0.12	3.38	30.5	666	86	12.9	-
🌐 **/digital/soe/digital/secure/compareplanpage_2**						
0.162	0.386	1.11	623	44	7.1	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**						
0.158	0.381	0.676	603	44	7.3	-
🌐 **/digital/soe/digital/secure/compareplanpage**						
0.158	0.38	0.676	614	44	7.2	-
📁 **Then**						
0.582	4.18	31.7	182	21	11.5	-
📁 **MF_CPC_09_02SelectPlan_Line1**						
0.127	0.273	1.03	194	0	0	-
🌐 **/digital/soe/digital/secure/mm_promotion**						
0.127	0.273	1.03	198	0	0	-
📁 **MF_CPC_10_02SelectPlan_Line2**						
0.123	0.263	0.597	191	0	0	-
🌐 **/digital/soe/digital/secure/mm_promotion**						
0.123	0.262	0.597	194	0	0	-
📁 **MF_CPC_12_02ContinueCPC**						
0.19	3.27	30.8	185	21	11.4	-
🌐 **/digital/soe/digital/secure/compareplanpage**						
0.19	2.85	30.5	190	21	11.1	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
			/digital/soe/digital/secure/compareplanpage_2			
0.208	0.406	3.42	177	8	4.5	-
			MF_CPC_13_02GenFeatureChangesGotIT			
0.211	0.37	0.569	169	8	4.7	-
			/digital/soe/digital/secure/compareplanpage			
0.211	0.37	0.569	172	8	4.7	-
			MF_CPC_14_ReviewChangesContinue			
0.137	0.269	1.11	756	0	0	-
			/digital/soe/digital/secure/effectivedate			
0.137	0.269	1.11	773	0	0	-
			MF_CPC_15_PlanStartDate			
0.431	5.41	37.9	735	46	6.3	-
			/digital/soe/digital/secure/reviewplan			
0.431	4.06	30.4	746	46	6.2	-
			/digital/soe/digital/secure/reviewplan_1			
0.342	1.34	10.48	741	3	0.4	-
			MF_CPC_16_Logout			
0.111	0.136	0.354	722	0	0	-
			/mobileFirstSS/invalidateSession			
0.111	0.136	0.354	734	0	0	-

Neotys

SLA per User Path

Shared Containers

SLA	Value	Severity
Empty list		

CPC_ALP_MultiLine

SLA	Value	Severity
👤 CPC_ALP_MultiLine		
📂 Actions		
📂 MF_CPC_01_OpenApp		
/mobileFirstSS/launchApp		
/hybridClient/is/image/Verizon...elcome_Main_1_300dpi		
📂 MF_CPC_02_ImCustomer		
/mobileFirstSS/userSignIn		
📂 MF_CPC_03_OAuthLogin		
/mobileFirstSS/signUp		
/vzauth/oauth2/authorize		
/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2		
📂 MF_CPC_04_SignInNext		
/vzauth/UI/Login		
/mobileFirstSS/launchApp		
/mobileFirstSS/asyncPullMyFeed		
/mobileFirstSS/loadCart		
/hybridClient/is/image/Verizon...00dollars-off-samsun		
📂 MF_CPC_05_Account		
/mobileFirstSS/accountLanding		
📂 MF_CPC_06_MyPlan		
/mobileFirstSS/myPlan		
📂 MF_CPC_07_SwitchPlan		
/vzauth/UI/Login		
/vzauth/UI/Login_1		
/digital/soe/digital/secure/exploreoptions		
📂 MF_CPC_08_ExploreMMPlans		
/digital/soe/digital/secure/explore_plan_mm		
📂 Then		
📂 MF_CPC_09_01SelectPlan_Line1		
/digital/soe/digital/secure/mm_promotion		
📂 MF_CPC_12_01ContinueCPC		
/digital/soe/digital/secure/compareplanpage		
/digital/soe/digital/secure/compareplanpage_2		

Neotys

SLA	Value	Severity
📁 **MF_CPC_13_01GenFeatureChangesGotIT**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
📁 **Then**		
📁 **MF_CPC_09_02SelectPlan_Line1**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_10_02SelectPlan_Line2**		
🌐 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_02ContinueCPC**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
🌐 **/digital/soe/digital/secure/compareplanpage_2**		
📁 **MF_CPC_13_02GenFeatureChangesGotIT**		
🌐 **/digital/soe/digital/secure/compareplanpage**		
📁 **MF_CPC_14_ReviewChangesContinue**		
🌐 **/digital/soe/digital/secure/effectivedate**		
📁 **MF_CPC_15_PlanStartDate**		
🌐 **/digital/soe/digital/secure/reviewplan**		
🌐 **/digital/soe/digital/secure/reviewplan_1**		
📁 **MF_CPC_16_Logout**		
🌐 **/mobileFirstSS/invalidateSession**		

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

Neotys

Controller
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	186.4	252	249	192.1	82.4
Controller/Throughput					
0	34.3	64.1	37.8	34.6	14.3
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
4	7.48	25	7	7.04	3.09
Controller/Memory Used					
3	7.25	15	7	7.08	3.08
Controller/Thread Count					
625	645.3	657	644	645.1	3.63
Controller/Connected					
11	11	11	11	11	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	737.8	3,268	152.7	651.9	872.2
Controller/Network/Segments retransmitted/sec.					
0	0	0	0	0	0
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	186.4	252	249	192.1	82.4
Controller/USA East - South Carolina (Berkeley County)/NSA_CPC/User Load					
0	186.4	252	249	192.1	82.4
Controller/USA East - South Carolina (Berkeley County)/N..._MultiLine/User Load					
0	186.4	252	249	192.1	82.4

LG 34.73.126.92:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.126.92:443/CPU Load					
0	2.37	12	2	2.16	1.94
LG 34.73.126.92:443/Memory Used					
1	7.88	17	7	7.68	4.15
LG 34.73.126.92:443/Throughput					
0	3.08	8.09	3.19	2.98	2.04
LG 34.73.126.92:443/User Load					
0	17.1	23	23	17.6	7.6

Neotys

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.126.92:443/Thread Count					
21	74.8	82	81	75.8	9.62
LG 34.73.126.92:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.126.92:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.126.92:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.126.92:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.126.92:443/Controller Connection/Ping Duration (ms)					
27	31.5	62	28	29.9	10.69
LG 34.73.126.92:443/Network/Segments sent/sec.					
0	124.8	304.6	129.6	122	70.7
LG 34.73.126.92:443/Network/Segments retransmitted/sec.					
0	0.005	0.4	0	0	0.04
LG 34.73.126.92:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.2	8.33	3.31	3.1	2.11
LG 34.73.126.92:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.183	0.384	0.193	0.184	0.082

LG 34.73.14.83:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.14.83:443/CPU Load					
0	2.38	16	2	2.06	2.32
LG 34.73.14.83:443/Memory Used					
1	7.31	17	7	7.13	3.67
LG 34.73.14.83:443/Throughput					
0	3.18	8.69	3.06	3.09	1.98
LG 34.73.14.83:443/User Load					
0	17.3	23	23	17.8	7.42
LG 34.73.14.83:443/Thread Count					
21	75.6	82	82	76.5	9.24
LG 34.73.14.83:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.14.83:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 34.73.14.83:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.14.83:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.14.83:443/Controller Connection/Ping Duration (ms)					
27	31.7	65	28	29.9	11.7
LG 34.73.14.83:443/Network/Segments sent/sec.					
0	128.8	304.9	125.1	126.7	68.2
LG 34.73.14.83:443/Network/Segments retransmitted/sec.					
0	0.002	0.215	0	0	0.019
LG 34.73.14.83:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.3	8.97	3.18	3.21	2.04
LG 34.73.14.83:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.19	0.383	0.201	0.191	0.082

Neotys

LG 34.73.82.43:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.73.82.43:443/CPU Load					
0	2.12	17	2	1.84	2.11
LG 34.73.82.43:443/Memory Used					
1	6.65	14	6	6.52	3.18
LG 34.73.82.43:443/Throughput					
0	3.11	9.34	3.11	3.01	2.08
LG 34.73.82.43:443/User Load					
0	17.2	23	23	17.7	7.54
LG 34.73.82.43:443/Thread Count					
21	75.4	83	81	76.3	9.83
LG 34.73.82.43:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.73.82.43:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.73.82.43:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.73.82.43:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.73.82.43:443/Controller Connection/Ping Duration (ms)					
27	31.3	65	27	29.5	11.8
LG 34.73.82.43:443/Network/Segments sent/sec.					
0	126.9	346.2	124.6	124.3	72.4
LG 34.73.82.43:443/Network/Segments retransmitted/sec.					
0	0.018	1	0	0	0.118
LG 34.73.82.43:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.23	9.64	3.23	3.13	2.14
LG 34.73.82.43:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.187	0.418	0.197	0.187	0.086

LG 34.74.12.20:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.12.20:443/CPU Load					
0	2.24	16	2	1.99	1.95
LG 34.74.12.20:443/Memory Used					
1	7.43	17	7	7.26	3.63
LG 34.74.12.20:443/Throughput					
0	3.17	8.84	2.9	3.05	2.14
LG 34.74.12.20:443/User Load					
0	17.3	23	23	17.8	7.46
LG 34.74.12.20:443/Thread Count					
21	75.2	82	81	76.1	9.18
LG 34.74.12.20:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.12.20:443/Http client/Task Pool used					
0	0	0	0	0	0
LG 34.74.12.20:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.12.20:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.12.20:443/Controller Connection/Ping Duration (ms)					
27	30.5	55	28	29.2	8.6

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.12.20:443/Network/Segments sent/sec.						
0	129.3	321.9	122.8	125.9	74.3	
LG 34.74.12.20:443/Network/Segments retransmitted/sec.						
0	0.002	0.207	0	0	0.019	
LG 34.74.12.20:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.29	9.15	3.03	3.17	2.21	
LG 34.74.12.20:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.189	0.356	0.196	0.189	0.086	

LG 35.185.118.14:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.118.14:443/CPU Load						
0	2.25	16	2	2.05	1.9	
LG 35.185.118.14:443/Memory Used						
1	6.81	16	6.5	6.62	3.58	
LG 35.185.118.14:443/Throughput						
0	3.06	7.68	3.32	3	1.98	
LG 35.185.118.14:443/User Load						
0	16.4	22	22	16.9	7.38	
LG 35.185.118.14:443/Thread Count						
21	73.7	81	80	74.9	10	
LG 35.185.118.14:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.185.118.14:443/Http client/Task Pool used						
0	0	0	0	0	0	
LG 35.185.118.14:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.185.118.14:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.185.118.14:443/Controller Connection/Ping Duration (ms)						
27	31.9	68	28	29.9	12.6	
LG 35.185.118.14:443/Network/Segments sent/sec.						
0	123.5	275.9	131.3	122.4	69.5	
LG 35.185.118.14:443/Network/Segments retransmitted/sec.						
0	0	0	0	0	0	
LG 35.185.118.14:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.17	7.95	3.45	3.12	2.04	
LG 35.185.118.14:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.181	0.344	0.193	0.182	0.087	

LG 35.190.179.239:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.179.239:443/CPU Load						
0	2.21	13	2	2.04	1.78	
LG 35.190.179.239:443/Memory Used						
1	7.18	16	7	7.01	3.63	
LG 35.190.179.239:443/Throughput						
0	3.23	9.16	2.8	3.11	2.26	
LG 35.190.179.239:443/User Load						
0	17	23	22.5	17.6	7.64	
LG 35.190.179.239:443/Thread Count						
21	74.9	82	80.5	76	10.09	

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.179.239:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.190.179.239:443/Http client/Task Pool used						
0	0	0	0	0	0	
LG 35.190.179.239:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.190.179.239:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.190.179.239:443/Controller Connection/Ping Duration (ms)						
27	31.8	65	28	30	11.6	
LG 35.190.179.239:443/Network/Segments sent/sec.						
0	130.1	316.2	120	127.1	76.8	
LG 35.190.179.239:443/Network/Segments retransmitted/sec.						
0	0.018	1.2	0	0	0.126	
LG 35.190.179.239:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.35	9.47	2.92	3.23	2.32	
LG 35.190.179.239:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.188	0.359	0.195	0.189	0.09	

LG 35.196.8.14:443

Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.196.8.14:443/CPU Load						
0	2.15	14	2	1.96	1.82	
LG 35.196.8.14:443/Memory Used						
1	6.95	15	7	6.8	3.47	
LG 35.196.8.14:443/Throughput						
0	3.09	8.27	2.93	3.01	2.01	
LG 35.196.8.14:443/User Load						
0	17.1	23	23	17.6	7.57	
LG 35.196.8.14:443/Thread Count						
21	75	82	81	76	9.6	
LG 35.196.8.14:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.196.8.14:443/Http client/Task Pool used						
0	0	0	0	0	0	
LG 35.196.8.14:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.196.8.14:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.196.8.14:443/Controller Connection/Ping Duration (ms)						
27	30.4	57	27	28.9	9.33	
LG 35.196.8.14:443/Network/Segments sent/sec.						
0	127.2	304.1	126.9	125.2	71.1	
LG 35.196.8.14:443/Network/Segments retransmitted/sec.						
0	0.016	0.8	0	0	0.098	
LG 35.196.8.14:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.21	8.55	3.04	3.13	2.08	
LG 35.196.8.14:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.188	0.35	0.2	0.188	0.086	

LG 35.227.94.232:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.227.94.232:443/CPU Load					
0	2.08	15	2	1.86	1.86
LG 35.227.94.232:443/Memory Used					
1	6.99	17	6	6.77	3.74
LG 35.227.94.232:443/Throughput					
0	3	6.96	2.98	2.94	1.9
LG 35.227.94.232:443/User Load					
0	16.5	23	22	17	7.32
LG 35.227.94.232:443/Thread Count					
21	73.9	82	80	75.1	9.64
LG 35.227.94.232:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.227.94.232:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 35.227.94.232:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.227.94.232:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.227.94.232:443/Controller Connection/Ping Duration (ms)					
27	31.9	67	28	30	12.3
LG 35.227.94.232:443/Network/Segments sent/sec.					
0	123	272.5	123.6	121.6	67.6
LG 35.227.94.232:443/Network/Segments retransmitted/sec.					
0	0.003	0.4	0	0	0.036
LG 35.227.94.232:443/Network/eth0 (eth0)/Megabits received/sec.					
0	3.12	7.24	3.1	3.05	1.96
LG 35.227.94.232:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.182	0.355	0.202	0.183	0.082

LG 35.231.107.200:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/CPU Load					
0	2.21	13	2	2.02	1.81
LG 35.231.107.200:443/Memory Used					
1	7.08	15	7	6.94	3.48
LG 35.231.107.200:443/Throughput					
0	3.16	8.46	3.08	3.05	2.05
LG 35.231.107.200:443/User Load					
0	17.2	23	23	17.7	7.5
LG 35.231.107.200:443/Thread Count					
21	75.2	82	81	76.2	9.62
LG 35.231.107.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.107.200:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 35.231.107.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Ping Duration (ms)					
27	31.8	68	27	29.9	12.7

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/Network/Segments sent/sec.						
0	129	297.2	135.8	126.4	71.3	
LG 35.231.107.200:443/Network/Segments retransmitted/sec.						
0	0.015	1.2	0	0	0.116	
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.28	8.74	3.19	3.17	2.12	
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.189	0.372	0.199	0.189	0.087	

LG 35.231.201.114:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/CPU Load						
0	2.08	9	2	1.9	1.63	
LG 35.231.201.114:443/Memory Used						
1	7.69	18	7	7.45	4.27	
LG 35.231.201.114:443/Throughput						
0	3.12	10.45	2.86	2.95	2.27	
LG 35.231.201.114:443/User Load						
0	17	23	22.5	17.5	7.66	
LG 35.231.201.114:443/Thread Count						
21	74.4	82	80.5	75.5	9.82	
LG 35.231.201.114:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.231.201.114:443/Http client/Task Pool used						
0	0	0	0	0	0	
LG 35.231.201.114:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.231.201.114:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.231.201.114:443/Controller Connection/Ping Duration (ms)						
27	32.2	68	28	30.3	12.5	
LG 35.231.201.114:443/Network/Segments sent/sec.						
0	127.9	386.6	124.4	122.7	79.3	
LG 35.231.201.114:443/Network/Segments retransmitted/sec.						
0	0.002	0.2	0	0	0.018	
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits received/sec.						
0	3.24	10.8	2.97	3.07	2.34	
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.187	0.432	0.195	0.184	0.093	

LG 35.243.218.42:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/CPU Load						
0	2.11	11	2	1.87	1.88	
LG 35.243.218.42:443/Memory Used						
1	7.51	17	7	7.3	3.99	
LG 35.243.218.42:443/Throughput						
0	3.06	11.6	3.11	2.91	2.26	
LG 35.243.218.42:443/User Load						
0	16.4	23	22	16.9	7.35	
LG 35.243.218.42:443/Thread Count						
21	74.5	82	81	75.7	10.01	

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 35.243.218.42:443/Http client/Task Pool used						
	0	0	0	0	0	0
LG 35.243.218.42:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Ping Duration (ms)						
	27	36.5	67	28	35.1	16.1
LG 35.243.218.42:443/Network/Segments sent/sec.						
	0	124.7	395.1	126.2	120.7	76.7
LG 35.243.218.42:443/Network/Segments retransmitted/sec.						
	0	0.015	1	0	0	0.115
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	3.18	11.9	3.21	3.02	2.32
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.18	0.435	0.192	0.178	0.088

Neotys

Average page response time

Min	Average	Max
0.227	0.959	1.799

Notes: Displays the average response time, in seconds, of all pages during the test.

Neotys

Average request response time

Min	Average	Max
0.128	0.444	89.061

Notes: Displays the average response time, in seconds, of all requests during the test.

Neotys

Average response time (Transactions)

Min	Average	Max	Median	Avg-90%	Std. Dev.
0.428	1.749	22.999	1.737	1.736	0.53

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.

Neotys

Requests per second

Min	Average	Max
0	88.3	162.2

Notes: Displays the number of requests per second.

Neotys

Errors

Min	Average	Max
0	2.8	10

Notes: Displays the number of errors per sampling interval.

Neotys

Throughput

Min	Average	Max
0	33.03	64.87

Notes: Displays the number of megabits of data per second returned by the server.

Response time against load

Response time against load

Min	Average	Max
0.227	0.804	1.508

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Neotys

Distribution of Transaction Durations

Distribution of Transaction Durations

Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.

Neotys