NSA CPC MVA LT2

Date	Jan 29, 2020 11:09:53 PM
Project	MF_CPC_01222020
Scenario	SCN1
Comment	LT2_01_29_2020
Notes	NSA CPC MVA LT2 01292020

Neotys

Table of Contents

Neotys

Summary

Results summary

Name	23:09 - 29 Jan 2020	Project	MF_CPC_01222020
Description	LT2_01_29_2020	Scenario	SCN1
Status	✔ Passed	Load Policy	• The population NSA_CPC is customized
Start date	Jan 29, 2020 11:09:53 PM		
End date	Jan 29, 2020 11:57:36 PM	Stop Policy	• Population NSA_CPC: immediate.
Duration	00:47:43		
Termination reason	Manual action	Filters	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	Debug	Disabled

Statistics Summary

Total pages	349624	—	Average pages/s	122.1	—
Total requests	815030	—	Average requests/s	284.6	—
Total users launched	1000	—	Average Request response time	0.54 s	—
Total iterations completed	13438	—	Average Page response time	1.18 s	—
Total throughput	37,473 MB	—	Average throughput	104.67 Mb/s	—
Total request errors	2361	—	Error rate	0.3 %	—
Total action errors	0	—	Alerts total duration	0 %	—

— = No SLA   ☀ = Passed   ☁ = Warning   ⛈ = Failed

Neotys

Neotys

Hot spots

Top 5 errors

User Path	Parent	Page	Count
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	459
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage_2	300
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan_1	254
CPC_ALP_MultiLine	MF_CPC_13_01GenFeatur	/digital/soe/digital/secure/compareplanpage	222
CPC_ALP_MultiLine	MF_CPC_12_01ContinueC	/digital/soe/digital/secure/compareplanpage	189

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_07_SwitchPlan	/digital/soe/digital/secure/exploreoptions	6.98
CPC_ALP_MultiLine	MF_CPC_15_PlanStartDate	/digital/soe/digital/secure/reviewplan	3.27
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	2.7
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/loadCart	2.21
CPC_ALP_MultiLine	MF_CPC_12_02ContinueC	/digital/soe/digital/secure/compareplanpage	2.06

Top 5 maximum response time (Pages)

User Path	Parent	Page	Duration
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/loadCart	308.1
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/launchApp	301.8
CPC_ALP_MultiLine	MF_CPC_04_SignInNext	/mobileFirstSS/asyncPullMyFeed	301.3
CPC_ALP_MultiLine	MF_CPC_01_OpenApp	/mobileFirstSS/launchApp	300.2
CPC_ALP_MultiLine	MF_CPC_08_ExploreMMPI	/digital/soe/digital/secure/explore_plan_mm	299.7

Errors

Request errors

Error Type	Count	Description
500	1,444	Internal Server Error
Assertions	569	Validation of the response failed.
502	230	Bad Gateway
504	68	Gateway Timeout
NL-NETWORK-01	44	Miscellaneous I/O error when connecting to the server.
503	6	Service Unavailable - The server is currently unable to handle the request due to a temporary overloading or maintenance of the server.
Total	2,361	Total error count.

Action errors

No errors

Alerts

No alerts

General statistics

Min	Avg	Max	Count	Err	% of Err	SLA Profile
All User Paths						
181.3	417.1	1,056	988	834	84.4	-
All pages						
0.013	1.18	308.1	349,624	2,351	0.7	-
All requests						
0.013	0.539	308.1	815,030	2,361	0.3	-

Transaction statistics

Neotys

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
All Transactions											
0.029	2.1	313.5	194,901	1,992	1	0.584	5.11	26.9	7.35	1.3	-

Neotys

Summary

Name	23:09 - 29 Jan 2020	**Project**	MF_CPC_01222020
Description	LT2_01_29_2020	**Scenario**	SCN1
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 29, 2020 11:09:53 PM		
End date	Jan 29, 2020 11:57:36 PM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:47:43		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	**Debug**	Disabled

Populations

NSA_CPC

User Path	Percentage	WAN Emulation	Signal strength	Bandwidth #	Latency #	Packet loss % #	Bandwidth #	Latency #	Packet loss % #	Browser	Handle cookies	Connection	Handle cache
CPC_ALP_MultiLine	100.0%	Unlimited		Unlimited	0ms	0%	Unlimited	0ms	0%	Recorded one	Yes	6	New user

User Paths

Name	Description	On failed assertion	On error	Think time	Thinktime range
CPC_ALP_MultiLine		Go to the next iteration	Do nothing	0ms	0%

Rendezvous

Enabled	Name	Policy	Value	Timeout
Empty list				

Neotys

Name	23:09 - 29 Jan 2020	**Project**	MF_CPC_01222020
Description	LT2_01_29_2020	**Scenario**	SCN1
Status	✔ Passed	**Load Policy**	• The population NSA_CPC is customized
Start date	Jan 29, 2020 11:09:53 PM		
End date	Jan 29, 2020 11:57:36 PM	**Stop Policy**	• Population NSA_CPC: immediate.
Duration	00:47:43		
Termination reason	Manual action	**Filters**	None
LG Hosts	35.231.201.114:443 , 35.243.218.42:443 , 34.74.200.102:443 , 35.229.62.135:443 , 35.231.107.200:443 , 34.74.188.58:443 , 35.229.30.111:443 , 35.185.48.161:443 , 35.229.26.40:443 , 35.190.146.241:443	**Debug**	Disabled

NeoLoad version   6.8.0;build=20190103-16
Graphs granularity   Standard

Application proxy

Name	Description
Empty list	

Zone application proxies

Zone	Name	Description
Empty list		

Constant variables

Name	Value	Description
Empty list		

User Paths settings

CPC_ALP_MultiLine
Error policy: Do nothing
Assertion policy: Go to the next iteration
Thinktime policy: replaced by 0ms.
Pacing: No pacing

Servers

Host	Port	HTTP/2 ready	HTTP/2 used
www.verizonwireless.com	443	Yes	Yes
mobile-exp.ae.vzw.com	443	Yes	Yes
pie.prod.verizon.com	443	No	No
twbaccessmgr.verizonwireless.com	443	No	No
login.verizonwireless.com	443	No	No
scache.vzw.com	443	Yes	Yes
ecache.verizonwireless.com	443	Yes	Yes

Neotys

Graphs

Statistics

Population	Total requests	Average requests/s	Avg. Page res. time	Error rate
NSA_CPC	815030 (100%)	284.6	1.18s (0%)	0.3% (0%)
Global	815030 (100%)	284.6	1.18s	0.3%

Neotys

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile
CPC_ALP_MultiLine						
181.3	417.1	1,056	988	834	84.4	-

User Paths

Min	Avg	Max	Count	Err	% of Err	SLA Profile

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
Empty list											

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
👤 **CPC_ALP_MultiLine**											
181.3	417.1	1,056	988	834	84.4	-	-	-	-	-	-
📁 **Init**											
0	0	0.001	1,000	0	0	-	-	-	-	-	-
📁 **Actions**											
1.39	28.5	696.4	13,438	1,413	10.5	-	-	-	-	-	-
📁 **MF_CPC_01_OpenApp**											
0.473	0.574	1.61	14,377	0	0	0.57	0.619	0.701	0.045	0.57	-
📁 **MF_CPC_02_ImCustomer**											
0.029	0.04	60	14,312	1	0	0.033	0.056	0.087	0.501	0.034	-
📁 **MF_CPC_03_OAuthLogin**											
0.328	0.376	1.35	14,238	0	0	0.386	0.42	0.504	0.037	0.373	-
📁 **MF_CPC_04_SignInNext**											
0.395	4.75	310.7	14,164	84	0.6	3.16	4.23	17.3	20.4	3.2	-
📁 **MF_CPC_05_Account**											
0.194	0.825	20.8	14,069	0	0	0.641	1.23	2.49	1.44	0.689	-
📁 **MF_CPC_06_MyPlan**											
0.164	1.68	6.88	14,035	123	0.9	1.36	3.19	4.08	0.747	1.61	-
📁 **Then**											
-	-	-	-	0	-	-	-	-	-	-	-
📁 **Else**											
0	0	0.001	13,912	0	0	-	-	-	-	-	-
📁 **MF_CPC_07_SwitchPlan**											
0.978	7.97	300.2	13,807	152	1.1	4.23	26.9	27.8	8.77	7.02	-
📁 **MF_CPC_08_ExploreMMPlans**											
0.106	2.7	299.7	13,747	176	1.3	1.66	4.85	22.5	5.73	2.02	-
📁 **Then**											
0.111	4.7	117.5	10,479	499	4.8	-	-	-	-	-	-
📁 **MF_CPC_09_01SelectPlan_Line1**											
0.111	0.469	47	10,594	115	1.1	0.211	0.428	8.68	1.93	0.231	-
📁 **MF_CPC_12_01ContinueCPC**											
0.116	3.12	96.7	10,458	360	3.4	1.58	10.08	39.7	6.44	1.88	-
📁 **MF_CPC_13_01GenFeatureChangesGotIT**											
0.104	1.16	55.4	10,330	221	2.1	0.355	1.14	28	4.66	0.371	-
📁 **Else**											
0	0	0	3,109	0	0	-	-	-	-	-	-
📁 **Then**											
0.117	5.38	314.3	2,860	138	4.8	-	-	-	-	-	-

Neotys

	Min	Avg	Max	Count	Err	% of Err	Perc 50	Perc 95	Perc 99	Std Dev	Avg-90%	SLA Profile
📁 MF_CPC_09_02SelectPlan_Line1												
	0.103	0.487	51.3	2,921	29	1	0.209	0.415	10.26	2.07	0.229	-
📁 MF_CPC_10_02SelectPlan_Line2												
	0.106	0.482	35.6	2,885	3	0.1	0.208	0.442	9.96	1.92	0.227	-
📁 MF_CPC_12_02ContinueCPC												
	0.116	3.21	313.5	2,865	94	3.3	1.64	10.28	35.4	8.27	1.97	-
📁 MF_CPC_13_02GenFeatureChangesGotIT												
	0.103	1.23	55.2	2,831	71	2.5	0.353	1.11	28.6	4.86	0.372	-
📁 Else												
	0	0	0.001	10,513	0	0	-	-	-	-	-	-
📁 Then												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_09_03SelectPlan_Line1												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_10_03SelectPlan_Line2												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_11_03SelectPlan_Line3												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_12_03ContinueCPC												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 MF_CPC_13_03GenFeatureChangesGotIT												
	-	-	-	-	0	-	-	-	-	-	-	-
📁 Else												
	0	0	0.001	13,344	0	0	-	-	-	-	-	-
📁 MF_CPC_14_ReviewChangesContinue												
	0.101	0.753	54.9	13,243	27	0.2	0.224	0.733	17.4	3.16	0.244	-
📁 MF_CPC_15_PlanStartDate												
	0.116	5.14	311	13,156	535	4.1	3.35	12.5	36.8	8.39	3.96	-
📁 MF_CPC_16_Logout												
	0.031	0.134	1.88	12,869	1	0	0.126	0.173	0.264	0.037	0.129	-
📁 End												
	0	0	0	988	0	0	-	-	-	-	-	-

Neotys

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

Shared Containers

Min	Avg	Max	Count	Err	% of Err	SLA Profile
Empty list						

CPC_ALP_MultiLine

Min	Avg	Max	Count	Err	% of Err	SLA Profile
👤 **CPC_ALP_MultiLine**						
181.3	417.1	1,056	988	834	84.4	-
📁 **Actions**						
1.39	28.5	696.4	13,438	1,413	10.5	-
📁 **MF_CPC_01_OpenApp**						
0.473	0.574	1.61	14,377	0	0	-
🔵 **/mobileFirstSS/launchApp**						
0.17	0.225	300.2	14,439	1	0	-
🔵 **/hybridClient/is/image/Verizon...elcome_Main_1_300dpi**						
0.289	0.369	1.41	14,433	0	0	-
📁 **MF_CPC_02_ImCustomer**						
0.029	0.04	60	14,312	1	0	-
🔵 **/mobileFirstSS/userSignIn**						
0.029	0.04	60	14,374	1	0	-
📁 **MF_CPC_03_OAuthLogin**						
0.328	0.376	1.35	14,238	0	0	-
🔵 **/mobileFirstSS/signUp**						
0.027	0.035	0.376	14,312	0	0	-
🔵 **/vzauth/oauth2/authorize**						
0.256	0.299	1.27	14,310	0	0	-
🔵 **/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2**						
0.038	0.041	0.414	14,310	0	0	-
📁 **MF_CPC_04_SignInNext**						
0.395	4.75	310.7	14,164	84	0.6	-
🔵 **/vzauth/UI/Login**						
0.213	0.276	3.29	14,235	0	0	-
🔵 **/mobileFirstSS/launchApp**						
0.127	1.56	301.8	14,225	14	0.1	-
🔵 **/mobileFirstSS/asyncPullMyFeed**						
0.023	0.531	301.3	14,212	40	0.3	-
🔵 **/mobileFirstSS/loadCart**						
0.016	2.21	308.1	14,165	37	0.3	-
🔵 **/hybridClient/is/image/Verizon...00dollars-off-samsun**						
0.018	0.349	1.38	14,149	1	0	-
📁 **MF_CPC_05_Account**						
0.194	0.825	20.8	14,069	0	0	-
🔵 **/mobileFirstSS/accountLanding**						
0.194	0.825	20.8	14,109	0	0	-

Neotys

	Min	Avg	Max	Count	Err	% of Err	SLA Profile
📁 MF_CPC_06_MyPlan							
	0.164	1.68	6.88	14,035	123	0.9	-
🔵 /mobileFirstSS/myPlan							
	0.164	1.68	6.88	14,060	123	0.9	-
📁 MF_CPC_07_SwitchPlan							
	0.978	7.97	300.2	13,807	152	1.1	-
🔵 /vzauth/UI/Login							
	0.132	0.17	2.05	13,912	0	0	-
🔵 /vzauth/UI/Login_1							
	0.085	0.821	51.4	13,908	3	0	-
🔵 /digital/soe/digital/secure/exploreoptions							
	0.013	6.98	299.3	13,808	150	1.1	-
📁 MF_CPC_08_ExploreMMPlans							
	0.106	2.7	299.7	13,747	176	1.3	-
🔵 /digital/soe/digital/secure/explore_plan_mm							
	0.106	2.7	299.7	13,788	176	1.3	-
📁 Then							
	0.111	4.7	117.5	10,479	499	4.8	-
📁 MF_CPC_09_01SelectPlan_Line1							
	0.111	0.469	47	10,594	115	1.1	-
🔵 /digital/soe/digital/secure/mm_promotion							
	0.111	0.468	47	10,637	115	1.1	-
📁 MF_CPC_12_01ContinueCPC							
	0.116	3.12	96.7	10,458	360	3.4	-
🔵 /digital/soe/digital/secure/compareplanpage							
	0.106	1.95	77.3	10,492	189	1.8	-
🔵 /digital/soe/digital/secure/compareplanpage_2							
	0.109	1.17	55.2	10,438	300	2.9	-
📁 MF_CPC_13_01GenFeatureChangesGotIT							
	0.104	1.16	55.4	10,330	221	2.1	-
🔵 /digital/soe/digital/secure/compareplanpage							
	0.104	1.15	55.4	10,398	222	2.1	-
📁 Then							
	0.117	5.38	314.3	2,860	138	4.8	-
📁 MF_CPC_09_02SelectPlan_Line1							
	0.103	0.487	51.3	2,921	29	1	-
🔵 /digital/soe/digital/secure/mm_promotion							
	0.103	0.486	51.3	2,933	29	1	-
📁 MF_CPC_10_02SelectPlan_Line2							
	0.106	0.482	35.6	2,885	3	0.1	-
🔵 /digital/soe/digital/secure/mm_promotion							
	0.106	0.481	35.6	2,900	3	0.1	-
📁 MF_CPC_12_02ContinueCPC							
	0.116	3.21	313.5	2,865	94	3.3	-
🔵 /digital/soe/digital/secure/compareplanpage							
	0.105	2.06	299.1	2,880	52	1.8	-

Min	Avg	Max	Count	Err	% of Err	SLA Profile
			/digital/soe/digital/secure/compareplanpage_2			
0.153	1.14	55.2	2,871	83	2.9	-
			MF_CPC_13_02GenFeatureChangesGotIT			
0.103	1.23	55.2	2,831	71	2.5	-
			/digital/soe/digital/secure/compareplanpage			
0.103	1.22	55.2	2,852	71	2.5	-
			MF_CPC_14_ReviewChangesContinue			
0.101	0.753	54.9	13,243	27	0.2	-
			/digital/soe/digital/secure/effectivedate			
0.101	0.749	54.9	13,336	27	0.2	-
			MF_CPC_15_PlanStartDate			
0.116	5.14	311	13,156	535	4.1	-
			/digital/soe/digital/secure/reviewplan			
0.103	3.27	299.7	13,196	459	3.5	-
			/digital/soe/digital/secure/reviewplan_1			
0.104	1.9	299.1	13,007	254	2	-
			MF_CPC_16_Logout			
0.031	0.134	1.88	12,869	1	0	-
			/mobileFirstSS/invalidateSession			
0.031	0.134	1.88	12,935	1	0	-

Neotys

SLA per User Path

Shared Containers

SLA	Value	Severity
Empty list		

CPC_ALP_MultiLine

SLA	Value	Severity
👤 CPC_ALP_MultiLine		
📁 Actions		
📁 MF_CPC_01_OpenApp		
/mobileFirstSS/launchApp		
/hybridClient/is/image/Verizon...elcome_Main_1_300dpi		
📁 MF_CPC_02_ImCustomer		
/mobileFirstSS/userSignIn		
📁 MF_CPC_03_OAuthLogin		
/mobileFirstSS/signUp		
/vzauth/oauth2/authorize		
/am/content/fonts/NHaasGroteskDSStd-55Rg.woff2		
📁 MF_CPC_04_SignInNext		
/vzauth/UI/Login		
/mobileFirstSS/launchApp		
/mobileFirstSS/asyncPullMyFeed		
/mobileFirstSS/loadCart		
/hybridClient/is/image/Verizon...00dollars-off-samsun		
📁 MF_CPC_05_Account		
/mobileFirstSS/accountLanding		
📁 MF_CPC_06_MyPlan		
/mobileFirstSS/myPlan		
📁 MF_CPC_07_SwitchPlan		
/vzauth/UI/Login		
/vzauth/UI/Login_1		
/digital/soe/digital/secure/exploreoptions		
📁 MF_CPC_08_ExploreMMPlans		
/digital/soe/digital/secure/explore_plan_mm		
📁 Then		
📁 MF_CPC_09_01SelectPlan_Line1		
/digital/soe/digital/secure/mm_promotion		
📁 MF_CPC_12_01ContinueCPC		
/digital/soe/digital/secure/compareplanpage		
/digital/soe/digital/secure/compareplanpage_2		

Neotys

SLA	Value	Severity
📁 **MF_CPC_13_01GenFeatureChangesGotIT**		
🔵 **/digital/soe/digital/secure/compareplanpage**		
📁 **Then**		
📁 **MF_CPC_09_02SelectPlan_Line1**		
🔵 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_10_02SelectPlan_Line2**		
🔵 **/digital/soe/digital/secure/mm_promotion**		
📁 **MF_CPC_12_02ContinueCPC**		
🔵 **/digital/soe/digital/secure/compareplanpage**		
🔵 **/digital/soe/digital/secure/compareplanpage_2**		
📁 **MF_CPC_13_02GenFeatureChangesGotIT**		
🔵 **/digital/soe/digital/secure/compareplanpage**		
📁 **MF_CPC_14_ReviewChangesContinue**		
🔵 **/digital/soe/digital/secure/effectivedate**		
📁 **MF_CPC_15_PlanStartDate**		
🔵 **/digital/soe/digital/secure/reviewplan**		
🔵 **/digital/soe/digital/secure/reviewplan_1**		
📁 **MF_CPC_16_Logout**		
🔵 **/mobileFirstSS/invalidateSession**		

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration
Empty list						

CPC_ALP_MultiLine

Count	Errors	Bitrate	Played Time	Lag Duration	Lag Ratio	Fill Buffer Duration

Neotys

Controller
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
Controller/User Load					
0	624.1	1,000	669	634.2	314.2
Controller/Throughput					
0	104.4	234.2	111.4	104.2	51.9
Controller/Alerts					
0	0	0	0	0	-
Controller/Critical Alerts					
0	0	0	0	0	-
Controller/Warning Alerts					
0	0	0	0	0	-
Controller/CPU Load					
0	6.87	43	6	6.29	4.87
Controller/Memory Used					
3	8.53	15	8	8.5	3.14
Controller/Thread Count					
611	630.7	779	629	629.4	13
Controller/Connected					
10	10	10	10	10	0
Controller/Total Disconnections					
0	0	0	0	0	0
Controller/Total Reconnections					
0	0	0	0	0	0
Controller/Network/Segments sent/sec.					
0	1,102	5,304	983.4	1,028	1,098
Controller/Network/Segments retransmitted/sec.					
0	0.86	491	0	0	20.5
Controller/NeoLoad Web/Megabits received/sec.					
0	0	0	0	0	-
Controller/NeoLoad Web/Megabits sent/sec.					
0	0	0	0	0	-
Controller/Default zone/User Load					
0	0	0	0	0	-
Controller/USA East - South Carolina (Berkeley County)/User Load					
0	623.7	1,000	665	633.7	314.7
Controller/USA East - South Carolina (Berkeley County)/NSA_CPC/User Load					
0	623.7	1,000	665	633.7	314.7
Controller/USA East - South Carolina (Berkeley County)/N..._MultiLine/User Load					
0	623.7	1,000	665	633.7	314.7

LG 34.74.188.58:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.188.58:443/CPU Load					
0	3.74	21	3	3.54	2.27
LG 34.74.188.58:443/Memory Used					
1	15.9	32	16	15.9	7.06
LG 34.74.188.58:443/Throughput					
0	10.64	44.2	10.45	10.38	6.35
LG 34.74.188.58:443/User Load					
0	62.3	100	66	63.3	31.5

Neotys

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.188.58:443/Thread Count					
21	121.8	160	125	122.9	32.3
LG 34.74.188.58:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.188.58:443/Http client/Task Pool used					
0	0	0.033	0	0	0.003
LG 34.74.188.58:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.188.58:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.188.58:443/Controller Connection/Ping Duration (ms)					
26	30.1	121	27	27.1	15.1
LG 34.74.188.58:443/Network/Segments sent/sec.					
0	414.3	1,500	409.2	406.7	228.8
LG 34.74.188.58:443/Network/Segments retransmitted/sec.					
0	0.008	0.602	0	0	0.054
LG 34.74.188.58:443/Network/eth0 (eth0)/Megabits received/sec.					
0	11	46.3	10.82	10.75	6.56
LG 34.74.188.58:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.541	1.54	0.552	0.536	0.268

LG 34.74.200.102:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 34.74.200.102:443/CPU Load					
0	3.65	22	3	3.47	2.23
LG 34.74.200.102:443/Memory Used					
1	16.7	32	17	16.7	7.39
LG 34.74.200.102:443/Throughput					
0	10.42	25.2	10.59	10.31	5.82
LG 34.74.200.102:443/User Load					
0	62.4	100	67	63.4	31.4
LG 34.74.200.102:443/Thread Count					
21	121.8	160	126	122.9	32.2
LG 34.74.200.102:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 34.74.200.102:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 34.74.200.102:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 34.74.200.102:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 34.74.200.102:443/Controller Connection/Ping Duration (ms)					
27	29	70	27	27.2	8.29
LG 34.74.200.102:443/Network/Segments sent/sec.					
0	407.3	924.2	415.2	404.2	212.1
LG 34.74.200.102:443/Network/Segments retransmitted/sec.					
0	0.008	0.8	0	0	0.061
LG 34.74.200.102:443/Network/eth0 (eth0)/Megabits received/sec.					
0	10.79	26.1	10.96	10.68	6.02
LG 34.74.200.102:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.538	1.18	0.567	0.536	0.258

LG 35.185.48.161:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.185.48.161:443/CPU Load					
0	3.84	25	4	3.65	2.35
LG 35.185.48.161:443/Memory Used					
1	16.6	31	17	16.6	7.48
LG 35.185.48.161:443/Throughput					
0	10.21	26.4	10.45	10.06	5.75
LG 35.185.48.161:443/User Load					
0	62.5	100	67	63.4	31.4
LG 35.185.48.161:443/Thread Count					
21	121.7	160	126	122.8	32.2
LG 35.185.48.161:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.185.48.161:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.185.48.161:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.185.48.161:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.185.48.161:443/Controller Connection/Ping Duration (ms)					
27	28.6	65	27	27.3	6.33
LG 35.185.48.161:443/Network/Segments sent/sec.					
0	395.6	1,103	410.6	391.3	209.3
LG 35.185.48.161:443/Network/Segments retransmitted/sec.					
0	0.007	0.6	0	0	0.059
LG 35.185.48.161:443/Network/eth0 (eth0)/Megabits received/sec.					
0	10.57	27.2	10.87	10.42	5.94
LG 35.185.48.161:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.53	1.59	0.547	0.526	0.26

LG 35.190.146.241:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.146.241:443/CPU Load					
0	3.54	19	3	3.39	2.11
LG 35.190.146.241:443/Memory Used					
1	16.7	36	17	16.6	7.72
LG 35.190.146.241:443/Throughput					
0	10.34	28	10.4	10.19	5.8
LG 35.190.146.241:443/User Load					
0	62.3	100	66	63.3	31.5
LG 35.190.146.241:443/Thread Count					
21	121.4	160	125	122.6	32.3
LG 35.190.146.241:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.190.146.241:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.190.146.241:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.190.146.241:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.190.146.241:443/Controller Connection/Ping Duration (ms)					
25	28.5	66	27	26.9	7.77

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.190.146.241:443/Network/Segments sent/sec.						
	0	407.8	1,019	412	403.7	213.5
LG 35.190.146.241:443/Network/Segments retransmitted/sec.						
	0	0.007	0.8	0	0	0.057
LG 35.190.146.241:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	10.71	28.9	10.76	10.56	5.99
LG 35.190.146.241:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.538	1.33	0.557	0.536	0.257

LG 35.229.26.40:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.26.40:443/CPU Load						
	0	3.51	18	3	3.37	2.02
LG 35.229.26.40:443/Memory Used						
	1	17.4	35	18	17.4	8.24
LG 35.229.26.40:443/Throughput						
	0	10.56	34.6	10.72	10.41	5.93
LG 35.229.26.40:443/User Load						
	0	62.3	100	66	63.3	31.5
LG 35.229.26.40:443/Thread Count						
	21	121.5	160	126	122.7	32.3
LG 35.229.26.40:443/Http client/Thread Pool used						
	0.1	0.1	0.1	0.1	0.1	0
LG 35.229.26.40:443/Http client/Task Pool used						
	0	0	0.017	0	0	0.002
LG 35.229.26.40:443/Controller Connection/Disconnections						
	0	0	0	0	0	-
LG 35.229.26.40:443/Controller Connection/Reconnections						
	0	0	0	0	0	-
LG 35.229.26.40:443/Controller Connection/Ping Duration (ms)						
	27	29.7	64	27	28	8.84
LG 35.229.26.40:443/Network/Segments sent/sec.						
	0	413.3	1,089	427.6	408.8	216.6
LG 35.229.26.40:443/Network/Segments retransmitted/sec.						
	0	0.004	0.6	0	0	0.044
LG 35.229.26.40:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	10.94	35.6	11.1	10.78	6.13
LG 35.229.26.40:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.543	1.22	0.559	0.541	0.26

LG 35.229.30.111:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.30.111:443/CPU Load						
	0	3.71	21	3	3.53	2.16
LG 35.229.30.111:443/Memory Used						
	1	15.5	31	15	15.4	7.06
LG 35.229.30.111:443/Throughput						
	0	10.58	31.4	10.48	10.43	5.98
LG 35.229.30.111:443/User Load						
	0	62.6	100	67	63.6	31.4
LG 35.229.30.111:443/Thread Count						
	21	121.9	160	126	123	31.9

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.30.111:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.229.30.111:443/Http client/Task Pool used						
0	0	0.033	0	0	0.003	
LG 35.229.30.111:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.229.30.111:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.229.30.111:443/Controller Connection/Ping Duration (ms)						
27	28.9	71	27	27.1	8.23	
LG 35.229.30.111:443/Network/Segments sent/sec.						
0	414	1,137	417.2	409.7	218.3	
LG 35.229.30.111:443/Network/Segments retransmitted/sec.						
0	0.007	0.618	0	0	0.057	
LG 35.229.30.111:443/Network/eth0 (eth0)/Megabits received/sec.						
0	10.96	32.5	10.81	10.81	6.18	
LG 35.229.30.111:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.542	1.25	0.554	0.539	0.259	

LG 35.229.62.135:443
Performance Counters

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.229.62.135:443/CPU Load						
0	3.64	21	3	3.41	2.38	
LG 35.229.62.135:443/Memory Used						
1	16.8	36	17	16.8	7.8	
LG 35.229.62.135:443/Throughput						
0	9.94	27.1	9.93	9.81	5.65	
LG 35.229.62.135:443/User Load						
0	62.2	100	66.5	63.2	31.5	
LG 35.229.62.135:443/Thread Count						
21	121.4	160	126	122.6	32.1	
LG 35.229.62.135:443/Http client/Thread Pool used						
0.1	0.1	0.1	0.1	0.1	0	
LG 35.229.62.135:443/Http client/Task Pool used						
0	0	0.017	0	0	0.002	
LG 35.229.62.135:443/Controller Connection/Disconnections						
0	0	0	0	0	-	
LG 35.229.62.135:443/Controller Connection/Reconnections						
0	0	0	0	0	-	
LG 35.229.62.135:443/Controller Connection/Ping Duration (ms)						
27	28.3	67	27	27.5	5.75	
LG 35.229.62.135:443/Network/Segments sent/sec.						
0	391.9	1,013	393.9	388.3	206.9	
LG 35.229.62.135:443/Network/Segments retransmitted/sec.						
0	0.005	1	0	0	0.062	
LG 35.229.62.135:443/Network/eth0 (eth0)/Megabits received/sec.						
0	10.3	28.2	10.28	10.17	5.83	
LG 35.229.62.135:443/Network/eth0 (eth0)/Megabits sent/sec.						
0	0.525	1.58	0.538	0.522	0.256	

Neotys

LG 35.231.107.200:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.107.200:443/CPU Load					
0	3.82	21	4	3.66	2.2
LG 35.231.107.200:443/Memory Used					
1	16.3	32	16	16.3	7.19
LG 35.231.107.200:443/Throughput					
0	10.51	30.1	10.39	10.36	5.89
LG 35.231.107.200:443/User Load					
0	62.5	100	67	63.5	31.4
LG 35.231.107.200:443/Thread Count					
21	121.6	160	127	122.7	31.9
LG 35.231.107.200:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.107.200:443/Http client/Task Pool used					
0	0	0.033	0	0	0.002
LG 35.231.107.200:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.107.200:443/Controller Connection/Ping Duration (ms)					
24	28.5	68	27	27.2	6.62
LG 35.231.107.200:443/Network/Segments sent/sec.					
0	407.9	1,048	411.3	403.9	212.6
LG 35.231.107.200:443/Network/Segments retransmitted/sec.					
0	0.008	1	0	0	0.069
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits received/sec.					
0	10.88	31.1	10.74	10.73	6.08
LG 35.231.107.200:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.541	1.45	0.562	0.538	0.259

LG 35.231.201.114:443

Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/CPU Load					
0	3.61	16	3	3.45	2.07
LG 35.231.201.114:443/Memory Used					
1	17.9	38	18	17.8	8.39
LG 35.231.201.114:443/Throughput					
0	10.61	32.9	10.89	10.46	5.9
LG 35.231.201.114:443/User Load					
0	62.4	100	67	63.4	31.5
LG 35.231.201.114:443/Thread Count					
21	121.6	160	126	122.7	32.1
LG 35.231.201.114:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.231.201.114:443/Http client/Task Pool used					
0	0	0.017	0	0	0.003
LG 35.231.201.114:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.231.201.114:443/Controller Connection/Ping Duration (ms)					
26	28.1	65	27	26.5	7.53

Neotys

	Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.231.201.114:443/Network/Segments sent/sec.						
	0	417.7	1,177	434	413.8	217.7
LG 35.231.201.114:443/Network/Segments retransmitted/sec.						
	0	0.006	0.6	0	0	0.05
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits received/sec.						
	0	10.99	34	11.3	10.84	6.1
LG 35.231.201.114:443/Network/eth0 (eth0)/Megabits sent/sec.						
	0	0.541	1.32	0.567	0.54	0.259

LG 35.243.218.42:443
Performance Counters

Min	Avg	Max	Med	Avg-90%	Std Dev
LG 35.243.218.42:443/CPU Load					
0	3.63	18	3	3.45	2.16
LG 35.243.218.42:443/Memory Used					
1	16.5	32	17	16.6	7.34
LG 35.243.218.42:443/Throughput					
0	10.5	31	10.75	10.33	5.96
LG 35.243.218.42:443/User Load					
0	62.2	100	66	63.2	31.6
LG 35.243.218.42:443/Thread Count					
21	121.3	160	125	122.5	32.5
LG 35.243.218.42:443/Http client/Thread Pool used					
0.1	0.1	0.1	0.1	0.1	0
LG 35.243.218.42:443/Http client/Task Pool used					
0	0	0.017	0	0	0.002
LG 35.243.218.42:443/Controller Connection/Disconnections					
0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Reconnections					
0	0	0	0	0	-
LG 35.243.218.42:443/Controller Connection/Ping Duration (ms)					
26	29	66	27	27.5	7.54
LG 35.243.218.42:443/Network/Segments sent/sec.					
0	413.1	1,101	429.5	408.7	218.2
LG 35.243.218.42:443/Network/Segments retransmitted/sec.					
0	0.007	0.8	0	0	0.059
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits received/sec.					
0	10.88	32	11.2	10.71	6.16
LG 35.243.218.42:443/Network/eth0 (eth0)/Megabits sent/sec.					
0	0.544	1.35	0.567	0.543	0.262

Neotys

Average page response time

Average page response time

Min	Average	Max
0.325	1.179	3.426

Notes: Displays the average response time, in seconds, of all pages during the test.

Neotys

Average request response time

Min	Average	Max
0.173	0.539	299.758

Notes: Displays the average response time, in seconds, of all requests during the test.

Neotys

Average response time (Transactions)

Min	Average	Max	Median	Avg-90%	Std. Dev.
0.593	2.095	5.986	1.423	1.978	1.2

**Notes:** Displays the average response time, in seconds, of all Transactions during the test.

Neotys

Requests per second

Min	Average	Max
0	275.3	589.8

Notes: Displays the number of requests per second.

Errors

Min	Average	Max
0	15.9	536

Notes: Displays the number of errors per sampling interval.

Throughput

Min	Average	Max
0	100.6	216.29

Notes: Displays the number of megabits of data per second returned by the server.

Neotys

Response time against load

Response time against load

Min	Average	Max
0.222	0.831	2.8

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Neotys

Distribution of Transaction Durations

Distribution of Transaction Durations

Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.