

AEM BasicPhones Old Url-Main LT- TDC



| | |
|----------|--------------------------------------|
| Date | Apr 9, 2020 12:50:04 AM |
| Project | MVOPEGA |
| Scenario | BasicPhones_MainLT |
| Comment | |
| Notes | AEM BasicPhones Old Url-Main LT- TDC |

| | |
|--|----|
| Table of Contents..... | 2 |
| Summary..... | 3 |
| Results summary..... | 3 |
| Statistics Summary..... | 3 |
| Hot spots..... | 5 |
| Errors..... | 5 |
| Alerts..... | 5 |
| General statistics..... | 5 |
| Transaction statistics..... | 5 |
| Execution context..... | 8 |
| Scenario | 6 |
| Servers..... | 10 |
| Populations..... | 11 |
| User Paths..... | 12 |
| Transactions..... | 13 |
| Pages..... | 15 |
| Requests..... | 16 |
| Media Contents..... | 20 |
| Push messages..... | 14 |
| Monitors..... | 21 |
| Main graphs..... | 37 |
| Average page response time..... | 37 |
| Average request response time..... | 38 |
| Average response time (Transactions)..... | 39 |
| Requests per second..... | 40 |
| Errors..... | 41 |
| Throughput..... | 42 |
| Response time against load..... | 43 |
| Distribution of Transaction Durations..... | 44 |

Summary

Results summary


| | | | |
|---------------------------|---|--------------------|--|
| Name | 00:49 - 9 Apr 2020_BasicPhones_OldUrl_Ma | Project | MVOPEGA |
| Description | | Scenario | BasicPhones_MainLT |
| Status | ✓ Passed | Load Policy | • The population BasicPhones_Old is customized |
| Start date | Apr 9, 2020 12:50:04 AM | | |
| End date | Apr 9, 2020 1:20:13 AM | Stop Policy | • Population BasicPhones_Old: immediate. |
| Duration | 00:30:09 | | |
| Termination reason | Manual action | Filters | None |
| LG Hosts | 35.221.1.81:443 , 35.245.133.49:443 , 35.245.233.12:443 , 35.188.230.36:443 , 35.245.91.85:443 , 35.188.253.136:443 , 35.245.146.202:443 , 35.188.250.117:443 , 35.230.167.99:443 , 35.245.253.233:443 , 35.230.180.22:443 , 35.236.255.189:443 , 35.236.238.140:443 , 35.245.163.23:443 , 35.236.215.133:443 , 35.188.231.219:443 , 35.245.39.78:443 , 35.199.12.243:443 , 35.245.6.100:443 , 35.236.229.26:443 , 35.245.24.239:443 , 35.245.78.49:443 , 35.186.181.82:443 , 35.186.186.22:443 , 35.245.124.42:443 | Debug | Disabled |

Statistics Summary

| | | | | | |
|-----------------------------------|------------|---|--------------------------------------|-------------|---|
| Total pages | 2238339 | — | Average pages/s | 1,236.7 | — |
| Total requests | 5819890 | — | Average requests/s | 3,215.4 | — |
| Total users launched | 3000 | — | Average Request response time | 0.021 s | — |
| Total iterations completed | 220923 | — | Average Page response time | 0.039 s | — |
| Total throughput | 158,290 MB | — | Average throughput | 699.62 Mb/s | — |

| | | | | | |
|----------------------|---|---|-----------------------|-----|---|
| Total request errors | 0 | — | Error rate | 0 % | — |
| Total action errors | 0 | — | Alerts total duration | 0 % | — |

— = No SLA
 ☀ = Passed
 ☁ = Warning
 ⚡ = Failed



Hot spots

Top 5 errors

No errors on pages

Top 5 alerts

No alerts

First critical alerts

No alerts

Top 5 average response time (Pages)

| User Path | Parent | Page | Duration |
|-----------------|------------|--|----------|
| BasicPhones_Old | Launch_Old | /basic-phones | 0.177 |
| BasicPhones_Old | Launch_Old | /content/vzw-engage/c2c/btn.dis...ntainer-desktop.html | 0.047 |
| BasicPhones_Old | Launch_Old | /od/cradle/gnavService | 0.042 |
| BasicPhones_Old | Launch_Old | /e/onedigital/sri/build/logger.js | 0.029 |
| BasicPhones_Old | Launch_Old | /favicon.ico | 0.02 |

Top 5 maximum response time (Pages)

| User Path | Parent | Page | Duration |
|-----------------|------------|--|----------|
| BasicPhones_Old | Launch_Old | /e/onedigital/sri/build/logger.js | 15.1 |
| BasicPhones_Old | Launch_Old | /ui-one-digital/gn/build/gnav.css | 15 |
| BasicPhones_Old | Launch_Old | /content/vzw-engage/c2c/btn.dis...ntainer-desktop.html | 15 |
| BasicPhones_Old | Launch_Old | /e/onedigital/uf/build/assets/css/gw.min.css | 15 |
| BasicPhones_Old | Launch_Old | /pagead/viewthroughconversion/1052677307/_1 | 12.8 |

Errors

Request errors

No errors

Action errors

No errors

Alerts

No alerts

General statistics

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|----------------|-------|------|-----------|-----|----------|-------------|
| All User Paths | | | | | | |
| 7.54 | 28.8 | 72.3 | 3,000 | 0 | 0 | - |
| All pages | | | | | | |
| 0 | 0.038 | 15.1 | 2,238,339 | 0 | 0 | - |
| All requests | | | | | | |
| 0 | 0.02 | 15 | 5,819,890 | 0 | 0 | - |

Transaction statistics

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------------|-------|------|---------|-----|----------|---------|---------|---------|---------|---------|-------------|
| All Transactions | | | | | | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | 0.37 | 0.505 | 0.755 | 0.32 | 0.369 | - |

Scenario

Summary

| | | | |
|---------------------------|--|--------------------|--|
| Name | 00:49 - 9 Apr 2020_BasicPhones_OldUrl_Ma | Project | MVOPEGA |
| Description | | Scenario | BasicPhones_MainLT |
| Status | ✓ Passed | Load Policy | • The population BasicPhones_Old is customized |
| Start date | Apr 9, 2020 12:50:04 AM | | |
| End date | Apr 9, 2020 1:20:13 AM | Stop Policy | • Population BasicPhones_Old: immediate. |
| Duration | 00:30:09 | | |
| Termination reason | Manual action | Filters | None |
| LG Hosts | 35.221.1.81:443 , 35.245.133.49:443 , 35.245.233.12:443 , 35.188.230.36:443 , 35.245.91.85:443 , 35.188.253.136:443 , 35.245.146.202:443 , 35.188.250.117:443 , 35.230.167.99:443 , 35.245.253.233:443 , 35.230.180.22:443 , 35.236.255.189:443 , 35.236.238.140:443 , 35.245.163.23:443 , 35.236.215.133:443 , 35.188.231.219:443 , 35.245.39.78:443 , 35.199.12.243:443 , 35.245.6.100:443 , 35.236.229.26:443 , 35.245.24.239:443 , 35.245.78.49:443 , 35.186.181.82:443 , 35.186.186.22:443 , | Debug | Disabled |

| | | | |
|--|-------------------|--|--|
| | 35.245.124.42:443 | | |
|--|-------------------|--|--|

Populations

BasicPhones_Old

| User Path | Percentage | WAN Emulation | Signal strength | Bandwidth # | Latency # | Packet loss % # | Bandwidth # | Latency # | Packet loss % # | Browser | Handle cookies | Connection | Handle cache |
|-----------------|------------|---------------|-----------------|-------------|-----------|-----------------|-------------|-----------|-----------------|-------------|----------------|------------|--------------|
| BasicPhones_Old | 100.0% | Unlimited | | Unlimited | 0ms | 0% | Unlimited | 0ms | 0% | Chrome 37.0 | Yes | 6 | New user |

User Paths

| Name | Description | On failed assertion | On error | Think time | Thinktime range |
|-----------------|-------------|--------------------------|--------------------------|------------|-----------------|
| BasicPhones_Old | | Go to the next iteration | Go to the next iteration | 0ms | 0% |

Rendezvous

| Enabled | Name | Policy | Value | Timeout |
|------------|------|--------|-------|---------|
| Empty list | | | | |

Execution context

| | | | |
|---------------------------|---|--------------------|--|
| Name | 00:49 - 9 Apr 2020_BasicPhones_OldUrl_Ma | Project | MVOPEGA |
| Description | | Scenario | BasicPhones_MainLT |
| Status | ✓ Passed | Load Policy | • The population BasicPhones_Old is customized |
| Start date | Apr 9, 2020 12:50:04 AM | | |
| End date | Apr 9, 2020 1:20:13 AM | Stop Policy | • Population BasicPhones_Old: immediate. |
| Duration | 00:30:09 | | |
| Termination reason | Manual action | Filters | None |
| LG Hosts | 35.221.1.81:443 , 35.245.133.49:443 , 35.245.233.12:443 , 35.188.230.36:443 , 35.245.91.85:443 , 35.188.253.136:443 , 35.245.146.202:443 , 35.188.250.117:443 , 35.230.167.99:443 , 35.245.253.233:443 , 35.230.180.22:443 , 35.236.255.189:443 , 35.236.238.140:443 , 35.245.163.23:443 , 35.236.215.133:443 , 35.188.231.219:443 , 35.245.39.78:443 , 35.199.12.243:443 , 35.245.6.100:443 , 35.236.229.26:443 , 35.245.24.239:443 , 35.245.78.49:443 , 35.186.181.82:443 , 35.186.186.22:443 , 35.245.124.42:443 | Debug | Disabled |

NeoLoad version
Graphs granularity

6.8.0;build=20190103-16
Standard

Application proxy

| Name | Description |
|------------|-------------|
| Empty list | |

Zone application proxies

| Zone | Name | Description |
|------------|------|-------------|
| Empty list | | |

Constant variables

| Name | Value | Description |
|------------|-------|-------------|
| Empty list | | |



User Paths settings

| | | |
|------------------------|--------------------------|--|
| BasicPhones_Old | | |
| Error policy: | Go to the next iteration | |
| Assertion policy: | Go to the next iteration | |
| Thinktime policy: | replaced by 0ms. | |
| Pacing: | No pacing | |

Servers

| Host | Port | HTTP/2 ready | HTTP/2 used |
|-------------------------|------|--------------|-------------|
| ss72.vzw.com | 443 | | No |
| www.verizonwireless.com | 443 | | No |
| scache1.vzw.com | 443 | | No |
| ss7.vzw.com | 443 | | No |
| scache.vzw.com | 443 | | No |
| scache2.vzw.com | 443 | | No |
| ss73.vzw.com | 443 | | No |
| ss71.vzw.com | 443 | | No |


Graphs



Statistics

| Population | Total requests | Average requests/s | Avg. Page res. time | Error rate |
|-----------------|----------------|--------------------|---------------------|------------|
| BasicPhones_Old | 5819890 (100%) | 3,215.4 | 0.039s (0%) | 0% (- %) |
| Global | 5819890 (100%) | 3,215.4 | 0.039s | 0% |






User Paths

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|------|------|-------|-----|----------|-------------|
|  BasicPhones_Old | | | | | | |
| 7.54 | 28.8 | 72.3 | 3,000 | 0 | 0 | - |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|------------|-----|-----|-------|-----|----------|---------|---------|---------|---------|---------|-------------|
| Empty list | | | | | | | | | | | |

BasicPhones_Old

| Min | Avg | Max | Count | Err | % of Err | Perc 50 | Perc 95 | Perc 99 | Std Dev | Avg-90% | SLA Profile |
|---|-------|-------|---------|-----|----------|---------|---------|---------|---------|---------|-------------|
|  BasicPhones_Old | | | | | | | | | | | |
| 7.54 | 28.8 | 72.3 | 3,000 | 0 | 0 | - | - | - | - | - | - |
|  Init | | | | | | | | | | | |
| 0 | 0 | 0.002 | 3,000 | 0 | 0 | - | - | - | - | - | - |
|  Actions | | | | | | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | - | - | - | - | - | - |
|  Launch_Old | | | | | | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | 0.37 | 0.505 | 0.755 | 0.32 | 0.369 | - |
|  End | | | | | | | | | | | |
| 0 | 0 | 0.001 | 3,000 | 0 | 0 | - | - | - | - | - | - |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |














BasicPhones_Old

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |




















BasicPhones_Old





















| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|-------|-------|---------|-----|----------|-------------|
|  BasicPhones_Old | | | | | | |
| 7.54 | 28.8 | 72.3 | 3,000 | 0 | 0 | - |
|  Actions | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | - |
|  Launch_Old | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | - |
|  /basic-phones | | | | | | |
| 0.109 | 0.177 | 1.35 | 223,866 | 0 | 0 | - |
|  /e/onedigital/sri/build/logger.js | | | | | | |
| 0.016 | 0.029 | 15.1 | 223,854 | 0 | 0 | - |
|  /ui-one-digital/gn/build/gnav.css | | | | | | |
| 0.009 | 0.018 | 15 | 223,848 | 0 | 0 | - |
|  /e/onedigital/uf/build/assets/css/gw.min.css | | | | | | |
| 0.01 | 0.02 | 15 | 223,845 | 0 | 0 | - |
|  /od/cradle/gnavService | | | | | | |
| 0.021 | 0.042 | 1.05 | 223,838 | 0 | 0 | - |
|  /ddm/fls/i/dc_pre=CNTg-eHC1ugC...bwi0;ord=64784299269 | | | | | | |
| 0.005 | 0.009 | 0.395 | 223,837 | 0 | 0 | - |
|  /content/vzw-engage/c2c/btn.di...ntainer-desktop.html | | | | | | |
| 0.032 | 0.047 | 15 | 223,824 | 0 | 0 | - |
|  /inqchat.html | | | | | | |
| 0.012 | 0.019 | 0.358 | 223,812 | 0 | 0 | - |
|  /pagead/viewthroughconversion/1052677307/_1 | | | | | | |
| 0 | 0.002 | 12.8 | 223,811 | 0 | 0 | - |
|  /favicon.ico | | | | | | |
| 0.012 | 0.02 | 0.368 | 223,804 | 0 | 0 | - |

Shared Containers

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|------------|-----|-----|-------|-----|----------|-------------|
| Empty list | | | | | | |

BasicPhones_Old

| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|-------|-------|---------|-----|----------|-------------|
|  BasicPhones_Old | | | | | | |
| 7.54 | 28.8 | 72.3 | 3,000 | 0 | 0 | - |
|  Actions | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | - |
|  Launch_Old | | | | | | |
| 0.252 | 0.386 | 15.6 | 220,923 | 0 | 0 | - |
|  /basic-phones | | | | | | |
| 0.109 | 0.177 | 1.35 | 223,866 | 0 | 0 | - |
|  /basic-phones | | | | | | |
| 0.064 | 0.099 | 1.16 | 223,900 | 0 | 0 | - |
|  /basic-phones/ | | | | | | |
| 0.04 | 0.078 | 0.993 | 223,890 | 0 | 0 | - |
|  /e/onedigital/sri/build/logger.js | | | | | | |
| 0.016 | 0.029 | 15.1 | 223,854 | 0 | 0 | - |
|  /e/onedigital/sri/build/logger.js | | | | | | |
| 0.007 | 0.015 | 15 | 223,866 | 0 | 0 | - |
|  /e/onedigital/uf/build/gw/bundle.gw.js | | | | | | |
| 0.007 | 0.013 | 0.481 | 223,855 | 0 | 0 | - |
|  /e/onedigital/uf/build/match...bundle.matchMedia.js | | | | | | |
| 0.003 | 0.012 | 2.76 | 223,857 | 0 | 0 | - |
|  /ui-one-digital/gn/build/gnav.css | | | | | | |
| 0.009 | 0.018 | 15 | 223,848 | 0 | 0 | - |
|  /ui-one-digital/gn/build/gnav.css | | | | | | |
| 0.007 | 0.015 | 15 | 223,854 | 0 | 0 | - |
|  /ui-one-digital/gn/build/gnav.js | | | | | | |
| 0.001 | 0.002 | 0.113 | 223,848 | 0 | 0 | - |
|  /e/onedigital/uf/build/assets/css/gw.min.css | | | | | | |
| 0.01 | 0.02 | 15 | 223,845 | 0 | 0 | - |
|  /e/onedigital/uf/build/assets/css/gw.min.css | | | | | | |
| 0.008 | 0.015 | 15 | 223,848 | 0 | 0 | - |
|  /preorderUI/shop/iconicexpressconfiginventory.json | | | | | | |
| 0 | 0.001 | 0.47 | 223,846 | 0 | 0 | - |
|  /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | | | | | |
| 0.002 | 0.003 | 0.463 | 223,846 | 0 | 0 | - |
|  /ui-one-digital/global-foote...ct.globalfooter.json | | | | | | |
| 0 | 0.001 | 0.329 | 223,846 | 0 | 0 | - |
|  /od/cradle/gnavService | | | | | | |
| 0.021 | 0.042 | 1.05 | 223,838 | 0 | 0 | - |







| Min | Avg | Max | Count | Err | % of Err | SLA Profile |
|---|-------|-------|---------|-----|----------|-------------|
|  /od/cradle/gnavService | | | | | | |
| 0.021 | 0.042 | 1.05 | 223,845 | 0 | 0 | - |
|  /ddm/fls/i/dc_pre=CNTg-eHC1ugC...bwi0;ord=64784299269 | | | | | | |
| 0.005 | 0.009 | 0.395 | 223,837 | 0 | 0 | - |
|  /askverizon/js/askverizon.js | | | | | | |
| 0.004 | 0.007 | 0.394 | 223,838 | 0 | 0 | - |
|  /support/etc/designs/support_rd/c2c.js | | | | | | |
| 0.001 | 0.002 | 0.208 | 223,837 | 0 | 0 | - |
|  /content/vzw-engage/c2c/btn.di...ntainer-desktop.html | | | | | | |
| 0.032 | 0.047 | 15 | 223,824 | 0 | 0 | - |
|  /content/vzw-engage/c2c/btn....ntainer-desktop.html | | | | | | |
| 0.014 | 0.021 | 1.02 | 223,837 | 0 | 0 | - |
|  /is/image/VerizonWireless/eT...Prepaid_Phone_051519 | | | | | | |
| 0.009 | 0.021 | 15 | 223,828 | 0 | 0 | - |
|  /is/image/VerizonWireless/eT...Prepaid_Phone_051519 | | | | | | |
| 0.01 | 0.021 | 15 | 223,827 | 0 | 0 | - |
|  /is/image/VerizonWireless/Sonim-XP5S-Black-05012019 | | | | | | |
| 0.01 | 0.021 | 15 | 223,830 | 0 | 0 | - |
|  /is/image/VerizonWireless/Sonim-XP5S-Black-05012019 | | | | | | |
| 0.009 | 0.021 | 15 | 223,829 | 0 | 0 | - |
|  /is/image/VerizonWireless/alcatel-go-flip-black | | | | | | |
| 0.009 | 0.02 | 7.01 | 223,829 | 0 | 0 | - |
|  /is/image/VerizonWireless/alcatel-go-flip-black | | | | | | |
| 0.002 | 0.021 | 7.01 | 223,830 | 0 | 0 | - |
|  /is/image/VerizonWireless/orbic-journey-v-basic | | | | | | |
| 0.009 | 0.02 | 13 | 223,827 | 0 | 0 | - |
|  /is/image/VerizonWireless/orbic-journey-v-basic | | | | | | |
| 0.003 | 0.021 | 3.02 | 223,830 | 0 | 0 | - |
|  /inqchat.html | | | | | | |
| 0.012 | 0.019 | 0.358 | 223,812 | 0 | 0 | - |
|  /inqchat.html | | | | | | |
| 0.012 | 0.019 | 0.358 | 223,824 | 0 | 0 | - |
|  /pagead/viewthroughconversion/1052677307/_1 | | | | | | |
| 0 | 0.002 | 12.8 | 223,811 | 0 | 0 | - |
|  /content/dam/support_rd/callIcon.png | | | | | | |
| 0 | 0.002 | 12.8 | 223,812 | 0 | 0 | - |
|  /favicon.ico | | | | | | |
| 0.012 | 0.02 | 0.368 | 223,804 | 0 | 0 | - |
|  /favicon.ico | | | | | | |
| 0.012 | 0.02 | 0.368 | 223,811 | 0 | 0 | - |

Shared Containers

| SLA | Value | Severity |
|------------|-------|----------|
| Empty list | | |

BasicPhones_Old

| SLA | Value | Severity |
|---|-------|----------|
|  BasicPhones_Old | | |
|  Actions | | |
|  Launch_Old | | |
|  /basic-phones | | |
|  /basic-phones | | |
|  /basic-phones/ | | |
|  /e/onedigital/sri/build/logger.js | | |
|  /e/onedigital/sri/build/logger.js | | |
|  /e/onedigital/uf/build/gw/bundle.gw.js | | |
|  /e/onedigital/uf/build/match...bundle.matchMedia.js | | |
|  /ui-one-digital/gn/build/gnav.css | | |
|  /ui-one-digital/gn/build/gnav.css | | |
|  /ui-one-digital/gn/build/gnav.js | | |
|  /e/onedigital/uf/build/assets/css/gw.min.css | | |
|  /e/onedigital/uf/build/assets/css/gw.min.css | | |
|  /preorderUI/shop/iconicexpressconfiginventory.json | | |
|  /globalnav/fonts/NeueHaasGroteskDisplay.woff2 | | |
|  /ui-one-digital/global-foote...ct.globalfooter.json | | |
|  /od/cradle/gnavService | | |
|  /od/cradle/gnavService | | |
|  /ddm/fls/i/dc_pre=CNTg-eHC1ugC...bwi0;ord=64784299269 | | |
|  /askverizon/js/askverizon.js | | |
|  /support/etc/designs/support_rd/c2c.js | | |
|  /content/vzw-engage/c2c/btn.di...ntainer-desktop.html | | |
|  /content/vzw-engage/c2c/btn....ntainer-desktop.html | | |
|  /is/image/VerizonWireless/eT...Prepaid_Phone_051519 | | |
|  /is/image/VerizonWireless/eT...Prepaid_Phone_051519 | | |
|  /is/image/VerizonWireless/Sonim-XP5S-Black-05012019 | | |
|  /is/image/VerizonWireless/Sonim-XP5S-Black-05012019 | | |
|  /is/image/VerizonWireless/alcatel-go-flip-black | | |
|  /is/image/VerizonWireless/alcatel-go-flip-black | | |
|  /is/image/VerizonWireless/orbic-journey-v-basic | | |
|  /is/image/VerizonWireless/orbic-journey-v-basic | | |

| SLA | Value | Severity |
|---|-------|----------|
|  /inqchat.html | | |
|  /inqchat.html | | |
|  /pagead/viewthroughconversion/1052677307/_1 | | |
|  /content/dam/support_rd/calllcon.png | | |
|  /favicon.ico | | |
|  /favicon.ico | | |

BasicPhones_Old

| Count | Errors | Bitrate | Played Time | Lag Duration | Lag Ratio | Fill Buffer Duration |
|------------|--------|---------|-------------|--------------|-----------|----------------------|
| Empty list | | | | | | |

Controller

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|--------|--------|--------|---------|---------|
| Controller/User Load | | | | | |
| 0 | 1,473 | 3,000 | 1,498 | 1,459 | 889 |
| Controller/Throughput | | | | | |
| 0 | 690 | 1,549 | 670.5 | 679 | 418.3 |
| Controller/Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Critical Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Warning Alerts | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/CPU Load | | | | | |
| 18 | 22.7 | 37 | 23 | 22.6 | 2.22 |
| Controller/Memory Used | | | | | |
| 2 | 6.7 | 11 | 7 | 6.66 | 2.45 |
| Controller/Thread Count | | | | | |
| 682 | 691.3 | 712 | 690 | 690.7 | 4.92 |
| Controller/Connected | | | | | |
| 25 | 25 | 25 | 25 | 25 | 0 |
| Controller/Total Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Total Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 |
| Controller/Network/Segments sent/sec. | | | | | |
| 4,831 | 14,933 | 24,520 | 14,378 | 14,879 | 3,275 |
| Controller/Network/Segments retransmitted/sec. | | | | | |
| 0 | 44.8 | 1,561 | 0 | 11.4 | 166.8 |
| Controller/NeoLoad Web/Megabits received/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/NeoLoad Web/Megabits sent/sec. | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/Default zone/User Load | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| Controller/USA East - Virginia (Ashburn 3)/User Load | | | | | |
| 0 | 1,469 | 3,000 | 1,497 | 1,455 | 891.1 |
| Controller/USA East - Virginia (Ashburn 3)/BasicPhones_Old/User Load | | | | | |
| 0 | 1,473 | 3,000 | 1,498 | 1,459 | 889 |
| Controller/USA East - Virginia (Ashburn 3)/BasicPhones_O...Phones_Old/User Load | | | | | |
| 0 | 1,473 | 3,000 | 1,498 | 1,459 | 889 |

LG 35.186.181.82:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|------|------|---------|---------|
| LG 35.186.181.82:443/CPU Load | | | | | |
| 0 | 14.7 | 35 | 13 | 14.4 | 8.72 |
| LG 35.186.181.82:443/Memory Used | | | | | |
| 0 | 10.09 | 34 | 9 | 9.42 | 6.51 |
| LG 35.186.181.82:443/Throughput | | | | | |
| 0 | 27.5 | 64.2 | 25.1 | 27 | 17.2 |
| LG 35.186.181.82:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.1 | 35.7 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.186.181.82:443/Thread Count | | | | | |
| 0 | 120.4 | 192 | 121 | 119.8 | 39.8 |
| LG 35.186.181.82:443/Http client/Thread Pool used | | | | | |
| 0 | 0.112 | 0.16 | 0.105 | 0.111 | 0.017 |
| LG 35.186.181.82:443/Http client/Task Pool used | | | | | |
| 0 | 0.004 | 0.133 | 0 | 0.001 | 0.015 |
| LG 35.186.181.82:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.181.82:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.181.82:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.71 | 35 | 4 | 4.65 | 5.67 |
| LG 35.186.181.82:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,757 | 4,101 | 1,616 | 1,725 | 1,087 |
| LG 35.186.181.82:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.253 | 47.4 | 0 | 0 | 2.91 |
| LG 35.186.181.82:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 28.9 | 67.5 | 26.3 | 28.4 | 18 |
| LG 35.186.181.82:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.008 | 2.29 | 5.24 | 2.11 | 2.25 | 1.4 |

LG 35.186.186.22:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.186.186.22:443/CPU Load | | | | | |
| 0 | 14.2 | 37 | 13 | 13.8 | 8.43 |
| LG 35.186.186.22:443/Memory Used | | | | | |
| 0 | 9.7 | 35 | 9 | 9.04 | 6.19 |
| LG 35.186.186.22:443/Throughput | | | | | |
| 0 | 27.4 | 70 | 25.2 | 26.8 | 17.1 |
| LG 35.186.186.22:443/User Load | | | | | |
| 0 | 58.6 | 120 | 60 | 58.1 | 35.7 |
| LG 35.186.186.22:443/Thread Count | | | | | |
| 0 | 120.6 | 192 | 119 | 120.1 | 39.8 |
| LG 35.186.186.22:443/Http client/Thread Pool used | | | | | |
| 0 | 0.112 | 0.15 | 0.11 | 0.111 | 0.014 |
| LG 35.186.186.22:443/Http client/Task Pool used | | | | | |
| 0 | 0.004 | 0.2 | 0 | 0.001 | 0.019 |
| LG 35.186.186.22:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.186.22:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.186.186.22:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.05 | 34 | 4 | 4.04 | 5.5 |
| LG 35.186.186.22:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,757 | 4,459 | 1,609 | 1,714 | 1,085 |
| LG 35.186.186.22:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.278 | 52 | 0 | 0 | 3.26 |
| LG 35.186.186.22:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 28.8 | 73.5 | 26.4 | 28.1 | 17.9 |
| LG 35.186.186.22:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.007 | 2.29 | 5.74 | 2.12 | 2.23 | 1.39 |

LG 35.188.230.36:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.188.230.36:443/CPU Load | | | | | |
| 0 | 15.2 | 38 | 14 | 14.9 | 8.88 |
| LG 35.188.230.36:443/Memory Used | | | | | |
| 0 | 10.29 | 36 | 8 | 9.6 | 6.88 |
| LG 35.188.230.36:443/Throughput | | | | | |
| 0 | 27.5 | 63.8 | 24.7 | 26.9 | 17 |
| LG 35.188.230.36:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.1 | 35.7 |
| LG 35.188.230.36:443/Thread Count | | | | | |
| 0 | 120.4 | 190 | 119 | 120 | 39.3 |
| LG 35.188.230.36:443/Http client/Thread Pool used | | | | | |
| 0 | 0.113 | 0.18 | 0.11 | 0.111 | 0.017 |
| LG 35.188.230.36:443/Http client/Task Pool used | | | | | |
| 0 | 0.007 | 0.283 | 0 | 0.001 | 0.027 |
| LG 35.188.230.36:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.230.36:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.230.36:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 6.67 | 24 | 4 | 5.9 | 6.54 |
| LG 35.188.230.36:443/Network/Segments sent/sec. | | | | | |
| 4.4 | 1,672 | 3,844 | 1,511 | 1,639 | 1,027 |
| LG 35.188.230.36:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.232 | 44.6 | 0 | 0 | 2.75 |
| LG 35.188.230.36:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 28.8 | 66.8 | 26 | 28.2 | 17.8 |
| LG 35.188.230.36:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.01 | 2.24 | 5.15 | 2.03 | 2.2 | 1.36 |

LG 35.188.231.219:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.188.231.219:443/CPU Load | | | | | |
| 0 | 14.1 | 36 | 13 | 13.6 | 8.31 |
| LG 35.188.231.219:443/Memory Used | | | | | |
| 0 | 8.86 | 33 | 8 | 8.33 | 5.36 |
| LG 35.188.231.219:443/Throughput | | | | | |
| 0 | 27.6 | 72.6 | 25.8 | 26.8 | 17.3 |
| LG 35.188.231.219:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.3 | 35.6 |
| LG 35.188.231.219:443/Thread Count | | | | | |
| 0 | 120.1 | 187 | 119 | 119.6 | 38.3 |
| LG 35.188.231.219:443/Http client/Thread Pool used | | | | | |
| 0 | 0.11 | 0.15 | 0.105 | 0.11 | 0.013 |
| LG 35.188.231.219:443/Http client/Task Pool used | | | | | |
| 0 | 0.004 | 0.233 | 0 | 0 | 0.019 |
| LG 35.188.231.219:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.231.219:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.231.219:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.23 | 22 | 4 | 3.61 | 3.39 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.188.231.219:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,680 | 4,381 | 1,558 | 1,632 | 1,045 |
| LG 35.188.231.219:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.251 | 45.6 | 0 | 0 | 2.92 |
| LG 35.188.231.219:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 76.1 | 26.9 | 28.1 | 18 |
| LG 35.188.231.219:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.8 | 2.1 | 2.19 | 1.38 |

LG 35.188.250.117:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.188.250.117:443/CPU Load | | | | | |
| 0 | 14.8 | 37 | 13 | 14.4 | 8.65 |
| LG 35.188.250.117:443/Memory Used | | | | | |
| 0 | 10.06 | 34 | 9 | 9.54 | 6.31 |
| LG 35.188.250.117:443/Throughput | | | | | |
| 0 | 27.5 | 69.3 | 25.5 | 26.9 | 17.1 |
| LG 35.188.250.117:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.2 | 35.6 |
| LG 35.188.250.117:443/Thread Count | | | | | |
| 0 | 120.6 | 190 | 120 | 120.1 | 39.2 |
| LG 35.188.250.117:443/Http client/Thread Pool used | | | | | |
| 0 | 0.113 | 0.16 | 0.11 | 0.112 | 0.015 |
| LG 35.188.250.117:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.15 | 0 | 0.001 | 0.019 |
| LG 35.188.250.117:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.250.117:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.250.117:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.85 | 23 | 4 | 4.21 | 3.5 |
| LG 35.188.250.117:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,679 | 4,161 | 1,569 | 1,643 | 1,030 |
| LG 35.188.250.117:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.292 | 56.4 | 0 | 0 | 3.4 |
| LG 35.188.250.117:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.8 | 72.3 | 26.8 | 28.2 | 17.8 |
| LG 35.188.250.117:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.57 | 2.1 | 2.2 | 1.36 |

LG 35.188.253.136:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 35.188.253.136:443/CPU Load | | | | | |
| 0 | 14.5 | 38 | 12 | 14 | 8.78 |
| LG 35.188.253.136:443/Memory Used | | | | | |
| 0 | 9.72 | 33 | 8 | 9.1 | 6.18 |
| LG 35.188.253.136:443/Throughput | | | | | |
| 0 | 27.6 | 71.6 | 23.5 | 26.7 | 17.4 |
| LG 35.188.253.136:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.3 | 35.6 |
| LG 35.188.253.136:443/Thread Count | | | | | |
| 0 | 120.6 | 190 | 120 | 119.9 | 39.1 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.188.253.136:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.155 | 0.11 | 0.11 | 0.014 |
| LG 35.188.253.136:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.167 | 0 | 0.001 | 0.019 |
| LG 35.188.253.136:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.253.136:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.188.253.136:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.21 | 22 | 4 | 3.6 | 3.39 |
| LG 35.188.253.136:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,681 | 4,398 | 1,439 | 1,629 | 1,054 |
| LG 35.188.253.136:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.249 | 48.8 | 0 | 0 | 2.96 |
| LG 35.188.253.136:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 74.5 | 24.6 | 28 | 18.2 |
| LG 35.188.253.136:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.88 | 1.93 | 2.18 | 1.39 |

LG 35.199.12.243:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.199.12.243:443/CPU Load | | | | | |
| 0 | 14.3 | 35 | 13 | 13.9 | 8.3 |
| LG 35.199.12.243:443/Memory Used | | | | | |
| 0 | 10.71 | 37 | 9 | 10.06 | 6.86 |
| LG 35.199.12.243:443/Throughput | | | | | |
| 0 | 27.6 | 67.6 | 26.3 | 27 | 17 |
| LG 35.199.12.243:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.3 | 35.6 |
| LG 35.199.12.243:443/Thread Count | | | | | |
| 0 | 120.5 | 192 | 119 | 119.9 | 39.5 |
| LG 35.199.12.243:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.18 | 0.105 | 0.109 | 0.016 |
| LG 35.199.12.243:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.183 | 0 | 0.001 | 0.021 |
| LG 35.199.12.243:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.199.12.243:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.199.12.243:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.16 | 23 | 3 | 3.49 | 3.59 |
| LG 35.199.12.243:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,678 | 4,025 | 1,609 | 1,641 | 1,026 |
| LG 35.199.12.243:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.27 | 46.4 | 0 | 0 | 3.02 |
| LG 35.199.12.243:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 70.6 | 27.6 | 28.3 | 17.8 |
| LG 35.199.12.243:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.4 | 2.16 | 2.2 | 1.36 |

LG 35.221.1.81:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.221.1.81:443/CPU Load | | | | | |
| 0 | 14.6 | 37 | 13 | 14.2 | 8.49 |
| LG 35.221.1.81:443/Memory Used | | | | | |
| 0 | 11.3 | 35 | 10 | 10.63 | 7.19 |
| LG 35.221.1.81:443/Throughput | | | | | |
| 0 | 27.6 | 67 | 25.7 | 27 | 17 |
| LG 35.221.1.81:443/User Load | | | | | |
| 0 | 58.9 | 120 | 60 | 58.3 | 35.5 |
| LG 35.221.1.81:443/Thread Count | | | | | |
| 0 | 120.7 | 193 | 120 | 120.1 | 39.1 |
| LG 35.221.1.81:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.16 | 0.105 | 0.11 | 0.015 |
| LG 35.221.1.81:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.167 | 0 | 0.001 | 0.02 |
| LG 35.221.1.81:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.221.1.81:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.221.1.81:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.19 | 24 | 4 | 4.52 | 3.77 |
| LG 35.221.1.81:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,682 | 4,089 | 1,554 | 1,647 | 1,028 |
| LG 35.221.1.81:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.269 | 42.6 | 0 | 0 | 2.96 |
| LG 35.221.1.81:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 69.9 | 26.9 | 28.3 | 17.8 |
| LG 35.221.1.81:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.42 | 2.08 | 2.21 | 1.36 |

LG 35.230.167.99:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|------|---------|---------|
| LG 35.230.167.99:443/CPU Load | | | | | |
| 0 | 14.8 | 40 | 13 | 14.4 | 9.05 |
| LG 35.230.167.99:443/Memory Used | | | | | |
| 0 | 9.71 | 36 | 8 | 9.06 | 6.36 |
| LG 35.230.167.99:443/Throughput | | | | | |
| 0 | 27.5 | 72.6 | 24.4 | 26.8 | 17.6 |
| LG 35.230.167.99:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.2 | 35.7 |
| LG 35.230.167.99:443/Thread Count | | | | | |
| 0 | 121.1 | 195 | 119 | 120.5 | 40.4 |
| LG 35.230.167.99:443/Http client/Thread Pool used | | | | | |
| 0 | 0.114 | 0.18 | 0.11 | 0.112 | 0.018 |
| LG 35.230.167.99:443/Http client/Task Pool used | | | | | |
| 0 | 0.007 | 0.283 | 0 | 0.001 | 0.027 |
| LG 35.230.167.99:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.230.167.99:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.230.167.99:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.85 | 23 | 4 | 4.21 | 3.48 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.230.167.99:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,678 | 4,313 | 1,465 | 1,636 | 1,061 |
| LG 35.230.167.99:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.196 | 39.2 | 0 | 0 | 2.34 |
| LG 35.230.167.99:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 76 | 25.5 | 28.1 | 18.3 |
| LG 35.230.167.99:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.77 | 1.97 | 2.19 | 1.4 |

LG 35.230.180.22:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.230.180.22:443/CPU Load | | | | | |
| 0 | 14.9 | 36 | 13 | 14.6 | 8.87 |
| LG 35.230.180.22:443/Memory Used | | | | | |
| 0 | 11.5 | 37 | 10 | 10.98 | 7.14 |
| LG 35.230.180.22:443/Throughput | | | | | |
| 0 | 27.4 | 65 | 23.5 | 26.9 | 17.3 |
| LG 35.230.180.22:443/User Load | | | | | |
| 0 | 58.6 | 120 | 59 | 58.1 | 35.7 |
| LG 35.230.180.22:443/Thread Count | | | | | |
| 0 | 121.1 | 200 | 119 | 120.2 | 40.8 |
| LG 35.230.180.22:443/Http client/Thread Pool used | | | | | |
| 0 | 0.116 | 0.21 | 0.11 | 0.113 | 0.023 |
| LG 35.230.180.22:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.267 | 0 | 0.001 | 0.022 |
| LG 35.230.180.22:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.230.180.22:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.230.180.22:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.5 | 24 | 4 | 3.82 | 3.75 |
| LG 35.230.180.22:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,671 | 3,917 | 1,434 | 1,640 | 1,046 |
| LG 35.230.180.22:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.265 | 48.2 | 0 | 0 | 3.08 |
| LG 35.230.180.22:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.8 | 68 | 24.6 | 28.2 | 18.1 |
| LG 35.230.180.22:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.24 | 5.23 | 1.93 | 2.2 | 1.38 |

LG 35.236.215.133:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|------|------|------|---------|---------|
| LG 35.236.215.133:443/CPU Load | | | | | |
| 0 | 14.4 | 35 | 13 | 14.1 | 8.53 |
| LG 35.236.215.133:443/Memory Used | | | | | |
| 0 | 9.91 | 39 | 8 | 9.15 | 6.75 |
| LG 35.236.215.133:443/Throughput | | | | | |
| 0 | 27.5 | 66.5 | 25.8 | 26.9 | 17.2 |
| LG 35.236.215.133:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.1 | 35.7 |
| LG 35.236.215.133:443/Thread Count | | | | | |
| 0 | 120 | 189 | 120 | 119.6 | 38.9 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.236.215.133:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.15 | 0.105 | 0.11 | 0.013 |
| LG 35.236.215.133:443/Http client/Task Pool used | | | | | |
| 0 | 0.003 | 0.2 | 0 | 0 | 0.019 |
| LG 35.236.215.133:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.215.133:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.215.133:443/Controller Connection/Ping Duration (ms) | | | | | |
| 4 | 21.7 | 23 | 23 | 22.5 | 3.8 |
| LG 35.236.215.133:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,676 | 4,021 | 1,561 | 1,641 | 1,037 |
| LG 35.236.215.133:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.218 | 41.6 | 0 | 0 | 2.62 |
| LG 35.236.215.133:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.8 | 69.6 | 27 | 28.2 | 17.9 |
| LG 35.236.215.133:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.24 | 5.37 | 2.1 | 2.2 | 1.37 |

LG 35.236.229.26:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.236.229.26:443/CPU Load | | | | | |
| 0 | 14.8 | 36 | 13 | 14.4 | 8.73 |
| LG 35.236.229.26:443/Memory Used | | | | | |
| 0 | 10.03 | 36 | 8 | 9.33 | 6.73 |
| LG 35.236.229.26:443/Throughput | | | | | |
| 0 | 27.6 | 70.6 | 25.8 | 27 | 17.2 |
| LG 35.236.229.26:443/User Load | | | | | |
| 0 | 58.9 | 120 | 60 | 58.3 | 35.6 |
| LG 35.236.229.26:443/Thread Count | | | | | |
| 0 | 121.8 | 193 | 120 | 121.3 | 40.2 |
| LG 35.236.229.26:443/Http client/Thread Pool used | | | | | |
| 0 | 0.115 | 0.17 | 0.11 | 0.114 | 0.018 |
| LG 35.236.229.26:443/Http client/Task Pool used | | | | | |
| 0 | 0.004 | 0.133 | 0 | 0.001 | 0.016 |
| LG 35.236.229.26:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.229.26:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.229.26:443/Controller Connection/Ping Duration (ms) | | | | | |
| 22 | 22.9 | 26 | 23 | 22.8 | 0.961 |
| LG 35.236.229.26:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,682 | 4,290 | 1,547 | 1,644 | 1,041 |
| LG 35.236.229.26:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.255 | 37.8 | 0 | 0 | 2.78 |
| LG 35.236.229.26:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 73.9 | 26.9 | 28.3 | 18 |
| LG 35.236.229.26:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.68 | 2.08 | 2.2 | 1.38 |

LG 35.236.238.140:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.236.238.140:443/CPU Load | | | | | |
| 0 | 13 | 32 | 11 | 12.6 | 7.79 |
| LG 35.236.238.140:443/Memory Used | | | | | |
| 0 | 9.13 | 29 | 8 | 8.63 | 5.34 |
| LG 35.236.238.140:443/Throughput | | | | | |
| 0 | 27.5 | 69.5 | 25.8 | 26.8 | 17.2 |
| LG 35.236.238.140:443/User Load | | | | | |
| 0 | 58.6 | 120 | 59 | 58.1 | 35.7 |
| LG 35.236.238.140:443/Thread Count | | | | | |
| 0 | 119.6 | 187 | 119 | 119.3 | 38.5 |
| LG 35.236.238.140:443/Http client/Thread Pool used | | | | | |
| 0 | 0.109 | 0.14 | 0.105 | 0.108 | 0.012 |
| LG 35.236.238.140:443/Http client/Task Pool used | | | | | |
| 0 | 0.003 | 0.167 | 0 | 0 | 0.017 |
| LG 35.236.238.140:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.238.140:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.238.140:443/Controller Connection/Ping Duration (ms) | | | | | |
| 2 | 3.23 | 6 | 3 | 3.18 | 0.779 |
| LG 35.236.238.140:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,679 | 4,232 | 1,568 | 1,639 | 1,038 |
| LG 35.236.238.140:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.301 | 56.2 | 0 | 0 | 3.53 |
| LG 35.236.238.140:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 72.8 | 27 | 28.2 | 18 |
| LG 35.236.238.140:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.63 | 2.12 | 2.19 | 1.37 |

LG 35.236.255.189:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|------|---------|---------|
| LG 35.236.255.189:443/CPU Load | | | | | |
| 0 | 14.6 | 44 | 13 | 14.1 | 8.68 |
| LG 35.236.255.189:443/Memory Used | | | | | |
| 0 | 9.79 | 35 | 8 | 9.16 | 6.32 |
| LG 35.236.255.189:443/Throughput | | | | | |
| 0 | 27.6 | 76 | 25.5 | 26.9 | 17.2 |
| LG 35.236.255.189:443/User Load | | | | | |
| 0 | 58.9 | 120 | 60 | 58.3 | 35.5 |
| LG 35.236.255.189:443/Thread Count | | | | | |
| 0 | 120.5 | 189 | 119 | 120.1 | 38.4 |
| LG 35.236.255.189:443/Http client/Thread Pool used | | | | | |
| 0 | 0.113 | 0.15 | 0.11 | 0.112 | 0.014 |
| LG 35.236.255.189:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.167 | 0 | 0.001 | 0.02 |
| LG 35.236.255.189:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.255.189:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.236.255.189:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 7.73 | 23 | 4 | 7.11 | 7.54 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.236.255.189:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,680 | 4,544 | 1,556 | 1,637 | 1,036 |
| LG 35.236.255.189:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.228 | 33.6 | 0 | 0 | 2.46 |
| LG 35.236.255.189:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 79.5 | 26.7 | 28.2 | 17.9 |
| LG 35.236.255.189:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 6.07 | 2.08 | 2.2 | 1.37 |

LG 35.245.124.42:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.245.124.42:443/CPU Load | | | | | |
| 0 | 14 | 36 | 13 | 13.5 | 8.33 |
| LG 35.245.124.42:443/Memory Used | | | | | |
| 0 | 10.7 | 36 | 9 | 10.02 | 6.86 |
| LG 35.245.124.42:443/Throughput | | | | | |
| 0 | 27.6 | 70.8 | 25.1 | 26.9 | 17.2 |
| LG 35.245.124.42:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.2 | 35.6 |
| LG 35.245.124.42:443/Thread Count | | | | | |
| 0 | 120 | 190 | 120 | 119.5 | 39 |
| LG 35.245.124.42:443/Http client/Thread Pool used | | | | | |
| 0 | 0.11 | 0.155 | 0.105 | 0.109 | 0.013 |
| LG 35.245.124.42:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.233 | 0 | 0.001 | 0.021 |
| LG 35.245.124.42:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.124.42:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.124.42:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.7 | 23 | 4 | 4.86 | 5.77 |
| LG 35.245.124.42:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,680 | 4,236 | 1,521 | 1,638 | 1,041 |
| LG 35.245.124.42:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.279 | 48.8 | 0 | 0 | 3.19 |
| LG 35.245.124.42:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.011 | 28.9 | 74 | 26.4 | 28.2 | 18 |
| LG 35.245.124.42:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0.003 | 2.25 | 5.62 | 2.07 | 2.2 | 1.37 |

LG 35.245.133.49:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|-----------------------------------|-------|------|------|---------|---------|
| LG 35.245.133.49:443/CPU Load | | | | | |
| 0 | 14.6 | 37 | 13 | 14.1 | 8.75 |
| LG 35.245.133.49:443/Memory Used | | | | | |
| 0 | 10.68 | 34 | 10 | 10.13 | 6.55 |
| LG 35.245.133.49:443/Throughput | | | | | |
| 0 | 27.6 | 70.5 | 25.2 | 26.8 | 17.4 |
| LG 35.245.133.49:443/User Load | | | | | |
| 0 | 58.9 | 120 | 60 | 58.3 | 35.6 |
| LG 35.245.133.49:443/Thread Count | | | | | |
| 0 | 120.7 | 191 | 120 | 120.1 | 39.2 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.245.133.49:443/Http client/Thread Pool used | | | | | |
| 0 | 0.112 | 0.16 | 0.11 | 0.111 | 0.015 |
| LG 35.245.133.49:443/Http client/Task Pool used | | | | | |
| 0 | 0.006 | 0.217 | 0 | 0.001 | 0.025 |
| LG 35.245.133.49:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.133.49:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.133.49:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.68 | 24 | 4 | 4.01 | 3.69 |
| LG 35.245.133.49:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,683 | 4,198 | 1,521 | 1,634 | 1,050 |
| LG 35.245.133.49:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.239 | 47 | 0 | 0 | 2.8 |
| LG 35.245.133.49:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 73.4 | 26.4 | 28.1 | 18.1 |
| LG 35.245.133.49:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.56 | 2.06 | 2.19 | 1.39 |

LG 35.245.146.202:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.146.202:443/CPU Load | | | | | |
| 0 | 14 | 35 | 13 | 13.7 | 8.34 |
| LG 35.245.146.202:443/Memory Used | | | | | |
| 0 | 11.5 | 36 | 10 | 10.89 | 7.01 |
| LG 35.245.146.202:443/Throughput | | | | | |
| 0 | 27.5 | 70.6 | 24.8 | 26.9 | 17.1 |
| LG 35.245.146.202:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.2 | 35.6 |
| LG 35.245.146.202:443/Thread Count | | | | | |
| 0 | 120.8 | 192 | 119 | 120.2 | 39.8 |
| LG 35.245.146.202:443/Http client/Thread Pool used | | | | | |
| 0 | 0.113 | 0.175 | 0.11 | 0.111 | 0.017 |
| LG 35.245.146.202:443/Http client/Task Pool used | | | | | |
| 0 | 0.004 | 0.15 | 0 | 0.001 | 0.018 |
| LG 35.245.146.202:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.146.202:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.146.202:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.16 | 23 | 4 | 3.51 | 3.58 |
| LG 35.245.146.202:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,676 | 4,264 | 1,526 | 1,639 | 1,032 |
| LG 35.245.146.202:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.266 | 48.4 | 0 | 0 | 3.08 |
| LG 35.245.146.202:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 73.7 | 26.1 | 28.2 | 17.8 |
| LG 35.245.146.202:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.66 | 2.04 | 2.2 | 1.36 |

LG 35.245.163.23:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.245.163.23:443/CPU Load | | | | | |
| 0 | 14.5 | 39 | 13 | 14 | 8.62 |
| LG 35.245.163.23:443/Memory Used | | | | | |
| 0 | 9.58 | 37 | 8 | 8.96 | 6.27 |
| LG 35.245.163.23:443/Throughput | | | | | |
| 0 | 27.6 | 71.9 | 25.4 | 26.8 | 17.2 |
| LG 35.245.163.23:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.2 | 35.6 |
| LG 35.245.163.23:443/Thread Count | | | | | |
| 0 | 120.5 | 193 | 120 | 120 | 39 |
| LG 35.245.163.23:443/Http client/Thread Pool used | | | | | |
| 0 | 0.112 | 0.16 | 0.11 | 0.111 | 0.015 |
| LG 35.245.163.23:443/Http client/Task Pool used | | | | | |
| 0 | 0.006 | 0.133 | 0 | 0.002 | 0.018 |
| LG 35.245.163.23:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.163.23:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.163.23:443/Controller Connection/Ping Duration (ms) | | | | | |
| 21 | 22.3 | 24 | 22 | 22.3 | 0.553 |
| LG 35.245.163.23:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,679 | 4,350 | 1,563 | 1,630 | 1,040 |
| LG 35.245.163.23:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.252 | 47 | 0 | 0 | 2.92 |
| LG 35.245.163.23:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 75.3 | 26.7 | 28.1 | 18 |
| LG 35.245.163.23:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.77 | 2.09 | 2.19 | 1.37 |

LG 35.245.233.12:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|------|---------|---------|
| LG 35.245.233.12:443/CPU Load | | | | | |
| 0 | 14.4 | 38 | 13 | 14 | 8.51 |
| LG 35.245.233.12:443/Memory Used | | | | | |
| 0 | 10.75 | 34 | 9 | 10.17 | 6.58 |
| LG 35.245.233.12:443/Throughput | | | | | |
| 0 | 27.5 | 66.2 | 25.2 | 26.9 | 17.1 |
| LG 35.245.233.12:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.1 | 35.7 |
| LG 35.245.233.12:443/Thread Count | | | | | |
| 0 | 120.6 | 196 | 121 | 120 | 39.7 |
| LG 35.245.233.12:443/Http client/Thread Pool used | | | | | |
| 0 | 0.114 | 0.175 | 0.11 | 0.112 | 0.017 |
| LG 35.245.233.12:443/Http client/Task Pool used | | | | | |
| 0 | 0.006 | 0.2 | 0 | 0.001 | 0.024 |
| LG 35.245.233.12:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.233.12:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.233.12:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 9.77 | 27 | 4 | 9.23 | 8.88 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.245.233.12:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,674 | 3,914 | 1,525 | 1,643 | 1,032 |
| LG 35.245.233.12:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.274 | 41.6 | 0 | 0 | 2.99 |
| LG 35.245.233.12:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.8 | 68.9 | 26.3 | 28.2 | 17.8 |
| LG 35.245.233.12:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.24 | 5.28 | 2.06 | 2.2 | 1.36 |

LG 35.245.24.239:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|---|-------|-------|-------|---------|---------|
| LG 35.245.24.239:443/CPU Load | | | | | |
| 0 | 14.7 | 36 | 13 | 14.3 | 8.69 |
| LG 35.245.24.239:443/Memory Used | | | | | |
| 0 | 10.26 | 38 | 9 | 9.54 | 6.69 |
| LG 35.245.24.239:443/Throughput | | | | | |
| 0 | 27.5 | 67.6 | 24.2 | 26.9 | 17.2 |
| LG 35.245.24.239:443/User Load | | | | | |
| 0 | 58.6 | 120 | 59 | 58.1 | 35.7 |
| LG 35.245.24.239:443/Thread Count | | | | | |
| 0 | 120.9 | 197 | 118 | 120.2 | 40.5 |
| LG 35.245.24.239:443/Http client/Thread Pool used | | | | | |
| 0 | 0.112 | 0.165 | 0.105 | 0.111 | 0.016 |
| LG 35.245.24.239:443/Http client/Task Pool used | | | | | |
| 0 | 0.004 | 0.133 | 0 | 0 | 0.017 |
| LG 35.245.24.239:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.24.239:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.24.239:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 4.44 | 22 | 4 | 3.77 | 3.58 |
| LG 35.245.24.239:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,675 | 4,168 | 1,478 | 1,636 | 1,039 |
| LG 35.245.24.239:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.238 | 45.2 | 0 | 0 | 2.81 |
| LG 35.245.24.239:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.8 | 70.9 | 25.3 | 28.2 | 17.9 |
| LG 35.245.24.239:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.24 | 5.49 | 1.97 | 2.19 | 1.37 |

LG 35.245.253.233:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|------------------------------------|-------|------|------|---------|---------|
| LG 35.245.253.233:443/CPU Load | | | | | |
| 0 | 14.4 | 37 | 13 | 14 | 8.68 |
| LG 35.245.253.233:443/Memory Used | | | | | |
| 0 | 10.06 | 34 | 9 | 9.43 | 6.69 |
| LG 35.245.253.233:443/Throughput | | | | | |
| 0 | 27.5 | 69.4 | 25.6 | 26.8 | 17.3 |
| LG 35.245.253.233:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.2 | 35.7 |
| LG 35.245.253.233:443/Thread Count | | | | | |
| 0 | 120.7 | 193 | 119 | 120.1 | 40.3 |

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.253.233:443/Http client/Thread Pool used | | | | | |
| 0 | 0.113 | 0.185 | 0.105 | 0.111 | 0.02 |
| LG 35.245.253.233:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.217 | 0 | 0.001 | 0.022 |
| LG 35.245.253.233:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.253.233:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.253.233:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.43 | 23 | 4 | 4.56 | 4.83 |
| LG 35.245.253.233:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,680 | 4,191 | 1,538 | 1,638 | 1,044 |
| LG 35.245.253.233:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.264 | 49 | 0 | 0 | 3.06 |
| LG 35.245.253.233:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 72.4 | 26.7 | 28.1 | 18 |
| LG 35.245.253.233:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.59 | 2.05 | 2.19 | 1.38 |

LG 35.245.39.78:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.39.78:443/CPU Load | | | | | |
| 0 | 14.7 | 36 | 13 | 14.3 | 8.75 |
| LG 35.245.39.78:443/Memory Used | | | | | |
| 0 | 10.21 | 38 | 9 | 9.62 | 6.45 |
| LG 35.245.39.78:443/Throughput | | | | | |
| 0 | 27.5 | 65.9 | 24.6 | 26.9 | 17.2 |
| LG 35.245.39.78:443/User Load | | | | | |
| 0 | 58.7 | 120 | 60 | 58.2 | 35.7 |
| LG 35.245.39.78:443/Thread Count | | | | | |
| 0 | 120.9 | 193 | 121 | 120.3 | 39.9 |
| LG 35.245.39.78:443/Http client/Thread Pool used | | | | | |
| 0 | 0.114 | 0.165 | 0.11 | 0.112 | 0.016 |
| LG 35.245.39.78:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.3 | 0 | 0.001 | 0.025 |
| LG 35.245.39.78:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.39.78:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.39.78:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.67 | 23 | 4 | 4.82 | 5.78 |
| LG 35.245.39.78:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,674 | 3,978 | 1,491 | 1,639 | 1,037 |
| LG 35.245.39.78:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.228 | 39.4 | 0 | 0 | 2.58 |
| LG 35.245.39.78:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.8 | 68.8 | 25.8 | 28.2 | 18 |
| LG 35.245.39.78:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.24 | 5.29 | 2 | 2.2 | 1.37 |

LG 35.245.6.100:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.6.100:443/CPU Load | | | | | |
| 0 | 13.4 | 36 | 12 | 13 | 8.04 |
| LG 35.245.6.100:443/Memory Used | | | | | |
| 0 | 11.8 | 35 | 11 | 11.3 | 7.38 |
| LG 35.245.6.100:443/Throughput | | | | | |
| 0 | 27.6 | 68.9 | 26.2 | 27 | 17.1 |
| LG 35.245.6.100:443/User Load | | | | | |
| 0 | 58.9 | 120 | 60 | 58.3 | 35.6 |
| LG 35.245.6.100:443/Thread Count | | | | | |
| 0 | 120.7 | 192 | 120 | 120 | 39.8 |
| LG 35.245.6.100:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.16 | 0.105 | 0.11 | 0.015 |
| LG 35.245.6.100:443/Http client/Task Pool used | | | | | |
| 0 | 0.005 | 0.233 | 0 | 0.001 | 0.023 |
| LG 35.245.6.100:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.6.100:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.6.100:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 6.25 | 23 | 4 | 5.47 | 6.45 |
| LG 35.245.6.100:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,685 | 4,124 | 1,605 | 1,652 | 1,034 |
| LG 35.245.6.100:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.246 | 48 | 0 | 0 | 2.94 |
| LG 35.245.6.100:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 29 | 72 | 27.5 | 28.4 | 17.8 |
| LG 35.245.6.100:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.26 | 5.52 | 2.14 | 2.21 | 1.36 |

LG 35.245.78.49:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.78.49:443/CPU Load | | | | | |
| 0 | 13.6 | 33 | 12 | 13.3 | 8.02 |
| LG 35.245.78.49:443/Memory Used | | | | | |
| 0 | 10.91 | 36 | 9 | 10.32 | 6.82 |
| LG 35.245.78.49:443/Throughput | | | | | |
| 0 | 27.5 | 65.6 | 24.8 | 26.9 | 17 |
| LG 35.245.78.49:443/User Load | | | | | |
| 0 | 58.6 | 120 | 60 | 58.1 | 35.7 |
| LG 35.245.78.49:443/Thread Count | | | | | |
| 0 | 119.9 | 192 | 119 | 119.4 | 39.4 |
| LG 35.245.78.49:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.155 | 0.105 | 0.11 | 0.015 |
| LG 35.245.78.49:443/Http client/Task Pool used | | | | | |
| 0 | 0.006 | 0.367 | 0 | 0.001 | 0.028 |
| LG 35.245.78.49:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.78.49:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.78.49:443/Controller Connection/Ping Duration (ms) | | | | | |
| 2 | 4.68 | 23 | 3 | 3.81 | 4.77 |


| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.78.49:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,676 | 3,980 | 1,523 | 1,644 | 1,030 |
| LG 35.245.78.49:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.269 | 38.8 | 0 | 0 | 2.94 |
| LG 35.245.78.49:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0.006 | 28.8 | 68.7 | 26.1 | 28.3 | 17.8 |
| LG 35.245.78.49:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.3 | 2.03 | 2.2 | 1.36 |

LG 35.245.91.85:443

Performance Counters

| Min | Avg | Max | Med | Avg-90% | Std Dev |
|--|-------|-------|-------|---------|---------|
| LG 35.245.91.85:443/CPU Load | | | | | |
| 0 | 14.9 | 37 | 14 | 14.5 | 8.81 |
| LG 35.245.91.85:443/Memory Used | | | | | |
| 0 | 9.81 | 35 | 9 | 9.14 | 6.28 |
| LG 35.245.91.85:443/Throughput | | | | | |
| 0 | 27.6 | 69 | 26.1 | 26.9 | 17.2 |
| LG 35.245.91.85:443/User Load | | | | | |
| 0 | 58.8 | 120 | 60 | 58.2 | 35.6 |
| LG 35.245.91.85:443/Thread Count | | | | | |
| 0 | 120 | 189 | 119 | 119.5 | 39 |
| LG 35.245.91.85:443/Http client/Thread Pool used | | | | | |
| 0 | 0.111 | 0.16 | 0.11 | 0.11 | 0.014 |
| LG 35.245.91.85:443/Http client/Task Pool used | | | | | |
| 0 | 0.006 | 0.25 | 0 | 0.001 | 0.025 |
| LG 35.245.91.85:443/Controller Connection/Disconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.91.85:443/Controller Connection/Reconnections | | | | | |
| 0 | 0 | 0 | 0 | 0 | - |
| LG 35.245.91.85:443/Controller Connection/Ping Duration (ms) | | | | | |
| 3 | 5.22 | 24 | 5 | 4.59 | 3.65 |
| LG 35.245.91.85:443/Network/Segments sent/sec. | | | | | |
| 0 | 1,681 | 4,149 | 1,598 | 1,642 | 1,039 |
| LG 35.245.91.85:443/Network/Segments retransmitted/sec. | | | | | |
| 0 | 0.256 | 44 | 0 | 0 | 2.86 |
| LG 35.245.91.85:443/Network/eth0 (eth0)/Megabits received/sec. | | | | | |
| 0 | 28.9 | 72.2 | 27.4 | 28.2 | 17.9 |
| LG 35.245.91.85:443/Network/eth0 (eth0)/Megabits sent/sec. | | | | | |
| 0 | 2.25 | 5.52 | 2.14 | 2.2 | 1.37 |


Average page response time



| Min | Average | Max |
|-------|---------|-------|
| 0.034 | 0.039 | 0.108 |

Notes: Displays the average response time, in seconds, of all pages during the test.


Average request response time



| Min | Average | Max |
|-------|---------|-------|
| 0.019 | 0.021 | 0.053 |

Notes: Displays the average response time, in seconds, of all requests during the test.


Average response time (Transactions)



| Min | Average | Max | Median | Avg-90% | Std. Dev. |
|-------|---------|-------|--------|---------|-----------|
| 0.344 | 0.386 | 1.047 | 0.374 | 0.377 | 0.076 |

Notes: Displays the average response time, in seconds, of all Transactions during the test.


Requests per second



| Min | Average | Max |
|------|---------|---------|
| 55.3 | 3,215.4 | 6,846.2 |

Notes: Displays the number of requests per second.


Errors



| Min | Average | Max |
|-----|---------|-----|
| 0 | 0 | 0 |

Notes: Displays the number of errors per sampling interval.


Throughput



| Min | Average | Max |
|-----|---------|----------|
| 0 | 695.78 | 1,476.75 |

Notes: Displays the number of megabits of data per second returned by the server.


Response time against load



| Min | Average | Max |
|-------|---------|-------|
| 0.034 | 0.038 | 0.091 |

Notes: Displays the average response time, in seconds, of all pages according to the number of simultaneous Virtual Users.

Distribution of Transaction Durations



Notes: Displays the percentage of Transactions that were performed within a given time range. This graph helps determine the percentage of Transactions that meet a performance objective. For example, it may show that 90% of the Transactions have a duration under n seconds.