
AEVA
CHEMICALS

CATIONIC SOFTENER · FATTY AMIDOAMINE

AeKomala

Softness without the trade-offs.



AEVACHEMICALS.COM

KOMAḶA — SANSKRIT FOR SOFT

THE PROMISE

Softness without the trade-offs.

Most cationic softeners make fabric soft and pay for it — in whiteness, in absorbency, or in shade. AeKomala is built not to.

Stays white
Non-yellowing, even after stenter heat.

Stays absorbent
Hydrophilic. Towels still take up water.

Stays true to shade
No dulling of reactive shades.

Silky, smooth hand
The finish your buyers feel first.

PROPERTY	TYPICAL CATIONIC SOFTENER	AEKOMALA
Whiteness after heat	Can yellow	Stays white
Absorbency	Reduced	Retained
Reactive shades	Can dull	Unchanged
Handle	Soft	Silky, smooth

Your own trial is the best proof — ask us for a sample and test it on your fabric.

CHARACTERISTICS & BENEFITS

What it does for you.

CHARACTERISTIC	BENEFIT
Soft, full handle with excellent surface smoothness	• A warm, luxurious, silky feel • The finish your buyers notice first
Minimal yellowing, even at high stenter temperatures	• High whiteness on white goods • Minimal shade change on dyed fabric
Hydrophilic — fabric stays absorbent AEKOMALA ADVANTAGE	• Right for towels, terry and innerwear • No trade-off between softness and absorbency
Very high exhaustion onto the fibre	• More of the product works on the fabric • Cleaner waste water • Works even at long liquor ratios
Compatible with most optical brighteners	• One-bath application is usually possible
Stable to hard water, and to the resins and catalysts used in easy-care finishing	• No soft water needed • Flexible application routes • Steady, safe production
Easy-to-disperse paste — no heating needed AEKOMALA ADVANTAGE	• Stock ready in minutes, not hours • No long hot-water dissolving
Free from APEO and formaldehyde	• A cleaner profile for export-minded buyers


HOW IT WORKS

Opposites attract.


Cotton is negative in water. AeKomala is positive. So it goes straight to the fibre.



1 **Cotton carries a negative charge**



2 **AeKomala carries a positive charge**





3 **Bonds to the fibre. Soft hand.**

THE TECHNOLOGY

Fatty amidoamine chemistry.

Each molecule has two parts. One holds on to the fibre. The other makes it soft.





1. In water, cotton carries a **negative** charge.
2. The **positive** head is drawn to it and holds on.
3. The tails **lubricate**. Fibres glide — the fabric feels soft.

TECHNICAL DATA

Properties.

Chemical constitution	Fatty amidoamine condensation product
Ionic character	Cationic
Physical form	Paste
pH	4–6
Density	0.95–1.1 g/cm^3
Dispersion	Easy, in water — no heating needed
Free from	APEO · formaldehyde
Packing	50 kg and 200 kg plastic drums
Shelf life	12 months in closed original containers

APPLICATION

Padding	Exhaust	Jet
✓	✓	✓

FIBRES

Cotton & cellulosics	★★★
Polyamide	★★★
Wool	★★★
Polyester	★★☆


★★★ excellent ★★☆ good

DOSAGE — ON A 10% STOCK DILUTION

Exhaust 0.5–4.0% o.w.f. · Padding 5–40 g/L

APPLICATION

How to use it.



Preparing the stock

1. Disperse the paste in water under continuous stirring, to a 5–10% stock.
2. No heating needed. Stir until the dispersion is uniform.
3. Filter before transferring to the storage tank.


EXHAUST *winch, jet, soft-flow*	
Dosage	0.5–4.0% o.w.f.
Bath pH	5–5.5, with acetic acid
Liquor ratio	5:1 to 20:1
Temperature	30–40 °C
Time	20 minutes
Then	Extract; dry at 110–130 °C

PADDING *pad-dry, continuous*	
Dosage	5–40 g/L
Pick-up	60–90%
Bath temperature	About 20 °C
Drying	110–130 °C
With resins	Follow the resin's own recipe

Dosage figures are for a 10% stock dilution. Fine-tune on a trial — we send a starting recipe with every sample.


COMPATIBILITY, STORAGE & SAFETY

Good to know.



Brighteners, resins & catalysts

Compatible with most. One bath is usually possible.



Anionic products

Run a small trial before combining.

ONE RULE

Rinse well after soaping. Then soften.

Storage

Stable for 12 months in closed original containers. Keep at room temperature, out of direct sunlight.

Handling & safety

Follow the usual hygiene rules for chemicals. Not to be swallowed. Full data in our Safety Data Sheet.

Low dosage


Less product per kg of fabric.

Stable in jets

No spots, even in hard water.

Easy to disperse

Mixes in water. No heating.



ABOUT AEVA CHEMICALS

From our lab to your fabric.

We formulate our softeners in our own laboratory and make them in our own plant — a team with years of experience in textile auxiliaries, from the lab bench to the dyehouse floor.

Own R&D laboratory
Formulated and improved in-house.

Own manufacturing
Made batch by batch, under our control.

Every batch tested
pH, solids, viscosity and appearance checked before dispatch.

Documents ready
Certificate of Analysis with every lot. SDS on request.

ASK FOR A TRIAL QUANTITY

Test it on your own fabric.

CALL
+91 98205 28708

EMAIL
info@aevachemicals.com

VISIT
13-A Laxmi Industrial Estate,
Andheri (W), Mumbai 400 053

WEB
aevachemicals.com

AEVA
CHEMICALS

Domestic & export supply · technical support on trials