

```
acadgild@localhost:~  
File Edit View Search Terminal Help  
hive> insert overwrite local directory '/home/acadgild/Rajish' row format delimited fields terminated by '|' select * from temperature_data_vw;  
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e. spark, tez) or using Hive 1.X releases.  
Query ID = acadgild_20180407025852_28822572-8c5e-49c6-8e88-21e9d6723b46  
Total jobs = 1  
Launching Job 1 out of 1  
Number of reduce tasks not specified. Estimated from input data size: 1  
In order to change the average load for a reducer (in bytes):  
  set hive.exec.reducers.bytes.per.reducer=<number>  
In order to limit the maximum number of reducers:  
  set hive.exec.reducers.max=<number>  
In order to set a constant number of reducers:  
  set mapreduce.job.reduces=<number>  
Starting Job = job_1522960757759_0032, Tracking URL = http://localhost:8088/proxy/application_1522960757759_0032/  
Kill Command = /home/acadgild/install/hadoop/hadoop-2.6.5/bin/hadoop job -kill job_1522960757759_0032  
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1  
2018-04-07 02:59:10,350 Stage-1 map = 0%, reduce = 0%  
2018-04-07 02:59:26,996 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 4.5 sec  
2018-04-07 02:59:44,106 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 9.32 sec  
MapReduce Total cumulative CPU time: 9 seconds 450 msec  
Ended Job = job_1522960757759_0032  
Moving data to local directory /home/acadgild/Rajish  
MapReduce Jobs Launched:  
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 9.45 sec HDFS Read: 9907 HDFS Write: 32 SUCCESS  
Total MapReduce CPU Time Spent: 9 seconds 450 msec  
OK  
Time taken: 53.911 seconds  
hive>
```