

```

hive> select year,sum(total_medals) from olympics_data where country="India" group by year
> ;
WARNING: Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions. Consider using a different execution engine (i.e. spark, tez) or using Hive 1.X releases.
Query ID = acadgild_20180522003135_a5bbdf76-cla9-4003-b6a2-5c66ba0d0e19
Total jobs = 1
Launching Job 1 out of 1
Number of reduce tasks not specified. Estimated from input data size: 1
In order to change the average load for a reducer (in bytes):
  set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
  set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
  set mapreduce.job.reduces=<number>
Starting Job = job_1526923507253_0007, Tracking URL = http://localhost:8088/proxy/application_1526923507253_0007/
Kill Command = /home/acadgild/install/hadoop/hadoop-2.6.5/bin/hadoop job -kill job_1526923507253_0007
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1
2018-05-22 00:31:54,227 Stage-1 map = 0%, reduce = 0%
2018-05-22 00:32:13,646 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 5.72 sec
2018-05-22 00:32:31,422 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 9.54 sec
MapReduce Total cumulative CPU time: 9 seconds 540 msec
Ended Job = job_1526923507253_0007
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 9.54 sec HDFS Read: 528834 HDFS Write: 163 SUCCESS
Total MapReduce CPU Time Spent: 9 seconds 540 msec
OK
2000      1
2004      1
2008      3
2012      6
Time taken: 58.085 seconds, Fetched: 4 row(s)
hive> █

```