1.12) Create a quiz using JS.(Read description) Program should be able to display score.[both right and wrong]

Questions can be stored using Object function.

1.12.html:

```
<!DOCTYPE html>
<html>
  <head>
   <title>QUIZ for you</title>
   <link rel="stylesheet" href="1.12.css">
   <script src="1.12.js"></script>
  </head>
  <body>
   <header><h1>QUIZ<h1></h1></header>
   <!--first -->
<div class="first">
   1. Smaller and less expensive PC based server
S
      are replacing today
      in many businesses
      <div class="item2">
 <input type="radio" name="o1" id="wrong" onchange="show()">su
per computer
 <input type="radio" name="o1" id="wrong" onchange="show()">cl
ient
 <input type="radio" name="o1" id="wrong" onchange="show()">la
ptop</input>
 <input type="radio" name="o1" id="correct" onchange="show()"</pre>
value="main frame">main frame</input>
  </div>
  <br>
  <div class="display">
  </div>
  </div>
  <br>
  <!--second-->
  <div class="first">
   2.If a company wishes to test its positioning
 strategy,
      advertising, distribution, pricing, branding and packagi
ng, and budget levels, it can
```

```
do so during which of the following stages of the new-
product development process?
in many businesses
<div class="item1">
<input type="radio" name="o2" id="wrong1" onchange="show1()">C
ommercialization
 <input type="radio" name="o2" id="correct1" onchange="show1()"</pre>
value="Test marketing">Test marketing
<input type="radio" name="o2" id="wrong1" onchange="show1()">P
roduct development
 <input type="radio" name="o2" id="wrong1" onchange="show1()">
Concept testing
</div>
<br>
<div class="display">
 </div>
</div>
<br>
<!--third-->
<div class="first">
  3.Which of the following is not a method of acc
essing the web?
<div class=item2>
 <input type="radio" name="o3" id="wrong2" onchange="show2()"</pre>
> Modem
<input type="radio" name="o3" id="wrong2" onchange="show2()">
DSL
<input type="radio" name="o3" id="correct2" onchange="show2()"</pre>
value="CPU">CPU
<input type="radio" name="o3" id="wrong2" onchange="show2()">
ISDN
</div>
<div>
<br>
<div class="display">
</div>
</div>
</div>
<!--to show answr and result point-->
```

```
<div class="item1">
 <div>
<button class="second"id="result" onclick="result()"><b>click
here marks<b></b></button>
</div>
 <br>
<div>
 <button class="second" id="showA" onclick="showA()"><b></b>sh
ow answer</b></button>
 </div>
<br>
<div>
 <button class="second" onClick="window.location.reload();"><</pre>
b>Refresh Page</b></button>
</div>
</div>
<div class="last first">
</div>
 </body>
</html>
```

```
let right=0;
let wrong=0;
let c1=0;
let c2=0;
let c3=0;
//first
let show=()=>{
if (c1!=true){
let a=document.getElementById("correct").checked;
if(a==true){
    document.getElementById("Showanswer").innerHTML= "right";
    right=right+1;
else{
    document.getElementById("Showanswer").innerHTML="wrong";
    wrong=wrong+1;
 c1=document.getElementById("correct").checked;
//second
let show1=()=>{
    if(c2!=true){
    let a=document.getElementById("correct1").checked;
   if(a==true){
       document.getElementById("Showanswer1").innerHTML= "right
       right=right+1;
   }
   else{
       document.getElementById("Showanswer1").innerHTML="wrong"
       wrong=wrong+1;
   c2=document.getElementById("correct1").checked;
   //third
   let show2=()=>{
       if(c3!=true){
    let a=document.getElementById("correct2").checked;
   if(a==true){
```

```
document.getElementById("Showanswer2").innerHTML= "right
       right=right+1;
   else{
       document.getElementById("Showanswer2").innerHTML="wrong"
       wrong=wrong+1;
   c3=document.getElementById("correct2").checked;
   //find resut
let result=()=>{
       document.getElementById("RightA").innerHTML="right aswer
s:
    "+right;
       document.getElementById("WrongA").innerHTML="wrong answe
     "+wrong;
rs:
//show answer
let showA=()=>{
let A1 = document.getElementById("correct").value;
document.getElementById("S1").innerHTML="Answer:"+A1;
let A2 = document.getElementById("correct1").value;
document.getElementById("S2").innerHTML="Answer:"+A2;
let A3= document.getElementById("correct2").value;
document.getElementById("S3").innerHTML="Answer:"+A3;
```

1.12.css:

```
header{
text-align: center;
font-size: larger;
font-family: cursive;
font-weight: bold;
}
.first{
   background-color: hotpink;
   font-size: large;
}
body{
```

```
background-color: cornsilk;
   font-family: cursive;
.item1{
   display:flex;
   font-size: 20px;
   padding-left: 20px;
   border: indigo bold;
    .second{
        padding:20px;
        display: flex;
        margin:10px;
        background-color: lightcoral;
        font-size: 20px;
   }
    .item2{
        display:inline-flex;
        padding-left: 20px;
        padding-inline: 20px;
    }
    .display{
        text-align: left;
    .last{
       font-size: 20px;
        text-align: center;
        letter-spacing: 2px;
   }
```

