

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
MERN STACK

Practical – IV

Roll No.: T033	Name: Prajapati raj
Class: TYIT	Batch:1
Date of Assignment:15-7-26	Date/Time of Submission:15-7-26

4.React Components, Props, and State

a. Create multiple components and render them on a single page.

Code :

Header.jsx

```
function Header() {  
  return (  
    <div>  
      <h1>Placement Management System</h1>  
      <hr />  
    </div>  
  );  
}
```

export default Header;

Student.jsx

```
function Student() {  
  return (  
    <div>  
      <h2>Student Details</h2>  
      <p>Name : Raj Prajapati</p>  
      <p>Roll No : 101</p>  
      <p>Course : B.Sc. IT</p>  
      <p>Semester : VI</p>  
      <hr />  
    </div>  
  );  
}
```

export default Student;

Eligibility.jsx

```
function Eligibility() {
  const percentage = 75;

  return (
    <div>
      <h2>Eligibility</h2>
      <p>Percentage : {percentage}%</p>
      <p>Status : {percentage >= 60 ? "Eligible" : "Not Eligible"}</p>
      <hr />
    </div>
  );
}

export default Eligibility;
```

Placementstatus.jsx

```
function Placementstatus() {
  const placed = true;

  return (
    <div>
      <h2>Placement Status</h2>
      <p>{placed ? "Placed" : "Not Placed"}</p>
      <hr />
    </div>
  );
}

export default Placementstatus;
```

Companyoffer.jsx

```
function Companyoffer() {
  return (
    <div>
      <h2>Company Offer</h2>
      <p>Company : Infosys</p>
      <p>Package : ₹6 LPA</p>
      <p>Location : Pune</p>
      <hr />
    </div>
  );
}
```

```
export default Companyoffer;
```

Skillprogress.jsx

```
function Skillprogress() {  
  const react = 90;  
  const java = 85;  
  const python = 95;  
  
  return (  
    <div>  
      <h2>Skill Progress</h2>  
  
      <p>React : {react}%</p>  
      <p>Java : {java}%</p>  
      <p>Python : {python}%</p>  
  
      <hr />  
    </div>  
  );  
}
```

```
export default Skillprogress;
```

Footer.jsx

```
function Footer() {  
  return (  
    <div>  
      <p>© 2026 Sheth L.U.J. & Sir M.V. College</p>  
    </div>  
  );  
}
```

```
export default Footer;
```

App.jsx

```
import Header from "../components/Header";  
import Student from "../components/Student";  
import Eligibility from "../components/Eligibility";  
import Placementstatus from "../components/Placementstatus";  
import Companyoffer from "../components/Companyoffer";  
import Skillprogress from "../components/Skillprogress";  
import Footer from "../components/Footer";  
import "../App.css";
```

```
function App() {  
  return (  
    <div className="container">  
      <Header />  
      <Student />  
      <Eligibility />  
      <Placementstatus />  
      <Companyoffer />  
      <Skillprogress />  
      <Footer />  
    </div>  
  );  
}
```

```
export default App;
```

App.css

```
.container {  
  width: 600px;  
  margin: 30px auto;  
  padding: 20px;  
  border: 2px solid #333;  
  border-radius: 10px;  
  background-color: #f5f5f5;  
  font-family: Arial, sans-serif;  
}
```

```
h1, h2 {  
  text-align: center;  
}
```

```
p {  
  font-size: 18px;  
}
```

```
hr {  
  margin: 15px 0;  
}
```

Output :

Placement Management System

Student Details

Name : Raj prajapati
Roll No : 101
Course : B.Sc. IT
Semester : VI

Eligibility

Percentage : 75%
Status : Eligible

Placement Status

Placed

Company Offer

Company : Infosys
Package : ₹6 LPA
Location : Pune

Skill Progress

React : 90%
Java : 85%
Python : 95%

© 2026 Sheth L.U.J. & Sir M.V. College

b. Pass data between components using props.

Code :

App.jsx

```
import Header from "../components/Header";
import Footer from "../components/Footer";
import HotelCard from "../components/HotelCard";
import "../App.css";
```

```
function App() {
  return (
    <div className="container">
      <Header />
      <HotelCard
        restaurant = "Domino's Pizza"
        food = "Pizza, Pasta, Beverages"
        price = {1599}
        rating = {4.5}
        discount = {20}/>
      <HotelCard
        restaurant = "McDonald's"
        food = "Burgers, Fries, Beverages"
        price = {1699}
        rating = {4.5}
        discount = {20}/>
      <HotelCard
        restaurant = "Pizza Hut"
        food = "Pizza, Pasta, Beverages"
```

```

        price = {599}
        rating = {4.5}
        discount = {20}/>
<HotelCard
  resturant = "Chicken Hut"
  food = "chicken Pizza, chicken hande Pasta, Beverages"
  price = {1099}
  rating = {4.5}
  discount = {20}/>
<Footer />
</div>
);
}

```

export default App;

Header.jsx

```

function Header() {
  return (
    <div>
      <h1>Online Food Delivery Dashboard</h1>
      <h3>Rajj0103</h3>
      <hr />
    </div>
  );
}

```

export default Header;

HotelCard.jsx

```

function HotelCard(props) {
  const discount = (props.price * props.discount) / 100;
  const finalPrice = props.price - discount;

  return(
    <div>
      <h2>{props.restaurant}</h2>
      <p>Food Item : {props.food}</p>
      <p>Original Price : ₹{props.price}</p>
      <p>Discount : {props.discount}%</p>
      <p>Final Price : ₹{finalPrice}</p>
      <p>Rating : {props.rating}</p>
    </div>
  );
}

```

```

    );
  }

export default HotelCard;

Footer.jsx
function Footer() {
  return (
    <div>
      <p>© 2026 Online Food Delivery App</p>
    </div>
  );
}

```

export default Footer;

Output:



c. Use the useState hook to manage and update data.

Code :


```
import {useState} from 'react';
function App() {
  const [count, setCount] = useState(0);
  return (

    <div className="App">

      <h1>Button click Counter App</h1>
      <h2>User Clicks : {count} times</h2>
      <button onClick={() => setCount(count + 1)}>Click Me</button>
      <h3>Rajj</h3>
    </div>
  );
}

export default App;
```

Output :



d. Create a form component to accept user input and display it dynamically.

Code:

```
App.jsx
import StudentRegisterForm from "../components/StudentRegisterForm";

function App() {
  return (
    <div>

      <StudentRegisterForm />
    </div>
  );
}

export default App;
```


StudentRegisterForm.jsx

```
import { useState } from "react";
```

```
function StudentRegisterForm() {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const [phone, setPhone] = useState("");
  const [CGPA, setCgpa] = useState("");

  return (
    <div>
      <h1>Student Registration Form</h1>
      <hr/>
      <label>Name:</label>
      <input type="text" placeholder="Enter Name" value={name}
onChange={(e) => setName(e.target.value)} />
      <br/>
      <label>Email:</label>
      <input type="email" placeholder="Enter Email" value={email}
onChange={(e) => setEmail(e.target.value)} />
      <br/>
      <label>Phone Number:</label>
      <input type="text" placeholder="Enter Phone Number" value={phone}
onChange={(e) => setPhone(e.target.value)} />
      <br/>
      <label>CGPA:</label>
      <input type="text" placeholder="Enter CGPA" value={CGPA}
onChange={(e) => setCgpa(e.target.value)} />
      <br/>
      <button type="submit" onClick={() => {}}>Submit</button>
      <hr/>
      <h2>Student details</h2>
      <p>Name: {name}</p>
      <p>Email: {email}</p>
      <p>Phone Number: {phone}</p>
      <p>CGPA: {CGPA}</p>
    </div>

  );
}

export default StudentRegisterForm;
```

Output :

Student Registration Form

Name:

Email:

Phone Number:

CGPA:

Student details

Name: Raj Prajapati

Email: rajmvlu2006@gmail.com

Phone Number: 9324866990

CGPA: 9.9

e. Display a list of items stored in the state using map().

Code :

App.jsx

```
import CompanyList from './components/CompanyList';
import './App.css';
```

```
function App() {
  return (
    <div className="App">
      <h1>Company List</h1>
      <CompanyList />
    </div>
  );
}
```

```
export default App;
```

CompanyList.jsx

```
import {useState} from 'react';
```

```
function CompanyList() {
  const [companies] = useState([
    "TCS",
    "Infosys",
```

```

    "Wipro",
    "HCL",
    "Tech Mahindra"
  ]);

  return (
    <div>
      <h2>Placement Companies</h2>
      <h3>Rajj</h3>
      <hr/>
      <ol>
        {companies.map((company, index) => (
          <li key={index}>{company}</li>
        ))}
      </ol>
    </div>
  );
}

```

export default CompanyList;

Output :

Company List	
Placement Companies	
Rajj	
1.	TCS
2.	Infosys
3.	Wipro
4.	HCL
5.	Tech Mahindra

f. Build a small interactive component (e.g., counter or to-do list).

Code :

```

import {useState} from 'react';
function App() {
  const [count, setCount] = useState(0);
  return (

    <div className="App">

      <h1>React Counter App</h1>
      <h2>User Clicks : {count} times</h2>
      <button onClick={() => setCount(count + 1)}>Increment</button>

```

```


    <br/>
    <button onClick={() => setCount(count - 1)}>Decrement</button>
    <br/>
    <button onClick={() => setCount(0)}>Reset</button>
    <hr/>

    <h3>Rajj</h3>
  </div>
);
}

export default App;

```

Output :



Fb (to do list) code:

```

import { useState } from "react";

function App() {
  const [task, setTask] = useState("");
  const [tasks, setTasks] = useState([]);

  // Add a new task
  const addTask = () => {
    if (task.trim() === "") {
      alert("Please enter a task!");
      return;
    }

    setTasks([...tasks, task]);
    setTask("");
  };
}

```

```

return (
  <div style={{ textAlign: "center", marginTop: "30px" }}>
    <h2>To-Do List</h2>

    <input
      type="text"
      placeholder="Enter a task"
      value={task}
      onChange={(e) => setTask(e.target.value)}
    />

    <button onClick={addTask} style={{ marginLeft: "10px" }}>
      Add
    </button>

    <hr />

    <h3>Task List</h3>

    <ol>
      {tasks.map((item, index) => (
        <li key={index}>{item}</li>
      ))}
    </ol>
  </div>
);
}

export default App;

```

Output :

The screenshot shows a web application titled "To-Do List". It features a dark-themed interface. At the top, there's a header with the title "To-Do List". Below the header, there is a form consisting of a text input field with the placeholder text "Enter a task" and an "Add" button. A horizontal line divides the header section from the main content area. The main content area is titled "Task List" and displays a numbered list of four items: 1. Nasta, 2. code, 3. lecture, and 4. Rajjj.