

Building A Restaurant Website With Bootstrap:

//index.html

```
<!doctype html>

<html lang="en">

  <head>

    <!-- Required meta tags -->

    <meta charset="utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <style>

    </style>

    <!-- Bootstrap CSS -->

    <!-- Latest compiled and minified CSS -->

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">

    <!-- jQuery library -->

    <scriptsrc="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>

    <!-- Popper JS -->

    <scriptsrc="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></scri
pt>

    <!-- Latest compiled JavaScript -->

    <scriptsrc="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js">

    </script>

  <body>

    <nav class="navbar navbar-expand navbar-dark bg-dark">

      <a class="navbar-brand" href="index.html">MING'S DINER</a>

      <div class="container-fluid">

        <div class="navbar-nav">

          <a class="nav-link active" href="index.html">Home</a>

          <a class="nav-link" href="form.html">Contact</a>

          <a class="nav-link" href="page.html">Pagination</a>

          <a class="nav-link" href="order.html">Order</a>

        </div>

      </div>

    </nav>

  </body>

</html>
```

</div>

</div>

</nav>

<div class="jumbotron">

<div class="alert alert-primary" role="alert">

<div style="text-align: center;">

<p class="lead"> Welcome to Ming's Diner!! Hungry??We'll Be quick,promise!!

</p>

</div>

</div>

</div>

<div class="container">

<div class="row">

<div class="col-sm" style="text-align: center;">

<h1 class="display-4">Hours</h1>

<p class="lead">M-F 10:00am - 8:30pm</p>

</div>

<div class="col-sm" style="text-align: center;">

<h1 class="display-4">Our Specials</h1>

<p class="lead">Biryani</p>

<p class="lead">Noodles</p>

<p class="lead">Dinner</p>

</div>

<div class="col-sm" style="text-align: center;">

<h1 class="display-4">Delivery</h1>

<p class="lead">Just let us know when you place your order!</p>

</div>

</div>

</div>

```
<div id="carouselExampleSlidesOnly" class="carousel-inner mx-auto" role="listbox" data-ride="carousel" style="width:80%; height: 700px !important;">
```

```
<ol class="carousel-indicators">
```

```
<li data-target="#carouselExampleIndicators" data-slide-to="0" class="active"></li>
```

```
<li data-target="#carouselExampleIndicators" data-slide-to="1"></li>
```

```
<li data-target="#carouselExampleIndicators" data-slide-to="2"></li>
```

```
</ol>
```

```
<div class="carousel-inner">
```

```
<div class="carousel-item">
```

```

```

```
</div>
```

```
<div class="carousel-item active">
```

```

```

```
</div>
```

```
<div class="carousel-item">
```

```

```

```
</div>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<br>
```

```
<div style="text-align: center;" class="w-50 mx-auto">
```

```
<div class="card text-center">
```

```
<div class="card-header">
```

```
<h1 class="display-4">Featured</h1>
```

```
</div>
```

```
<div class="card-body">

<h5 class="card-title">Check out our menu</h5>

<p class="card-text">With specials as well as our discount prices.</p>
<a href="menu.html" class="btn btn-primary btn-lg btn-block" role="button" aria-
pressed="true">View our Menu!</a>
```

```
</div>
```

```
<div class="card-footer text-muted">
```

```
  updated 3 days ago
```

```
</div>
```

```
</div>
```

```
<br>
```

```
</div>
```

```
<br>
```

```
<br>
```

```
</body>
```

```
</html>
```

```
//menu.html
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-
84-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
```

```
</head>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta2/dist/js/bootstrap.bundle.min.js" integrity="sha384-
b5kHyXgcpbZJO/tY9U17kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOnJ0" cros
sorigin="anonymous"></script>
```

```
<script src="https://code.jquery.com/jquery-3.3.2.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
```

```
</head>

<body>

  <nav class="navbar navbar-expand navbar-dark bg-dark">

    <a class="navbar-brand" href="index.html">Ming's Diner</a>

    <div class="container-fluid">

      <div class="navbar-nav">

        <a class="nav-link active" href="index.html">Home</a>

        <a class="nav-link" href="form.html">Contact</a>

        <a class="nav-link" href="page.html">Pagination</a>

        <a class="nav-link" href="order.html">Order</a>

      </div>

    </div>

  </nav>

  <br><br>

  <div class="d-flex justify-content-center">

    <div class="w-75 p-3">

      <div class="jumbotron jumbotron-fluid" style="text-align: center;">

        <h1 class="display-4" style="text-align: center;">Menu</h1>

        <div></div>

        <br>

        <div></div>

        <br>

        <h1 class="display-4" style="text-align: center;">Specials</h1>

        <br>

        <p class="lead"> Paneer Biryani</p>

        <p class="lead">Veg Manchuria</p>

        <p class="lead">Fried Chicken </p>

        <p class="lead">Seafoods</p>

      </div>

    </div>

  </div>
```

```
</div>

</div>

</body>

</html>

//page.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

</head>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta2/dist/js/bootstrap.bundle.min.js" integrity="sha384-b5kHyXgcpbZJO/tY9UI7kGkf1S0CWuKcCD38l8YkeH8z8QjE0GmW1gYU5S9FOOnJ0"
crossorigin="anonymous"></script>

<script src="https://code.jquery.com/jquery-3.3.2.slim.min.js" integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

</head>

<body>

<nav class="navbar navbar-expand navbar-dark bg-dark">

<a class="navbar-brand" href="index.html">Ming's Diner</a>

<div class="container-fluid">

<div class="navbar-nav">

<a class="nav-link active" href="index.html">Home</a>

<a class="nav-link" href="form.html">Contact</a>

<a class="nav-link" href="page.html">Pagination</a>

<a class="nav-link" href="order.html">Order</a>
```

```

        </div>
    </div>
</nav>
<br><br>
<div class="d-flex justify-content-center">
    <div class="w-75 p-3">
        <div class="jumbotron jumbotron-fluid" style="text-align: center;">
            <p>You can click the buttons below to access all the pages.</p>
            <nav aria-label="Pagination Demo">
                <ul class="pagination">
                    <li class="page-item"><a class="page-link" href="#">Previous</a></li>
                    <li class="page-item"><a class="page-link" href="index.html">1</a></li>
                    <li class="page-item"><a class="page-link" href="form.html">2</a></li>
                    <li class="page-item"><a class="page-link" href="menu.html">3</a></li>
                    <li class="page-item"><a class="page-link" href="#">Next</a></li>
                </ul>
            </nav>
        </div>
    </div>
</div>
</div>
</body>
</html>

```

//Order.html

```

<!doctype html>
<html lang="en">
<head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <style>

```

```
</style>

<!-- Bootstrap CSS -->

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

</head>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>

<body>

  <nav class="navbar navbar-expand navbar-dark bg-dark">

    <a class="navbar-brand" href="index.html">Ming's Diner</a>

    <div class="container-fluid">

      <div class="navbar-nav">

        <a class="nav-link active" href="index.html">Home</a>

        <a class="nav-link" href="form.html">Contact</a>

        <a class="nav-link" href="page.html">Pagination</a>

        <a class="nav-link" href="order.html">Order</a>

      </div>

    </div>

  </nav>

  <br><br>

  <div class="d-flex justify-content-center">

    <div class="w-75 p-3">

      <div class="jumbotron jumbotron-fluid">

        <div>

          <h1 class="display-4" style="text-align: center;">Order Here</h1>

          <form class="w-50 mx-auto">

            <div class="form-group">

              <label for="exampleFormControlInput1">What is your name?</label>

              <input type="text" class="form-control" id="exa" placeholder="Name">

            </div>

          </form>

        </div>

      </div>

    </div>

  </div>
```



```
<div class="form-group">  
  <label for="exampleFormControlSelect1">What would you like to order</label>  
  <select class="form-control" id="exampleFormControlSelect1">  
    <option>Paneer Biryani</option>  
    <option>Mandi</option>  
    <option>Boneless Chicken in Lemon Sauce</option>  
    <option>Seafoods</option>  
    <option> Special</option>  
  </select>  
</div>  
  
<div class="form-group">  
  <label for="exampleFormControlTextarea1">Special Requests?</label>  
<textarea class="form-control" id="exampleFormControlTextarea1" rows="3"></textarea>  
</div>  
  
<div class="form-group" style="text-align: center;">  
<button type="submit" class="btn btn-primary" onclick="myFunction2()">Enter</button>  
</div>  
</form>  
</div>  
</div>  
</div>  
  
<script>  
  function myFunction2() {  
    alert("Order Sent!");  
  }  
</script>  
</body></html>
```

//form.html

<!doctype html>

```
<html lang="en">

<head>

  <!-- Required meta tags -->

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <style>

  </style>

  <!-- Bootstrap CSS -->

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

</head>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script>

<body>

  <nav class="navbar navbar-expand navbar-dark bg-dark">

    <a class="navbar-brand" href="index.html">Ming's Diner</a>

    <div class="container-fluid">

      <div class="navbar-nav">

        <a class="nav-link active" href="index.html">Home</a>

        <a class="nav-link" href="form.html">Contact</a>

        <a class="nav-link" href="page.html">Pagination</a>

        <a class="nav-link" href="order.html">Order</a>

      </div>

    </div>

  </nav>

  <br><br>

  <div class="d-flex justify-content-center">

    <div class="w-75 p-3">

      <div class="jumbotron jumbotron-fluid">

        <div>
```

```
<h1 class="display-4" style="text-align: center;">Contact Us</h1>

<form class="w-50 mx-auto">

  <div class="form-group">

    <label for="exampleFormControlInput1">How can we contact you?</label>

    <input type="email" class="form-control" id="exampleFormControlInput1"
      placeholder="name@example.com">

  </div>

  <div class="form-group">

    <label for="exampleFormControlSelect1">How would you rate your experience?</label>

    <select class="form-control" id="exampleFormControlSelect1">

      <option>1</option>

      <option>2</option>

      <option>3</option>

      <option>4</option>

      <option>5</option>

    </select>

  </div>

  <div class="form-group">

    <label for="exampleFormControlTextarea1">Additional Feedback?</label>

    <textarea class="form-control" id="exampleFormControlTextarea1" rows="3"></textarea>

  </div>

  <div class="form-group" style="text-align: center;">

    <button type="submit" class="btn btn-primary" onclick="myFunction()">Enter</button>

  </div>

</form>

</div>

</div>

</div>

</div>

<script>
```

```
function myFunction() {  
    alert("Feedback Sent!");  
}  
</script>  
</body>  
</html>
```