

Trouble shooting grup

Step1 :

```
#cd /boot
```

```
#ll
```

```
It show Efi
```

```
Grub2
```

```
initramfs
```

```
Loader
```

```
#cd grub2/
```

```
#ll
```

```
It shows device.map
```

```
Grup.cfg
```

```
Grubenv
```

Incase : grup.cfg remove or erase then do the drouble shooting

Step 2

When I reboot the system may not boot and can stop the grub prompt

Step 3

When I restart .Press esc while screen splash

Step 4


*It will show the boot menu

*Here click the cd rom drive



Step 5

Select the troubles shooting to fix the grub error




Step 6

Then I select Rescue a centos stream system

Step 7

It will us to a prombt where select 1 to contine



The screenshot shows the Anaconda installer's rescue environment. The window title is 'Clone of server'. The terminal displays the following text:

```
Starting installer, one moment...
anaconda 34.25.7.14-1.el9 for CentOS Stream 9 started.
* installation log files are stored in /tmp during the installation
* shell is available on TTY2
* when reporting a bug add logs from /tmp as separate text/plain attachments
=====
Rescue


The rescue environment will now attempt to find your Linux installation and
mount it under the directory : /mnt/sysroot. You can then make any changes
required to your system. Choose '1' to proceed with this step.
You can choose to mount your file systems read-only instead of read-write by
choosing '2'.
If for some reason this process does not work choose '3' to skip directly to a
shell.

1) Continue
2) Read-only mount
3) Skip to shell
4) Quit (Reboot)

Please make a selection from the above: 1
```

Step 8

Press enter



The screenshot shows the Anaconda installer's rescue shell. The window title is 'Clone of server'. The terminal displays the following text:

```
Choosing 2...
If for some reason this process does not work choose '3' to skip directly to a
shell.

1) Continue
2) Read-only mount
3) Skip to shell
4) Quit (Reboot)

Please make a selection from the above: 1
=====
Rescue Shell

Your system has been mounted under /mnt/sysroot.

If you would like to make the root of your system the root of the active system,
run the command:

    chroot /mnt/sysroot

Warning: The rescue shell will trigger SELinux autorelabel on the subsequent
boot. Add "enforcing=0" on the kernel command line for autorelabel to work
properly.
When finished, please exit from the shell and your system will reboot.

Please press ENTER to get a shell:
bash-5.1#

anacondall:main= 2:shell 3:log 4:storage-log 5:program-log
```

Step 9

Type the following commands


```
#chroot /mnt/sysroot
```

```
#grub2-install /dev/sda
```

```
#grup2-mkconfig -o /boot/grub2/grub.cfg
```

```
#exit
```

```
#exit
```

A screenshot of a terminal window with a light gray title bar and a dark gray background. The terminal shows the following text:

```
shell.  
1) Continue  
2) Read-only mount  
3) Skip to shell  
4) Quit (Reboot)  
  
Please make a selection from the above: 1  
=====
```

```
Rescue Shell  
  
Your system has been mounted under /mnt/sysroot.  
  
If you would like to make the root of your system the root of the active system,  
run the command:  
  
    chroot /mnt/sysroot  
  
Warning: The rescue shell will trigger SELinux autorelabel on the subsequent  
boot. Add "enforcing=0" on the kernel command line for autorelabel to work  
properly.  
When finished, please exit from the shell and your system will reboot.  
  
Please press ENTER to get a shell:  
bash-5.1# chroot /mnt/sysroot  
bash-5.1# grub2-install /dev/sda  
Installing for i386-pc platform.  
Installation finished. No error reported.  
bash-5.1# grub2-mkconfig -o /boot/grub2/grub.cfg  
Generating grub configuration file ...  
Adding boot menu entry for UEFI Firmware Settings ...  
done  
bash-5.1#
```

The terminal window has a sidebar on the left with a search bar and a tree view showing 'My Computer' with sub-items 'server' and 'Clone of server'. The top of the window has a menu bar with 'File', 'Edit', 'View', 'VM', 'Tabs', and 'Help', and a toolbar with various icons.

Step 10

Check the cd /boot and cd grub2

```
root@client:/boot/grub2

[raj@client ~]$ su -
Password:
su: Authentication failure
[raj@client ~]$ su -
Password:
[root@client ~]# cd /boot
[root@client boot]# ls
config-5.14.0-697.el9.x86_64      loader
config-5.14.0-710.el9.x86_64    symvers-5.14.0-697.el9.x86_64.gz
efi                             symvers-5.14.0-710.el9.x86_64.gz
grub2                           System.map-5.14.0-697.el9.x86_64
initramfs-0-rescue-e62ba35a032f4beb951d75b1feelf762.img System.map-5.14.0-710.el9.x86_64
initramfs-5.14.0-697.el9.x86_64.img vmlinuz-0-rescue-e62ba35a032f4beb951d75b1feelf762.img
initramfs-5.14.0-697.el9.x86_64kdump.img vmlinuz-5.14.0-697.el9.x86_64
initramfs-5.14.0-710.el9.x86_64.img vmlinuz-5.14.0-710.el9.x86_64
initramfs-5.14.0-710.el9.x86_64kdump.img
[root@client boot]# cd /grub2
-bash: cd: /grub2: No such file or directory
[root@client boot]# cd /grub2
-bash: cd: /grub2: No such file or directory
[root@client boot]# ls /grub2
ls: cannot access '/grub2': No such file or directory
[root@client boot]# cd grub2/
[root@client grub2]# ls
device.map  fonts  grub.cfg  grubenv  i386-pc  locale
[root@client grub2]#
```

When I reboot the system may not boot and can stop the grub prompt

When I restart .Press esc while screen splash

*It will shows the boot menu

*Here click the cd rom drive

Select the troubles shooting to fix the grub error

Then I select Resure a centos stream system

It will us to a prombt where select 1 to contine

Press enter

Type the following commands

```
#chroot /mnt/sysroot
```

```
#grub2-install /dev/sda
```

```
#grub2-mkconfig -o /boot/grub2/grub.cfg
```

```
#exit
```

```
#exit
```

Check the `cd /boot` and `cd grub2`