SQL Questions:

1. Retrieve all successful bookings:
2. Find the average ride distance for each vehicle type:
3. Get the total number of cancelled rides by customers:
4. List the top 5 customers who booked the highest number of rides:
5. Get the number of rides cancelled by drivers due to personal and car-related issues:
6. Find the maximum and minimum driver ratings for Prime Sedan bookings:
7. Retrieve all rides where payment was made using UPI:
8. Find the average customer rating per vehicle type:
9. Calculate the total booking value of rides completed successfully:
10. List all incomplete rides along with the reason:

Data Columns

1. Date
2. Time
3. Booking_ID
4. Booking_Status
5. Customer_ID
6. Vehicle_Type
7. Pickup_Location
8. Drop_Location
9. V_TAT
10. C_TAT
11. cancelled_Rides_by_Customer
12. cancelled_Rides_by_Driver
13. Incomplete_Rides
14. Incomplete_Rides_Reason
15. Booking_Value
16. Payment_Method
17. Ride_Distance
18. Driver_Ratings
19. Customer_Rating

SQL Answers:

1. Retrieve all successful bookings:
SELECT * FROM bookings WHERE Booking_Status = 'Success';

2. Find the average ride distance for each vehicle type:
SELECT Vehicle_Type, AVG(Ride_Distance) as avg_distance FROM bookings GROUP BY Vehicle_Type;

3. Get the total number of cancelled rides by customers:
SELECT COUNT(*) FROM bookings WHERE Booking_Status = 'cancelled by Customer';

4. List the top 5 customers who booked the highest number of rides:
SELECT Customer_ID, COUNT(Booking_ID) as total_rides FROM bookings GROUP BY Customer_ID ORDER BY total_rides DESC LIMIT 5;

5. Get the number of rides cancelled by drivers due to personal and car-related issues:
SELECT COUNT(*) FROM bookings WHERE cancelled_Rides_by_Driver = 'Personal & Car related issue';

6. Find the maximum and minimum driver ratings for Prime Sedan bookings:
SELECT MAX(Driver_Ratings) as max_rating, MIN(Driver_Ratings) as min_rating FROM bookings WHERE Vehicle_Type = 'Prime Sedan';

7. Retrieve all rides where payment was made using UPI:
SELECT * FROM bookings WHERE Payment_Method = 'UPI';

8. Find the average customer rating per vehicle type:
SELECT Vehicle_Type, AVG(Customer_Rating) as avg_customer_rating FROM bookings GROUP BY Vehicle_Type;

9. Calculate the total booking value of rides completed successfully:
SELECT SUM(Booking_Value) as total_successful_value FROM bookings WHERE Booking_Status = 'Success';

10. List all incomplete rides along with the reason:
SELECT Booking_ID, Incomplete_Rides_Reason FROM bookings WHERE Incomplete_Rides = 'Yes';

SQL Questions & Answers

Create Database Ola;
Use Ola;

#1. Retrieve all successful bookings:
Create View Successful_Bookings As
SELECT * FROM bookings
WHERE Booking_Status = 'Success';

#2. Find the average ride distance for each vehicle type:
Create View ride_distance_for_each_vehicle As
SELECT Vehicle_Type, AVG(Ride_Distance)
as avg_distance FROM bookings
GROUP BY Vehicle_Type;

#3. Get the total number of cancelled rides by customers:
Create View cancelled_rides_by_customers As
SELECT COUNT(*) FROM bookings
WHERE Booking_Status = 'cancelled by Customer';

#4. List the top 5 customers who booked the highest number of rides:
Create View Top_5_Customers As
SELECT Customer_ID, COUNT(Booking_ID) as total_rides
FROM bookings
GROUP BY Customer_ID
ORDER BY total_rides DESC LIMIT 5;

#5. Get the number of rides cancelled by drivers due to personal and car-related issues:
Create View Rides_cancelled_by_Drivers_P_C_Issues As
SELECT COUNT(*) FROM bookings
WHERE cancelled_Rides_by_Driver = 'Personal & Car related issue';

#6. Find the maximum and minimum driver ratings for Prime Sedan bookings:
Create View Max_Min_Driver_Rating As
SELECT MAX(Driver_Ratings) as max_rating,
MIN(Driver_Ratings) as min_rating
FROM bookings WHERE Vehicle_Type = 'Prime Sedan';

#7. Retrieve all rides where payment was made using UPI:
Create View UPI_Payment As
SELECT * FROM bookings
WHERE Payment_Method = 'UPI';

#8. Find the average customer rating per vehicle type:
Create View AVG_Cust_Rating As
SELECT Vehicle_Type, AVG(Customer_Rating) as avg_customer_rating
FROM bookings
GROUP BY Vehicle_Type;

#9. Calculate the total booking value of rides completed successfully:
Create View total_successful_ride_value As
SELECT SUM(Booking_Value) as total_successful_ride_value
FROM bookings
WHERE Booking_Status = 'Success';

#10. List all incomplete rides along with the reason:
Create View Incomplete_Rides_Reason As
SELECT Booking_ID, Incomplete_Rides_Reason
FROM bookings
WHERE Incomplete_Rides = 'Yes';

Retrieve All Answers

#1. Retrieve all successful bookings:
Select * From Successful_Bookings;

#2. Find the average ride distance for each vehicle type:
Select * from ride_distance_for_each_vehicle;

#3. Get the total number of cancelled rides by customers:
Select * from cancelled_rides_by_customers;

#4. List the top 5 customers who booked the highest number of rides:
Select * from Top_5_Customers;

#5. Get the number of rides cancelled by drivers due to personal and car-related issues:
Select * from Rides_cancelled_by_Drivers_P_C_Issues;

#6. Find the maximum and minimum driver ratings for Prime Sedan bookings:
Select * from Max_Min_Driver_Rating;

#7. Retrieve all rides where payment was made using UPI:
Select * from UPI_Payment;

#8. Find the average customer rating per vehicle type:
Select * from AVG_Cust_Rating;

#9. Calculate the total booking value of rides completed successfully:
Select * from total_successful_ride_value;

#10. List all incomplete rides along with the reason:
Select * from Incomplete_Rides_Reason;