

Java

Env , deployment

Usercontroller.java

```
package com.example.backend;

import org.springframework.web.bind.annotation.CrossOrigin;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.RestController;

@RestController
@CrossOrigin(origins = "https://frontend-spring.vercel.app")
public class userController {

    @GetMapping("/")
    public String hello(){
        return "Hello spring boot ";
    }

}
```

App.jsx

```
import { useEffect, useState } from "react";
import reactLogo from "./assets/react.svg";
import viteLogo from "./assets/vite.svg";
import heroImg from "./assets/hero.png";
import "./App.css";
import axios from "axios";

function App() {
  const [data, setData] = useState("");
  const fetch = async () => {
    const result = await axios.get("http://localhost:8080/");
    console.log(result.data);
    setData(result.data);
  };

  useEffect(() => {
    fetch();
  }, []);

  return (
    <>
```

```
        <h1>{data}</h1>
      </>
    );
  }

  export default App;
```

Deployment steps:

1. Create folder fullstack
2. Create spring boot project inside fullstack with name folder name as backend
3. Create frontend react application , project name as frontend
4. Create route in backend and connect with axios in frontend.
5. Push frontend and backend to github separately
6. Deploy frontend in vercel & copy the frontend url and paste it in crossorigin
7. Deploy backend in railway & copy the backend url and paste that in frontend for fetching.

Environment variables

Application.properties

myapp.username=pirithika

myapp.password=1234

inject

@Value("\${myapp.username}")

private String username;

@Value("\${myapp.password}")

private String password;