AI Ballistic Shield: A Multi-Agent Architecture for Preventive Detection of Systemic E-commerce Fraud in Banking Infrastructure.

1. Abstract

Traditional Anti-Money Laundering (AML) and Know Your Customer (KYC) systems in the banking sector are experiencing operational degradation against organized crime syndicates that deploy fraudulent e-commerce storefronts at automated, superhuman speed. This publication defines a paradigm shift in payment cybersecurity by introducing the "Ballistic Analogy." This methodology advocates abandoning the reactive blocking of rotating domains (Device/Domain Fingerprinting) in favor of proactive reverse engineering of the criminal infrastructure itself (SaaS Shop IDs, SSO Hubs). The solution is predicated on the orchestration of four autonomous AI agents (OSINT Crawler, Linguistic Auditor, Network Linkage Engine, Anomaly Detector) operating within an Active Feedback Loop, capable of analyzing semantic layers, source code, and financial flows in real-time.

2. Introduction: The Problem of Scale and Velocity

Modern e-commerce fraud (e.g., fake shops, drop-shipping deployments with no fulfillment intent) relies on mass replication. Organized syndicates utilize automated "Fraud Kits" to clone and deploy thousands of storefronts in minutes. When a bank or Payment Gateway reacts to a surge of chargeback requests and blocks a domain, the criminal operation seamlessly pivots to new infrastructure.

Manual underwriting and verification by Security Operations Center (SOC) analysts are temporally inadequate. There is a critical imperative to shift detection to the infrastructural layer, thereby increasing the Cost of Doing Business (CODB) for fraudulent actors.

3. Architectural Paradigm: The Ballistic Analogy

The "Ballistic Analogy" is an investigative concept positing that banking systems should not focus on the "bullets" (dynamic URLs, disposable IP addresses), but rather on the micro-striations left by the "gun barrel" (persistent logical infrastructure and administrative backends). Changing a domain or modifying a front-end is costless for an attacker; however, altering unique SaaS account identifiers, OAuth/SSO authorization logic, and DNS chains requires the fundamental reconstruction of their entire operational model.

4. Multi-Agent System (MAS) Architecture

The system comprises four specialized AI agents integrating OSINT analysis, reverse engineering, and payment monitoring.

4.1. AI OSINT Crawler (Surface Verification)

- **Analysis Vector:** Semantic Gap.
- **Function:** The autonomous agent retrieves registry numbers (e.g., VAT/Tax IDs) provided during merchant onboarding, queries public government registry APIs to retrieve official industry classification codes (e.g., NAICS/PKD), and utilizes Natural Language Processing (NLP) and Computer Vision to categorize the actual inventory of the scraped website.
- **Trigger (Alert):** Detection of low-risk corporate identity theft (e.g., a registered social care foundation operating a storefront selling high-end consumer electronics).

4.2. Linguistic & Technical Auditor (Reverse Engineering)

- **Analysis Vector:** Digital footprints of developmental infrastructure.
- **Function:** The agent conducts rigorous reverse engineering of the site's source code (HTML/JS) and HTTP headers.
- **Detected Artifacts:**
    1. *Shop ID Leakage:* Extraction of persistent identifiers assigned to the SaaS e-commerce platform account.
    2. *Linguistic Anomalies:* Identification of residual language artifacts from other jurisdictions (e.g., Dutch error headers on a localized Polish domain).
    3. *DOM Fuzzy Hashing:* Utilization of algorithms such as SSDEEP to identify the structural cloning of web pages, independent of superficial visual modifications (CSS).

4.3. Network Linkage Engine

- **Analysis Vector:** Infrastructural relationship graphs.
- **Function:** The agent consolidates data within graph databases (e.g., Neo4j). It aggregates previously blocked identifiers (Google Tag Manager IDs, Tracking Pixels, Passive DNS clusters) and cross-references them against new merchant applications.
- **Decision:** Preemptive blocking of new domains containing compromised Tracking Pixels prior to the processing of the initial transaction.

4.4. Anomaly Detection in Payouts (Financial Flow Guardian)

- **Analysis Vector:** The terminus of the settlement funnel.
- **Function:** Stream processing of transactional events (e.g., via Apache Kafka).
- **The "Fan-In" Pattern:** Utilizing Isolation Forest models to detect anomalies where dozens of geographically and categorically unrelated storefronts settle their balances into a single bank account (a "mule" account), providing mathematical evidence of a coordinated, mass-scale fraudulent operation.

5. Deployment Rigor: Architectural Decision Record (ADR-001)

The implementation of autonomous systems within the financial sector necessitates strict control mechanisms (Guardrails). The system achieves Conditional Approval for production deployment only upon satisfying the following critical blockers:

1. **Cloaking and Obfuscation Resilience:** The AI OSINT Crawler must be equipped with anti-cloaking modules. Mandatory requirements include *User-Agent* header rotation, the utilization of *Residential Proxies* (to bypass Geo-Fencing rules), and Mouse Movement Emulation within the DOM model, preventing the delivery of sanitized honeypot pages designed to deceive banking bots.
2. **Shadow Mode Deployment:** Agent deployment commences with a mandatory 3-month silent phase operating on historical data. Agents generate alerts without the capability to interfere with payment processing (*Zero Auto-Blocking*), calibrating risk weights to mitigate False Positives within legitimate ERP traffic.
3. **GDPR Compliance / Data Minimization:** A comprehensive legal audit of the network infrastructure mapping mechanisms (Network Linkage) concerning data privacy regulations must be completed prior to the deployment of mass profiling within graph databases.

6. Conclusion

The application of Agentic AI within anti-fraud architecture shifts the defensive vector from manual, reactive mitigation to autonomous prevention. Utilizing the "Ballistic Analogy" drastically elevates the operational costs for organized cybercriminal syndicates.

This publication serves as a formalized engineering record of a multi-agent system in FinTech applications and enters the public domain as Prior Art, establishing a methodological standard for deep e-commerce infrastructure analysis.

Recommended Citation: Olszewski, R. T. (2026). *AI Ballistic Shield: A Multi-Agent Architecture for Preventive Detection of Systemic E-commerce Fraud in Banking Infrastructure*. Zenodo.

(Document generated as a Defensive Publication)