PODPIS ZAUFANY
RAJMUND TADEUSZ
OLSZEWSKI
10.10.2026 22:36:29 GMT+0200
Dokument podpisany elektronicznie
podpisem zaufanym

INDUSTRIAL APPLICATION AND REGULATORY COMPLIANCE: DATA CENTER & CRITICAL INFRASTRUCTURE.

Proprietary Technology & Patent Status.

The systems, methods, and cryptographic hardware architectures disclosed herein are legally protected under active patent prosecution before the Patent Office of the Republic of Poland (UPRP), with international and internal priority rights claimed under the Paris Convention:

- **Polish Patent Application No. P.454742**

  (*Time-Bound Offline Transaction Protocol - T-OTP; Hardware Fiscal Time Oracle & Localchain Architecture*);

- **Polish Patent Application No. P.457301**

  (*Hardware Access Supervision System, Destructive Conductive Bridging Circuitry, Capacitive Hold-up Buffer, and Scale-Agnostic Physical Space Integrity Verification*).

1. Primary Industrial Domain: Data Centers & High-Density Compute Infrastructure.

In its primary, high-performance implementation, this patented access supervision and offline-resilient verification system serves as a mission-critical hardware security barrier for modern **Data Centers**, high-performance computing (HPC) clusters, and artificial intelligence (AI) factory facilities. In environments characterized by extreme power densities and liquid-cooling architectures—including direct-to-chip (**D2C**) cooling loops and micro-Cooling Distribution Units (**mCDUs**) - physical perimeter integrity directly dictates logical cybersecurity and operational continuity.

The system addresses the critical vulnerability of physical and environmental tampering during network isolation, blackouts, severe kinetic disruptions, or out-of-band (OOB/IPMI) management plane compromises:

- **Server Rack & Cabinet Supervision:** Conductive destructive bridging circuits integrated across rack doors and side panels, backed by capacitive energy buffers, prevent undetected physical insertion of malicious hardware implants (*Hardware Trojans*) or bus sniffers into PCIe/RAM buses, even when the target rack is completely de-energized.
- **Hardware Security Modules (HSM) & Cryptographic Vaults:** Seals server cryptographic sleds and key storage drawers against offline chassis intrusion and side-channel physical extraction attacks (*Zeroization Bypass*).
- **Thermal-Hydraulic Infrastructure (mCDU & D2C Distribution):** Enforces non-repudiable audit logging on manual and automated service valves, manifold couplings, and coolant lines. Unauthorized physical tampering that could induce coolant starvation, thermal runaways, or catastrophic silicon burnout is irreversibly captured with certified timestamps.

2. Scale-Agnostic Extension Across Critical Infrastructure & Logistics.

While optimized for the stringent demands of mission-critical Data Centers, the underlying physics and cryptography of the system are **completely scale-agnostic and medium-independent**, extending seamless protection to other vital sectors:

1. **Heavy Logistics & Secure Supply Chain (Intermodal Transport):** Scalable deployment onto locking bars, roll-up gates, and door seals of freight trailers, shipping containers, and railway wagons. Prevents undetected physical interdiction attacks (*Interdiction Attacks*) during transit of enterprise server hardware, critical spare parts, or high-value assets across unmonitored routes or communication dead zones.
2. **Pharmaceutical, Healthcare & Biologics (Cold Chain Traceability):** Application to unit packaging (controlled substances, high-titer biologics), specialized transplant organ transport coolers, and cryogenic dry-ice dewars. The integrated flex-sensor probe immutably seals both physical opening events and temperature excursions into the cryptographic record offline.
3. **Operational Technology (OT), SCADA & Energy Utilities:** Hardware supervision of remote Programmable Logic Controller (PLC) enclosures, electrical substations, switchgear cubicles, and pipeline metering stations where GSM/IP connectivity is unreliable or restricted for air-gapping purposes.

3. Compliance with Strictest EU Regulatory Frameworks: NIS2 and DORA.

Both **Directive (EU) 2022/2555 (NIS2)** and **Regulation (EU) 2022/2554 (DORA)** shift regulatory liability from superficial paper policies to **auditable operational resilience** and verifiable **Zero-Trust architecture across the supply chain**. By implementing the technologies covered by patent applications **P.454742** and **P.457301**, organizations deploy a direct, compliance-enforcing mechanism aligned with the following mandatory provisions:

A. Compliance with the NIS2 Directive (Directive (EU) 2022/2555).

- **Article 21(2)(c) of the NIS2 Directive – Business Continuity and Crisis Management:** Mandates operational resilience during communications outages. The T-OTP architecture enables continuous, legally compliant transaction signing and access event logging entirely offline, eliminating the vulnerability of manual, backdateable emergency logs.
- **Article 21(2)(d) of the NIS2 Directive – Supply Chain Security and Supplier Relationships:** Requires entities to mitigate vulnerabilities arising from hardware procurement and transit. Conductive destructive smart labels eliminate the risk of hardware interception, component swapping, or tampering between factory manufacturing and data center commissioning.
- **Article 21(2)(e) of the NIS2 Directive – Security in Network and Information Systems Acquisition, Development, and Maintenance:** Requires physical and logical hardening of supporting infrastructure. The integration of nanocomposite capacitive buffers with non-maskable hardware interrupts (NMI) secures the unpowered hardware state (*Powered-Off Tamper Resistance*).
- **Article 21(2)(h) of the NIS2 Directive – Cryptography and Encryption Policies and Procedures:** Implements a hardware-enforced Localchain structure, chaining physical sensor data and access states via SHA-256 cryptographic hashes and asymmetric digital signatures (ECDSA/RSA) directly at the edge.
- **Article 23 of the NIS2 Directive – Incident Reporting Obligations:** Enforces early warning notifications within 24 hours and comprehensive forensic reports within 72 hours. The certified internal RTC oracle captures exact, immutable timestamps of any physical breach, providing forensic investigators and national CSIRTs with non-repudiable event timelines (*Timeline Forensics*).
- **Articles 32 and 34 of the NIS2 Directive – Supervisory Measures, Enforcement, and**

Management Liability: Imposes direct personal and financial liability on C-level management for cybersecurity negligence. Implementing a patented, hardware-grounded zero-trust security solution provides management bodies with demonstrable proof of *Due Diligence*.

B. Compliance with the DORA Regulation (Regulation (EU) 2022/2554).

- **Articles 5 and 6 of the DORA Regulation – ICT Risk Management Framework and Governance:** Compels financial institutions and their critical ICT third-party providers (including cloud and data center operators) to establish a comprehensive physical-to-logical digital resilience strategy.
- **Article 9 of the DORA Regulation – Protection and Prevention:** Requires the deployment of robust physical security mechanisms to safeguard data center spaces, compute nodes, and telecommunication rooms against unauthorized access and physical tampering.
- **Article 10 of the DORA Regulation – Anomaly Detection and Data Integrity Mechanisms:** Mandates prompt detection of data corruption and anomalous events. Utilizing sealed hardware time oracles eliminates clock tampering (*NTP Spoofing*) and guarantees the absolute integrity of offline audit trails.
- **Articles 11 and 12 of the DORA Regulation – ICT Business Continuity Plans and Disaster Recovery (DRP):** Requires ICT systems to be architected with deterministic fail-safe properties. The hardware interlock (*Hard Lock Controller*) physically prevents transaction finalization or system unlocking unless an authentic, cryptographically bound offline package has been committed.
- **Article 13 of the DORA Regulation – Backup Policies and Restoration Procedures:** Secures physical transportation and storage of offsite backup media (air-gapped LTO tape libraries, cryptographic vaults) against untracked offline compromise.
- **Chapter V (Articles 28, 29, and 30) of the DORA Regulation – Managing ICT Third-Party Risk:** Enforces stringent oversight of external ICT vendors. By deploying this edge supervision system, financial entities obtain autonomous, cryptographically verified assurance that delivered server racks, infrastructure components, or transport containers have remained untampered throughout deployment.