Base Plan
Production Readiness QA Handoff

Agent-ready scope, personas, golden journeys, textile calculation oracles, evidence requirements, and GO/NO-GO criteria.

> Mission
> Determine whether the deployed Base Plan is safe, correct, usable, and reliable enough for paying textile-business customers.

Document status	Handoff template - complete before execution
Prepared	22 August 2026
Target	Weavly Base Plan
Decision	GO / CONDITIONAL GO / NO-GO / INSUFFICIENT EVIDENCE
Owner	_____
Deployment / commit	_____
Production URL	_____

How to use this handoff

Complete all deployment-specific blanks before giving this document to the testing agent. The agent must test the deployed application, capture evidence, reconcile critical writes, and return the report described in Section 12.

> Three-layer pass rule: A critical case passes only when (1) the user-visible result is correct, (2) the persisted state is correct, and (3) the business calculation or state transition agrees with an independent oracle.

Document contents

1. Mission, authority, and operating rules
2. Base Plan product contract
3. Personas and permission matrix
4. Environment, accounts, and test data
5. Golden end-to-end journeys
6. Detailed scenario matrix
7. Independent textile calculation oracle
8. Cross-cutting production checks
9. Evidence protocol
10. Defect classification and reporting
11. Production-readiness gates
12. Required final report and verdict

Appendices: Test-case template, defect template, execution checklist, source references

Terms used

Term	Meaning
Critical write	A mutation involving identity, entitlement, rates, calculation snapshots, exports, or irreversible business data.
Independent oracle	An expected result calculated outside the application from approved formulas and controlled inputs.
Golden journey	A complete user outcome spanning multiple pages or states, including persistence and recovery.
Reconciliation	Comparison of UI state, persisted records, and the expected business result.

1. Mission, authority, and operating rules

The assigned agent is responsible for producing an evidence-backed production recommendation, not merely completing a scripted tour.

Execution details to complete

Field	Required value
Production URL	_____
Deployment ID / commit	_____
Testing window	_____
Primary QA tenant	_____
Supported browsers	_____
Supported minimum viewport	390 px unless the product contract says otherwise
Payment mode	Test mode / real payment explicitly authorized / not in scope
Database read access	Available / unavailable; specify method and limitations
Notification mode	Simulated / real delivery explicitly authorized / not in scope

Agent rules

- Use only the supplied QA accounts and tenant. Never inspect or alter another customer tenant.
- Prefix all created records with the run identifier, for example BASEQA-20260822-01.
- Record created record IDs and original settings before changing or deleting anything.
- Do not send real WhatsApp, email, or payment traffic unless the handoff explicitly authorizes it.
- Never interpret a spinner, toast, or screenshot alone as proof of persistence.
- After every critical mutation, refresh or re-login and verify the durable result.
- If the browser reports an unknown outcome, do not blindly retry. First reconcile whether the original write succeeded.
- Do not mark a blocked or inconclusive test as passed. Use BLOCKED or NOT RUN and explain the missing evidence.
- Stop immediately for suspected tenant leakage, authentication bypass, destructive corruption, or live payment risk.

Execution statuses

Status	Definition
PASS	Expected UI, persistence, and business truth are proven with required evidence.
FAIL	Observed behavior differs from the written expectation.
BLOCKED	The case cannot be completed because of an environment, account, tool, or dependency blocker.
NOT RUN	The case was not executed. It cannot contribute to release confidence.
NOT APPLICABLE	The product contract explicitly excludes the case; state the reason.

2. Base Plan product contract

This section is the authoritative scope boundary. It prevents Full Suite functionality from being counted as a Base Plan failure and prevents premium leakage from being accepted.

Included customer capabilities

- Owner authentication and Base onboarding.
- Textile estimator and deterministic costing preview.
- Yarn Rate Book with review metadata and rate history.
- Reusable saved fabric qualities.
- Saved costing snapshots, versions, comparison, and Start From behavior.
- Internal cost sheet and customer-safe quotation export.
- Estimator defaults, optional cost settings, and business-name settings.
- Organization data export.
- Base billing, subscription, and entitlement display.
- Clear upgrade boundaries for Full Suite functionality.

Expected Base navigation

Surface	Expected behavior
Estimator	Available to an active Base owner.
Rate Book	Available; rates and history remain tenant-scoped.
Saved Costings / Quality Library	Available with intended archive, restore, compare, and version behavior.
Settings	Base-relevant controls render and persist.
Billing	Shows truthful plan, dates, price, and entitlement state.
Full Suite routes	Consistent upgrade wall or safe canonical redirect; no premium data leakage or mutations.

Explicitly confirm before execution

- Whether fresh signup and paid activation are in this release scope.
- Whether archive/restore controls are deployed on both desktop and mobile.
- Whether a standalone Base customer document supports a Sent state. If not, no Sent action should appear.
- Whether organization export is expected to download a physical file and which sensitive fields must be excluded.
- Current supported currency, GST behavior, rounding policy, and minimum browser versions.

> Scope-change rule: If the deployed product differs from this contract, pause the affected test and request a product decision. Do not silently redefine expected behavior during execution.

3. Personas and permission matrix

Primary persona: textile factory owner / costing decision-maker

This user maintains current yarn prices, saves reusable constructions, re-costs after market or production changes, explains price movement, and generates internal and customer-facing documents. The owner is commercially knowledgeable but may not be technically sophisticated. Historical decisions must remain trustworthy.

Testing personas

Persona	Goal	Key risk to test
Fresh owner	Create a usable costing desk from an empty account.	Confusing onboarding, missing defaults, empty-state dead ends.
Returning owner	Re-cost mature saved data reliably.	Current rates/defaults overwrite historical snapshots.
Inactive owner	Understand access and renewal state.	Unauthorized access or misleading entitlement.
Other-tenant user	Must never access this tenant.	Read/write tenant leakage.
Anonymous user	Must be redirected to authentication.	Protected route or export exposure.
Mobile owner	Complete core Base work at narrow width.	Hidden controls, overflow, unusable dialogs.
Interrupted user	Recover from refresh, timeout, duplicate click, or stale tab.	Duplicate writes, lost work, silent overwrite.

Minimum permission matrix

Capability	Active Base owner	Inactive owner	Other tenant	Anonymous
Read own rates and costings	Allow	Defined policy	Deny	Deny
Create or version costing	Allow	Deny / renewal	Deny	Deny
Read historical snapshot	Allow	Defined policy	Deny	Deny
Open premium route	Upgrade wall	Upgrade wall	Deny	Login
Organization export	Allow	Defined policy	Deny	Deny
Billing state	Own tenant only	Own tenant only	Deny	Login

4. Environment, accounts, and test data

The run must start from a known state and end with verified cleanup. Production testing should use an isolated tenant whose data can be safely mutated.

Account inventory

Account	Required state	Identifier / credential location
Active Base owner	Active Base entitlement; isolated QA tenant.	_____
Inactive / failed-payment owner	No active entitlement; retained truthful attempt state.	_____
Second isolated tenant	Used only for cross-tenant denial tests.	_____
Fresh owner	No pre-existing organization data, if signup is in scope.	_____

Controlled dataset

- At least two warp yarn rates and two weft yarn rates with documented units and effective dates.
- One simple fabric construction and one multi-component blend construction.
- At least two costing snapshots with a known single-variable difference.
- Settings profile containing target margin, production volume, overhead inputs, and optional-section defaults.
- Expected organization export fields and explicit exclusions for secrets, codes, and cross-tenant data.
- Known failed, cancelled, duplicate, and successful payment states if billing is in scope.

State capture before testing

Capture	Evidence
Deployment identity	Production alias, deployment ID, commit, migration state.
Tenant identity	Organization ID and account role; no secrets in the report.
Subscription baseline	Plan, status, term dates, payment/entitlement counts.
Business baseline	Counts of active/archived rates, qualities, and costing versions.
Settings baseline	All values the test may change.
Browser baseline	Browser version, viewport, timezone, locale, cache/service-worker state.

Data safety: The agent may remove only records it created and can identify by run prefix and stored ID. Restore altered settings to their captured baseline.

5. Golden end-to-end journeys

All in-scope golden journeys are release gates. Execute them as complete outcomes, including refresh or re-login and persisted-state reconciliation.

ID	Journey	Completion outcome	Priority
GJ-B01	Signup and Base onboarding	Fresh owner creates organization, receives intended Base state, refreshes, logs out, and logs back in.	P0
GJ-B02	Yarn Rate Book lifecycle	Create warp/weft rates, update one, verify ordered history, archive, refresh, and restore.	P0
GJ-B03	First independent costing	Create a reusable fabric quality and costing that reconciles to an approved oracle.	P0
GJ-B04	Re-price after rate movement	Change one yarn rate, load the same quality, create a new immutable version, and explain the delta.	P0
GJ-B05	Production-volume and overhead change	Change output/overhead assumptions, recalculate, save a distinct version, and verify only intended costs move.	P0
GJ-B06	Compare historical decisions	Compare two snapshots; rates, overhead, margin, cost, and final price deltas are accurate.	P1
GJ-B07	Internal and customer documents	Internal export includes detailed economics; customer export hides internal cost, margin, and profit.	P0
GJ-B08	Draft and interrupted-work recovery	Refresh or navigate away; recovery choices are explicit and do not overwrite saved work.	P1
GJ-B09	Archive, restore, and retention	Archive/restore rates, qualities, and costings without deleting historical snapshots.	P1
GJ-B10	Defaults and snapshot immutability	New defaults affect new work; old snapshots remain unchanged after refresh and re-login.	P0
GJ-B11	Billing and entitlement truth	Successful, failed, cancelled, duplicate, and retry states produce exactly the intended entitlement.	P0
GJ-B12	Plan boundary	Base navigation exposes Base only; premium routes consistently show an upgrade boundary.	P0
GJ-B13	Authentication and tenant isolation	Logout, direct links, expired sessions, wrong tenant reads/writes, and exports are denied.	P0
GJ-B14	Mobile critical path	Estimator, Rate Book, saved costings, settings, and billing work at 390 px without hidden critical actions.	P1

Required step pattern for every journey

- Record preconditions, account, starting URL, test-data IDs, browser, and viewport.
- Perform the business flow using the exact controlled inputs.
- Capture the visible result and any generated file.
- Refresh or re-login and confirm the state survives.
- Reconcile persisted rows, versions, audit/history, and entitlement where applicable.
- Compare calculations with the independent oracle.
- Check console errors and failed network requests.
- Record cleanup and final status.

6. Detailed scenario matrix

The matrix supplements golden journeys with boundaries, failure paths, concurrency, and recovery. Use the test-case template in Appendix A for every executed case.

Area	Required scenario families	Priority
AUTH	Valid/invalid login; neutral reset response; logout; protected-route reload; session expiry; cross-tab logout.	P0
NAV	Base-only navigation; safe legacy links; premium deep links; back/forward; reload.	P0
BILL	Active view; first purchase; failed/cancelled attempt; retry price; duplicate webhook; entitlement refresh.	P0
RATE	Valid warp/weft; blank; zero/negative/non-finite; duplicate names; history; dates; stale update; archive/restore.	P0/P1
QUALITY	Incomplete recipe; duplicate name; update; stale two-tab edit; soft delete; reload; Start From.	P0/P1
ESTIMATOR	Oracle cases; empty fields; boundaries; blends; modes; optional sections; save once; version; compare; draft.	P0
EXPORT	Internal/customer separation; current data; stale cache; organization export redaction and tenant scope.	P0
SETTINGS	Business name; defaults; toggles; save/reload; old snapshot unchanged; restore baseline.	P0/P1
RESPONSIVE	390 px layout, dialogs, keyboard, focus, no horizontal overflow, critical actions reachable.	P1
OBSERVABILITY	Console errors, failed requests, correlation/request IDs, safe messages, no sensitive logs.	P1
RESILIENCE	Slow response; duplicate click; timeout; unknown outcome; offline/reconnect if supported; stale service worker.	P0/P1
SECURITY	Cross-tenant reads/writes/exports; direct object IDs; role boundary; session revocation.	P0

Input classes to include

- Valid typical values and independently verified expected values.
- Minimum, maximum, zero, blank, and just-outside-boundary values.
- Negative, non-numeric, non-finite, unusually precise, and extremely large values.
- Duplicate names, repeated clicks, replayed requests, and two-tab stale edits.
- Refresh, relogin, back navigation, deployment/cache boundary, and interrupted network response.

7. Independent textile calculation oracle

The application must not validate its own formulas. Use approved truth sheets calculated independently and signed by a textile-domain reviewer.

Known calculation rules to reconcile

Rule	Reference expectation
Beam cloth metres	Tape metres / (1 + crimp percent / 100). Example: 1000 / 1.05 = 952.38095 m.
Loom output	Convert PPI through 39.3701 inches per metre; apply RPM, minutes, efficiency, hours, and loom count.
English cotton count	Denier = 5315 / Ne. Example: 40 Ne = 132.875 denier.
Component accounting	Each warp and weft row contributes exactly once. Formula/manual mode remains distinct.
Optional costs	Disabled sections contribute zero. Commission and transport apply only when enabled.
Snapshot behavior	Historical costing restores its original inputs/results, not current defaults or rates.
Validation	Reject empty recipes, non-finite values, negative required quantities, impossible rates, and invalid margin boundaries.
Rounding	Server, client preview, persisted snapshot, and export use the documented deterministic policy.

Required oracle case set

ID	Truth-sheet scenario
OR-01	Single warp and single weft baseline
OR-02	Multiple warp and weft blend components
OR-03	Cotton-count to denier conversion
OR-04	Zero crimp versus blank/default crimp
OR-05	Formula loom cost versus manual mode
OR-06	In-house versus outsourced sizing
OR-07	Overhead allocation and explicit override
OR-08	Winding, processing, and finishing individually and together
OR-09	Commission, transport, GST, shortage, and margin boundaries
OR-10	Rounding-sensitive decimals and unit conversion
OR-11	Small and large valid quantities plus invalid/extreme values
OR-12	Only one yarn rate changes between immutable versions
OR-13	Only production volume changes between versions
OR-14	Old snapshot reopened after current defaults and rates change

Truth-sheet schema

Field	Requirement
Inputs	Exact value, unit, source, and whether blank/zero/default is intentional.
Intermediate values	Expected yarn, weave, pre-weaving, optional, overhead, commercial, and margin components.
Final outputs	Landed cost, break-even, quoted price, total, and any tax outputs in scope.
Rounding	Where rounding occurs, decimal scale, and display versus persistence behavior.
Tolerance	Defined before execution. State exact equality or a numeric tolerance per field.
Approval	Reviewer name, date, source worksheet, and version.

Oracle gate: The agent must not invent a tolerance after observing a mismatch. Any result outside the pre-approved tolerance is a failure until independently resolved.

8. Cross-cutting production checks

Dimension	Minimum verification
Security and privacy	Authentication, authorization, tenant isolation, direct object references, exports, and customer-safe documents.
Data integrity	No duplicate writes, lost updates, partial versions, snapshot mutation, or destructive archive behavior.
Resilience	Slow response, timeout, unknown outcome, retry, two tabs, refresh, re-login, and stale deployment cache.
Usability	Clear labels, errors, empty states, confirmations, recovery choices, and plan boundaries.
Accessibility	Keyboard reachability, focus visibility, accessible names, dialog focus, contrast, and zoom basics.
Responsive behavior	390 px critical flow, no clipping/overflow, usable dialogs and primary actions.
Performance	Record agreed thresholds for initial load, save, calculation, reopen, and export. Flag unexplained regression.
Observability	No unexplained console errors, warning bursts, failed requests, sensitive logs, or untraceable critical failures.
Compatibility	Supported browser versions, locale, timezone, currency display, and download behavior.
Operations	Deployment identity, migration alignment, backups/recovery evidence if included in the production decision.

Critical retry and concurrency invariants

- A duplicate click creates one logical rate, quality, costing version, payment, or entitlement.
- A timed-out request is reconciled before retry; the retry cannot create a second logical result.
- A stale tab cannot silently overwrite a newer quality or settings update.
- Historical snapshots remain unchanged after current rates, defaults, or recipes are edited.
- Refresh and re-login show the same durable state that the success UI claimed.

Performance thresholds to approve before execution

Action	Target / threshold
Authenticated initial load	_____
Estimator calculation response	_____
Save rate / quality / costing	_____
Reopen saved snapshot	_____
Generate internal/customer PDF	_____
Organization export	_____

9. Evidence protocol

Evidence must be sufficient for a reviewer who did not watch the run to reproduce the reasoning and verify the release decision.

Evidence required per critical case

- Before-state screenshot with visible route and identifying test-data prefix.
- Exact entered inputs and the expected result from the oracle.
- Successful or failed UI result, including the full error when applicable.
- After-refresh or after-relogin screenshot.
- Downloaded files for export scenarios.
- Console and failed-network-request result for the journey.
- Persisted-state record IDs, counts, status, version lineage, audit/history, or entitlement reconciliation.
- Timestamp, environment, account role, browser version, viewport, test ID, and defect ID.

Suggested artifact layout

```
RUN-ID/
  REPORT.pdf | scorecard.csv | defects.csv
  reconciliation.json | oracle-results.xlsx
  evidence/GJ-B01/... | exports/... | logs/...
  cleanup.json
```

Evidence rules

- Redact passwords, payment credentials, tokens, secrets, and unrelated personal data.
- Do not crop away context needed to identify the screen, state, or record.
- Label each artifact with the test ID and chronological step number.
- A browser screenshot alone cannot prove tenant isolation, payment idempotency, immutable versions, or durable writes.
- If database/API reconciliation is unavailable, mark the affected production gate as INSUFFICIENT EVIDENCE.

10. Defect classification and reporting

Severity	Definition	Examples
P0 - Stop ship	Security, financial correctness, data integrity, or entitlement failure.	Tenant leakage; auth bypass; formula error; data loss; duplicate money/entitlement.
P1 - Release blocker	Core Base journey cannot be completed or trusted.	Saved result unreliable; internal economics leaked; history rewritten; critical mobile flow unusable.
P2 - Major	Material secondary failure with a safe, documented workaround.	Significant friction, unclear recovery, incorrect non-critical behavior.
P3 - Minor	Low-impact cosmetic, wording, or consistency defect.	Spacing, copy, minor visual inconsistency.

Every defect must include

- Short title describing the broken outcome.
- Severity with business-impact rationale.
- Environment, deployment, account role, browser, and viewport.
- Preconditions and exact data inputs.
- Minimal reproducible steps.
- Expected versus actual result.
- Frequency and whether retry changes the outcome.
- Screenshots, console/network evidence, and persisted-state evidence.
- Affected record IDs and whether cleanup is safe.
- Golden journeys and release gates affected.

> Severity cannot be reduced because a workaround exists when the defect creates incorrect financial results, tenant exposure, corrupted history, duplicate critical writes, or false entitlement.

11. Production-readiness gates

Automatic NO-GO conditions

- Any open P0 defect.
- Any open P1 defect affecting an in-scope golden journey.
- Any cross-tenant read, write, export, or object access.
- Any independent formula result outside the pre-approved tolerance.
- Any mutation or loss of a historical costing snapshot.
- Any duplicate payment, entitlement, costing version, or other critical write caused by retry.
- Any customer document exposing internal cost, margin, break-even, or profit.
- Any in-scope golden journey that is blocked or not run.
- Inability to reconcile critical UI results with persisted state.

Required for GO

- 100% of P0 cases pass.
- 100% of in-scope golden journeys pass.
- All approved formula oracle cases pass.
- All security and tenant-isolation cases pass.
- All in-scope billing and entitlement cases pass.
- No unexplained console errors or failed requests occur during golden journeys.
- Critical mobile paths pass at the supported minimum width.
- All test data is reconciled; settings are restored; cleanup is confirmed.
- All blocked, not-run, and not-applicable areas are explicitly reported.
- Remaining P2/P3 defects have named acceptance and do not undermine business trust.

Allowed verdicts

Verdict	Use only when
GO	All GO gates are satisfied and no automatic NO-GO condition exists.
CONDITIONAL GO	No P0/P1 or trust failure exists; explicit low-risk conditions have owner and deadline.
NO-GO	At least one automatic NO-GO condition exists.
INSUFFICIENT EVIDENCE	Required tests or reconciliation could not be completed; readiness cannot be established.

Decision rule: CONDITIONAL GO must not be used to soften an unresolved P0, P1, formula mismatch, tenant-isolation failure, or missing critical reconciliation.

12. Required final report and verdict

The assigned agent must return one self-contained report with the sections below.

#	Report section	Required content
1	Executive verdict	Verdict, confidence, one-paragraph rationale, and named blockers/conditions.
2	Build tested	URL, alias, deployment ID, commit, migration state, date/time, browsers.
3	Scope	Included, excluded, blocked, not run, and not applicable areas.
4	Golden-journey scorecard	Status, duration, evidence links, defects, and reconciliation result.
5	Release-gate scorecard	Each gate marked pass/fail/insufficient evidence with rationale.
6	Calculation reconciliation	Inputs, expected, actual UI, persisted, export, tolerance, delta, status.
7	Security results	Authentication, role, session, tenant isolation, exports, and entitlement.
8	Defect register	P0-P3 defects with business impact and reproduction evidence.
9	Operational observations	Console/network health, performance, responsiveness, accessibility, cache.
10	Cleanup confirmation	Deleted test records, restored settings, retained evidence, residual state.
11	Recommendation	Clear release recommendation, conditions, owners, and retest scope.

Executive scorecard template

Dimension	Result	Evidence / comment
Golden journeys	___ / ___ passed	_____
P0 cases	___ / ___ passed	_____
Formula oracles	___ / ___ passed	_____
Security / tenant isolation	PASS / FAIL / IE	_____
Billing / entitlement	PASS / FAIL / N/A / IE	_____
Mobile critical paths	PASS / FAIL / IE	_____
Critical reconciliation	PASS / FAIL / IE	_____
Cleanup	COMPLETE / INCOMPLETE	_____
Final verdict	_____	_____

Required sign-off

Role	Name	Decision / signature	Date
QA executor			
Product owner			
Textile-domain reviewer			
Engineering owner			

Appendix A. Test-case template

Test ID	_____	**Priority**	P0 / P1 / P2 / P3
Area / journey	_____	**Persona**	_____
Deployment	_____	**Browser / viewport**	_____
Preconditions	_____ _____	**Run ID**	_____

Field	Entry
Purpose	
Controlled input data	
Steps	1. 2. 3. 4.
Expected UI result	
Expected persisted result	
Expected formula / state result	
Required evidence	
Cleanup	
Actual result	
Status	PASS / FAIL / BLOCKED / NOT RUN / NOT APPLICABLE
Defect ID and notes	

Appendix B. Defect template

Field	Entry
Defect ID	
Title	
Severity and rationale	P0 / P1 / P2 / P3 -
Business impact	
Deployment / environment	
Account role / tenant	
Browser / viewport	
Preconditions and inputs	
Reproduction steps	1. 2. 3. 4.
Expected result	
Actual result	
Frequency	Always / intermittent / once; number of attempts:
UI evidence	
Console / network evidence	
Persisted-state evidence	
Affected record IDs	
Golden journeys / gates affected	
Cleanup and residual risk	

Appendix C. Execution and cleanup checklist

Checklist item
[ ] Deployment identity recorded and aligned with the production URL.
[ ] Scope decisions and all document blanks completed.
[ ] QA accounts verified; no real customer account used.
[ ] Baseline tenant counts, entitlement, and settings captured.
[ ] Independent textile truth sheets approved before execution.
[ ] Every golden journey assigned a status and evidence folder.
[ ] Every P0 case executed and reconciled.
[ ] Formula results checked across UI, persisted snapshot, and exports.
[ ] Cross-tenant and entitlement denial tests completed.
[ ] Duplicate click, timeout/retry, refresh, and stale-tab cases completed.
[ ] Desktop and 390 px mobile critical paths completed.
[ ] Console and failed network requests checked for every golden journey.
[ ] All created records identified by run prefix and stored ID.
[ ] Changed settings restored to baseline.
[ ] Disposable test data removed only after reconciliation.
[ ] Post-cleanup counts recorded and residual state explained.
[ ] Final report contains no passwords, tokens, secrets, or unrelated personal data.
[ ] Verdict follows the release gates without undocumented exceptions.

Run notes

Date / time	Note / decision / owner

Appendix D. Repository source references

This handoff consolidates the following repository materials. Review them when a test requires deeper implementation context or historical evidence.

Reference	Repository path
Base Plan persona and workflow analysis	outputs/base-plan-persona-and-workflow-gap-analysis-2026-08-09.md
Golden end-to-end journeys	outputs/architecture-enhancement/golden-journeys.md
Base Plan coverage and stress matrix	output/base-plan-coverage/BASEPLAN-COVERAGE-20260731/REPORT.md
Estimator calculation specification	outputs/estimator-production-readiness/estimator-calculation-spec.md
General testing guide	TESTING_GUIDE.md
Prior browser QA report	BROWSER_WORKFLOW_QA_REPORT.md

Known handoff items that still require execution-specific completion

- Fill the production URL, deployment identity, approved accounts, credentials location, and testing window.
- Confirm the current deployed Base Plan contract and any intentionally deferred controls.
- Attach approved independent textile truth sheets with rounding and tolerance.
- Approve performance thresholds and supported browser matrix.
- State whether billing activation, real notifications, and organization export download are in scope.
- Provide read-only reconciliation access or accept an INSUFFICIENT EVIDENCE outcome for affected gates.

> Handoff complete when: all deployment-specific blanks are filled, truth sheets are attached, account access is verified, and the agent can independently apply every release gate in this document.