

0:54:07



Finish

1.67%

Question 31 of 60

What is the primary role of the "return ()" statement in a function body?

- ☐ It returns the value and continues executing rest of the statements
- ☐ It returns the value and stops the program execution
- ☒ Stops executing the function and returns the value
- ☐ It returns the value and stops executing the function

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

3.33%

Question 32 of 60

Which of the following is not a JavaScript Data Types?

- ☐ Boolean
- ☐ Undefined
- ☐ Number
- ☒ Float

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:53:06



Finish

5.00%

Question 33 of 60

Which of the following syntax can be used to write "Hello World" in an alert box?

- ☐ alertBox("Hello World");
- ☐ msgBox("Hello World");
- ☒ alert("Hello World");
- ☐ msg("Hello World");

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:52:50



Finish

6.67%

Question 34 of 60

Which of the following is the correct way to write a comment in JavaScript code?

- ☒ //This is a comment
- ☐ /*This is a comment*/
- ☐ \$This is a comment\$
- ☐ **This is a comment**

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:52:32



Finish

8.33%

Question 35 of 60

jQuery is a -

- ☐ JavaScript method
- ☒ JavaScript library
- ☐ JSON library
- ☐ PHP method

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:52:12



Finish

10.00%

Question 36 of 60

Which jQuery method is used to set one or more style properties to the selected element?

- ☐ The htm() method
- ☐ The style() method
- ☒ The css() method
- ☐ All of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:51:55



Finish

11.67%

Question 37 of 60

Which of the following jQuery method is used to attach a handler to an event?

- ☐ unbind() method
- ☐ attach() method
- ☒ bind() method
- ☐ None of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

13.33%

Question 38 of 60

The jQuery used to find all next sibling elements after the current element is -

- ☐ find() method
- ☒ nextAll() method
- ☐ siblings() method
- ☐ None of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:51:22



Finish

15.00%

Question 39 of 60

The jQuery method used to load data using HTTP get is -

☒ get(URL, data, callback, dataType) method

☐ post(URL, data, callback, dataType) method

☐ ajax() method

☐ ajaxSend() method

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:50:54



Finish

16.67%

Question 40 of 60

How can you get the total number of arguments passed to a function?

☐ Using args.length property

☒ Using arguments.length property

☐ Both of the above.

☐ None of the above.

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:50:37



Finish

18.33%

Question 41 of 60

Which of the following command is used to install the Node.js express module?

☒ \$ npm install express

☐ \$ node install express

☐ \$ install express

☐ None of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:50:18



Finish

20.00%

Question 42 of 60

What is Callback?

☐ The callback is a technique in which a method calls back the caller method.

☐ The callback is an asynchronous equivalent for a function.

☒ Both of the above.

☐ None of the above.

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:50:00



Finish

21.67%

Question 43 of 60

The Node.js modules can be exposed using:

- ☐ expose
- ☐ module
- ☒ exports
- ☐ All of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:49:46



Finish

23.33%

Question 44 of 60

What does the fs module stand for?

- ☐ File Service
- ☒ File System
- ☐ File Store
- ☐ File Sharing

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:49:33



Finish

25.00%

Question 45 of 60

Which of the following statement is used to execute the code of the sample.js file?

- ☐ sample.js
- ☒ node sample.js
- ☐ nodejs sample.js
- ☐ None of the above.

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:49:13



Finish

26.67%

Question 46 of 60

Which of the following are the core features of the Express framework?

- ☐ It allows us to set up middleware to respond to HTTP Requests.
- ☐ It defines a routing table that can work as per HTTP Method and URL.
- ☐ It is used to render the HTML pages dynamically.
- ☒ All of the above.

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:48:57



Finish

28.33%

Question 47 of 60

Where are the captured values populated regarding the route parameters?

- ☐ req.data
- ☐ app.locals
- ☒ req.params
- ☐ All of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:48:36



Finish

30.00%

Question 48 of 60

How is it possible to create chainable route handlers for a route path in Express.js?

- ☒ Using app.route()
- ☐ Using app.routes()
- ☐ Using app.router()
- ☐ Using app.routing()

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:48:20



Finish

31.67%

Question 49 of 60

Which of the following is the correct syntax to use Express.js in Node?

- ☐ `var = require('express')();`
- ☐ `var__require('express')();`
- ☒ `var app = require('express')();`
- ☐ None of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:48:01



Finish

33.33%

Question 50 of 60

Which of the following method requests that the server accept the data enclosed in the request to modify an existing object identified by the URI?

- ☐ GET
- ☐ DELETE
- ☒ PUT
- ☐ POST

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:47:36



Finish

35.00%

Question 51 of 60

HTTP is stateless.

- ☒ This statement is true.
- ☐ This statement is false.
- ☐ It can be true or false.
- ☐ Cannot say.

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:47:22



Finish

36.67%

Question 52 of 60

Which of the following is the correct name of React.js?

- ☐ React
- ☐ Reactjs
- ☐ ReactJS
- ☒ All of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:46:58



Finish

38.33%

Question 53 of 60

Which of the following command is used to install create-react-app?

☒ npm install -g create-react-app

☐ npm install create-react-app

☐ npm install -f create-react-app

☐ install -g create-react-app

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:46:06



Finish

40.00%

Question 54 of 60

A class is a type of function, but instead of using the keyword function to initiate it, which keyword do we use?

☐ Constructor

☒ Class

☐ Object

☐ DataObject

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:45:53



Finish

41.67%

Question 55 of 60

Which of the following keyword is used to create a class inheritance?

- ☐ Create
- ☐ Inherits
- ☒ Extends
- ☐ This

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:45:00



Finish

43.33%

Question 56 of 60

The correct syntax of creating a standard navigation bar is -

- ☒ <nav class="navigationbar navbar">
- ☐ <nav class="navbar navbar-default">
- ☐ <nav class="nav navbar">
- ☐ <nav class="navbar default">

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:44:43



Finish

45.00%

Question 57 of 60

Which of the following class is used to create a black navigation bar?

- ☐ navbar-default
- ☒ navbar-inverse
- ☐ navbar-black
- ☐ navbar-dark

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:44:30



Finish

46.67%

Question 58 of 60

Which of the following class in Bootstrap is used to create a dropdown menu?

- ☒ dropdown
- ☐ select
- ☐ select-list
- ☐ None of the above

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:44:16



Finish

48.33%

Question 59 of 60

Which of the following class in Bootstrap is used to create a large button?

- ☐ btn-xl
- ☐ btn-lrg
- ☐ btn-large
- ☒ btn-lg

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

0:44:04



Finish

50.00%

Question 60 of 60

How many ways of defining your variables in ES6?

- ☐ 1
- ☒ 3
- ☐ 4
- ☐ 5

Questions

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60



Finish

56. The correct syntax of creating a standard navigation bar is -

Answers

1. `<nav class="navigationbar navbar">`
2. `<nav class="navbar navbar-default">`
3. `<nav class="nav navbar">`
4. `<nav class="navbar default">`

42. What is Callback?

Answers

1. The callback is a technique in which a method calls back the caller method.
2. The callback is an asynchronous equivalent for a function.
3. Both of the above.
4. None of the above.

31. What is the primary role of the "return ()" statement in a function body?

Answers

1. It returns the value and continues executing rest of the statements
2. It returns the value and stops the program execution
3. Stops executing the function and returns the value
4. It returns the value and stops executing the function

1. HTML stands for

Answers

1. HighText Machine Language
2. HyperText and links Markup Language
3. HyperText Markup Language
4. None of these

2. The correct sequence of HTML tags for starting a webpage is

Answers

1. Head, Title, HTML, body

2. HTML, Body, Title, Head

3. HTML, Head, Body, Title

4. HTML, Head, Title, Body