

1. What is the return type of the hashCode() method in the Object class?

Answers

1. Object
2. int
3. void
4. long

2. Which of the following is true about the anonymous inner class?

Answers

1. It has only methods
2. It has only one method
3. Objects can't be created
4. It has no class name

3. What gets printed when the following program is compiled and run? Select the one correct answer.

```
class test {  
    public static void main(String args[]) {  
        int i;  
        do {  
            i++;  
        }  
        while(i < 0);  
        System.out.println(i);  
    }  
}
```

Answers

1. The program does not compile as i is not initialized.
2. The program compiles but does not run.
3. The program compiles and runs but does not print anything.
4. The program prints 0.

```

public static void main(String [] args)
{
    try
    {
        badMethod();
        System.out.print("A");
    }
    catch (RuntimeException ex) /* Line 10 */
    {
        System.out.print("B");
    }
    catch (Exception ex1)
    {
        System.out.print("C");
    }
    finally
    {
        System.out.print("D");
    }
    System.out.print("E");
}
public static void badMethod()
{
    throw new RuntimeException();
}
}

```

Answers

1. BD
2. BCD
3. BDE
4. BCDE

6. When is the B object, created in line 3, eligible for garbage collection?

```

void start() {
    A a = new A();
    B b = new B();
    a.s(b);
    b = null; /* Line 5 */
    a = null; /* Line 6 */
    System.out.println("start completed"); /* Line 7 */
}

```

Answers

1. after line 5
2. after line 6
3. after line 7
4. There is no way to be absolutely certain.

9. Which of the following is a keyword in java?

Answers

1. string
2. unsigned
3. Float
4. this

```
Drink one = new Drink();  
Drink two = new Drink();
```

10. Multiple inheritance can be implemented in Java by which of the following way?

- I)Extending one class and implementing multiple interfaces.
- II)Implementing multiple interfaces.
- III)Extending multiple classes and interfaces.
- IV)Extending multiple classes and one interface

Answers

1. I
2. III
3. I,II
4. II,III,IV

3. Coffee Tea

4. Compilation fails

11. Exposing only necessary information to clients (main programs, other classes) is known as _____

Answers

1. Abstraction
2. Encapsulation
3. Data hiding
4. Hiding complexity

12. Which of these interface is not a member of java.io package?

Answers

1. Closeable
2. Clonable
3. ObjectInput
4. Serializable

14. What will be the output of the program?

```
public class StringBuilderDemo {  
    public static void main(String[] args) {  
        StringBuilder wc1 = new StringBuilder("Welcome");  
        StringBuilder wc2 = new StringBuilder("Welcome");  
        System.out.print(wc2.equals(wc1));  
        System.out.print(" and "+(wc1==wc2));  
    }  
}
```

Answers

1. true and true
2. false and false
3. true and false
4. false and true

15. Which of the following is not a wrapper class?

Answers

1. String
2. Boolean
3. Short
4. Character

16. What will be the output of the program?

```
public class Demo {  
    int TryArithmeticOperations(int n1,int n2)  
    {  
        try {  
            return n1-n2;  
        } catch (Exception e) {  
            return n1+n2;  
        }  
        finally {  
            return n1*n2;  
        }  
    }  
    public static void main(String[] args) {  
        Demo s=new Demo();  
        int r=s.TryArithmeticOperations(8,2);  
        System.out.println("res="+r);  
    }  
}
```

Answers

1. 6
2. 10
3. 16
4. run time error

18. What will be the output of the program?

```
public class Demo {  
    public static void main(String[] args) {  
        int n=5;  
        try {  
            try  
            {  
                System.out.println(++n+"");  
            }  
            finally {  
                System.out.println(++n * n++);  
            }  
        } catch (Exception e) {  
            System.out.println(n);  
        }  
    }  
}
```

Answers

1. 5 36 49
2. 6 36
3. 6 49
4. 6 36 49

19. Name the collection class which ordered ,indexed based, duplicates are allowed and can also grow and shrink its size but it is non-

Answers

1. ArrayList
2. HashSet
3. Vector
4. List

20. Which of these statements is incorrect about Thread?

Answers

1. start() method is used to begin execution of the thread
2. run() method is used to begin execution of a thread before start() method in special cases
3. A thread can be formed by implementing Runnable interface only
4. A thread can be formed by a class that extends Thread class

22. -Contains no duplicate elements.
-Can contain at most one Null value.
-Elements are not key-value pairs.
-Accessing an element can be almost as fast as performing a similar operation on an array.
Which of these classes provides the specified features?

Answers

1. HashSet
2. TreeMap
3. LinkedHashMap
4. HashMap

23. Which of the following is a correct difference between HashMap and Hashtable?

Answers

1. HashMap contains only values whereas Hashtable contains key and values both.
2. HashMap can contain duplicate elements whereas the Hashtable contains only unique elements
3. HashMap is synchronized while the Hashtable is not synchronized.
4. HashMap is not synchronized while the Hashtable is synchronized.

24. Which of the following is a correct difference between ArrayList and Vector?

Answers

1. ArrayList is not a legacy class while Vector is the legacy.
2. ArrayList increases its size by doubling the array size while Vector increases by 50% of the array size.
3. ArrayList is synchronized while Vector is not.
4. None

25. What can help us in avoiding NullPointerExceptions and null checks in Java 8?

Answers

1. Optional
2. Required
3. NotNull
4. NotRequired

__ is a variable that points to some object in memory. It is stored in stack they can be contained in other objects (then they are not r

Answers

1. Object
2. Reference
3. Class
4. Datatype

28. _____ represents a sequence of objects from a source, which supports aggregate operations.

Answers

1. io
2. Stream
3. Socket
4. Util

29. A pipeline is a sequence of what operations in java 8

Answers

1. multi-threading
2. concurrent
3. consequent
4. stream

30. Which of the following is used to avoid NullPointerException in java 8?

Answers

1. Required
2. Nullable
3. Optional
4. NotNull

2. Which collection class allows you to access its elements by associating a key with an element's value, and provides synchronization?

Answers

1. `java.util.SortedMap`
2. `java.util.TreeMap`
3. `java.util.TreeSet`
4. `java.util.Hashtable`

33. What is used to execute parameterized query?

Answers

1. `Statement` interface
2. `PreparedStatement` interface
3. `ResultSet` interface
4. `ExecuteQuery` interface

34. Objects hold data retrieved from a database after executing an SQL query using `Statement` objects.

Answers

1. `Set`
2. `ResultSet`
3. `Connection`
4. `SQLSet`

35. Which of the following is the correct lambda expression which add two numbers and return their sum?

- 1) `(int a, int b) -> { return a + b;;}`
- 2) `[int a, int b] <- { return a + b;;}`
- 3) `(a, b) -> {return a + b;;}`
- 4) `(a-> b) -> {return a + b;;}`

Answers

1. 1,2,3
2. 2,4
3. 1,3
4. 2,3,4

37. What needs to be implemented to use Lambda expressions?

Answers

1. Functional interface
2. Functional class
3. Functional method
4. Functional object

38. Which is aggregate operation in Java 8?

Answers

1. filter
2. forEach
3. map
4. all of above

39. A pipeline is a sequence of what operations in java 8 ?

Answers

1. Multi-threading
2. stream
3. Consequent
4. concurrent

40. Can a stream act as a data source for another stream?

Answers

1. No Streams must be connected directly to physical devices.
2. No Streams do not deal with data.
3. Yes Some streams can be connected together.
4. Yes An input stream can be connected to an output stream.