OFFICIAL UI/UX ARCHITECTURE SPECIFICATION

BloodSync Android

Complete User Interface & Design System Architecture Dossier

A comprehensive, exhaustive technical reference of all screens, navigation graphs, design tokens, color palettes, responsive components, interactive gestures, and accessibility standards powering the BloodSync production Android application.

APPLICATION VERSION
v3.5.0 Production Ready

UI TOOLKIT / FRAMEWORK
Jetpack Compose 1.7+ & Material 3

ARCHITECTURE PARADIGM
Clean Architecture + Unidirectional Data Flow (UDF)

TARGET SDK / PLATFORM
API 35 (Android 15) • Min SDK 24

DUAL PORTAL SYSTEM
Donor/User Portal + Blood Bank Institution

DESIGN DISCIPLINE
Medical 4-Color Strict Palette (120 FPS Native)

Repository: **github.com/RajputMayurSingh69/bloodsync_andriod**

Document Date: **October 2026**

OVERVIEW & ARCHITECTURE

1. Executive Summary & Design System Foundation

BloodSync Android is an emergency lifesaving blood coordination application designed for rapid distress response, donor discovery, automated 90-day cooldown enforcement, real-time proximity tracking, and hospital blood bank inventory management.

> **Core Design Philosophy: Medical-Grade Zero-Latency Clarity**
> BloodSync operates in high-stress medical emergencies where every second counts. The user interface eliminates clutter, cognitive friction, and unnecessary dialog chains. It strictly enforces a **4-color medical palette** (Red, Green, Yellow/Amber, White/Slate), high-contrast legible typography (Inter), rounded medical card surfaces (20dp), and fluid 120 FPS hardware-accelerated animations.

Table of Contents

SEC #	SECTION TITLE	CORE CONTENTS & SCREENS COVERED
1	**Executive Summary & Foundations**	Design mission, core philosophy, 4-color discipline, tech stack
2	**Design Tokens & Theme System**	Light & Dark color tokens, typography scale, radii, elevation, icons
3	**Global UI Shell & Navigation**	TopBar, BottomNav pill bar, Emergency FAB, Back navigation handlers
4	**Onboarding & Dual Authentication Portal**	Splash Screen, User/Donor Portal, Blood Bank Organization Portal, DOB Picker
5	**Donor / User Portal Screens (Home & Discovery)**	Home Dashboard, Quick Actions, WHO Safety Gauge, Donors Directory
6	**Emergency SOS & Live Tracking Suite**	Emergency SOS Form, 10km GPS Radar, Live Tracking & Responders Stream
7	**Health, History, Appointments & Certificates**	Health Deferral Checklist, 90-Day Gap Booking, History, Official Certificate
8	**Blood Bank Institutional Portal Screens**	Bank Dashboard, 8-Group Inventory Matrix, Inbound SOS Request Stream
9	**Profile, Notifications & Settings**	Donor/Bank Profile, Notification Center, Theme/Alert Preferences
10	**Accessibility, Gestures & Engineering Standards**	WCAG 2.1 AA, Inset handling, Edge-to-edge, 120 FPS optimization

Technical Foundation & Dependencies

Compose & Material 3

Declarative reactive UI using `androidx.compose.material3`, custom design tokens via `BloodSyncTheme`, dynamic dark mode composition locals.

Play Services & Maps

High-precision GPS location fetch via `FusedLocationProviderClient`, Haversine 10km radius proximity radar filtering for nearby donors.

Firebase Realtime Sync

Cloud Firestore real-time snapshot listeners for live emergency requests, cloud responders, and inventory unit transactions with atomic state binding.

DESIGN SYSTEM

2. Design Tokens, Typography & Color Hierarchy

BloodSync adheres to a strict **4-Color Medical Design Discipline** across both Light and Dark themes. Blue status indications are intentionally consolidated into amber/orange to prevent visual distraction in clinical contexts.

Primary Color Tokens

BloodRedPrimary
#D32F2F
Primary brand, SOS, CTAs, Hero

BloodRedDark
#B71C1C
Deep crimson, urgent borders, titles

BloodRedLight
#FFEBEE
Soft red card tint, alert containers

Dark Mode Primary
#EF4444
Vibrant crimson for dark contrast

Secondary & Status Color Tokens

StatusEligibleGreen
#2E7D32
Eligible donor, verified, success

StatusEligibleGreenLight
#E8F5E9
Success pill badge, health tint

StatusWarningAmber
#E65100
Cooldown days, warning, milestone

StatusWarningAmberLight
#FFF3E0
Warning container, info pill bg

Surface & Background Adaptive Matrix

TOKEN NAME	LIGHT MODE HEX	DARK MODE HEX	VISUAL ROLE & APPLICATION
`background`	**#F7F8FA** Warmer Off-White	**#0D1117** Deep Navy/Black	Root screen Scaffold background
`surface`	**#FFFFFF** Pure White	**#161B22** Panel Navy	TopAppBar, BottomNavigation bar, Sheets
`cardBackground`	**#FFFFFF** Pure White	**#1C2333** Elevated Card	All content cards, metric tiles, dialogs
`border`	**#E4E7EC** Light Stroke	**#2D3748** Subtle Stroke	0.5dp precise card & field outlines
`textPrimary`	**#111827** Near-Black	**#F0F6FC** Soft White	Headings, vital medical figures, hero copy
`textSecondary`	**#4B5563** Medium Grey	**#B0BEC5** Cool Grey-Blue	Subtitles, descriptive body paragraphs
`textMuted`	**#9CA3AF** Soft Muted	**#607D8B** Slate Muted	Inactive tabs, timestamps, helper notes

Typography Scale (Google Font 'Inter')

STYLE TOKEN	WEIGHT	SIZE / LINE HEIGHT	TRACKING	USED FOR
`displayLarge`	Black (900)	34sp / 40sp	-1.0sp	Hero splash title, critical counters
`headlineLarge`	Bold (700)	24sp / 30sp	-0.25sp	Major section headers, portal title
`headlineMedium`	Bold (700)	20sp / 26sp	-0.25sp	Screen titles, emergency banner titles
`titleLarge`	Bold (700)	18sp / 24sp	-0.2sp	TopAppBar titles, card headers
`titleMedium`	SemiBold (600)	16sp / 22sp	-0.1sp	Card section titles, input field labels
`bodyLarge`	Normal (400)	15sp / 22sp	+0.1sp	General readable medical description
`bodyMedium`	Normal (400)	14sp / 20sp	+0.1sp	Standard card body copy, checklist text
`labelLarge`	SemiBold (600)	14sp / 18sp	+0.1sp	Button text, interactive pill actions
`labelMedium`	Medium (500)	12sp / 16sp	+0.2sp	Bottom navigation tab labels, status badges

NAVIGATION & SHELL

3. Global UI Shell & Navigation Architecture

The app uses a unified root navigation host in `BloodSyncApp.kt` driven by stateful Compose transitions (`AnimatedContent` with FastOutSlowInEasing).

Top App Bar Component `BloodSyncTopBar.kt`

Fixed at the top of all views. Contains:

- **Left:** Dynamic Navigation Icon (Branded Blood Drop icon on root tabs; Smooth Back arrow on sub-screens).
- **Center-Left:** App Title (`title`) in bold 18sp and Contextual Subtitle (`subtitle`) in 12sp muted text.
- **Right Actions:** Unread notification bell with numerical red badge counter + quick access settings gear icon.

Edge-to-Edge Insets Handled seamlessly with `WindowInsets.statusBars` to prevent status bar collision.

Floating Pill Bottom Navigation `BloodSyncBottomNav.kt`

A floating 28dp pill bar elevated 16dp above the lower screen edge:

- **Spring Physics:** Tabs animate with `Spring.DampingRatioMediumBouncy` on touch (1.08x scale bounce).
- **Backlight Indicator:** Active tab renders a soft crimson glow pill (`BloodRedPrimary.copy(alpha = 0.10f)`).
- **Role-Aware Dynamic Labels:** Automatically transforms based on active user role:
  - *Donor Mode:* Home • History • Health • Book • Profile
  - *Bank Mode:* Dashboard • SOS • Inventory • Schedule • Profile

Gesture & Hardware Back Navigation Hierarchy

To protect against accidental app dismissal during urgent operations, BloodSync implements a 4-tier `BackHandler` cascade:

NAVIGATION STATE	BACK ACTION INTERCEPTED	RESULTING BEHAVIOR
1. Splash Screen	Back button pressed while initializing	No-op (Ignored to prevent corrupting cold boot auth check)
2. Sub-Screens (Emergency, Tracker, Cert, Settings, Donors)	Back button pressed on any sub-screen	Navigates immediately back to `Screen.Main`
3. Non-Home Tab (History, Health, Schedule, Profile)	Back button pressed inside main tabs	Resets navigation back to primary **HOME** destination tab
4. Root Screen (Home Tab or Auth Screen)	Back button pressed at root	Triggers `ExitConfirmationDialog` (Are you sure you want to exit?)


Floating Action Button & Emergency FAB

Emergency FAB Component

`EmergencyFab.kt`

The Emergency SOS Floating Action Button provides instant access to blood broadcast creation from any screen.

- **Pulsing Radar Wave:** Infinite transition expands a semi-transparent red circle from 56dp to 92dp (`alpha 0.45f → 0f`).
- **Haptic Visual Elevation:** Elevated with 12dp spot shadow for prominent visual depth.
- **White Blood Drop Icon:** Centered high-contrast vector graphic with bold "SOS" typography.



AUTHENTICATION & ACCESS


4. Onboarding & Dual Authentication Portals

1. Splash Screen & Liquid Drop Animation

`SplashScreen.kt`

The splash screen delivers an immediate brand impression through a multi-stage physics-based Compose Canvas animation:

- **Phase 1: Falling Droplet:** Blood drop falls from `y = -200f` with elastic bounce (`tween(680ms)`).
- **Phase 2: Squash & Stretch:** On impact, Y-scale squashes to 0.78x and rebounds to 1.10x with medium bouncy spring physics.
- **Phase 3: Landing Ripple:** Concentric ripple ring expands from 1.0x to 1.8x with alpha fading from 0.55f to 0f.
- **Phase 4: Liquid Fill:** Inner crimson liquid level rises from 0% to 100% inside droplet bezier path.
- **Phase 5: Auto-Routing:** Verifies Firebase Auth session token; automatically routes to `Screen.Main` if authenticated or `Screen.Auth` otherwise.



2. Dual Portal Authentication & Registration Screen

`AuthScreen.kt (v3.5.0)`

BloodSync features two dedicated, isolated authentication portals accessible via an interactive segmented pill switcher:

👤 PORTAL 1: User / Voluntary Donor

- **Segment Toggle:** Switch between *Sign In* and *Create Account*.
- **Branded Crimson Banner:** Displays BloodSync mission statement and 256-bit HIPAA compliance guarantee badge.
- **Donor Registration Fields:**
  • Full Name & Normalized Email (`.trim().lowercase()`)
  • Password with interactive visibility eye toggle
  • **Date of Birth (DOB) Picker:** Native `DatePickerDialog` calendar modal with `maxDate` protection preventing future dates.
  • **Real-time Age Calculation:** Auto-computes age upon calendar selection or manual DD/MM/YYYY entry, auto-populating age field with 15–65 compliance warning.
  • Gender Selector Chips (Male, Female, Other)
  • Blood Group Selector Matrix (8 blood groups)
  • Phone, City, and "Volunteer in Emergencies" switch.
- **Google OAuth:** Officially integrated 1-tap Google Sign-In with Web Client ID.
- **Password Reset:** Dedicated dialog with direct "Open Gmail / Spam Folder" intent launcher.

🏥 PORTAL 2: Blood Bank Institution

- **Segment Toggle:** Switch between *Register Bank* and *Sign In*.
- **Institution Credentials:**
  • Registered Blood Bank / Hospital Name
  • Government Clinical License Number (e.g., DL-7829-BB)
  • Official Institutional Email Address
  • 24/7 Emergency Dispatch Helpline Phone
  • City and Complete Physical Facility Address
  • Institutional Password (encrypted with 12 salt rounds bcrypt)
- **Strict Compliance Guardrail:** Zero Google OAuth in Blood Bank Portal to guarantee institutional verification.
- **Backend API Binding:** Connected to Node.js / Kotlin backend routes `/bank-auth/register` and `/bank-auth/login`.

DONOR PORTAL


5. Donor Home Dashboard & Discovery Screens

1. Home Dashboard Screen

`HomeScreen.kt`

The primary landing dashboard for regular donors and recipients. Arranged in vertical visual hierarchy:

- **1. Header Greeting:** Personal greeting ("Hello, [Name]") with user's verified blood group badge (O+).
- **2. Emergency SOS Hero Card:**
  • *Normal State:* Bold red gradient card with radar wave animation and prominent "Request Blood (SOS)" CTA.
  • *Active Broadcast State:* Flashing beacon card showing patient name, hospital, units needed, and 1-tap "Share on WhatsApp" broadcast button.
- **3. 2×2 Quick Action Grid:**
  • *Available Donors:* Live counter of active donors in the city.
  • *Blood Banks:* Count of verified blood bank reserves ready for dispatch.
  • *Eligibility Status:* Real-time days remaining until next permitted donation.
  • *Book Appointment:* Direct shortcut to donation camp booking.
- **4. WHO Safety Gauge Card:** Circular recovery progress ring tracking the 90-day whole blood recovery window.
- **5. Certified Blood Bank Banner:** 24/7 blood inventory reserves alert card.



2. Available Donors Directory Screen

`DonorsDirectoryScreen.kt (v3.3.0 Optimized)`

A dedicated discovery catalog of active, verified voluntary donors designed for rapid filtering during urgent blood requirements:

- **Integrated Search Bar:** Real-time instant text search filtering by donor name, city, and blood group with clear button.
- **Horizontal Blood Group Filter Row:** 9 interactive pills (`All` , `A+` , `A-` , `B+` , `B-` , `AB+` , `AB-` , `O+` , `O-`).
- **Smart Compatibility Matcher:** Includes `BloodCompatibilityHelper` toggle showing biologically compatible donors (e.g. searching for B+ shows B+, B-, O+, O-).
- **Privacy-Preserved Donor Cards:**
  • Large circular blood group avatar with red outline.
  • Donor Name, City, and active status beacon (Available).
  • Direct red **"Request SOS"** button triggering pre-filled emergency SOS broadcast.
  • *Privacy Guardrail:* Direct personal phone numbers are hidden from general directory view to prevent unsolicited harassment.

ABO / Rh Compatibility Matrix Engine

Governed by `BloodCompatibilityHelper.kt` :

RECIPIENT	COMPATIBLE DONOR BLOOD GROUPS
O-	O- only (Universal Red Cell Donor)
O+	O+, O-
A-	A-, O-
A+	A+, A-, O+, O-
B-	B-, O-
B+	B+, B-, O+, O-
AB-	AB-, A-, B-, O-
AB+	All Groups (Universal Recipient)

EMERGENCY SUITE


6. Emergency SOS Broadcast & Live Radar Tracking

1. Emergency SOS Request Form

`EmergencyRequestScreen.kt (v3.3.0 Keyboard Scroll Fixed)`

Engineered for immediate distress dispatch. Uses full-screen vertical scrolling protected with `Modifier.imePadding()` and `navigationBarsPadding()` to guarantee that opening the soft keyboard never obscures submit buttons:

- **Card 1: Live Beacon Alert Banner:** Flashing red siren icon with real-time status explanation.
- **Card 2: Blood Group Need:** 8-chip selection grid styled with medical borders and bold blood group text.
- **Card 3: Units Required Stepper:** Clean minus/plus (`-` / `+`) stepper control (1 to 10 units).
- **Card 4: Clinical Urgency Level:** 3-level urgency selector:
  - CRITICAL (Within 1 hour)
  - URGENT (Within 6 hours)
  - STANDARD (Within 24 hours)
- **Card 5: Hospital & Contact Information:** Patient name, hospital facility name, street address, and verified attendant phone number.
- **Card 6: GPS 10km Radar Proximity:** Automatically fetches real-time coordinates via `LocationHelper`, locking exact GPS lat/long for radar notification broadcast.
- **Broadcast CTA:** Full-width glowing red "Broadcast Emergency SOS" button.



2. Live Emergency Tracking & Responders Screen

`EmergencyLiveTrackingScreen.kt`

Displays real-time tracking for an active distress broadcast, wired directly to live Firestore document snapshots:

- **4-Stage Interactive Progress Stepper:**
  1. **BROADCASTING** — Searching donors in 10km radius.
  2. **DONOR MATCHED** — 1 or more donors accepted request.
  3. **DONOR EN ROUTE** — Donor traveling to hospital facility.
  4. **FULFILLED** — Blood donated, emergency resolved.
- **Real-time Responders List:** Shows each accepting donor's name, blood group, distance in km (computed via Haversine formula), ETA, and verified status.
- **Direct Communication Actions:**
  • **Call Donor:** Launches native Android phone dialer intent (`tel:`).
  • **WhatsApp SOS Share:** Pre-formats distress message with patient name, hospital, and blood group via `ShareHelper` .
- **Emergency Management:** Allows requester to edit hospital instructions or cancel/fulfill request upon completion.

📡 Real-Time Cloud Synchronization Logic

Responders list uses `repository.listenToEmergencyResponders(requestId)` :

- Subscribes to Firestore subcollection `/emergency_requests/{id}/responders` .
- Instantly reflects donor responses with zero manual page refreshing required.
- Includes duplicate response protection preventing identical user phone/ID submissions.

HEALTH & LIFESAVER JOURNEY

7. Health Tracker, Appointments, History & Certificates

Eligibility & Health Tracker

`HealthTrackerScreen.kt`

- **Dynamic Eligibility Banner:** Evaluates health record; displays **Eligible to Donate** or countdown banner **Cooldown: X Days Remaining**.
- **WHO Circular Cooldown Gauge:** High-resolution Compose Canvas arc illustrating percentage of 90-day recovery completed.
- **WHO Pre-Donation Clinical Checklist:**
  - Tattoo / body piercing in last 6 months toggle.
  - Active cold, flu, fever in last 14 days toggle.
  - Antibiotics in last 7 days toggle.
  - Hemoglobin & body weight qualification check.

Appointment Booking Suite

`AppointmentScreen.kt`

- **Dual Tab Segment:** Toggle between *Upcoming Appointments* and *Book New Slot*.
- **10-Day Dynamic Date Strip:** Generates next 10 days starting from real device clock, strictly disabling dates violating WHO 90-day cooldown.
- **Center / Blood Bank Picker:** Select hospital or verified blood bank center.
- **Time Slot Chips:** 10:30 AM, 12:00 PM, 02:30 PM, 04:00 PM chips.
- **Donation Type Selector:** Whole Blood (450ml), Platelets, Plasma.
- **Booking Lifecycle:** Confirms appointment, generates instant local notification, provides reschedule & cancel flows.

Donation History & Lifetime Impact

`DonationHistoryScreen.kt`

- **Impact Summary Header:** Total Donations count, Total Blood Donated (e.g. 1800 ml), and Estimated Lives Saved calculation.
- **Chronological Donation Timeline:** Verified cards detailing donation date, hospital/camp center, units donated, and status badge.
- **View Certificate Shortcut:** 1-tap button linking directly to verified digital certificate.
- **Manual Log Donation Dialog:** Allows donors to log verified external donations with facility name and date picker.

Official Appreciation Certificate

`CertificateScreen.kt`

- **Multi-Certificate Selector:** Horizontal chips for selecting between multiple milestone awards.
- **Gold Ornamental Border Frame:** Rendered with gold gradient strokes (`#F57F17` to `#E65100`) and embossed corner brackets.
- **Official Seal & Badge:** Gold starburst circular seal with certified lifesaver ribbon.
- **Certificate Data:** Full donor name, milestone title (e.g., "First Life Saved", "Gallon Donor"), hospital facility, and unique SHA certificate verification hash.
- **QR Code & Sharing:** Verifiable QR code + native Android sharing intent to download or share via WhatsApp/social media.

INSTITUTIONAL PORTAL

8. Blood Bank Institutional Portal Screens


When an organization logs in with role `blood_bank`, the entire application adapts its primary navigation and screens into an institutional command center.

1. Blood Bank Central Dashboard

`BankDashboardScreen.kt`

Central operational command for hospital blood bank administrators:

- **Institution Status Header:** Displays registered blood bank facility name, license number, and green "LIVE SYSTEM" pulse beacon.
- **4-Metric KPI Overview Grid:**
  - **Total Reserve Stock:** Sum of all available whole blood units.
  - **Active Emergencies:** Count of unfulfilled distress broadcasts.
  - **Today's Appointments:** Scheduled donor bookings.
  - **Registered Donors:** Regional voluntary donor directory size.
- **Critical Shortage Warning Banner:** Automatically triggers when any blood group stock drops below 35% capacity, prompting voluntary donor broadcast.
- **Dispatch Shortcuts:** Direct shortcuts to inbound emergency requests and inventory reserve adjustment.



2. Inbound Requests Stream

`BankRequestsScreen.kt`

- **Inbound SOS Feed:** Real-time cards of incoming emergency distress calls from hospitals and patients.
- **Rotating Refresh Header:** Animated infinite spin icon displaying last synchronized timestamp.
- **Time-Filter Horizontal Row:** Filter by **Today**, **7 Days**, **30 Days**, or **Custom**.
- **Request Fulfillment Actions:** Approve request, allocate reserve units, or dispatch courier with 1 tap.

3. 8-Group Reserve Inventory Matrix

`BankInventoryScreen.kt`

- **8-Group Stock Cards:** Dedicated inventory cards for A+, A-, B+, B-, AB+, AB-, O+, O-.
- **Capacity Thresholds:**
  - **Critical (< 35%)**
  - **Adequate (35–65%)**
  - **Optimal (> 65%)**
- **Atomic Adjusters:** `-1 Issue` and `+1 Donate` buttons using Firestore atomic transactions to prevent overdrafts.

MANAGEMENT & PREFERENCES


9. Profile, Notification Center & Settings

1. Donor & Blood Bank Profile Screen

`ProfileScreen.kt`

Dual-role adaptive profile management:

- **Hero Identity Header:** Large circular avatar, donor name, verified badge checkmark, and prominent blood group badge pill (O+).
- **In-Place Editing Mode:** Edit button in TopAppBar transforms read-only fields into outlined input textfields with validation (Name, Gender, Age, Phone, City, Address).
- **Emergency Contact Card:** Stores secondary emergency guardian contact phone number.
- **Role Adaptive Views:**
  • *Donor:* Shows donation statistics, badges, and volunteer emergency toggle.
  • *Blood Bank:* Shows license number, operating hours, official contact person, website, and facility address.
- **Account Actions:** Clean logout button with confirmation dialog and direct shortcut to app settings.



2. Notification Center

`NotificationCenterScreen.kt`

- **Android 13+ Push Permission Banner:** Shows high-priority card requesting `POST_NOTIFICATIONS` runtime permission if not yet granted.
- **Category Filter Chips:** Filter list by All , Emergency SOS , Appointments , or System .
- **Deep-Link Navigation:** Tapping any notification automatically deep-links to the exact target screen (e.g. SOS notification opens Live Tracking).
- **Unread State Management:** "Mark all read" topbar action + unread indicator dots.

3. Settings & Appearance

`SettingsScreen.kt`

- **Theme Mode Toggle:** Instant, flicker-free switching between ☀ Light and 🌙 Dark themes.
- **Notification Preferences:** Independent toggle switches for Emergency SOS Broadcasts, WHO 90-Day Cooldown Alerts, and Appointment Reminders.
- **Legal & Privacy:** Dedicated modal dialogs for Terms of Service and Privacy Policy.
- **Safety Reset:** Red danger-zone action for resetting local cache and credentials with confirmation guardrail.

ENGINEERING STANDARDS

10. Accessibility, Gestures & Engineering Standards

1. WCAG 2.1 AA Contrast & Accessibility Compliance

INTERFACE ELEMENT	FOREGROUND COLOR	BACKGROUND COLOR	CONTRAST RATIO	COMPLIANCE STATUS
Primary Emergency Button Text	`#FFFFFF` White	`#D32F2F` BloodRedPrimary	**4.75:1**	**PASS (WCAG AA)**
Dark Mode Primary Text	`#F0F6FC` Soft White	`#0D1117` Deep Navy	**15.8:1**	**PASS (WCAG AAA)**
Eligible Status Badge Text	`#2E7D32` Forest Green	`#E8F5E9` Light Green	**5.12:1**	**PASS (WCAG AA)**
Warning Amber Badge Text	`#E65100` Deep Amber	`#FFF3E0` Light Amber	**4.89:1**	**PASS (WCAG AA)**
Card Body Typography	`#111827` Near-Black	`#FFFFFF` Pure White	**16.2:1**	**PASS (WCAG AAA)**

2. Touch Targets & Responsive Insets

👆 Minimum 48dp Touch Targets

All clickable icons, buttons, chips, and selectors satisfy Android Accessibility guidelines with minimum 48dp x 48dp interactive bounding boxes.

📱 Window Insets & Soft Keyboard

Full edge-to-edge layout using `WindowInsets.statusBars` for top bars and `navigationBarsPadding()` with `imePadding()` for input forms.

🔒 Portrait Orientation Lock

Configured with `android:screenOrientation="portrait"` in `AndroidManifest.xml` to prevent orientation shifts during acute medical emergencies.

3. 120 FPS Rendering & Micro-Interactions

- **Zero-Recomposition Waste:** All filter computations and date formatting operations are wrapped in `remember(...)` blocks, eliminating redundant calculation on scroll.
- **Snapshot State Efficiency:** State collections leverage `SnapshotStateList` and Compose `derivedStateOf` to bypass stale cache traps while retaining instant 120 FPS frame rates.
- **Hardware Graphics Layer:** Micro-animations such as the refresh icon rotation in `BankRequestsScreen` and tab bounce in `BloodSyncBottomNav` utilize `graphicsLayer { rotationZ = ... }` to execute directly on the GPU compositor thread.

> **Summary & Architectural Compliance**
>
> This UI specification represents the complete, production-verified visual and interactive architecture of **BloodSync Android v3.5.0**. Every screen, token, component, and interaction flow documented herein is deployed in active builds and adheres to modern Google Android Jetpack Compose and Material 3 design standards.