

DBMS LAB PROGRAMS

NAME:- RAJYAVARDHAN

ROLL NO:- 2410030715

SECTION:- 2CSE5

SUBJECT:- DBMS

EXPT No. :- 06

Perform following Query :-

1. Display empno, ename, deptno from employee table. Instead of display department numbers display the related department name (Use decode function).

```

MariaDB [rajyavardhan]> SELECT ENAME , EMPNO , DEPTNO , CASE DEPTNO
-> when 10 then 'research'
-> when 20 then 'accounting'
-> when 30 then 'sales'
-> when 40 then 'Operations'
-> else 'unknown department'
-> end
-> AS departmentName
-> from employee;

```

ENAME	EMPNO	DEPTNO	departmentName
SMITH	7369	20	accounting
ALLEN	7499	30	sales
WARD	7521	30	sales
JONES	7566	20	accounting
MARTIN	7654	30	sales
BALKE	7698	30	sales
CLARK	7782	20	accounting
SCOTT	7788	40	Operations
KING	7839	20	accounting
TURNER	7844	30	sales
ADAMS	7876	20	accounting
JAMES	7900	30	sales
FORD	7902	20	accounting
MILLER	7934	10	research

14 rows in set (0.001 sec)

2. Display your age in days.

```

MariaDB [rajyavardhan]> SELECT datediff('2026-02-21' , '2006-07-09') AS AgeInDays;

```

AgeInDays
7167

1 row in set (0.004 sec)

3. Display your age in months.

```

MariaDB [rajyavardhan]> SELECT period_diff(date_format('2026-02-21','%Y%m'),date_format('2006-07-09','%Y%m'))AS AgeInMonths;

```

AgeInMonths
235

1 row in set (0.003 sec)

4. Display the current date as 15th August Friday Nineteen Ninety-Seven.

```

MariaDB [rajyavardhan]> SELECT CONCAT(DATE_FORMAT(CURDATE(), '%D %M %W %Y'), "TWENTY TWENTY-SIX") AS FORMATTED_DATE;

```

FORMATTED_DATE
25th February Wednesday 2026TWENTY TWENTY-SIX

1 row in set (0.001 sec)

5. Display the following output for each row from employee table.

```

MariaDB [rajyavardhan]> SELECT CONCAT(ename , "Has joined the company on",
-> DATE_FORMAT(hiredate, '%W %D %M %Y')) AS joining_details
-> from employee;
+-----+
| joining_details |
+-----+
| SMITHHas joined the company onWednesday 17th December 1980 |
| ALLENHas joined the company onFriday 20th February 1981 |
| WARDHas joined the company onSunday 22nd February 1981 |
| JONESHas joined the company onThursday 2nd April 1981 |
| MARTINHas joined the company onMonday 28th September 1981 |
| BALKEHas joined the company onFriday 1st May 1981 |
| CLARKHas joined the company onTuesday 9th June 1981 |
| SCOTTHas joined the company onThursday 9th December 1982 |
| KINGHas joined the company onTuesday 17th November 1981 |
| TURNERHas joined the company onTuesday 8th September 1981 |
| ADAMSHas joined the company onWednesday 12th January 1983 |
| JAMESHas joined the company onThursday 3rd December 1981 |
| FORDHas joined the company onThursday 3rd December 1981 |
| MILLERHas joined the company onSaturday 23rd January 1982 |
+-----+
14 rows in set (0.001 sec)

```

6. Scott has joined the company on Wednesday 13th August Nineteen Ninety .

```

MariaDB [rajyavardhan]> SELECT ename, CONCAT(ename , "Has joined the company on",
-> DATE_FORMAT(hiredate, '%W %D %M %Y')) AS joining_details
-> from employee;
+-----+
| ename | joining_details |
+-----+
| SMITH | SMITHHas joined the company onWednesday 17th December 1980 |
| ALLEN | ALLENHas joined the company onFriday 20th February 1981 |
| WARD | WARDHas joined the company onSunday 22nd February 1981 |
| JONES | JONESHas joined the company onThursday 2nd April 1981 |
| MARTIN | MARTINHas joined the company onMonday 28th September 1981 |
| BALKE | BALKEHas joined the company onFriday 1st May 1981 |
| CLARK | CLARKHas joined the company onTuesday 9th June 1981 |
| SCOTT | SCOTTHas joined the company onThursday 9th December 1982 |
| KING | KINGHas joined the company onTuesday 17th November 1981 |
| TURNER | TURNERHas joined the company onTuesday 8th September 1981 |
| ADAMS | ADAMSHas joined the company onWednesday 12th January 1983 |
| JAMES | JAMESHas joined the company onThursday 3rd December 1981 |
| FORD | FORDHas joined the company onThursday 3rd December 1981 |
| MILLER | MILLERHas joined the company onSaturday 23rd January 1982 |
+-----+
14 rows in set (0.001 sec)

```

7. Find the date for nearest Saturday after current date.

```

MariaDB [rajyavardhan]> SELECT
-> CASE
-> WHEN WEEKDAY(CURDATE()) <= 5
-> THEN DATE_ADD(CURDATE(), INTERVAL (5 - WEEKDAY(CURDATE()))) DAY)
-> ELSE DATE_ADD(CURDATE(), INTERVAL (12 - WEEKDAY(CURDATE()))) DAY)
-> END AS NEXT_SATURDAY;
+-----+
| NEXT_SATURDAY |
+-----+
| 2026-02-28 |
+-----+
1 row in set (0.016 sec)

```

8. Display current time.

```

MariaDB [rajyavardhan]> SELECT CURTIME();
+-----+
| CURTIME() |
+-----+
| 21:28:40 |
+-----+
1 row in set (0.007 sec)

```

9. Display the date three months Before the current date .

```

MariaDB [rajyavardhan]> SELECT DATE_SUB(CURDATE(), INTERVAL 3 MONTH) AS PASTDATE;
+-----+
| PASTDATE |
+-----+
| 2025-11-25 |
+-----+
1 row in set (0.001 sec)

```

10. Display those employees who joined in the company in the month of Dec.

```

MariaDB [rajyavardhan]> SELECT ENAME , HIREDATE FROM EMPLOYEE
-> WHERE MONTH(HIREDATE) = 12;
+-----+-----+
| ENAME | HIREDATE |
+-----+-----+
| SMITH | 1980-12-17 |
| SCOTT | 1982-12-09 |
| JAMES | 1981-12-03 |
| FORD | 1981-12-03 |
+-----+-----+
4 rows in set (0.143 sec)

```

11. Display those employees whose first 2 characters from hire date - last 2 characters of salary.

```

MariaDB [rajyavardhan]> SELECT *
-> FROM EMPLOYEE
-> WHERE LEFT(DATE_FORMAT(hiredate , '%d%m%Y'),2) =
-> RIGHT(sal,2);
Empty set (0.004 sec)

MariaDB [rajyavardhan]> SELECT ename,hiredate,sal
-> FROM employee
-> WHERE LEFT(DATE_FORMAT(hiredate, '%d%m%Y'),2) >=
-> RIGHT(sal,2);
+-----+-----+-----+
| ename | hiredate | sal |
+-----+-----+-----+
| SMITH | 1980-12-17 | 800 |
| ALLEN | 1981-02-20 | 1600 |
| SCOTT | 1982-12-09 | 3300 |
| KING | 1981-11-17 | 5500 |
| ADAMS | 1983-01-12 | 1210 |
| FORD | 1981-12-03 | 3300 |
+-----+-----+-----+
6 rows in set (0.004 sec)

```

12. Display those employees whose 10% of salary is equal to the year of joining.

```
MariaDB [rajyavardhan]> SELECT ename,hiredate,sal
-> FROM EMPLOYEE
-> WHERE sal*0.10 = YEAR(hiredate);
Empty set (0.002 sec)

MariaDB [rajyavardhan]> SELECT ename,hiredate,sal
-> FROM EMPLOYEE
-> WHERE sal*0.10 <= YEAR(hiredate);
```

ename	hiredate	sal
SMITH	1980-12-17	800
ALLEN	1981-02-20	1600
WARD	1981-02-22	1250
JONES	1981-04-02	3273
MARTIN	1981-09-28	1250
BALKE	1981-05-01	3135
CLARK	1981-06-09	2695
SCOTT	1982-12-09	3300
KING	1981-11-17	5500
TURNER	1981-09-08	1650
ADAMS	1983-01-12	1210
JAMES	1981-12-03	1045
FORD	1981-12-03	3300
MILLER	1982-01-23	1430

```
14 rows in set (0.001 sec)
```

13. Display those employees who joined the company before 15 of the months.

```
MariaDB [rajyavardhan]> SELECT *
-> FROM EMPLOYEE
-> WHERE hiredate < DATE_SUB(CURDATE(),INTERVAL 15 MONTH);
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7369	SMITH	CLERK	7902	1980-12-17	800	NULL	20
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANGER	7839	1981-04-02	3273	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BALKE	MANAGER	7839	1981-05-01	3135	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2695	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3300	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5500	NULL	20
7844	TURNER	SALESMAN	7698	1981-09-08	1650	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1210	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	1045	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3300	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1430	NULL	10

```
14 rows in set (0.005 sec)
```


14. Display those employees who has joined before 15th of the month.

```
MariaDB [rajyavardhan]> SELECT * FROM EMPLOYEE
-> WHERE DAY(hiredate) < 15;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7566	JONES	MANGER	7839	1981-04-02	3273	NULL	20
7698	BALKE	MANAGER	7839	1981-05-01	3135	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2695	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3300	NULL	40
7844	TURNER	SALESMAN	7698	1981-09-08	1650	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1210	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	1045	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3300	NULL	20

8 rows in set (0.004 sec)

15. Display those employees whose joining DATE is available in deptno.

```
MariaDB [rajyavardhan]> SELECT *
-> FROM EMPLOYEE
-> WHERE hiredate IS NOT NULL
-> AND deptno IS NOT NULL;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7369	SMITH	CLERK	7902	1980-12-17	800	NULL	20
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANGER	7839	1981-04-02	3273	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BALKE	MANAGER	7839	1981-05-01	3135	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2695	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3300	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5500	NULL	20
7844	TURNER	SALESMAN	7698	1981-09-08	1650	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1210	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	1045	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3300	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1430	NULL	10

14 rows in set (0.009 sec)