

DBMS LAB PROGRAMS

NAME:- RAJYAVARDHAN

ROLL NO:- 2410030715

SECTION:- 2CSE5

SUBJECT:- DBMS

EXPT No. :- 02

Perform Following Query using Employee Table.
(Retrieving Data)

1. List all distinct job in Employee.

```
MariaDB [rajyavardhan]> select distinct job
-> from employee;
+-----+
| job   |
+-----+
| SALESMAN
| MANGER
| MANAGER
| ANALYST
| PRESIDENT
| CLERK
+-----+
6 rows in set (0.061 sec)
```

2. List all information about employee in Department Number 30.

```
MariaDB [rajyavardhan]> SELECT * FROM EMPLOYEE
-> WHERE DEPTNO = 30;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BALKE	MANAGER	7839	1981-05-01	2850	NULL	30
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30

6 rows in set (0.004 sec)

3. Find all department number with department names greater than 20.

```
MariaDB [rajyavardhan]> SELECT DEPTNO,DNAME
-> FROM DEPARTMENT
-> WHERE DEPTNO > 20;
```

DEPTNO	DNAME
30	SALES
40	OPERATIONS

2 rows in set (0.001 sec)

4. Find all information about all the managers as well as the clerks in department 30.

```
MariaDB [rajyavardhan]> SELECT * FROM EMPLOYEE
-> WHERE DEPTNO=30
-> AND(JOB = 'MANAGER' OR JOB = 'CLERK');
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7698	BALKE	MANAGER	7839	1981-05-01	2850	NULL	30
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30

2 rows in set (0.001 sec)

5. List the Employee name, Employee numbers and department of all clerks.

```
MariaDB [rajyavardhan]> SELECT ENAME, EMPNO , DEPTNO
-> FROM EMPLOYEE
-> WHERE JOB = 'CLERK';
```

ENAME	EMPNO	DEPTNO
ADAMS	7876	20
JAMES	7900	30
MILLER	7934	10

```
3 rows in set (0.000 sec)
```

6. Find all managers not in department 30.

```
MariaDB [rajyavardhan]> SELECT * FROM EMPLOYEE
-> WHERE JOB = 'MANAGER'
-> AND DEPTNO <> 30;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7782	CLARK	MANAGER	7839	1981-06-09	2450	NULL	20

```
1 row in set (0.003 sec)
```

7. List information about all Employees in department 10 who are not manager or clerks.

```
1 row in set (0.003 sec)

MariaDB [rajyavardhan]> SELECT *
-> FROM EMPLOYEE
-> WHERE DEPTNO = 10
-> AND JOB NOT IN ('MANAGER','CLERK');
```

```
Empty set (0.001 sec)
```

8. Find Employees and jobs earning between 1200 and 1400.

```

MariaDB [rajyavardhan]> SELECT ENAME , JOB
-> FROM EMPLOYEE
-> WHERE SAL BETWEEN 1200 AND 1400;
+-----+-----+
| ENAME | JOB   |
+-----+-----+
| WARD  | SALESMAN |
| MARTIN | SALESMAN |
| MILLER | CLERK   |
+-----+-----+
3 rows in set (0.000 sec)

```

9. List Name and Department Number of employee who are clerks, analyst or salesman.

```

MariaDB [rajyavardhan]> SELECT ENAME, DEPTNO
-> FROM EMPLOYEE
-> WHERE JOB IN ('CLERK' , 'ANALYST' , 'SALESMAN');
+-----+-----+
| ENAME | DEPTNO |
+-----+-----+
| ALLEN | 30     |
| WARD  | 30     |
| MARTIN | 30     |
| SCOTT | 40     |
| TURNER | 30     |
| ADAMS | 20     |
| JAMES | 30     |
| FORD  | 20     |
| MILLER | 10     |
+-----+-----+
9 rows in set (0.001 sec)

```

10. List Name and Department Number of employee whose names began with M.

```
MariaDB [rajyavardhan]> SELECT ENAME , DEPTNO  
-> FROM EMPLOYEE  
-> WHERE ENAME LIKE 'M%';
```

```
+-----+-----+  
| ENAME | DEPTNO |  
+-----+-----+  
| MARTIN | 30 |  
| MILLER | 10 |  
+-----+-----+
```

```
2 rows in set (0.001 sec)
```

```
MariaDB [rajyavardhan]>
```