

DBMS LAB PROGRAMS

NAME:- RAJYAVARDHAN

ROLL NO:- 2410030715

SECTION:- 2CSE5

SUBJECT:- DBMS

EXPT No. :- 03

1. List all employees and jobs in Department 30 in descending order by salary.

```
MariaDB [rajyavardhan]> select* from employee where deptno = 30
-> order by sal desc;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7698	BALKE	MANAGER	7839	1981-05-01	2850	NULL	30
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30

```
6 rows in set (0.004 sec)
```

2. List job and Department Number of employees whose name are five letters long begin with "A" and end with "N".

```
MariaDB [rajyavardhan]> select ename , job, deptno from employee  
-> where ename LIKE "A%N" and length(ename) = 5;  
+-----+  
| ename | job      | deptno |  
+-----+  
| ALLEN | SALESMAN | 30     |  
+-----+  
1 row in set (0.002 sec)
```

3. Display the name of employees whose name start with alphabet S.

```
MariaDB [rajyavardhan]> select ename from employee where ename like "%S";  
+-----+  
| ename |  
+-----+  
| JONES |  
| ADAMS |  
| JAMES |  
+-----+  
3 rows in set (0.001 sec)
```

4. Display the names of employees whose name ends with alphabet S.

```
MariaDB [rajyavardhan]> select ename from employee where ename like "%S";  
+-----+  
| ename |  
+-----+  
| JONES |  
| ADAMS |  
| JAMES |  
+-----+  
3 rows in set (0.001 sec)
```

5. Display the names of employees working in department number 10 or 20 or 40 or employees working as clerks, salesman or analyst.

```
MariaDB [rajyavardhan]> select * from employee
-> where deptno IN (10,20,40)
-> OR job IN ("clerk","salesman","analyst");
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANGER	7839	1981-04-02	2975	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7782	CLARK	MANAGER	7839	1981-06-09	2450	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5000	NULL	20
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1100	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3000	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1300	NULL	10

```
12 rows in set (0.004 sec)
```

6. Display employee number and names for employees who earn commission.

```
MariaDB [rajyavardhan]> select ename,empno,comm from employee
-> Where comm IS not null;
```

ename	empno	comm
ALLEN	7499	300
WARD	7521	300
MARTIN	7654	1400
TURNER	7844	0

```
4 rows in set (0.004 sec)
```



```
MariaDB [rajyavardhan]> select ename , empno, comm from employee
-> Where comm IS not null AND comm>0;
```

ename	empno	comm
ALLEN	7499	300
WARD	7521	300
MARTIN	7654	1400

```
3 rows in set (0.004 sec)
```

7. Display employee number and total salary for each employee.

```
MariaDB [rajyavardhan]> select empno, ename, sal + IFNULL(comm,0) from employee;
```

empno	ename	sal + IFNULL(comm,0)
7499	ALLEN	1900
7521	WARD	1550
7566	JONES	2975
7654	MARTIN	2650
7698	BALKE	2850
7782	CLARK	2450
7788	SCOTT	3000
7839	KING	5000
7844	TURNER	1500
7876	ADAMS	1100
7900	JAMES	950
7902	FORD	3000
7934	MILLER	1300

```
13 rows in set (0.001 sec)
```

8. Display employee number and annual salary for each employee.

```

MariaDB [rajyavardhan]> SELECT empno , sal+CASE
  -> WHEN comm is null THEN 0
  -> ELSE comm
  -> end AS TOTALSAL
  -> FROM employee;

```

empno	TOTALSAL
7499	1900
7521	1550
7566	2975
7654	2650
7698	2850
7782	2450
7788	3000
7839	5000
7844	1500
7876	1100
7900	950
7902	3000
7934	1300

13 rows in set (0.004 sec)

9. Display the names of all employees working as clerks and drawing a salary more than 3,000.

```

MariaDB [rajyavardhan]> select ename , sal*12 AS AnnualSAL from employee
  -> where job ="clerk" and sal*12>3000;

```

ename	AnnualSAL
ADAMS	13200
JAMES	11400
MILLER	15600

3 rows in set (0.001 sec)

10. Display the names of employees who are working as clerk, salesman or analyst and drawing a salary more than 3,000.

```
MariaDB [rajyavardhan]> select ename, sal from employee  
    -> Where job in("clerk","salesman","analyst")  
    -> And sal >=3000;
```

```
+-----+-----+  
| ename | sal |  
+-----+-----+  
| SCOTT | 3000 |  
| FORD  | 3000 |  
+-----+-----+
```

```
2 rows in set (0.001 sec)
```