

DBMS LAB PROGRAMS

NAME:- RAJYAVARDHAN

ROLL NO:- 2410030715

SECTION:- 2CSE5

SUBJECT:- DBMS

EXPT No. :- 01

Perform following Query :-

1. Create Employee_master table with data using Employee table.

```
MariaDB [rajyavardhan]> create table employee_master as select * from employee;
Query OK, 13 rows affected (0.020 sec)
Records: 13 Duplicates: 0 Warnings: 0

MariaDB [rajyavardhan]> select * from employee_master;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANGER	7839	1981-04-02	2975	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BALKE	MANAGER	7839	1981-05-01	2850	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2450	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5000	NULL	20
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1100	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3000	NULL	20
7934	MILLER	CLERK	7782	1982-01-23	1300	NULL	10

```
13 rows in set (0.001 sec)
```

2. Delete all record into Employee_master whose DeptNo is 10.

```
MariaDB [rajyavardhan]> delete from employee_master where deptno=10;
Query OK, 1 row affected (0.005 sec)

MariaDB [rajyavardhan]> select*from employee_master;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7499	ALLEN	SALESMAN	7698	1981-02-20	1600	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250	300	30
7566	JONES	MANGER	7839	1981-04-02	2975	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250	1400	30
7698	BALKE	MANAGER	7839	1981-05-01	2850	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	2450	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	5000	NULL	20
7844	TURNER	SALESMAN	7698	1981-09-08	1500	0	30
7876	ADAMS	CLERK	7788	1983-01-12	1100	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	3000	NULL	20

```
12 rows in set (0.000 sec)
```

3. Update 10% in his salary of DEPTNO 20 into Employee_Master.

```
MariaDB [rajyavardhan]> update employee_master set sal=sal*0.10 where deptno=20;
Query OK, 5 rows affected (0.005 sec)
Rows matched: 5 Changed: 5 Warnings: 0

MariaDB [rajyavardhan]> select * from employee_master;
```

empno	ename	job	mgr	hiredate	sal	comm	deptno
7499	ALLEN	SALESMAN	7698	1981-02-20	1600.00	300	30
7521	WARD	SALESMAN	7698	1981-02-22	1250.00	300	30
7566	JONES	MANGER	7839	1981-04-02	297.50	NULL	20
7654	MARTIN	SALESMAN	7698	1981-09-28	1250.00	1400	30
7698	BALKE	MANAGER	7839	1981-05-01	2850.00	NULL	30
7782	CLARK	MANAGER	7839	1981-06-09	245.00	NULL	20
7788	SCOTT	ANALYST	7566	1982-12-09	3000.00	NULL	40
7839	KING	PRESIDENT	NULL	1981-11-17	500.00	NULL	20
7844	TURNER	SALESMAN	7698	1981-09-08	1500.00	0	30
7876	ADAMS	CLERK	7788	1983-01-12	110.00	NULL	20
7900	JAMES	CLERK	7698	1981-12-03	950.00	NULL	30
7902	FORD	ANALYST	7566	1981-12-03	300.00	NULL	20

```
12 rows in set (0.000 sec)
```

4. Alter SAL with size 10,2 in Employee_Master.

```
MariaDB [rajyavardhan]> alter table employee_master modify sal decimal(10,2);
Query OK, 12 rows affected (0.055 sec)
Records: 12 Duplicates: 0 Warnings: 0

MariaDB [rajyavardhan]> desc employee_master;
```

Field	Type	Null	Key	Default	Extra
empno	int(11)	NO		NULL	
ename	varchar(20)	NO		NULL	
job	varchar(20)	YES		NULL	
mgr	int(11)	YES		NULL	
hiredate	date	YES		NULL	
sal	decimal(10,2)	YES		NULL	
comm	int(11)	YES		NULL	
deptno	int(11)	YES		NULL	

```
8 rows in set (0.027 sec)
```

5. Drop Employee_master Table.

```
MariaDB [rajyavardhan]> drop table employee_master;  
Query OK, 0 rows affected (0.013 sec)  
  
MariaDB [rajyavardhan]> show tables;  
+-----+  
| Tables_in_rajyavardhan |  
+-----+  
| department             |  
| employee               |  
+-----+  
2 rows in set (0.001 sec)
```