001 Protocol synopsis

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 001: compare the current protocol synopsis information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

002 Study rationale and objectives

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 002: compare the current study rationale and objectives information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

003 Design and participant flow

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 003: compare the current design and participant flow information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

004 Recruitment and consent

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 004: compare the current recruitment and consent information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

005 Inclusion criteria

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 005: compare the current inclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

006 Exclusion criteria

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 006: compare the current exclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

007 Screening assessments

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 007: compare the current screening assessments information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

008 Visit schedule

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 008: compare the current visit schedule information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

009 Study procedures

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 009: compare the current study procedures information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

010 Participant communication

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 010: compare the current participant communication information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

011 Safety monitoring

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 011: compare the current safety monitoring information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

012 Adverse event documentation

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 012: compare the current adverse event documentation information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

013 Privacy and data handling

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 013: compare the current privacy and data handling information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

014 Protocol deviations

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 014: compare the current protocol deviations information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

015 Coordinator review and approvals

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 015: compare the current coordinator review and approvals information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

016 Participant withdrawal

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 016: compare the current participant withdrawal information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

017 Data quality and verification

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 017: compare the current data quality and verification information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

018 Analysis plan

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 018: compare the current analysis plan information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

019 Operational checklists

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 019: compare the current operational checklists information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

020 Study training and competency

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 020: compare the current study training and competency information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

021 Amendment and version history

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 021: compare the current amendment and version history information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

022 Study rationale and objectives

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 022: compare the current study rationale and objectives information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

023 Design and participant flow

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 023: compare the current design and participant flow information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

024 Recruitment and consent

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 024: compare the current recruitment and consent information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

025 Inclusion criteria

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 025: compare the current inclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

026 Exclusion criteria

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 026: compare the current exclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

027 Screening assessments

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 027: compare the current screening assessments information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

028 Visit schedule

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 028: compare the current visit schedule information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

029 Study procedures

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 029: compare the current study procedures information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

030 Participant communication

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 030: compare the current participant communication information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

031 Safety monitoring

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 031: compare the current safety monitoring information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

032 Adverse event documentation

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 032: compare the current adverse event documentation information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

033 Privacy and data handling

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 033: compare the current privacy and data handling information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

034 Protocol deviations

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 034: compare the current protocol deviations information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

035 Coordinator review and approvals

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 035: compare the current coordinator review and approvals information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

036 Participant withdrawal

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 036: compare the current participant withdrawal information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

037 Data quality and verification

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 037: compare the current data quality and verification information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

038 Analysis plan

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 038: compare the current analysis plan information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

039 Operational checklists

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 039: compare the current operational checklists information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

040 Study training and competency

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 040: compare the current study training and competency information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

041 Amendment and version history

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 041: compare the current amendment and version history information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

042 Study rationale and objectives

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 042: compare the current study rationale and objectives information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

043 Design and participant flow

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 043: compare the current design and participant flow information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

044 Recruitment and consent

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 044: compare the current recruitment and consent information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

045 Inclusion criteria

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 045: compare the current inclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

046 Exclusion criteria

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 046: compare the current exclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

047 Screening assessments

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 047: compare the current screening assessments information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

048 Visit schedule

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 048: compare the current visit schedule information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

049 Study procedures

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 049: compare the current study procedures information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

050 Participant communication

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 050: compare the current participant communication information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

051 Safety monitoring

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 051: compare the current safety monitoring information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

052 Adverse event documentation

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 052: compare the current adverse event documentation information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

053 Privacy and data handling

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 053: compare the current privacy and data handling information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

054 Protocol deviations

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 054: compare the current protocol deviations information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

055 Coordinator review and approvals

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 055: compare the current coordinator review and approvals information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

056 Participant withdrawal

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 056: compare the current participant withdrawal information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

057 Data quality and verification

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 057: compare the current data quality and verification information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

058 Analysis plan

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 058: compare the current analysis plan information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

059 Operational checklists

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 059: compare the current operational checklists information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

060 Study training and competency

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 060: compare the current study training and competency information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

061 Amendment and version history

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 061: compare the current amendment and version history information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

062 Study rationale and objectives

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 062: compare the current study rationale and objectives information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

063 Design and participant flow

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 063: compare the current design and participant flow information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

064 Recruitment and consent

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 064: compare the current recruitment and consent information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

065 Inclusion criteria

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 065: compare the current inclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

066 Exclusion criteria

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 066: compare the current exclusion criteria information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

067 Screening assessments

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 067: compare the current screening assessments information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

068 Visit schedule

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 068: compare the current visit schedule information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

069 Study procedures

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 069: compare the current study procedures information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

070 Participant communication

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 070: compare the current participant communication information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

071 Safety monitoring

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 071: compare the current safety monitoring information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

072 Adverse event documentation

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 072: compare the current adverse event documentation information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

073 Privacy and data handling

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Page-specific coordinator verification item

Checklist item 073: compare the current privacy and data handling information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

074 Protocol deviations

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Page-specific coordinator verification item

Checklist item 074: compare the current protocol deviations information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

075 Coordinator review and approvals

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Page-specific coordinator verification item

Checklist item 075: compare the current coordinator review and approvals information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

076 Participant withdrawal

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Page-specific coordinator verification item

Checklist item 076: compare the current participant withdrawal information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

077 Data quality and verification

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Page-specific coordinator verification item

Checklist item 077: compare the current data quality and verification information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

078 Analysis plan

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Page-specific coordinator verification item

Checklist item 078: compare the current analysis plan information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

079 Operational checklists

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Page-specific coordinator verification item

Checklist item 079: compare the current operational checklists information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.

080 Study training and competency

Study purpose

A fictional 36-week pragmatic study comparing two supervised physical-therapy education schedules for adults with knee osteoarthritis.

Eligibility - potential inclusion

Adults aged 40-80 with clinician-confirmed knee osteoarthritis and ability to attend supervised sessions.

Eligibility - requires clinical review

Recent knee surgery, unstable cardiovascular symptoms, or severe mobility limitations require screening review.

Study timeline

Planned visits: Screening, Baseline, Weeks 1-6 weekly, then Weeks 12, 18, 24, and 36. Visit dates are approximate and confirmed by the study coordinator.

Procedures

Mobility assessments, pain scales, supervised exercise, home activity diary, and functional questionnaires.

Risks and discomforts

Temporary soreness, fatigue, risk of falls during movement tasks, and discomfort from assessments.

Participant rights

Participants can decline any exercise, pause assessments, or withdraw without losing routine care.

Safety boundary

This document is fictional. No independent eligibility, diagnosis, treatment recommendation, or medication adjustment may be made by an AI system. The study coordinator and qualified clinical team review all participant-facing information.

Page-specific coordinator verification item

Checklist item 080: compare the current study training and competency information with the approved version, verify every number and timing reference against the source page, and record a human review decision before publication. If a question is outside the documented protocol, tell the participant to contact the study team. No patient-identifying data is included in this synthetic example.