

Global-e SFCC Job - GlobaleCatalogFeed

- Introduction
- High level flow
- Installation
 - The product information is not available on SFCC, what can I do?
- Catalog Feed Columns
- GlobaleCatalogFeed - SFCC Job
- Catalog Feed Configuration
 - Custom Site Preference "Catalog Feed Configuration (geCatalogFeedConfig)"
 - Nesting types to each other in Column JSON config
 - "Globale-SFTPCatalogFeedUpload" SFCC service credential configuration
- Testing

Introduction

This document describes the "GlobaleCatalogFeed" job, which is part of the default functionality of the Global-e SFCC cartridge.

As part of the integration process, Global-e requires that you perform a periodic export of your products catalog to handle product classification and restrictions.

The "GlobaleCatalogFeed" job generates a Catalog Feed and uploads it to an SFTP folder configured under Global-e Site Preferences, from which Global-e pulls the updated catalog information.

Due to SFCC technical limitations, the "GlobaleCatalogFeed" job can only:

- Process variant/single products that are assigned to any category of your current Site storefront catalog.
- Export products to the new generated CSV file.

Information and error logs are written respectively to the "GLOBALE_INFO" or/and "GLOBALE_ERROR" custom log to identify any issues with given catalog data and upload configurations.


High level flow

The GlobalCatalogFeed job picks up each product that has been modified or created since the last job run time and saves them to a CSV file.

This CSV file is pushed to a pre-defined SFTP folder; this folder can be hosted by either, the merchant or Global-e.

A different periodic service, hosted on the Global-e servers, looks for the new catalog export CSV file, and runs each new and updated product through various classification processes.

Another SFCC job is scheduled to query the Global-e API and returns the product classification and restriction information to SFCC.



Installation

As part of the installation, set up the **GlobaleCatalogFeed** Job to run periodically. This is usually set to once a day but can be adjusted according to your catalog update frequency.

Mandatory fields:

- SKU
- Display Name
- Product Description
- Material composition
- Country Of Origin
- Image URL
- Kids products

The product information is not available on SFCC, what can I do?

If some mandatory fields are not available in your SFCC instance but are available in another backend system, you can disable GlobaleCatalogFeed and export your catalog directly from your product management system. Global-e can process CSV files and native SFCC xml exports.

Catalog Feed Columns

The following table details the list of Catalog Feed columns. Make sure to be represented them in the Catalog CSV file. Even if the column is not mandatory, Global-e strongly recommends adding it to the CSV Catalog file.

#	Column Name	Type	Description	Mandatory	Sample Value	Comments
1	Id	String	SKU	yes	22398003	
2	ParentProduct ID	String	Product parent SKU, i.e. Master Product ID, if it exists	no	P22398003	
3	HS Code (Commodity code)	String	Product commodity code	no	62052000	
4	Product Category	String	Product category	no	Ladies Shoes	
5	DisplayName	String	The product name displayed on the website	yes	Diamond Quilted Cushion	
6	LongDescription	String	Detailed product name (i.e. product long description)	yes	A stylish cushion brings added comfort to your bed.	
7	Height	Number	Product height. Default: cm	no	1	
8	Width	Number	Product width. Default: cm	no	5	
9	Length	Number	Product length. Default: cm	no	3	
10	Volume	Number	Product volumetric weight. Default: cubic centimeters	no	NULL	
11	Weight	Number	Product weight. Default: gr	yes	460	
12	OriginCountry (ISO3)	String	Country where the product was manufactured	yes	GB	
13	IsBlocked	Number	Product will be blocked in all countries operated by Global-e	yes	0	
14	IsVirtual	Number	Indicates if the product does not consist of physical goods (such as courses, membership, coupon voucher, and more.)	no	0	
15	VATRate	Number	Indicates product has a	no	20	

		ber	VATRate to consider			
16	Price	Num ber	Product price. Default will be merchant currency	no	12.99	
17	Keywords	Strin g	Product keywords	no	shirt	
18	Size	Strin g	Product size	no	S	
19	Color	Strin g	Product color	no	Blue	
20	IsKidsProduct	Bool ean	Indicates if the product is Kids clothing. This field is mandatory in order to apply the correct VAT calculation.	yes	false	
21	ProductURL	Strin g	URL of the product page	no	https://www.merchant.com/product/	
22	ImageURL	Strin g	URL of the product image	no	https://www.merchant.com/product/image.png	The value for this column might be set only for the first run of the job when is exported full products catalog. When the job is run in 'delta' mode this column might contain an empty value. (for this should change configuration of feed and set empty value by default)
23	IS DG	Num ber	For merchants shipping Dangerous Goods with Global-e via DHL, IsDangerousGoods = 1 is blocked automatically	no	0	

GlobaleCatalogFeed - SFCC Job

The GlobaleCatalogFeed Job is part of the standard functionality provided in the Global-e SFCC cartridge.

The catalog feed has two components (Job steps): Generate Catalog Feed and Upload Catalog Feed.

GeneralSchedule and HistoryResourcesJob StepsFailure HandlingNotification

Job Parameters 0

Scope: 2 Sites Assigned

GenerateCatalogFeed

UploadCatalogFeed

Generate Catalog Feed	Upload Catalog Feed
This Job Step is responsible for generating the Catalog Feed in CSV format based on the parameters configured in the Global-e Site Preferences and for placing the result file into the SFCC IMPEX folder.	This Job Step is responsible for uploading the Catalog Feed file placed in the SFCC IMPEX folder to the SFTP folder configured in the Global-e Site Preferences, so that Global-e can pull this file from that location and import it for further analysis.
Select and Configure Step Custom:GlobaleGenerateCatalogFeed Context title ID* GenerateCatalogFeed Description Generates Product Catalog Feed for Global-e and stores it in IMPEX.* Note: ☐ Always execute on restart Exit Status Rules On: FINISHED ➔ Action Continue With Next Step ✕ ERROR ➔ Stop Job ✕ Add Rule	Select and Configure Step Custom:GlobaleUploadCatalogFeed Context title ID* UploadCatalogFeed Description ☐ Always execute on restart Exit Status Rules On: FINISHED ➔ Action Continue With Next Step ✕ ERROR ➔ Stop Job ✕ Add Rule

Catalog Feed Configuration

Custom Site Preference “Catalog Feed Configuration (geCatalogFeedConfig)”

The feed configuration is stored in site preference **Catalog Feed Configuration(geCatalogFeedConfig)** by path: **Merchant Tools => Site Preferences => Custom Site Preference Groups => Global-e Catalog Jobs**

Example of configuration:

```
1  {
2    "impex": {
3      "folderPath": "/globale/catalog",
4      "archiveFolderPath": "/globale/catalog/archive",
5      "fileName": "globale_catalog_feed_{datetime}",
6      "fileType": "csv"
7    },
8    "sftpCredentialIDs": ["Globale-SFTPCatalogFeedUpload"],
9    "file": {
10     "catalogId": "storefront-catalog-m-non-en",
11     "separator": ",",
12     "quote": "\"",
13     "locale": "default",
14     "columns": [
15       {
16         "header": "Id (* mandatory field)",
17         "type": "product",
18         "attr": "ID"
19       },
20       {
21         "header": "ParentProductID",
22         "type": "product",
23         "attr": "masterProduct.ID"
24       },
25       {
26         "header": "HS Code (Commodity code)",
27         "type": "product",
28         "attr": "custom.hsCode",
29         "fallback": {
30           "type": "static",
31           "attr": ""
32         }
33       },
34       {
35         "header": "Product Category",
36         "type": "category",
37         "attr": "displayName",
38         "categoriesSeparator": ",",
39       },
40       {
41         "header": "DisplayName (*)",
42         "type": "product",
43         "attr": "name",
44         "fallback": {
45           "type": "product",
46           "attr": "ID"
47         }
48     ]
49   }
50 }
```



```

48     },
49     {
50         "header": "LongDescription(*)",
51         "type": "product",
52         "attr": "longDescription.markup"
53     },
54     {
55         "header": "Height",
56         "type": "product",
57         "attr": "custom.geHeight",
58         "fallback": {
59             "type": "static",
60             "attr": ""
61         }
62     },
63     {
64         "header": "Width",
65         "type": "product",
66         "attr": "custom.geWidth",
67         "fallback": {
68             "type": "static",
69             "attr": ""
70         }
71     },
72     {
73         "header": "Length",
74         "type": "product",
75         "attr": "custom.geLength",
76         "fallback": {
77             "type": "static",
78             "attr": ""
79         }
80     },
81     {
82         "header": "Volume",
83         "type": "product",
84         "attr": "custom.geVolume",
85         "fallback": {
86             "type": "static",
87             "attr": ""
88         }
89     },
90     {
91         "header": "Weight (*)",
92         "type": "weight",
93         "attr": "custom.geWeight",
94         "unit": "kg",
95         "fallback": {
96             "type": "static",
97             "attr": ""
98         }
99     },
100    {
101        "header": "OriginCountry (IS03) (*)",
102        "type": "product",
103        "attr": "custom.manufacturerCountryCode",
104        "fallback": {
105            "type": "static",

```

```

106         "attr": ""
107     }
108 },
109 {
110     "header": "IsBlocked (*)",
111     "type": "product",
112     "attr": "custom.geIsBlocked",
113     "fallback": {
114         "type": "static",
115         "attr": ""
116     }
117 },
118 {
119     "header": "IsVirtual",
120     "type": "product",
121     "attr": "custom.geIsVirtual",
122     "fallback": {
123         "type": "static",
124         "attr": ""
125     }
126 },
127 {
128     "header": "VATRate",
129     "type": "tax"
130 },
131 {
132     "header": "Price",
133     "type": "price",
134     "attr": "gbp-sale-prices",
135     "fallback": {
136         "type": "product",
137         "attr": "priceModel.price.value",
138         "fallback": {
139             "type": "static",
140             "attr": "0"
141         }
142     }
143 },
144 {
145     "header": "Keywords",
146     "type": "static",
147     "attr": ""
148 },
149 {
150     "header": "Size",
151     "type": "variationAttribute",
152     "attr": "size",
153     "value": "value"
154 },
155 {
156     "header": "Color",
157     "type": "variationAttribute",
158     "attr": "color",
159     "value": "value"
160 },
161 {
162     "header": "ProductURL",
163     "type": "productUrl",

```

```

164         "attr": "pid",
165         "controller": "Product-Show",
166         "host": "www.example.com"
167     },
168     {
169         "header": "ImageUrl",
170         "type": "imageUrl"
171     },
172     {
173         "header": "IsKidsProduct",
174         "type": "product",
175         "attr": "custom.isKidsProduct",
176         "fallback": {
177             "type": "static",
178             "attr": "false"
179         }
180     }
181 ]
182 },
183 "deltaMode": {
184     "processOnlyModifiedProducts": false,
185     "productsCountPerOneRun": 0,
186     "productsStartPosition": 0
187 }
188 }

```

The Catalog Feed configuration has JSON format and contains 4 groups:

- impex - the fields of this group are used for generating and uploading the catalog files.
- sftpCredentialIDs - allows to specify SFCC service credential IDs.
- file- the fields of this group are used only for generating the catalog files.
- deltaMode - the fields of this group are used only for generating the catalog files.

'impex', 'sftpCredentialIDs' and 'file' groups are mandatory.

'deltaMode' is optional and can be skipped in configuration if no need to run feed and 'delta' mode. ('delta' mode - it is a mode when are processed only products which were modified after the last run of feed)

Here are general details about fields of configuration

Field Name	Type	Description	Is Mandatory
impex	object	Contains the object with impex configuration.	Yes
impex.folderPath	string	Folder path in IMPEX/* where is stored generated files.	Yes
impex.archiveFolderPath	string	Archive folder path in IMPEX/* where is stored uploaded files.	No
impex.fileName	string	Name of a generated file.	Yes
impex.fileType	string	Type of a generated file.	No
sftpCredentialIDs	array	Contains SFCC service credential IDs which are used for uploading catalog feeds (e.g., ['Globale-SFTPCatalogFeedUpload']).	Yes
file	object	Contains the object with the feed file configuration.	Yes
file.catalogId	string	Catalog ID that will be iterated for generating of file with the products information. By default is taken all assigned to site products.	No

file.separator	string	A separator that is used during filling of generating file.	No
file.quote	string	A quote that is used during filling of generating file.	No
file.locale	string	A SFCC locale that is used during filling of generating file.	No
file.columns	array	The major field of file configuration that is used for defining the source of values that should be written into generating file.	Yes
deltaMode	object	Contains the object with the delta mode configuration.	No
deltaMode.processOnlyModifiedProducts	boolean	If it is set to true the feed runs in 'delta' mode.	No
deltaMode.productsCountPerOneRun	number	This field allows configuring the count of products that should be processed/exported per 1 feed run.	No
deltaMode.productsStartPosition	number	This field allows configuring the start position of products(in products array/iterator) from which should be processed/exported products.	No

Here are details of the 'columns' field in configuration

Each column in the CSV file can be generated based on the system/custom attribute value of the product, Site Preference, system/custom attribute of the products category, price book, static (hardcoded), and more.

The following table provides additional details.

Type	Description	Sample(s)
product	The value is taken from the products attribute, indicated in the "attr" property.	<pre>{ "type": "product", "attr": "ID", "type": "product", "attr": "masterProduct.ID", "type": "product", "attr": "custom.hsCode", "type": "product", "attr": "longDescription.markup" }</pre>
weight	The value is taken from the products attribute, indicated in the "attr" property. In "unit" attribute is set unit measurement. For example: <pre>{ "type": "weight", "attr": "custom.geWeight", "unit": "kg" }</pre> This configuration means that the product custom attribute "geWeight" contains a value in kilograms and it will be converted to grams. The init value of an attribute: '1.2' (kg) The output value of an attribute: 1200 (gr) The output value will be set in catalog feed .csv file	<pre>{ "type": "weight", "attr": "custom.geWeight", "unit": "kg" }</pre>
category	The value is taken from the products category attribute, indicated in the "attr" property.	<pre>{ "type": "category", "attr": "displayName" }</pre>
tax	The value is calculated as the tax value of the given product. No additional property is needed.	<pre>{ "type": "tax" }</pre>

price	The value is calculated as the product price from the price book Id indicated in the "attr" property.	{"type": "price", "attr": "gbp-sale-prices"}
variationAttribute	The value is taken from the product variation attribute (indicated in the "attr" property) and its value (indicated in the "value" property).	{"type": "variationAttribute", "attr": "size", "value": "value"}
productUrl	The value is generated as the Product URL (string), based on the product ID (as the parameter of URL indicated in the "attr" property), given Controller in the "controller" property and "host" property which allows setting the needed host value. If the "host" property doesn't exist in configuration or it is empty then will be set a host of the environment.	{"type": "productUrl", "attr": "pid", "controller": "Product-Show", "host": "www.example.com"}
imageUrl	The value is generated as the products image URL. No additional property is needed.	{"type": "imageUrl"} * Run in 'delta mode' when the job is run in delta mode - no need to send the product's image URL and should be sent empty values for all products {"type": "static", "attr": ""}
preference	The value is taken from the Site Preference indicated in the "attr" property.	{"type": "preference", "attr": "geMerchantCountryCode"} This will look for geMerchantCountryCode in Site Preferences
static	The value is used as is from the "attr" property.	{"type": "static", "attr": ""}
custom	The value is taken from 'return' of handler function	{"type": "custom", "handler": "*/cartridge/scripts/globale/customHandler"} An example of the script's body: <pre> module.exports = { getValue: function(product) { return (product.custom.product_online_patina ? '1' : '0'); } } </pre>
code	The value is taken from 'return' of handler function	{"type": "custom", "handler": "return (product.custom.product_online_patina ? '1' : '0')"}

Only "price" and "product" types can be nested by any other type with using special "fallback" property, more than one time, like in the following example: Here we look for GBP price book, if not there look for product default price.

Nesting types to each other in Column JSON config

```

1  {
2      "type": "price",
3      "attr": "gbp-sale-prices",
4      "fallback": {
5          "type": "product",
6          "attr": "priceModel.price.value",
7          "fallback": {
8              "type": "static",
9              "attr": "0"
10         }
11     }
12 }

```

“Globale-SFTPCatalogFeedUpload” SFCC service credential configuration

The SFTP credentials provided by the Global-e should be set in the SFCC service credential “Globale-SFTPCatalogFeedUpload” (Administration > Operations > Services > Service Credentials > Globale-SFTPCatalogFeedUpload - Details):

[Administration](#) > [Operations](#) > [Services](#) > [Service Credentials](#) > Globale-SFTPCatalogFeedUpload - Details

Globale-SFTPCatalogFeedUpload

Fields with a red asterisk (*) are mandatory. Click Apply to save the details. Click Reset to revert to the last saved state.

These credentials are used by 0 services.

Name:	Globale-SFTPCatalogFeedUpload
URL:	https://sftp-stg.bglobale.com/catalog/
User:	gbpupload
Password:	*****

[<< Back to List](#)

Please contact to Global-e to get the SFTP credentials (URL, username and password).

Testing

1. Check catalog json is set on the instance, go to **Merchant Tools => Site Preferences => Custom Site Preference Groups => Global-e Catalog Jobs => Catalog Feed Configuration**

Merchant Tools / Site Preferences / Custom Site Preference Groups /

Global-e Catalog Jobs

Instance Type: Sandbox

Search by ID

Name	Value
Catalog Feed Configuration	<pre>{ "impex": { "folderPath": "globale/catalog", "archiveFolderPath": "globale/catalog/archive", "fileName": "globale_catalog_feed_{sitetime}", "fileType": "csv" }, "ftpCredentialID": "Globale-SFTP-CatalogFeedUpload", "file": { "catalogID": "storefront-catalog-m-non-ent", </pre>

Configuration of the SFCC job 'GlobaleCatalogFeed'

2. Go to **Administration => Operation => Jobs => GlobaleCatalogFeed**

Administration / Operations /

Jobs

Q Search by ID Find

Enable Disable Run Delete

Scheduling Of Custom Jobs Disabled
Automatic time-based execution (scheduling) of custom jobs is disabled.

ID	Status	Last Run	Execution Scope
GlobaleCachePriceBooks	-		
GlobaleCatalogFeed	OK	3/20/2023 9:45:21 am	RefArchGlobal

3. Click on **GlobaleCatalogFeed** and click button.

Administration / Operations / Jobs /

GlobaleCatalogFeed

Run Now

General Schedule and History Resources Job Steps Failure Handling Notification

ID*
GlobaleCatalogFeed

Description
Generates Catalog Feed and sends it to Global-e SFTP folder

Priority
☒ Normal ☐ High

4. Once job is complete, log into SFTP location to verify if file is there.