

Global-e SFCC Job - GlobaleProducts

Table of Contents

- [Table of Contents](#)
- [Introduction](#)
- [Job Steps](#)
- [Configuration](#)
 - [SFCC Staging](#)
 - [SFCC Development](#)

Introduction

This document describes the Globale Products Job as part of the default/basic functionality of the Global-e SFCC cartridge. Globale Products Job pulls product restrictions and end-customer country product VAT rates (if it is configured on Global-e side) and stores them in a product's custom attributes:

- Global-e RestrictedCountries (geRestrictedCountries).
- Global-e Is Forbidden (geIsForbidden).
- Global-e Vat Rates (geVatRates).

Global-e Attributes

Last Modified:^{*}

05/04/2021

dd/MM/yyyy

Time:

09:47

HH:mm

Time Zone:

Coordinated Universal Time

Global-e RestrictedCountries:

Default

[All Site Values](#)

Global-e Is Forbidden:

Default

-None-

[All Site Values](#)

Global-e Vat Rates:

Default

[All Site Values](#)

More detailed information is in file 'Global-e_SFCC_Cartridge_Restricted_Forbidden_Products.pdf'.

Job Steps

- LoadRecentProductCountryData - Loads products data using Global-e API ./Browsing/RecentProductCountryS (delta mode only), creates CSV feeds with product records in IMPEX folder.
- ImportRecentProductCountryData - Imports the CVS feeds with product records (geRestrictedCountries, gelsForbidden and geVatRates custom product attributes are updated).
- ArchiveRecentProductCountryData - Moves CSV feeds to archive folder.

Configuration

SFCC Staging

1. Go to "Administration > Operations > Services > Service Credentials".
2. Update the service credential with ID "Globale-RecentProductCountryS"

Preference Name	Preference value
URL	https://api.global-e.com/Browsing/RecentProductCountryS
User	Empty
Password	Use the Global-e PRODUCTION Merchant GUID

SFCC Development

No need to change the existing configuration.

 **Important:** the job should be scheduled to run **only in Staging and Development instances**.

Staging instance must be configured to pull all the data from Global-e production account and then the data is replicated to an SFCC production instance during the SFCC catalog replication.