



SFCC - SiteGen Implementation Guide

Github Repository Link:

https://github.com/SalesforceCommerceCloud/link_zenkraft

1. Summary

Zenkraft provides 100% Native shipping applications for All Salesforce Clouds including a cartridge for Cloud Commerce (formerly Demandware). We provide Rating, Label, Tracking and Pickup technology for 45+ carriers including FedEx, UPS, USPS, DHL and 40+ others. In addition to parcel carriers, we also provide access to some Freight providers.

Zenkraft are a cloud-first business and also make available a core logistics API for integration into your own business application.

Zenkraft has nearly 1,000 customers including over 10% of Fortune 500 businesses. As well as having over 200 5 star reviews on the Salesforce AppExchange.

Zenkraft have been a Salesforce partner since 2009.

2. Component Overview

2.1 Functional Overview

Zenkraft provides shipping integration with Salesforce Commerce Cloud. This includes the ability to:

- Calculate ratings during the checkout process.
- Allow users to search for and select Drop Off shipment locations
- Allow named day delivery dates to be selected at checkout
- Generate return shipping labels from within the user order page.
- Provide real-time tracking within the user order page.
- Book shipments from Business Manager for 45+ carriers.
- Transmit order data to your 3PLs and back.

2.2 Use Cases

Real Time Shipping Rates

Users are able to retrieve real-time shipping rates from Zenkraft for multiple carriers. The rates are based on the customer's shipping address as well as items currently in their cart and still allows for all Commerce Cloud functionality such as real-time order total updates and shipping promotions. There is also the ability to add markup to the shipping rate as a flat amount or a percentage.

SELECT SHIPPING METHOD

UPS Ground: \$15.99 ([Details](#))

Estimated Delivery Date: Tuesday - November 10

UPS Three Day Select: \$10.99 ([Details](#))

Thursday - November 12

UPS 2nd Day Air: \$20.99 ([Details](#))

Estimated Delivery Date: Wednesday - November 11

Select A Drop-off Location: \$10.00 ([Details](#))

CONTINUE TO BILLING >

Named delivery dates are also included as an option for users. You can set any number of future days to allow this for.

Estimated Delivery Dates on the Product Detail Page

Users are able to retrieve real-time shipping rates from Zenkraft for multiple carriers. The rates are based on the customer's shipping address as well as items current item displayed on the page.

NEW ARRIVALS

WOMENS

MENS

ELECTRONICS

TOP SELLERS

Mens / Clothing / Suits / Charcoal Single Pleat Striped Wool Suit



Charcoal Single Pleat Striped Wool Suit

Item No. 25686364

★★★★☆

\$500.00

\$299.99

SELECT COLOR

CHARCOAL

SELECT SIZE

36

38

39

40

41

42

43

44

46

48

50

SELECT WIDTH

Short

Regular

Long

AVAILABILITY

Select Styles for Availability

QTY 1

ADD TO CART

f

t

g+

p

e

ESTIMATED DELIVERY DATES

Shipping to 1 Market St, San Francisco, CA 94105, USA

☐
UPS Ground: Friday - November 13

☐
UPS Three Day Select: Thursday - November 12

☐
UPS 2nd Day Air: Wednesday - November 11


Drop Off Shipments

This feature allows storefront customers to select non-residential locations as their shipping address. When a user selects a Drop-off-enabled shipping method, they are presented with a map of nearby drop off locations so that they can select a location to ship their order.

In order to enable this feature, you'll need to set a shipping method as drop-off-enabled, add the zenkraft.js, _zenkraft.scss client code, include the drop-offs template, and obtain/set a Google Maps API key. Instructions for each of these are included in this document.

SFCC - SiteGen Implementation Guide

4



Drop Off Screen : Showing Drop Off Locations

Return Labels For Customers

Users are given the option to request a return for any item from their previous orders.

There are two types of returns available that is set via Business Manager. Automatically Approved or Requires Approval.

If a product requires approval, the user will be notified that their approval has been requested. Once the return has been approved then the user is able to download and print the label.

If a product is automatically approved then the return label will be available for download and for printing by the user.

Branded Tracking Page

The user is directed to your site to get the latest tracking updates from the carrier that their product was shipped with.

FREE 2-Day SHIPPING FOR ORDERS OVER \$300





Stores

James Lumb



NEW ARRIVALS

WOMENS

MENS

ELECTRONICS

TOP SELLERS

Order: 00000403

Tracking № TEST100000005









Picked Up

In Transit

Out For Delivery

Delivered

Shipping Notifications

Enter your phone number to receive SMS notifications when there are changes in your shipment status.

Notify Me!

Travel History

Date/Time	Activity	Location
Friday, October 23 2020	Delivered	BASTIAN, VA 24314
Friday, October 23 2020	On carrier vehicle for delivery	CUMBERLAND, MD 21502
Friday, October 23 2020	At local carrier facility	CUMBERLAND, MD 21502
Friday, October 23 2020	At destination sort facility	MOON TOWNSHIP, PA 15108
Friday, October 23 2020	Departed carrier location	MEMPHIS, TN 38118
Thursday, October 22 2020	Arrived at carrier location	MEMPHIS, TN 38118
Thursday, October 22 2020	Left carrier origin facility	CORDOVA, TN 38016
Thursday, October 22 2020	Picked up	CORDOVA, TN 38016
Thursday, October 22 2020	Shipment information sent to carrier	,



Platinum Blue Stripes Easy Care Fitted Shirt

\$75.00






No-Iron Platinum Easy Care Sleeveless Fitted Shirt

\$59.00



If the carrier allows inflight changes the link will show for your user to make that change:

Tracking № TEST100000008



Want to make a change to your delivery?

[Click here!](#)

If you want your users to also see the Ordered Products make sure that you set the **Limit Storefront Order Access** value to No, as you can see below. To get to this page please go to **Merchant Tools > Site Preferences > Order**

[Merchant Tools](#) > [Site Preferences](#) > [Order](#)

Order Preferences

Use this page to manage essential order settings for this site. Fields with a red asterisk (*) are mandatory. Click Apply to save the details. Click Reset to revert to the last saved state.

Order Export Settings	
Order Export Delay: 30	Specify the delay in minutes after which an order can be considered for export. After this delay, the order is a candidate for exporting.
Order Full Export Delay: 30	Specify the amount of time in minutes to delay the exporting of an order once the order has been opened for editing.
Order Export Format: XML	Specify the version of the XML schema (order.xml) to use for order export. With each Salesforce Commerce Cloud release, merchants can choose the most recent version to stay current or remain on a specific version if their integration needs require it.
Order Storage Settings	
Order IP Logging: ☒	Enable to activate storage of customer IP addresses during order creation. Note: You might need to check if you're legally required to inform the customer about storing this type of information.
Order Data Settings	
Order Retention:	Specify for how many days the system stores orders. Orders older than the specified number of days will be automatically removed from the system. Leave this blank if orders should never be purged from the system. Note: This value isn't replicated to Production or Development instances. You need to configure it manually on those instances.
Failed Order Retention:	Specify the number of days the system stores failed orders. Failed orders older than the specified number of days will be automatically removed from the system. Leave this blank if failed orders should never be purged from the system (unless the 'Order Retention' preference above is set).
Retain Non-Exported Orders: ☒	If set to Yes, orders in status NEW, OPEN, COMPLETED will only be purged if the order export status is EXPORTED at the time the purge job is executed. Orders in status CREATED, FAILED, CANCELLED, REPLACED will be purged regardless of the export status. This setting is only relevant if 'Order Retention' is set.
Order Retention Date Field: Last Modified	Defines which date attribute is used to identify orders that are older than the order retention period configured in Order Retention and Failed Order Retention.
Payment Information Settings	
Payment Information Retention: 30	Specify the number of days after which the system will mask order payment information. Order payment instruments older than the specified number of days will be automatically masked so that the original credit card and bank account numbers are no longer recoverable. This masking is permanent and can't be undone should the number of days be changed later. Enter a value between 1 and 365.
Failed Orders Settings	
Auto-Fail Orders:	Minutes after which the orders that haven't been placed become eligible for automatic failing. Leave this blank if non-placed orders should never be auto-failed.
Order Access Settings	
Limit Storefront Order Access: ☒	Specify how access to orders from the Storefront should be handled.
Storefront Order Filter by Customer Session: ☒	When enabled, this adds an additional layer of security to order viewing in the Storefront, resulting in orders being filtered out which don't belong to the consumer identified in the Storefront session. This preference should be enabled unless there is a specific reason not to do this for a site.
Order Creation Settings	
Generate Customer No. for Guest Orders: ☒	Specify whether a customer number should be generated for orders placed by unregistered customers.
Order Calculation Settings	
Item Price Rounding: Item Level	Specify whether item prices are rounded on unit level or on item level.
Tax Rounding Mode: Half Up	Specify the rounding mode for order tax calculation.
Order Management Settings	
Include in Order Management: ☒	When Order Management integration is configured, this setting specifies whether orders in this site are included or excluded from the integration. Note: This value isn't replicated to Production or Development instances. You need to configure it manually on those instances.

your users will then be able to see the order details as below:

FREE 2-Day SHIPPING FOR ORDERS OVER \$300



Stores

Login / Register



0

NEW ARRIVALS

WOMENS

MENS

ELECTRONICS

TOP SELLERS

Order: 00000401

Tracking № TEST100000008



Picked Up



In Transit



Out For Delivery



Delivered

Want to make a change to your delivery?

Click here!



Charcoal Single Pleat Striped Wool Suit

Item No.: 640188016365

Color Charcoal

Size 40

Width Regular

1

\$500.00

\$299.99

\$299.99

Shipping Notifications

Enter your phone number to receive SMS notifications when there are changes in your shipment status.



Platinum Blue Stripes Easy Care Fitted Shirt

\$75.00

★★★★☆



Create Zenkraft Shipments

This is an available, schedulable job that will create new Zenkraft Shipments for all orders. Also included is a Business Manager extension that allows you to see the status of orders as they await to have shipments created and to also print labels for shipments that have already been created.

2.3 Compatibility

The Zenkraft LINK Cartridge is available for Salesforce Commerce Cloud version 18.10 and above.

This cartridge is available to be implemented on storefronts that support the SiteGenesis Javascript Controllers (SGJC) reference architecture.

2.4 Privacy, Payment

No payment or credit card data is passed between Salesforce Commerce Cloud and the Zenkraft API.

3. Implementation Guide

SFCC - SiteGen Implementation Guide

8

3.1 Setup

The Zenkraft LINK Integration contains two cartridges: one for the SiteGenesis and one for SFRA. Ensure you use the correct cartridge.

Cartridge

int_zenkraft – This cartridge contains all of the controllers, forms, templates, and scripts for integration with the Zenkraft API:

Controllers

Zenkraft Controller

 Name	 Description
<u>Zenkraft.js</u>	Handles all functionality for the cartridge to function

Overridden Controllers

 Name	 Description
<u>COPlaceOrder</u>	This handles the Drop Off Location and Future Delivery Date functionality
<u>COShipping</u>	This handles the Estimated Delivery Dates on the Checkout page

Form Definitions

 Name	 Description
<u>zenkraft.xml</u>	Required for the Return Item label

Scripts

 Name	 Description
<u>trackingHelper.js</u>	Used for getting the tracking information from the carrier
<u>ZenkraftHelper.js</u>	Used as a helper class for all functions for the cartridge
<u>zenkraftReturnHelper.js</u>	Used as the helper class for all functions related to Returns, including approvals.
<u>notificationModel.js</u>	Handles the notifications if you utilize Twilio as an SMS provider.

 Name	 Description
<u>shippingMethod.js</u>	Handles the shipping methods logic
<u>ZenkraftModel.js</u>	Prepares the requests for API callouts, handles cut of time and lead time.
<u>realTimeRates.js</u>	Handles the responses for estimated delivery dates and costs, including the mark up costs.
<u>zenkraftJobs.js</u>	Handles the scheduled tracking updates, this is where you will add your own callout to your Email Service Provider to send shipping notification emails / SMS
<u>zenkraftServiceConfig.js</u>	Prepares the callouts for the API callouts

Templates:

- account/orderhistory/dropoffresults.isml
- account/orderhistory/dropoffshipments.isml
- account/orderhistory/printlabel.isml
- account/orderhistory/return.isml
- account/orderhistory/returns/label.isml
- account/returns/pt_returnshistory.isml
- account/returns/returnCases.isml
- account/tracking/tracking.isml
- checkout/shipping/dropoffshipments.isml
- checkout/shipping/dropoffresults.isml
- components/order/orderdetails.isml
- mail/printlabelemail.isml
- order/orderdetails.isml
- product/components/estimatedelivery.isml
- product/producttopcontent.isml

Resources:

- checkout.properties
- forms.properties

- order.properties
- product.properties
- returns.properties
- tracking.properties

Modules:

- zenkraft/zenkraftJobs.js - used for creating shipments from Business Manager

3.2 Configuration

Assign Cartridges

In order to use the int_zenkraft cartridge, it needs to be assigned to your site through Administration → Sites → Manage Sites → Your Site → Settings tab.

Import Metadata

In order to function correctly, there are several imports that need to be done. All of these imports can be found in the metadata folder of the integration.

meta\custom-objecttype-definitions.xml - This contains all of the custom object definitions. Import it at Administration → Site Development → Import & Export → Meta Data Import

meta\system-objecttype-extensions.xml – This contains all of the system object definitions and custom site preference definitions. Import it at Administration → Site Development → Import & Export → Meta Data Import

services.xml – This import contains the Salesforce Commerce Cloud Service Framework definitions for connecting to the Zenkraft API. Import it at Administration → Operations → Import & Export → Services

jobs.xml – This import contains the job needed to create Zenkraft Shipments from your SFCC orders. Import it at Administration → Operations → Import & Export → Jobs

sites\sitegenesis\account-landing-asset.xml - Import it at Merchant Tools > Content > Import & Export.

Job Configuration

SiteGenSendShippingNotifications

In order to schedule tracking updates that then allow you to send shipping notifications from you need to schedule the job that was imported with the previously mentioned meta data import.

After running the import, you'll need to go to Administration → Operations → Job Schedules, select the *SiteGenSendShippingNotifications* job, select the Step Configurator tab, and change the Scope for whatever site(s) you have.

To schedule the job, go to Administration → Operations → Job Schedules and select the *SiteGenSendShippingNotifications* job. From there, just schedule it to run at whatever interval you like, we recommend every 4 hours as a maximum frequency.

UpdateReturnCases

In order to update the return tracking statuses from your SFCC returns, you need to schedule the job that was imported with the previously mentioned meta data import.

After running the import, you'll need to go to Administration → Operations → Job Schedules, select the *UpdateReturnCases* job, select the Step Configurator tab, and change the Scope for whatever site(s) you have.

To schedule the job, go to Administration → Operations → Job Schedules and select the *UpdateReturnCases* job. From there, just schedule it to run at whatever interval you like, but for returns, we recommend running it only once a day, or a maximum of twice a day.

CreateZenkraftShipments

In order to Create Zenkraft Shipments from your SFCC orders, you need to schedule the job that was imported with the previously mentioned meta data import.

After running the import, you'll need to go to Administration → Operations → Job Schedules, select the *CreateZenkraftShipments* job, select the Step Configurator tab, and change the Scope for whatever site(s) you have.

To schedule the job, go to Administration → Operations → Job Schedules and select the *CreateZenkraftShipments* job. From there, just schedule it to run at whatever interval you like.

Custom Preference Configuration

There are several custom site preferences that can be set. Some are essential to connecting to the Zenkraft API and some allow you to enable/disable/customize certain pieces of functionality. All of the following preferences are in the Zenkraft and Zenkraft preference groups. Available values for some of the preferences can be found in the Zenkraft API documentation here: <https://api.zenkraft.com>.

Zenkraft General

 Site Preference	 Description
<u>Zenkraft Master API Key</u>	You will need to get this from Zenkraft. The API key is required for all API calls.
<u>Zenkraft Production Mode</u>	Allows you to toggle between production mode and development mode.
<u>Enable Zenkraft Shipping Methods</u>	Allows you to toggle the Real-Time Shipping Rates for Shipping Methods
<u>Enable Zenkraft Shipping Rates</u>	Allows you to toggle the Real-Time Shipping Rates for Shipping Methods
<u>Enable Zenkraft Debug Logs</u>	If enabled, requests and responses will be logged in the Zenkraft API Admin for debugging reasons
<u>Carrier ID</u>	Carrier ID to use for Shipments to the customer.
<u>Packaging Type</u>	Packaging type to use for shipments to the customer. Values can be found in Zenkraft API documentation.
<u>Shipping Account ID</u>	ID Number for the Carrier account for shipments to the customer.
<u>Currency Code</u>	Currency Code to use with the Zenkraft API. Default value is USD and available values can be found in the Zenkraft API documentation.
<u>Dimension Units</u>	Units to be used for dimensions.
<u>Weight Units</u>	Units to be used for weight.
<u>Default Product Weight</u>	This is the default weight to be used for products when determining shipping rates. If the weight is not defined on the product, this is what is used.
<u>Sender Street Address</u>	This is the address used as the FROM address for shipments to the customer.

 Site Preference	 Description
<u>Sender Address City</u>	This is the city used as the FROM city for shipments to the customer.
<u>Sender Address State Code</u>	This is the state code used as the FROM state code for shipments to the customer. This is optional as not all countries have states.
<u>Sender Address Postal Code</u>	This is the postal code used as the FROM postal code for shipments to the customer.
<u>Sender Address Country Code</u>	This is the country code used as the FROM country code for shipments to the customer.
<u>Sender Company</u>	This is the Company Name used as the FROM company name for shipments to the customer.
<u>Sender Name</u>	This is the name used as the FROM name for shipments to the customer.
<u>Sender Phone Number</u>	This is the phone number used as the FROM phone number for shipments to the customer.
<u>Sender Email Address</u>	This is the email address used as the FROM email address for shipments to the customer.
<u>Google Maps API Key</u>	API Key to use for the Google Maps API. Currently, a Google Map is used for the Drop Off Locations feature.

Zenkraft Returns

 Site Preference	 Description
<u>Returns Shipping Account ID</u>	Number representing the Returns Shipping Account ID (ex: 394893489238983)
<u>Returns Carrier ID</u>	This is the carrier ID (ex: fedex, dhl) used when getting shipping information for returns. It must match a valid carrier ID in Zenkraft
<u>Shipping Service</u>	Must match the ID that is in Zenkraft, ex. fedex_ground
<u>Returns Packaging Type</u>	The packaging_type from the Zenkraft API Docs for Returns
<u>Recipient Address Street</u>	Street address representing where items will ship to
<u>Recipient Address City</u>	City representing where items will ship to

 Site Preference	 Description
<u>Recipient Address State Code</u>	State Code representing where items will ship to
<u>Recipient Address Postal Code</u>	Postal Code representing where items will ship to
<u>Recipient Address Country Code</u>	Country Code representing where items will ship to
<u>Recipient Company</u>	Company name representing where items will ship to
<u>Recipient Name</u>	Attention to name representing where items will ship to
<u>Recipient Phone Number</u>	Phone number representing where items will ship to
<u>Recipient Email Address</u>	Email representing where items will ship to
<u>Shipping Label File Type For Returns</u>	Recommend using PDF
<u>Dimension Units</u>	Units to be used for dimensions. IN = Inches, CM = Centimeters
<u>Weight Units</u>	Weight Units to be used
<u>Return Reasons Configuration</u>	JSON object representing reasons for returns and sub-reasons
<u>Returns Require Approval</u>	Set to true if all returns require approvals
<u>Catalog categories requiring return approval</u>	Comma separated list of catalogue categories that ensure returns need approval
<u>Customer groups requiring returns approval</u>	Comma separated list of customer groups that ensure returns need approval
<u>Sync Return with Zenkraft</u>	Sync returns information with your external platform

Zenkraft Advanced Configuration

 Name	 Description
<u>Enable Advanced JSON Configuration</u>	This will enable/disable the Zenkraft Advanced JSON Configuration. If enabled, a valid JSON object needs to be configured in that JSON configuration site preference

 Name	 Description
<u>Zenkraft Advanced JSON Object</u>	Set your advanced JSON code here

Zenkraft Tracking Page Settings

 Name	 Description
<u>Enable Zenkraft Tracking page</u>	Enables the Tracking page. If enabled the page can be loaded via the 'Zenkraft-Track? tracknumber=777436548000&carrier=fedex&order=00001201' route.
<u>Zenkraft Tracking Settings JSON</u>	Tracking settings to allow for separate accounts per carrier.
<u>Enable Zenkraft Tracking On Order History</u>	If enabled, tracking, carrier, and status will be displayed on the Order History
<u>Use Parcel Object for Tracking</u>	If set to true, then you need to create ParcelObject custom records for your tracking needs. This is useful when you have a non standard implementation of one Order to one Shipment to one Tracking Number
<u>Require customers to be authenticated to get order tracking information</u>	When set to true, then the user needs to be logged in before they can view the tracking page.

Zenkraft Shipping Notifications

 Name	 Description
<u>Enable Shipping Notifications</u>	Enable Shipping Notifications on the Shipment Tracking page
<u>Twilio Account SID</u>	Your Twilio Account SID
<u>Twilio Auth Token</u>	Your Twilio Auth Token
<u>Twilio Base URL</u>	Your Twilio Base URL
<u>Twilio From Phone Number</u>	The Phone Number from which to Send SMS Notifications

Zenkraft Estimated Delivery

 Name	 Description
--	---

 Name	 Description
<u>Enable Zenkraft Estimated Delivery Dates</u>	Set to true if you want to show the estimated delivery dates on Checkout and PDP
<u>Delivery Date Cutoff Time</u>	After this time of day, estimated delivery dates will have a day added to them. For example, if this time is set as 5pm, then the estimated delivery date will add an extra day.
<u>Company-wide Lead Time</u>	Company-wide days required to send out product.


Shipping Method Configuration

Real Time Shipping Rates

In order to use the Zenkraft LINK Cartridge functionality, you'll need to configure your SFCC Shipping Methods to map to shipping services in Zenkraft. To facilitate this, there is a new custom attribute on the Shipping Method.

To configure the methods, go to the Shipping Method in the Merchant Tools → Ordering → Shipping Methods and select your method.

Add your Zenkraft shipping service ID to the Zenkraft section to map it to the method. You can find the method IDs in the Zenkraft API Documentation.



Zenkraft

Zenkraft Shipping Method ID:

Zenkraft Rate Markup Type: - None -

Zenkraft Rate Markup: (Number)

As you can see in the above screenshot, you also have the ability to add your own markup to the shipping method price that is returned from Zenkraft. To add markup, select the type (Amount or Percent), then add the Markup amount as a number (ex: 2.00 for a \$2.00 or 2% markup).

Drop Off Shipments

To enable the Drop Off Shipments feature, you'll need to designate a shipping method or methods to use for the Drop Offs. To set one up, simply create a

shipping method as you normally would. Then, check the box in the Zenkraft section that sets the method as Drop-off, as seen in the following screenshot:

Zenkraft	
Zenkraft Shipping Method ID:	
Zenkraft Rate Markup Type:	- None -
Zenkraft Rate Markup:	(Number)
Drop Off Method?:	☒

Once the order has been created the drop off location name and location code is saved to the shipment record

Zenkraft drop off location name.:	
Zenkraft drop off location code.:	

Named Day

To enable the Named Day feature you'll need to designate a shipping method or methods to use Future date delivery. To set one up, simply create a shipping method as you normally would. Then, assign how many days you want to allow your users to determine their ship date for, as seen in the following screenshot:

Zenkraft	
Zenkraft Shipping Method ID:	ups_three_day_select
Zenkraft Rate Markup Type:	- None -
Zenkraft Rate Markup:	(Number)
Drop Off Method?:	☐
Future date delivery:	10 (Integer) ≥ 0

One the order has been completed this date is saved on the shipment record.

Zenkraft requested delivery date.:	11/12/2020 ...
	MM/dd/yyyy

3.3 External Interfaces

The Zenkraft LINK cartridge integrates with the Zenkraft API through the Salesforce Commerce Cloud Service Framework. In order to get access to the API, you'll need to contact a representative at Zenkraft and obtain an API key.

3.4 Testing

You can test all of the integrations by setting up your own test account through Zenkraft. Reach out to a representative for assistance with setting up your account.

Once you get your test account, all you need to do is fill in the necessary custom site preferences and the Zenkraft Production Mode preference in the Zenkraft group to 'NO'. This will enable test mode for all APIs.

Shipping Rates

Once this is set up, you can test the shipping rates simply by going to the shipping page and entering an address. The real-time rates should display with the shipping methods.

Estimated Delivery Dates on Product Detail Page

Make sure you enter your Google API key first under the Custom Preferences. Go to a product detail page and you should see the location box appear. Enter an address and the real-time rates and estimated delivery date should display with the shipping methods.

Return Labels

To test the return labels, place an order and set the Shipping Status on the order to Shipped via Business Manager. Then open the order on the storefront via the Track Order page or the customer Order History. The Return Item button will show on the individual shipment for the order.

Branded Tracking

To test the branded tracking open up a url with the url ending `/Zenkraft-Track?tracknumber=TEST1000000008&carrier=fedex`, This will then show you the tracking page. If you want to include the ordered products you can add order as a query string as well. `/Zenkraft-Track?tracknumber=TEST1000000008&carrier=fedex&order=00000401`

Create Shipments

To test the Create Shipment functionality, create an order through the storefront and run the CreateZenkraftShipments job that you have configured. After running the job, go to the new Manage Zenkraft Shipments section in Merchant Tools → Ordering and verify that your order has a tracking number and shipping label.

4. Operations, Maintenance

4.1 Data Storage

Zenkraft's core API is hosted on Salesforce Heroku. Zenkraft inherit hardware encryption support in hard drives and SSDs. Before a decommissioned encrypted storage device can physically leave, it is cleaned using a multi-step process that includes two independent verifications. Devices that do not pass this wiping procedure are physically destroyed (e.g. shredded) on-premises.

Once a Zenkraft account is deleted. The data associated with that account is deleted within 12 months.

4.2 Availability

Zenkraft guarantee an uptime of 99.9% however in reality we achieve uptime closer to 99.999%. Zenkraft uptime guarantees exclude the service availability provided by your shipping carrier. Please contact your carrier directly to discuss their SLA.

4.3 Support

Zenkraft provide support from 9am GMT to 5pm EST. Monday to Friday. Our support SLA is outlined in our Master Subscription Agreement, which can be obtained by emailing support@zenkraft.com

5. User Guide

5.1 Roles/Responsibilities

The only special role that you'll need to set is for the Business Manager extension for Managing Zenkraft Shipments that you have created through the imported job.

In the Administration → Organization → Roles and Permissions area, select the desired Role and go to the Business Manager Modules tab. For your site scope, give read and write permissions for the Manage Zenkraft Shipments area under the Ordering section.

5.2 Business Manager

All Business Manager configurations can be found in the Configuration area of this guide as well as Roles/Responsibilities.

6. Known Issues

There are no known issues at this time.

7. Release History

 Version	 Release Date	 Changes
<u>18.1.0</u>	@Nov 20, 2020	Initial LINK Cartridge release
<u>18.2.0</u>	@Feb 20, 2020	Drop Off Shipments- Advanced JSON Configuration- Automatic Shipment Status updates
<u>19.1.0</u>	@Oct 30, 2020	Improved Returns, Improved Sync, Improved Checkout