#### MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION, MUMBAI



A

Project Report On,

#### "Virtual Mouse"

#### IN PARTIAL FULFILLMENT OF THE REQUIREMENT FOR THREE YEARS DIPLOMA IN

**Computer Engineering** 

#### SUBMITTED BY

Sr. No.	First Name	Middle Name	Surname	Enrollment No.
1	Vishal	Bhimgonda	Desai	2109650128
2	Rakesh	Mahadev	Bandi	2109650125
3	Prajwal	Sadashiv	Chilami	2109650133
4	Rohit	Sanjay	Gorule	2109650126

### UNDER THE GUIDANCE OF MR.R.B.MORE



DEPARTMENT OF COMPUTER ENGINEERING
SANT GAJANAN MAHARAJ RURAL POLYTECHNIC, MAHAGAON
TAL – GADHINGLAJ, DIST – KOLHAPUR – 416503 (MAHARASHTRA)
ACADEMIC YEAR 2023-2024





## SANT GAJANAN MAHARAJ RURAL POLYTECHNIC, MAHAGAON CERTIFICATE

This is to certify that **Vishal Bhimgonda Desai** (2109650128) has successfully completed and submitted project report in titled "Virtual Mouse" in partial fulfillment for the award of MSBTE, Mumbai three years diploma in the Department of Computer Engineering.

MR. R. B. MORE (Guide)

MR. G. K. BIRANGADDI (Head of Department)

MR. A. T. NARVEKAR

(Project Coordinator)

(External Examiner)

MRS .R.S.PATIL
(Principal)





## SANT GAJANAN MAHARAJ RURAL POLYTECHNIC, MAHAGAON CERTIFICATE

This is to certify **Rakesh Mahadev Bandi** (2109650125) has successfully completed and submitted project report in titled "Virtual Mouse" in partial fulfillment for the award of MSBTE, Mumbai three years diploma in the Department of Computer Engineering.

MR.R.B.MORE MR.G.K.BIRANGADDI (Head of Department)

MR. A. T. NARVEKAR

(Project Coordinator) (External Examiner)

MRS. R. S. PATIL (Principal)





## SANT GAJANAN MAHARAJ RURAL POLYTECHNIC, MAHAGAON CERTIFICATE

This is to certify that **Prajwal Sadashiv Chilami** (2109650133) has successfully completed and submitted project report in titled "Virtual Mouse" in partial fulfillment for the award of MSBTE, Mumbai three years diploma in the Department of Computer Engineering.

MR. R. B. MORE (Guide)

MR. G. K. BIRANGADDI (Head of Department)

MR. A. T. NARVEKAR

(Project Coordinator)

(External Examiner)

MRS. R. S. PATIL
(Principal)





## SANT GAJANAN MAHARAJ RURAL POLYTECHNIC, MAHAGAON CERTIFICATE

This is to certify that **Rohit Sanjay Gorule** (2109650126) has successfully completed and submitted project report in titled "Virtual Mouse in partial fulfillment for the award of MSBTE, Mumbai three years diploma in the Department of Computer Engineering.

MR. R. B. MORE (Guide)

MR. G. K. BIRANGADDI (Head of Department)

MR. A. T. NARVEKAR

(Project Coordinator)

(External Examiner)

MRS. R. S. PATIL
(Principal)

#### Sant Gajanan Maharaj Rural Polytechnic, Mahagaon

**Institute: Vision, Mission** 

#### Vision:

To become globally competitive, technology led organization through all round student development in line with latest requirements in technology, industry and societal.

#### Mission:

- Inculcating best engineering skills, professional ethics and practices.
- Providing strong foundations by adopting effective teaching learning methods.
- To inculcate best laboratory skills by promoting in house development activities.
- Developing leadership qualities, effective soft skills, critical thinking and attitude of lifelong learning by organizing student centric activities.

#### Department of Computer Engineering: Vision, Mission

#### Vision:

To produce technically competent and ethically motivated professionals dedicated to meet industrial and social needs.

#### Mission:

M1: To provide the students an academic environment essential for technical skill acquisition and intellectual development.

M2: Provide training on latest technologies that meet industry standards.

M2: To practice interdisciplinary culture that upholds values, social commitment and they should grow professionally.

#### **PEO (Program Educational Objectives):**

PEO 1. Provide socially responsible, environment friendly solutions to Computer engineering related broad-based problems adapting professional ethics.

PEO 2. Adapt state-of-the-art Computer engineering broad-based technologies to work in multidisciplinary work environments through continuous learning.

PEO3. Solve broad-based problems individually and as a team member communicating effectively in the world of work.

#### **PSO (Program Specific Outcomes):**

**PSO1. Computer Software and Hardware Usage:** Use state-of-the-art technologies for operation and application of computer software and hardware.

**PSO2. Computer Engineering Maintenance:** Maintain computer engineering related software and hardware systems.

#### CIZNOTH EDGMENT

ACKNOWLEDGMENT				
We would like to express our gratitude words to our respected guide MR.R.B.MORE sir for his constant encouragement and valuable guidance during the completion of this project. We are very thankful to M. A.T.Narvekar (Project Coordinator) and MR. G.K. Birangaddi sir (HOD) for those valuable co-operation guidance during this project work. We thank our MRS. R.S.Patil (Principal) madam for their guidance and direction towards our final year project. We take this opportunity to thank the entire staff members for their cooperation and their helpfulness during this project work. Last but not the least assistance offered by various friends and colleagues related directly or indirectly to this work is also gratefully acknowledged.				

#### **ABSTRACT**

In this project, we design a human computer interaction system using hand gestures. Hand gesture recognition (HGR) is a natural way of Human Machine Interaction and has been applied on different areas. Here we explore the use of hand gestures as a means of human-computer interactions for computer applications. Our goal is to make a system that will recognize a few sets of hand gestures and correspondingly realize the robust control of mouse cursor and mouse clicks with a higher accuracy of gesture recognition.

More specifically it is the use of a convolution neural network (CNN) to recognize the hand gestures in even the harshest lightning/background conditions using only a simple webcam. We will try to adjust the cursor control to the relative movement of our specific gesture set for mouse movement and different mouse events like clicks to different gestures. The final system will be highly extendable and can be further implemented in advanced technologies like augmented reality (AR), virtual reality (VR) for easy and hassle-free navigation and control without the need for keyboard/mouse for computers and controllers for VR/AR headsets

#### **UNDERTAKING**

We hereby confirm that the work which is being presented in the third year Project Report entitled "Virtual mouse", in the fulfillment of the requirements for the award of the Third Year of Engineering in Computer. and submitted to the Department of Computer Engineering of Sant Gajanan Maharaj Rural Polytechnic Mahagaon, Maharashtra is an authentic record of our work carried out during a period from July 2023 to April 2024 (6th semester) under the supervision of Mr. A. T. Narvekar, Project Coordinator of Computer Department.

	Signature of Students	
MR.VISHAL BHIMGONDA DESAI		
MR.RAKESH MAHADEV BANDI		
MR.PRAJWAL SADASHIV CHILAMI		
MR.ROHIT SANJAY GORULE		

#### **INDEX**

1. INTRODUCTION & BACKGROUND	1
1.1 Project Preface	2
1.2Modules of Project	2
1.3Objective	3
1.4Purpose	4
2. ANALYSIS	5
2.1 Module Description	6
2.2Requirement Analysis	7
3 SYSTEM DESIGN	8
3.1 Flow chart	9
3.2System block diagram	10
4 SYSTEM MODELING	11
4.1Class diagram	12
4.2Architecture	13
4.3 Data flow	14
5 IMPLEMENTATION	15
5.1 Source Code	16
5.2 Output	21
6 LIMITATIONS	24
6.1 Limitations	25

7	ADVANTAGES & APPLICATION	.26
	7.1 Advantages	27
	7.2 Application	27
8	FUTURE SCOPE	. 28
	8.1Future Scope	29
9	CONCLUSION	.30
	9.1Conclusion	.31
10	REFERENCE	. 32
	10.1Books	.33
	10.2 Other Reference	.33

Virtual Mouse	
CHAPTER - 1	
INTRODUCTION & BACKGROUND	
HTRODUCTION & BRENGROUND	
	Dago I 1

#### 1.1 Project Preface -

mouse is the mouse is a hardware input device and there can be some problems like mouse click not functioning properly and etc., as the mouse is a hardware device like any other physical object even the mouse will have a durability time within which is functional and after its durability time we have to change the mouse. As the technology increase everything becomes virtualized such as speech recognition. Speech Recognition is used for recognition and translation of the spoken language into text. Thus, Speech Recognition can replace keyboards in the future, Similarly Eye Tracking which is used to control the mouse pointer with the help of our eye. Eye Tracking can replace mouse in the future.

#### **1.2 Modules of Project –**

- 1. OPEN
- 2. CLICK ON TRACK MOUSE BUTTON
- 3. NO ACTION PERFORMED
- 4. CURSOR MOVING
- 5. LEFT BUTTON CLICK
- 6. RIGHT BUTTON CLICK
- 7. SCROLLING
- 8. DRAG AND DROP
- 9. DOUBLE CLICK

#### 1.3 Objective

This project aims to eliminate the needs of having a physical mouse while able to interact with the computer system through webcam by using various image processing techniques. Other than that, this project aims to develop a Virtual Mouse application that can be operational on all kind of surfaces and environment.

The following describes the overall objectives of this project:

• To design to operate with the help of a webcam.

The Virtual Mouse application will be operational with the help of awebcam, as the webcam are responsible to capture the images in real time. The application would not work if there were no webcam detected.

• To design a virtual input that can operate on all surfaces.

The Virtual Mouse application will be operational on all surface and indoor environment, as long the users are facing the webcam while doing the motion gesture.

• To program the camera to continuously capturing the images, which the images will be analyzed, by using various image processing techniques.

As stated above, the Virtual Mouse application will be continuously capturing the images in real time, where the images will be undergoing a series of process, this includes HSV conversion, Binary Image conversion, salt and pepper noise filtering, and more.

• To convert hand gesture/motion into mouse input that will be set to a particular screen position.

The Virtual Mouse application will be programmed to detect the position of the defined colors where it will be set as the position of the mouse pointers. Furthermore, a combination of different colors may result in triggering different types of mouse events, such as the right/left clicks, scroll up/down, and more.

#### 1.4 Purpose

The purpose of this project is to develop a Virtual Mouse application that targets afew aspects of significant development. As the technology increase everything becomes virtualized such as speech recognition. Speech Recognition is used for recognition and translation of the spoken language into text. Thus, Speech Recognition can replace keyboards in the future, Similarly Eye Tracking which is used to control the mouse pointer with the help of our eye. Eye Tracking can replace mouse in the future. Gestures can be in any form like hand image or pixel image, or any human given pose that require less computational difficulty or power for making the devices required for the recognitions to make work. Different techniques are being proposed by the companies for gaining necessary information/data for recognition handmade gestures recognition models. Some models work with special devices such as data glove devices and color caps to develop complex information about gesture provided by the user/human

.

CHAPTER - 2 ANALYSIS			
	Virtual Mouse		
		CHAPTER - 2	
ANALYSIS			
		ANAL I SIS	

#### 2.1 Module Description

#### 1. OPEN:

When run the .py file :GUI will be open.

#### 2. CLICK ON TRACK MOUSE BUTTON

Webcam will be open to capture hand gestures.

#### 3. NO ACTION PERFORMED

When all the five fingers up then the cursor will stop to moving

#### 4. CURSOR MOVING

For this action we have to use the index finger.

#### 5. LEFT BUTTON CLICK

Lower the index finger and raise the middle finger.

#### 6. RIGHT BUTTON CLICK

for this action first we have to show thumb and middle finger then use the index finger.

#### 7. SCROLLING

Scroll down: for this action we have to make fiest and show the thumb.

Scroll up: for this action we have to make fiest and show the middle finger.

#### 8. DRAG AND DROP

we use the last finger for the selection of the content and then by using index finger move the content.

#### 9. DOUBLE CLICK

Join/closed both index finger and middle finger then double click action perform.

#### 2.2 Requirement Analysis

#### **Hardware Requirement:**

1. Hard disk: 500GB and above

2. RAM : 8GB and above

3. Processor: i5

#### **Software Requirements:**

- 1. VSCODE EDITOR.
- 2. OPEN-CV LIBRARY.
- 3. NUMPY LIBRARY.
- 4. MEDIAPIPE LIBRARY
- 5. AUTOPY LIBRARY

Vi	rtii:	al 1	VΛ	<b>711</b>	CP.
VΙ		11 I	vi		7

# CHAPTER 3 SYSTEM DESIGN

#### 3.1 Flow chart




Fig: flow chart

Fig: block diagram

sensing

Index + Middle

Click

on

# CHAPTER 4 SYSTEM MODELING

#### 3.3 CLASS DIAGRAM




Fig: class diagram

#### 3.3 Architecture:




Fig: architecture

#### 3.4 Data flow diagram:




Fig: Data flow diagram

T 7 . 1	3.6
Virtual	l Mouse

# CHAPTER 4 <a href="IMPLEMENTATION">IMPLEMENTATION</a>

#### 4.1 Source Code-

#### Handtracking.py

```
import cv2
import mediapipe as mp
import time
import math
import numpy as np
class handDetector():
    def __init__(self, mode=False, maxHands=2, detectionCon=False, trackCon=0.5):
        self.mode = mode
        self.maxHands = maxHands
        self.detectionCon = detectionCon
        self.trackCon = trackCon
        self.mpHands = mp.solutions.hands
        self.hands = self.mpHands.Hands(self.mode, self.maxHands,
                                        self.detectionCon, self.trackCon)
        self.mpDraw = mp.solutions.drawing_utils
        self.tipIds = [4, 8, 12, 16, 20]
    def findHands(self, img, draw=True):
        imgRGB = cv2.cvtColor(img, cv2.COLOR_BGR2RGB)
        self.results = self.hands.process(imgRGB)
        if self.results.multi hand landmarks:
            for handLms in self.results.multi_hand_landmarks:
                if draw:
                    self.mpDraw.draw_landmarks(img, handLms,
                                                self.mpHands.HAND_CONNECTIONS)
        return img
    def findPosition(self, img, handNo=0, draw=True):
        xList = []
        yList = []
        bbox = []
        self.lmList = []
        if self.results.multi_hand_landmarks:
            myHand = self.results.multi hand landmarks[handNo]
            for id, lm in enumerate(myHand.landmark):
                h, w, c = img.shape
                cx, cy = int(lm.x * w), int(lm.y * h)
                xList.append(cx)
                yList.append(cy)
```

```
Virtual Mouse
                self.lmList.append([id, cx, cy])
                if draw:
                    cv2.circle(img, (cx, cy), 5, (255, 0, 255), cv2.FILLED)
            xmin, xmax = min(xList), max(xList)
            ymin, ymax = min(yList), max(yList)
            bbox = xmin, ymin, xmax, ymax
            if draw:
                cv2.rectangle(img, (xmin - 20, ymin - 20), (xmax + 20, ymax + 20),
                               (0, 255, 0), 2)
        return self.lmList, bbox
    def fingersUp(self):
        fingers = []
        if self.lmList[self.tipIds[0]][1] > self.lmList[self.tipIds[0] - 1][1]:
            fingers.append(1)
        else:
            fingers.append(0)
        for id in range(1, 5):
            if self.lmList[self.tipIds[id]][2] < self.lmList[self.tipIds[id] - 2][2]:</pre>
                fingers.append(1)
            else:
                fingers.append(0)
        return fingers
    def findDistance(self, p1, p2, img, draw=True,r=15, t=3):
        x1, y1 = self.lmList[p1][1:]
        x2, y2 = self.lmList[p2][1:]
        cx, cy = (x1 + x2) // 2, (y1 + y2) // 2
        if draw:
            cv2.line(img, (x1, y1), (x2, y2), (255, 0, 255), t)
            cv2.circle(img, (x1, y1), r, (255, 0, 255), cv2.FILLED)
            cv2.circle(img, (x2, y2), r, (255, 0, 255), cv2.FILLED)
            cv2.circle(img, (cx, cy), r, (0, 0, 255), cv2.FILLED)
        length = math.hypot(x2 - x1, y2 - y1)
        return length, img, [x1, y1, x2, y2, cx, cy]
def main():
    pTime = 0
    cTime = 0
```

#### Virtual Mouse

```
cap = cv2.VideoCapture(1)
    detector = handDetector()
    while True:
        success, img = cap.read()
        img = detector.findHands(img)
        lmList, bbox = detector.findPosition(img)
        if len(lmList) != 0:
            print(lmList[4])
        cTime = time.time()
        fps = 1 / (cTime - pTime)
        pTime = cTime
        cv2.putText(img, str(int(fps)), (10, 70), cv2.FONT_HERSHEY_PLAIN, 3,
                    (255, 0, 255), 3)
        cv2.imshow("Image", img)
        cv2.waitKey(1)
if __name__ == "__main__":
   main()
```


#### **NewMouse.py**

```
import cv2
import numpy as np
import time
import HandTracking as ht
import autopy
pTime = 0
width, height = 640, 480
frameR = 100
smoothening = 8
prev_x, prev_y = 0, 0
curr x, curr y = 0, 0
cap = cv2.VideoCapture(0)
cap.set(3, width)
cap.set(4, height)
detector = ht.handDetector(maxHands=1)
screen width, screen height = autopy.screen.size()
while True:
    success, img = cap.read()
    img = detector.findHands(img)
    lmlist, bbox = detector.findPosition(img)
    if len(lmlist) != 0:
        x1, y1 = lmlist[8][1:]
        x2, y2 = lmlist[12][1:]
        fingers = detector.fingersUp()
        cv2.rectangle(img, (frameR, frameR), (width - frameR, height - frameR), (255, 0,
255), 2)
        if fingers[1] == 1 and fingers[2] == 0:
            x3 = np.interp(x1, (frameR, width - frameR), (0, screen_width))
            y3 = np.interp(y1, (frameR, height - frameR), (0, screen_height))
            curr x = prev x + (x3 - prev x) / smoothening
            curr_y = prev_y + (y3 - prev_y) / smoothening
            autopy.mouse.move(screen_width - curr_x, curr_y)
            cv2.circle(img, (x1, y1), 7, (255, 0, 255), cv2.FILLED)
            prev_x, prev_y = curr_x, curr_y
        elif fingers[0] == 1 and fingers[2] == 1:
```


#### Virtual Mouse

```
autopy.mouse.click(autopy.mouse.Button.RIGHT)
       elif fingers[1] == 1 and fingers[2] == 1:
            length, img, lineInfo = detector.findDistance(8, 12, img)
            if length < 70:
                cv2.circle(img, (lineInfo[4], lineInfo[5]), 15, (0, 255, 0), cv2.FILLED)
                autopy.mouse.click()
        elif fingers[0] == 0 and fingers[1] == 0 and fingers[2] == 0 and fingers[3] == 0 and
fingers[4] == 1:
            autopy.mouse.toggle(autopy.mouse.Button.LEFT, True)
if fingers[0] == 0 and fingers[1] == 0 and fingers[2] == 1: # If thumb is up and index
finger is down
            pyautogui.scroll(50) # Scroll up
        elif fingers[0] == 1 and fingers[1] == 0 and fingers[2] == 0: # If thumb is down and
index finger is up
            pyautogui.scroll(-50) # Scroll down
    else:
        autopy.mouse.toggle(autopy.mouse.Button.LEFT, False)
    cTime = time.time()
    fps = 1 / (cTime - pTime)
    pTime = cTime
    cv2.putText(img, str(int(fps)), (20, 50), cv2.FONT_HERSHEY_PLAIN, 3, (255, 0, 0), 3)
    cv2.imshow("Image", img)
    cv2.waitKev(1)
```

#### **4.2 Output:**




Single click



**Double click** 

#### Virtual Mouse




Drag and drop




Right click

#### Virtual Mouse



**Movement** 



**Scrolling** 

Virtual Mouse		
	CHAPTER 5 LIMITATION	

#### **5.1 Limitations:**

- There will always be limitations of the mouse as the mouse is a hardware input device and there can be some problems like mouse click not functioning properly.
- The mouse is a hardware device like any other physical object even the mouse will have a
  durability time within which is functional and after its durability time we have to change the
  mouse.
- small decrease in accuracy in right click mouse function and some difficulties in clicking and dragging to select the text.
- It is useful only when we in the labs/room.

<u>Virtual Mouse</u>
CHAPTER 6
APPLICATION & ADVANTAGES
Page   2

#### **6.1 ADVANTAGES**

- 1. Virtual Mouse using Hand gesture recognition allows users to control mouse with the help of hand gestures.
- 2. System's webcam is used for tracking hand gestures.
- 3. Computer vision techniques are used for gesture recognition. OpenCV consists of a package called video capture which is used to capture data from a live video.
- 4. Main thing we need to identify are the applications the model is going to develop so the development of the mouse movement without using the system mouse

#### **6.2 APPLICATION**

Playing games

AI virtual mice can be used to play virtual reality and augmented reality games without a physical mouse.

Controlling the mouse

People with hand problems can use a virtual mouse to control their computer's mouse functions.

Reducing the spread of COVID-19
 Virtual mice can be used to reduce the spread of COVID-19 by eliminating the need for a physical mouse.

Virtual Mouse		
	CHAPTER 7	
	FUTURE SCOPE	

#### 7.1 Future Scope

The development of these techniques and models are really vast. The color detection model can be developed if we want to identify a particular color out of a colored photo. And the mouse movement can be developed in such a way it can act like a real mouse that will help us for using system without even touching the system's keyboard or mouse. The development can be in such a way it can be training on CNN's (convolutional neural networks) that will help for a better performed model. The Models can be developed in different ways by using some latest packages like 'pyautoGUI' that will help us to give commands which will identify an input and perform some function on the system. So if any separate color is detected it can perform special function or if an input from user is detected it will open any specific folder with ease without performing any actions, a simple gesture can do the job.

Virtual Mouse			
	CHAPTER 8	}	

#### 8.1 Conclusion:

This model can conclude by using the topics of computer vision like open CV, it can form masks that can variate colors by using color variation techniques and also development of mouse movement by using certain packages like 'mouse' which will be used for the movement of mouse by using the coordinates that are linked to the detected color. This can provide ease use of systems and many other applications. So, the open CV is helping the users with different accessible forms of models that will make ease life.

Virtual Mouse		
	CHAPTER 9	
	REFERENCE	
	KETEKENCE	

#### Virtual Mouse

#### 9.1 Books:

- Anna De Liddo, Ágnes Sándor, et.al, (2012). Contested Collective Intelligence: Rationale, Technologies, and a Human-Machine Annotation. Computer Supported Cooperative Work (CSCW) Volume 21, Issue 4–5, pp 417–448.
- 2. WAN CHUNG SON (MAY 2016). VIRTUAL MOUSE, Bachelor of Information Systems (hons) information systems engineering.

#### 9.2 Other References:

- 1. <a href="http://www.w3schools.com/">http://www.w3schools.com/</a>
- 2. http://stackoverflow.com/
- 3. <a href="https://www.tutorialspoint.com/web\_development\_tutorials.html">https://www.tutorialspoint.com/web\_development\_tutorials.html</a>
- 4. <a href="http://github.com/">http://github.com/</a>
- 5. <a href="http://www.vogella.com/tutorials/dotnet/artcle.html">http://www.vogella.com/tutorials/dotnet/artcle.html</a>
- 6. <a href="https://www.btechsmartclasses.com/">https://www.btechsmartclasses.com/</a>