Deplojis APP. into Deloud 1) got - g: thub : com/ Frongle Cloud Platform/Python-docs-samples Copy - HTTPs trovacione O open cloudshed - git clone Paple link O select 30w (3) Ls 10 cd Python-docs-samples/ (B) 15 (8) ad appengine/ A) Is Ocd standard (9) 15 (1) cd ansolar (1) 15 1 vi app. yams (-: 9+) (or) ctrite 13 cd app ( Is @vi inden. html (:2!) (00)(:2) (1) cd .. scome back to anylal folder (1) 15 @ cd scripts/ (1) cot script is (20) cd. . ( back to armor) (2) Testing application ronning in normal goodle dev-appserver. Py app. yams

goloud app deploy applyand

y 4

gelood all promse

(29) Linally disable Application in APP-Snyine > Setting + Disable APP.

Deploying Appiron Maconda Python (15)
Deploying Applyrom Atraconda Python (5)  O soople > condaen vi somment > follow managins env. doc's  O open anoxondo environment (curo) (Anaconda Promit)
antiname
4 L
(y) activate Env> activate Calphediction
(3) cls is clear series
Cit. from Kassle & Save 12 to
6 download cal. Est the vot forth (or) in Anscorde Prompt  For that folder open could path (or) in Anscorde Prompt  We will add that Path
copy Path of That folder
B open anaconde promet -> cd Paste Path link  0:17cd: \mL \you \confails> do by step to step
SM D: 17cd: 1mL 1400 cor fails)  try D: 1mL > cd '400  D: 1mL > cd
(9) dis -> 70 see au disectories
(19 zuPyter notebook
Courlete The Model  (See in git hub)
opto piccle file)

Cheatins requirement tent W open anaconde proudt - activate conflediction cheek in south to chet rel. file in Python -> cd Paste, The Previous files folde put. > PIP freeze > rezuitements. txt requilements. Int file sentiated intolder conda info -- enve (15 - deal screen 1) Open spyder ton some sovikonment and sapp. By (from githus) > (Feullates) > (Anden-hturs) (Sithus) Anaconde Mouit & cd Poth > Pothon aff. PJ check & ron link in soogle - Create all & giffrob Connect & Deploy 300 Secloud of instead of aff. Py serve to wais. Py iAuxaduins Harete resources (3) openemo -> geloud init , New Config (9) Delloy code = greloud app deploy appyant -- Project projected

(5) choose resion (6) - and app blooms - choose Alc > choose Probid > choose resion () -> galoud app blowse @ & APP snain - settings - pisonble APP.

