

✓ **Congratulations! You passed!**
TO PASS 80% or higher

Keep Learning

GRADE
100%

Generic Views

TOTAL POINTS 10

1. In the class `django.views.generic.list.ListView`, which of the following methods is called earliest in the process?

1 / 1 point

- ☒ `get_template_names()`
- ☐ `get_queryset()`
- ☐ `get_context_data()`
- ☐ `render_to_response()`

✓ Correct

2. In the class `django.views.generic.list.ListView`, which of the following methods is called latest in the process?

1 / 1 point

- ☐ `get_template_names()`
- ☐ `get_queryset()`
- ☐ `get_context_data()`
- ☒ `render_to_response()`

✓ Correct

3. In the class `django.views.generic.detail.DetailView`, which of the following methods is called earliest in the process?

1 / 1 point

- ☒ `dispatch()`
- ☐ `get_queryset()`
- ☐ `get_object()`
- ☐ `render_to_response()`

✓ Correct

4. In the class `django.views.generic.detail.DetailView`, which of the following methods is called latest in the process?

1 / 1 point

- ☐ `dispatch()`
- ☐ `get_queryset()`
- ☐ `get_object()`
- ☒ `render_to_response()`

✓ Correct

5. By convention when using an `app_name` of "abc" and a model of "Dog", if you use a View that extends `django.views.generic.detail.DetailView`, what is the file name that will be used for the template?

1 / 1 point

- ☒ `templates/abc/dog_detail.html`
- ☐ `templates/abc/dog_detail.djtl`
- ☐ `templates/dog_detail.djtl`
- ☐ `templates/doc/abc_detail.djtl`

✓ Correct

6. If you want to override the template name chosen by convention in a View that extends `django.views.generic.detail.DetailView`, what is the name of the class attribute variable that you use?

1 / 1 point

- ☒ `template_name`
- ☐ `template`
- ☐ `template_override`
- ☐ `template_extend`

✓ Correct

7. By convention when using an `app_name` of "abc" and a model of "Dog", if you use a View that extends `django.views.generic.list.ListView`, what is the name of the context variable that will include all the Dog objects in the template when it is being rendered?

1 / 1 point

- ☒ `dog_list`
- ☐ `dogs`
- ☐ `dogs_select`
- ☐ `dogs.values()`

✓ Correct

8. For the following line in a `views.py` file

1 / 1 point

```
1 class ArticleListView(ListView):
```

what is the best description of "ListView"?

- ☒ The class that is being extended
- ☐ The class that is being created
- ☐ The name of a view function
- ☐ The first parameter to the `render()` method

✓ Correct

9. For the following line in a `views.py` file

1 / 1 point

```
1 class ArticleListView(ListView):
```

what is the best description of "ArticleListView"?

- ☐ The class that is being extended
- ☒ The class that is being created
- ☐ The name of a view function
- ☐ The first parameter to the `render()` method

✓ Correct

10. For the following line in a `urls.py` file

1 / 1 point

```
1 urlpatterns = [  
2 path('', TemplateView.as_view(template_name='gview/main.html'))
```

where would you find the actual code for TemplateView?

- ☒ In the Django source
- ☐ In views.py
- ☐ In settings.py
- ☐ In urls.py

 **Correct**