

S3 pending tasks

4) Configure bucket policy, only Admin user can see the objects of s3 bucket.

Account snapshot - updated every 24 hours All AWS Regions

Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

View Storage Lens dashboard

General purpose buckets

Directory buckets

General purpose buckets (3) All AWS Regions

Buckets are containers for data stored in S3.

Find buckets by name

< 1 > ⚙

Name	AWS Region	IAM Access Analyzer	Creation date
my-bucket-website-testing	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 16, 2024, 15:31:23 (UTC+05:30)
my-s3-rakesh	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 11, 2024, 18:43:19 (UTC+05:30)
tesst-rakesh	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 16, 2024, 15:10:26 (UTC+05:30)

amazon S3

ets

ss Grants

ss Points

ct Lambda Access Points

l-Region Access Points

1 Operations

Access Analyzer for S3

Public Access settings for account

ige Lens

boards

ige Lens groups

Organizations settings

Amazon S3 > Buckets > task-3-bucket1 > Edit bucket policy

Edit bucket policy Info

Bucket policy

The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. [Learn more](#)

Policy examples [↗](#) Policy generator [↗](#)

Bucket ARN
[arn:aws:s3:::task-3-bucket1](#)

Policy

1 {

2 "Version": "2012-10-17",

3 "Statement": [

4 {

5 "Effect": "Allow",


6 "Action": [

7 "s3:ListBucket",

8 "s3:GetObject"

Edit statement

Select a statement



7) Write a bash script to create s3 bucket

MINGW64:/c/Users/nani/OneDrive/Desktop

```
nani@DESKTOP-O5K4621 MINGW64 ~/OneDrive/Desktop (master)
$ vi creates3bucket.bash

nani@DESKTOP-O5K4621 MINGW64 ~/OneDrive/Desktop (master)
$ chmod 755 creates3bucket.bash

nani@DESKTOP-O5K4621 MINGW64 ~/OneDrive/Desktop (master)
$ ./creates3bucket.bash
{
  "Location": "/s3-bucket-rakesh"
}
Bucket s3-bucket-rakesh created successfully in region us-east-1.

nani@DESKTOP-O5K4621 MINGW64 ~/OneDrive/Desktop (master)
$ |
```

General purpose buckets (6) [Info](#) [All AWS Regions](#)

[Copy ARN](#)[Empty](#)[Delete](#)[Create bucket](#)

Buckets are containers for data stored in S3.

< 1 >

	Name ▾	AWS Region ▲	IAM Access Analyzer	Creation date ▾
<input type="radio"/>	my-bucket-website-testing	US East (N. Virginia) us-east-1	View analyzer for us-east-1	15:31:23 (UTC+05:30)
<input type="radio"/>	my-s3-rakesh	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 11, 2024, 18:43:19 (UTC+05:30)
<input type="radio"/>	s3-bucket-rakesh	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 17, 2024, 16:30:20 (UTC+05:30)
<input type="radio"/>	task-3-bucket2	US East (N. Virginia) us-east-1	View analyzer for us-east-1	November 16, 2024, 17:23:50 (UTC+05:30)