

Cucumber Report

11 Mar 2026, 3:14:03 pm

Start : Mar 11, 3:12:27.722 pm

End : Mar 11, 3:14:01.450 pm

Duration : 1 m 33.728 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 58
FAILED - 2
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Bank Configuration Management</u>	1 m 33.728 s	4	2	2	0	64	58	2	4

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Browser	4	2	2	0	1	0	1	0
@Branch13	4	2	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Bank Configuration Management</u>	4	2	2	0	1 m 33.728 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Bank Configuration Management</u>	<u>Add a new Company Bank</u>	16	13	1	2	40.393 s
2	<u>Bank Configuration Management</u>	<u>Add a new Customer Bank</u>	16	16	0	0	12.801 s
3	<u>Bank Configuration Management</u>	<u>Cancel Company Bank creation</u>	16	13	1	2	28.982 s
4	<u>Bank Configuration Management</u>	<u>Cancel Customer Bank creation</u>	16	16	0	0	11.239 s

Bank Configuration Management

FAILED	DURATION - 1 m 33.728 s	Scenarios Total - 4 Pass - 2 Fail - 2 Skip - 0		Steps Total - 64 Pass - 58 Fail - 2 Skip - 4	
/ 3:12:27.722 pm // 3:14:01.450 pm /					


Add a new Company Bank

FAILED DURATION - 40.393 s			Steps Total - 16 Pass - 13 Fail - 1 Skip - 2	
/ 3:12:27.753 pm // 3:13:08.146 pm /				
Bank Configuration Management				
@Browser @Branch13				

#	Step / Hook Details	Status	Duration
1	Given User navigates to Url	PASSED	0.753 s
2	Then Verify Login page is visible	PASSED	0.304 s
3	When User enters email ID "rakesh.pericherla@toucanus.com"	PASSED	0.813 s
4	And User clicks on Send OTP button	PASSED	0.250 s
5	And User enters OTP "333333"	PASSED	1.897 s
6	And User clicks on Verify and Login button	PASSED	0.311 s
7	Then Verify "COMMUNITY ADMIN" page is visible	PASSED	1.164 s
8	When User clicks on Configuration icon	PASSED	0.318 s
9	And User clicks on Bank Configuration option	PASSED	0.609 s
10	Then Verify Bank Configuration page is visible	PASSED	0.186 s
11	When User clicks on "Company Bank" tab in Bank Configuration	PASSED	0.328 s
12	And User clicks on New button in Bank Configuration	PASSED	0.397 s
13	Then Verify "Company" bank creation title is displayed	PASSED	0.529 s
14	When User sets Company Bank details	FAILED	16.804 s

#	Step / Hook Details					Status	Duration
	BANK NAME	ACCOUNT NUMBER	BRANCH ADDRESS	IFSC CODE	UPI ID		
	HDFC Bank	1234567890	Jubilee Hills	HDFC0001234	hdfc@upi.com		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for condition (visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@name='baddress']') to be refreshed (tried for 15 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utilities.DriverUtils.waitUntilVisible(DriverUtils.java:56) at utilities.DriverUtils.sendKeys(DriverUtils.java:74) at pageComponents.BankConfigurationPage.setCompanyBankDetails(BankConfigurationPage.java:115) at stepDefinitions.CommonUIStepDefinitions.userSetsCompanyBankDetails(CommonUIStepDefinitions.java:341) at ?.User sets Company Bank details(file:///D:/Automation_Workspace_Web/RWA-Automation/src/test/resources/features/BankConfiguration.feature:21) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@name='baddress']} (Session info: chrome=145.0.7632.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2368de9d99209b316b836e2c1b3627a7, findElement {value=//input[@name='baddress'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\RAKESH~1\PER\AppData...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56087}, goog:processID: 26192, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56087/devtoo..., se.cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2368de9d99209b316b836e2c1b3627a7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source)						

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$25.apply(ExpectedConditions.java:717) at org.openqa.selenium.support.ui.ExpectedConditions\$25.apply(ExpectedConditions.java:713) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utilities.DriverUtils.waitUntilVisible(DriverUtils.java:56) at utilities.DriverUtils.sendKeys(DriverUtils.java:74) at pageComponents.BankConfigurationPage.setCompanyBankDetails(BankConfigurationPage.java:115) at stepDefinitions.CommonUIStepDefinitions.userSetsCompanyBankDetails(CommonUIStepDefinitions.java:341) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> * Not displayable characters are replaced by '?'.		
15	And User clicks on Save button in Bank Configuration	SKIPPED	0.012 s
16	Then Verify Bank Configuration page is visible	SKIPPED	0.002 s
	AFTER - stepDefinitions.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.509 s
	Add_a_new_Company_Bank		
			
	AFTER - stepDefinitions.ApplicationHooks.saveScreenshot(io.cucumber.java.Scenario)	FAILED	2.591 s
	<pre> javax.imageio.IOException: Can't create an ImageOutputStream! at java.desktop/java.imageio.ImageIO.write(ImageIO.java:1550) at stepDefinitions.ApplicationHooks.saveScreenshot(ApplicationHooks.java:107) </pre>		

Add a new Customer Bank

PASSED	DURATION - 12.801 s		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 3:13:08.293 pm // 3:13:21.094 pm /				
Bank Configuration Management				
@Browser @Branch13				

#	Step / Hook Details	Status	Duration
1	Given User navigates to Url	PASSED	0.780 s
2	Then Verify Login page is visible	PASSED	0.115 s
3	When User enters email ID "rakesh.pericherla@toucanus.com"	PASSED	0.836 s
4	And User clicks on Send OTP button	PASSED	0.312 s
5	And User enters OTP "333333"	PASSED	1.815 s
6	And User clicks on Verify and Login button	PASSED	0.374 s
7	Then Verify "COMMUNITY ADMIN" page is visible	PASSED	0.919 s
8	When User clicks on Configuration icon	PASSED	0.428 s
9	And User clicks on Bank Configuration option	PASSED	0.802 s
10	Then Verify Bank Configuration page is visible	PASSED	0.294 s
11	When User clicks on "Customer Bank" tab in Bank Configuration	PASSED	0.397 s
12	And User clicks on New button in Bank Configuration	PASSED	0.411 s
13	Then Verify "Customer" bank creation title is displayed	PASSED	0.165 s
14	When User sets Customer Bank details	PASSED	0.842 s
	BANK NAME ICICI Bank		
15	And User clicks on Save button in Bank Configuration	PASSED	0.268 s
16	Then Verify Bank Configuration page is visible	PASSED	0.133 s


Cancel Company Bank creation

FAILED	DURATION - 28.982 s		Steps Total - 16 Pass - 13 Fail - 1 Skip - 2	
/ 3:13:21.157 pm // 3:13:50.139 pm /				
Bank Configuration Management				
@Browser @Branch13				



#	Step / Hook Details	Status	Duration								
1	Given User navigates to Url	PASSED	0.496 s								
2	Then Verify Login page is visible	PASSED	0.242 s								
3	When User enters email ID "rakesh.pericherla@toucanus.com"	PASSED	0.572 s								
4	And User clicks on Send OTP button	PASSED	0.253 s								
5	And User enters OTP "333333"	PASSED	1.310 s								
6	And User clicks on Verify and Login button	PASSED	0.300 s								
7	Then Verify "COMMUNITY ADMIN" page is visible	PASSED	0.878 s								
8	When User clicks on Configuration icon	PASSED	0.409 s								
9	And User clicks on Bank Configuration option	PASSED	0.510 s								
10	Then Verify Bank Configuration page is visible	PASSED	0.197 s								
11	When User clicks on "Company Bank" tab in Bank Configuration	PASSED	0.443 s								
12	And User clicks on New button in Bank Configuration	PASSED	0.450 s								
13	Then Verify "Company" bank creation title is displayed	PASSED	0.173 s								
14	When User sets Company Bank details	FAILED	16.833 s								
<table><tr><td>BANK NAME</td><td>ACCOUNT NUMBER</td><td>BRANCH ADDRESS</td><td>IFSC CODE</td><td>UPI ID</td></tr><tr><td>SBI Bank</td><td>0987654321</td><td>Gachibowli</td><td>SBIN0004321</td><td>sbi@upi.com</td></tr></table> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for condition (visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@name='baddress']') to be refreshed (tried for 15 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at utilities.DriverUtils.waitUntilVisible(DriverUtils.java:56) at utilities.DriverUtils.sendKeys(DriverUtils.java:74) at pageComponents.BankConfigurationPage.setCompanyBankDetails(BankConfigurationPage.java:115) at stepDefinitions.CommonUIStepDefinitions.userSetsCompanyBankDetails(CommonUIStepDefinitions.java:341) at ?.User sets Company Bank details(file:///D:/Automation_Workspace_Web/RWA-Automation/src/test/resources/features/BankConfiguration.feature:45)				BANK NAME	ACCOUNT NUMBER	BRANCH ADDRESS	IFSC CODE	UPI ID	SBI Bank	0987654321	Gachibowli
BANK NAME	ACCOUNT NUMBER	BRANCH ADDRESS	IFSC CODE	UPI ID							
SBI Bank	0987654321	Gachibowli	SBIN0004321	sbi@upi.com							

#	Step / Hook Details	Status	Duration
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@name='baddress']} (Session info: chrome=145.0.7632.160) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec6a4622fa5b2b73cc1723a52357f55b, findElement {value=/input[@name='baddress'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 145.0.7632.160, chrome: {chromedriverVersion: 145.0.7632.117 (de4e5d6e13b..., userDataDir: C:\Users\RAKESH~1\PER\AppDa...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52958}, goog:processID: 10128, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52958/devtoo..., se.cdpVersion: 145.0.7632.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ec6a4622fa5b2b73cc1723a52357f55b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$25.apply(ExpectedConditions.java:717) at org.openqa.selenium.support.ui.ExpectedConditions\$25.apply(ExpectedConditions.java:713) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at utilities.DriverUtils.waitUntilVisible(DriverUtils.java:56) at utilities.DriverUtils.sendKeys(DriverUtils.java:74) at pageComponents.BankConfigurationPage.setCompanyBankDetails(BankConfigurationPage.java:115) at stepDefinitions.CommonUIStepDefinitions.userSetsCompanyBankDetails(CommonUIStepDefinitions.java:341) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		

#	Step / Hook Details	Status	Duration
	<pre> at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> * Not displayable characters are replaced by '?'. 		
15	And User clicks on Cancel button in Bank Configuration	SKIPPED	0.000 s
16	Then Verify Bank Configuration page is visible	SKIPPED	0.000 s
	AFTER - stepDefinitions.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Cancel_Company_Bank_creation 	PASSED	0.378 s
	AFTER - stepDefinitions.ApplicationHooks.saveScreenshot(io.cucumber.java.Scenario) <pre> javax.imageio.IOException: Can't create an ImageOutputStream! at java.desktop/java.awt.image.ImageIO.write(ImageIO.java:1550) at stepDefinitions.ApplicationHooks.saveScreenshot(ApplicationHooks.java:107) </pre>	FAILED	1.627 s

Cancel Customer Bank creation

PASSED		DURATION - 11.239 s			Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 3:13:50.211 pm // 3:14:01.450 pm /						
Bank Configuration Management						
@Browser @Branch13						

#	Step / Hook Details	Status	Duration
1	Given User navigates to Url	PASSED	1.206 s
2	Then Verify Login page is visible	PASSED	0.289 s
3	When User enters email ID "rakesh.pericherla@toucanus.com"	PASSED	0.676 s
4	And User clicks on Send OTP button	PASSED	0.280 s

#	Step / Hook Details	Status	Duration
5	And User enters OTP "333333"	PASSED	1.176 s
6	And User clicks on Verify and Login button	PASSED	0.314 s
7	Then Verify "COMMUNITY ADMIN" page is visible	PASSED	0.920 s
8	When User clicks on Configuration icon	PASSED	0.212 s
9	And User clicks on Bank Configuration option	PASSED	0.543 s
10	Then Verify Bank Configuration page is visible	PASSED	0.270 s
11	When User clicks on "Customer Bank" tab in Bank Configuration	PASSED	0.402 s
12	And User clicks on New button in Bank Configuration	PASSED	0.387 s
13	Then Verify "Customer" bank creation title is displayed	PASSED	0.153 s
14	When User sets Customer Bank details	PASSED	0.736 s
	BANK NAME Axis Bank		
15	And User clicks on Cancel button in Bank Configuration	PASSED	0.422 s
16	Then Verify Bank Configuration page is visible	PASSED	0.168 s