

Teacher Record Management System

Project Report

Submitted in partial fulfilment of the requirement for the award of

Degree of

MASTER OF COMPUTER APPLICATION

PROJECT GUIDE:

Ms. Shalini Chawla Mam

SUBMITTED BY:

Rakhi Agrahari (K24147)



SCHOOL OF COMPUTER APPLICATION AND TECHNOLOGY

CAREER POINT UNIVERSITY, KOTA

Minor Project (CAD851)

May, 2024

ACKNOWLEDGEMENT

We would like to express our sincere appreciation to everyone who contributed to the development and success of the Teacher record Management System project. Their dedication, expertise, and support played a crucial role.

Project Team Rakhi Agrahari: Project Manager and Lead Developer.

User Testing and Feedback:

We extend our gratitude to the recruiters, hiring managers, and other users who actively participated in the testing and provided valuable feedback.

Your insights were instrumental in refining the features and ensuring a user-friendly experience.

Open-Source Community:

We would like to acknowledge the open-source community and the developers behind the libraries and frameworks that were instrumental in the development of the Teacher record Management System.

Inspirational Support:

Special thanks to Ms. Shalini Chawla Mam for their guidance, mentorship, and inspirational support throughout the project's lifecycle.

Users of the Application:

Thank you for being part of this exciting journey

Rakhi Agrahari

Place: Kota, Rajasthan

Date: 25/May/2024

DECLARATION

We hereby declare that this Project Report titled **Teacher Record Management System** submitted by us and approved by our project guide, the School of Computer Application and Technology (SOCA), Career Point University, Kota is a Bonafide work undertaken by us and it is not submitted to any other University or Institution for the award of any degree diploma / certificate or published any time before.

Project Name: Teacher Record Management System

Student Name: Rakhi Agrahari Signature

Project Guide: Ms. Shalini Chawla Signature
(Internal)

Table of Contents

1. PROJECT TITLE.....	6
2. PROBLEM STATEMENT.....	6-8
3. PROJECT DESCRIPTION.....	8-13
4. TECHNOLOGY TO BE USED.....	13
4.1 SOFTWARE PLATFORM.....	13
4.2 HARDWARE PLATFORM.....	13
4.3 TOOLS.....	14
5. ADVANTAGES OF PROJECT.....	14
6. FUTURE SCOPE & FUTURE ENHANCEMENT OF THE PROJECT	15
7. PROJECT REPOSITORY LOCATION.....	16
8. DEFINITIONS, ACRONYMS, AND ABBREVIATION.....	16
Appendix	
A: Data Flow Diagram (DFD).....	17
B: Entity Relationship Diagram (ERD).....	18
C: Use Case Diagram (UCD).....	19
D: Data Dictionary (DD)	20
E: Screen Shots	20-21
F: Code.....	28-122
9. CONCLUSION.....	123
10. REFERENCES.....	123

1 1. Project Title

Teacher Record Management System

2. Problem Statement

Background

The main problem statement for a Teacher Record Management System (TRMS) is to systematically record, store and update teacher records in an efficient manner. Some key points:

- **Automation and Productivity**

Pros:

- Automates manual processes, saving time and effort.
- Improves overall productivity of the school and teachers.
- Enables easier updating of information.

Cons:

- Requires initial investment in software and training.
- Potential resistance to change from some teachers.

- **Online Access and Searching**

Pros:

- Allows searching for teachers online by subject and requirements.
- Provides a centralized database of teacher records.
- Saves time compared to manual searching.

Cons:

- Requires stable internet connectivity.
- Potential privacy and security concerns with online data.

- **Admin and User Modules**

Pros:

- Provides appropriate access to authorized users.
- Admin can efficiently manage subjects, teachers, reports, profiles.
- Users can easily search for teachers by subject.

Cons:

- Requires defining and maintaining user permissions.
- Potential for conflicts between admin and user needs.

- **Web-based Implementation**

Pros:

- Accessible from anywhere with internet.
- Provides a friendly graphical user interface.
- Uses popular technologies like PHP and MySQL Database.

Cons:

- Requires web server setup and maintenance.
- Potential compatibility issues across different browsers.

- **Benefits to Schools and Teachers**

Pros:

- Frees up time for teachers to focus on students.
- Enables easy communication between teachers and students.
- Provides automatic data processing for record keeping.

Cons:

- Requires change in existing school processes.
- Potential resistance from teachers uncomfortable with technology.

By carefully considering these topics and their pros and cons, schools can make informed decisions when implementing a TRMS to efficiently manage teacher records and improve overall productivity.

3. Project Description

The Teacher Record Management System (TRMS) is a comprehensive web-based solution designed to simplify the process of managing teacher records. It provides an easy-to-use platform that allows users to search and manage teacher records with ease, making it accessible to individuals with varying levels of computer literacy. The system is designed to address the needs of both individuals and schools, offering an efficient and effective way to manage teacher records.

3.1 Scope of Work

In Scope

- The scope of the **Teacher Record Management System** includes:
 - Developing a **web application** that allows users to search for teachers online.
 - Providing a platform for schools to **maintain teacher records**.
 - Enabling users to find suitable teachers based on their requirement

1. User Interface (UI) Design:

- Create an intuitive and visually appealing interface.
- Use a responsive design to ensure it works well on various devices (desktops, tablets, and mobiles).
- Consider color schemes, fonts, and layout to enhance usability.

2. Navigation and Flow:

- Plan the navigation flow logically. Users should easily find what they need.
- Implement breadcrumbs, menus, and clear calls-to-action (CTAs).

3. **Authentication and Authorization:**
 - Implement secure user authentication (e.g., using OAuth, JWT, or session-based authentication).
 - Define user roles (e.g., admin, teacher, student) and set appropriate permissions.
4. **Search and Filters:**
 - Allow users to search for teachers based on criteria (subject, location, experience, etc.).
 - Implement filters to refine search results.
5. **Teacher Profiles:**
 - Each teacher should have a detailed profile.
 - Include information like qualifications, experience, subjects taught, and availability.
6. **Record Management:**
 - Enable teachers and administrators to update their profiles.
 - Implement CRUD (Create, Read, Update, Delete) operations for teacher records.
7. **Feedback and Ratings:**
 - Allow students to provide feedback and ratings for teachers.
 - Display average ratings on teacher profiles.
8. **Notifications:**
 - Send notifications for profile updates, new teacher registrations, etc.
 - Use email or in-app notifications.
9. **Testing and Quality Assurance:**
 - Thoroughly test the application across browsers and devices.
 - Check for usability, performance, and security issues.
10. **Deployment and Maintenance:**
 - Choose a reliable hosting service (e.g., AWS, Heroku, or Azure).
 - Regularly update the application with bug fixes and new features.

3.2 Structure of the Project

Teacher Record Management System project is developed as a web application and it will work over web to search teacher online according to their subjects.

Project Modules:

- **Dashboard:** In this section admin can briefly view total number of subjects and total number of teachers.
- **Subjects:** In this section, admin can manage the Subjects (add/update).

- **Teachers:** In this section, admin can add new teachers and manage the details of old teachers.
- **Search:** In this section, admin can search teachers by using teacher name.
- **Report:** In this section, admin can view the number of teachers added in particular periods.
- **Profile:** In this section admin can update his/her profile. **Change Password:** In this section admin can change his/her own
- **passwords Logout:** Through this button admin can logout.
- **Forgot Password:** In this section, admin can reset his/her password by using registered email id and contact number.
- **Users:** Users can search for the teachers by entering the subject name.

3.2 Modules in Brief

1. Admin Module:

- Manages subjects, teachers, reports, profiles, and passwords.
- Provides an interface for searching teachers and generating reports.

2. User Module:

- Enables users to search for teachers based on subjects.
- Facilitates easy access to teacher information.

3.3 Context Diagram (High Level)

System Architecture:

A High-level context diagram for the Teacher Record Management System project would illustrate the system's interactions with external entities. It would typically show the system at the center, surrounded by external entities like users, admins, databases, and other systems it interacts with. This diagram provides a visual representation of how the TRMS project interfaces with its environment, showcasing the flow of information and interactions between different components.

➤ Data Flow Diagram (DFD-0)

The DFD takes an input-process-output view of a system i.e. data objects flow into the software, are transformed by processing elements, and resultant data objects flow out of the software.

Data objects represented by labeled arrows and transformation are represented by circles also called as bubbles. DFD is presented in a hierarchical fashion i.e. the first data flow model represents the system as a whole. Subsequent DFD refine the context diagram (level 0 DFD), providing increasing details with each subsequent level.

The DFD enables the software engineer to develop models of the information domain & functional domain at the same time.


As the DFD is refined into greater levels of details, the analyst perform an implicit functional decomposition of the system. At the same time, the DFD refinement results in a corresponding refinement of the data as it moves through the process that embody the applications.

A context-level DFD for the system the primary external entities produce information for use by the system and consume information generated by the system. The labeled arrow represents data objects or object hierarchy.

RULES FOR DFD:

- Fix the scope of the system by means of context diagrams.
- Organize the DFD so that the main sequence of the actions
- Reads left to right and top to bottom.
- Identify all inputs and outputs.
- Identify and label each process internal to the system with Rounded circles.
- A process is required for all the data transformation and Transfers. Therefore, never connect a data store to a data Source or the destinations or another data store with just a Data flow arrow.
- Do not indicate hardware and ignore control information.
- Make sure the names of the processes accurately convey everything the process is done.
- There must not be unnamed process. TEACHER RECORD MANAGEMENT SYSTEM 6 DEPT OF COMPUTER APPLICATION-RNSFGC
- Indicate external sources and destinations of the data, with Squares.
- Number each occurrence of repeated external entities.
- Identify all data flows for each process step, except simple Record retrievals.
- Label data flow on each arrow.
- Use details flow on each arrow.

- Use the details flow arrow to indicate data movements



DFD Level-0

ER diagram

An Entity–relationship model (ER model) describes the structure of a database with the help of a diagram, which is known as Entity Relationship Diagram (ER Diagram). An ER model is a design or blueprint of a database that can later be implemented as a database.

The main components of E-R model are: entity set, and relationship set.

An ER diagram shows the relationship among entity sets. An entity set is a group of similar entities, and these entities can have attributes. In terms of DBMS, an entity is a table or attribute of a table in database, so by showing relationship among tables and their attributes.

ER diagram shows the complete logical structure of a database. Let's has a look at a simple ER diagram to understand this concept. TEACHER RECORD MANAGEMENT SYSTEM 8 DEPT OF COMPUTER APPLICATION-RNSFGC

ER Notation

There is no standard for representing data objects in ER diagrams. Each modeling methodology uses its own notation. The original notation used by Chen is widely used in academics texts and journals but rarely seen in either CASE tools or publications by non- academics. Today, there are a number of notations used, among the more common are Bachman, crow's foot, and IDEFIX.

All notational styles represent entities as rectangular boxes and relationships as lines connecting boxes. Each style uses a special set of symbols to represent the cardinality of a connection. The notation used in this document is from Martin.

The symbols used for the basic ER constructs are:

- **entities** are represented by labeled rectangles. The label is the name of the entity. Entity names should be singular nouns.
- **relationships** are represented by a solid line connecting two entities. The name of the relationship is written above the line. Relationship names should be verbs
- **attributes**, when included, are listed inside the entity rectangle. Attributes which are identifiers are underlined. Attribute names should be singular nouns.
- **cardinality** of many is represented by a line ending in a crow's foot. If the crow's foot is omitted, the cardinality is one.
- **existence** is represented by placing a circle or a perpendicular bar on the line. Mandatory existence is shown by the bar (looks like a 1) next to the entity for an instance is required.

4. Technologies to be used

4.1 Software Platform

A) Front-end	:	HTML, CSS, Bootstraps, JavaScript
B) Middle Ware	:	PHP
C) Back-end	:	MySQL Server
D) Editor	:	Visual Basic Code
E) Browser	:	Microsoft Edge
F) Local Web Server	:	XAMPP

4.2 Hardware Platform

RAM	:	8gb
Hard Disk	:	512gb
OS	:	11
Processor	:	i5 8gen
Browser	:	Microsoft Edge

5. Advantages of this Project

The implementation of a Teacher Record Management System offers several advantages for both individuals and schools:

For Individuals

- 1. Convenient Teacher Search:** Individuals can easily search for and find suitable teachers based on various criteria such as subject, qualification, experience, and location.
- 2. Comprehensive Teacher Information:** The system provides detailed profiles of teachers, including their qualifications, experience, teaching methodology, and student feedback, enabling individuals to make informed decisions.
- 3. Improved Learning Outcomes:** By connecting individuals with qualified and experienced teachers, the system contributes to better learning outcomes and academic success.

For Schools & Colleges

- 1. Centralized Record Management:** Schools can maintain a centralized database of teacher records, ensuring accurate and up-to-date information about their teaching staff.
- 2. Efficient Teacher Allocation:** The system helps schools assign teachers based on their qualifications, subject expertise, and availability, optimizing the utilization of teaching resources.
- 3. Performance Tracking:** Schools can monitor and evaluate teacher performance using the system's reporting and analytics tools, identifying areas for improvement and professional development.
- 4. Time and Cost Savings:** By automating various administrative tasks related to teacher records, the system helps schools save time and reduce costs associated with manual record-keeping.

For the Education Sector

- 1. Improved Data Accuracy:** The use of a centralized system ensures consistent and accurate data collection, enabling better decision-making at the sector level.
- 2. Enhanced Transparency:** The system promotes transparency in teacher recruitment, allocation, and performance evaluation, contributing to a more equitable education system.

3. Data-Driven Policymaking: The availability of comprehensive teacher data through the system can inform policymaking and help develop targeted interventions to improve teacher quality and student outcomes.

By leveraging the advantages offered by the Teacher Record Management System, individuals, schools, and the education sector as a whole can benefit from improved efficiency, better decision-making, and enhanced educational outcomes.

act the system's effectiveness and the realization of its intended benefits.

6. Future Scope and further enhancement of the Project

- To create student and parent module. The creation of student and parent module allows the students and the parents to take advantage of the project and allows them to see the necessary information.
- To add attendance details to the required modules. The addition of the attendance module increases the use of the program more, as the students can view their real-time updated attendance list.
- To add fees payment system. The fees module allows the student to pay or see the due fees amount, this module allows the parents or students to easily pay the fees.
- To add students marks list. This module allows the students to see their marks, this allows the teachers to easily announce the marks to the students, as its easy to update the students marks in the program

7. Project Repository Location


S#	Project Artifacts (softcopy)	Location (Folder Name, Drive Link etc.)	Verified by Project Guide	Verified by HOD
1.	Project Synopsis Report (Final Version)	E:\Download\synopsis TRMS.pdf		
2.	Project Progress updates	E:\Download\TRMS		
3.	Project Report (Final Version)	E:\Download\TRMS Minor Project Final Report.pdf		
4.	Project Source Code (Google Drive)	https://drive.google.com/file/d/15Qoi10RZIMnLJkUMI8i-4NOzw2lwBVcC/view?usp=drivesdk		

8. Definitions, Acronyms, and Abbreviations

Abbreviation	Description
SRS	Software Requirements Specification
UI	User Interface
DB	Database


Annexure A

Data Flow Diagram (DFD)



Annexure B


Entity-Relationship Diagram (ERD)



Annexure C

Use-Case Diagram (UCD)

(Optional)



Annexure D

Data Dictionary (DD)

Database Table

FIELD	TYPE	NUL L	KEY	DEFAULT	EXTRA
Id	Int(10)	NO	Primary_key	NULL	Auto_increment
Adminname	Varchar(120)	YES		NULL	
Username	Varchar(120)	YES		NULL	
Mobilenumber	Bigint(10)	YES		NULL	
Email	Varchar(120)	YES		NULL	
Password	Varchar(200)	YES		NULL	
adminregdate	timestamp	YES		Current_timestamp()	

Table 10.1 Admin Table

FIELD	TYPE	NULLKEY	DEFAULT	EXTRA
Id	Int(10)	No	Primary_key	Auto_increment
Subject	Varchar(120)	Yes	Null	
creationdate	timestamp	Yes	Current_timestamp()	

Table 10.2 Student Table


FIELD	TYPE	NULL	KEY	DEFAULT	EXTRA
Id	Int(10)	no	Primary_key	None	Auto_increment
Name	Varchar(120)	yes		Null	
Picture	Varchar(200)	no		None	
Email	Varchar(120)	Yes		Null	
Mobile number	Bigint(10)	Yes		Null	
Qualification	Varchar(120)	Yes		Null	
Address	Varchar(200)	Yes		Null	
Teachersub	Varchar(120)	Yes		Null	
Joiningdate	Varchar(120)	Yes		null	
Regdate	timestamp	no		Current_timestamp()	

Table 10.3 Teacher Table


Annexure E

Screen Shots

Login Page:



Home Page




Home page shows how to navigate


Admin Login



Admin Profile



Dashboard




Manage Teachers

The screenshot shows the TRMS ADMIN Manage Teachers page. The left sidebar contains navigation links: Dashboard, Subjects, Teacher, Search, and Reports. The main content area displays a table of teachers with the following data:

S.NO	Teacher Name	Subject	Registration Date	Action
1	Anuj kumar	Chemistry	2022-03-05 18:11:37	Edit Delete Queries
2	John Doe	Science	2022-03-12 13:32:21	Edit Delete Queries
3	Amit kumar	Chemistry	2022-03-14 22:31:04	Edit Delete Queries
4	Ragini Sharma	php	2024-05-20 14:11:25	Edit Delete Queries
5	Tanya saini	Cloud computing	2024-05-20 14:22:34	Edit Delete Queries
6	Tapsvi	Operating System (OS)	2024-05-20 14:26:25	Edit Delete Queries

Manage Subject

TRMS ADMIN | 

[Dashboard](#)
[Subjects](#) >
[Teacher](#) >
[Search](#)
[Reports](#) >


Manage Subject

Dashboard / Manage Subject / Manage Subject

Manage Subject

S.NO	Subject Name	Creation Date	Action
1	Chemistry	2019-10-07 11:41:32	Edit Delete
2	Biology	2019-10-07 11:41:41	Edit Delete
3	Hindi	2019-10-07 11:41:49	Edit Delete
4	English	2019-10-07 11:41:56	Edit Delete
5	Science	2019-10-07 11:42:06	Edit Delete
6	Social Science	2019-10-07 11:42:19	Edit Delete
7	Accounts	2019-10-07 11:42:32	Edit Delete
8	Arts	2019-10-07 11:42:44	Edit Delete

Change Password

TRMS ADMIN | 

[Dashboard](#)
[Queries](#)
[Profile](#)
[Change Password](#)
[Logout](#)

Change Password

Dashboard / Change Password / Change

Change Password


Current Password

New Password

Confirm Password

[Change](#)

Add Subject Details

TRMS ADMIN | 

Dashboard

Subjects

Teacher

Search


Reports

Subjects Details


Dashboard / Subjects Details / Add

Subjects Details

Subject Name

 Add

Teacher Details

TRMS ADMIN | 

Dashboard

Subjects

Teacher

Search

Reports

Teacher Details

Dashboard / Teacher Details / Add

Teacher Personal Details

Teacher Name

Teacher Pic

Choose File

No file chosen

Teacher Email ID

Teacher Mobile Number

Teacher Address

Teacher Professional Details

Teacher Qualifications(Sepereted by comma)

Teaching Experience (in Years)


Teacher Subjects

Choose Subjects


Description (if Any)


Joining Date


dd-mm-yyyy





Reports


TRMS ADMIN | 

 Dashboard

 Subjects >

 Teacher >

 Search


 Reports >

Between Dates Reports


Dashboard / Between Dates Reports / Reports


Between Dates Reports

From Date


dd-mm-yyyy 


To Date


dd-mm-yyyy 





Seach Teacher


TRMS ADMIN | 

 Dashboard

 Subjects >

 Teacher >

 Search


 Reports >

Search Teacher

Dashboard / Search Teacher / Teacher

Search Teacher

Search by Name or Subject



Annexure F Code

For Admin:

Add Subject.php

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
    if(isset($_POST['submit']))
    {

        $trmsaid=$_SESSION['trmsaid'];

        $subjects=$_POST['subjects'];

        $sql="insert into tblsubjects(Subject)values(:subjects)";
        $query=$dbh->prepare($sql);
        $query->bindParam(':subjects',$subjects,PDO::PARAM_STR);
        $query->execute();
        $LastInsertId=$dbh->lastInsertId();
        if ($LastInsertId>0) {
            echo '<script>alert("Subject has been added.")</script>';
            echo "<script>window.location.href ='manage-subjects.php'</script>";
        }else{
            echo '<script>alert("Something Went Wrong. Please try again")</script>';
        }
    }
?>

<!doctype html>
<html class="no-js" lang="en">

<head>

    <title>TRMS Add Subject</title>

    <link rel="apple-touch-icon" href="apple-icon.png">

    <link rel="stylesheet" href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
```

```
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">

<link rel="stylesheet" href="../../assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
  <!-- Left Panel -->

  <?php include_once('includes/sidebar.php');?>

  <div id="right-panel" class="right-panel">

    <!-- Header-->
    <?php include_once('includes/header.php');?>

    <div class="breadcrumbs">
      <div class="col-sm-4">
        <div class="page-header float-left">
          <div class="page-title">
            <h1>Subjects Details</h1>
          </div>
        </div>
      </div>
      <div class="col-sm-8">
        <div class="page-header float-right">
          <div class="page-title">
            <ol class="breadcrumb text-right">
              <li><a href="dashboard.php">Dashboard</a></li>
              <li><a href="add-subjects.php">Subjects
Details</a></li>
              <li class="active">Add</li>
            </ol>
          </div>
        </div>
      </div>
    </div>
  </div>
```

```

<div class="content mt-3">
  <div class="animated fadeIn">
    <div class="row">
      <div class="col-lg-6">
        <!-- .card -->
      </div>
      <!-- /.col-->

      <div class="col-lg-12">
        <div class="card">
          <div class="card-header"><strong>Subjects
</strong><small> Details</small></div>
          <form name="" method="post" action="">

            <div class="card-body card-block">
              <div class="form-group"><label for="company" class="form-control-label">Subject Name</label><input type="text"
name="subjects" value="" class="form-control" id="subjects"
required="true"></div>

              <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">

              <i class="fa fa-dot-
circle-o"></i> Add

              </button></p>

            </div>
          </form>
        </div>

      </div>
    </div><!-- .animated -->
  </div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

<script
src="../../vendors/jquery/dist/jquery.min.js"></script>
<script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>

```

```

        <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>
        <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
        <script src="../../assets/js/main.js"></script>

</body>
</html>
<?php }  ?>

```

Add Teacher:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
    if(isset($_POST['submit']))
    {

$trmsaid=$_SESSION['trmsaid'];
    $tname=$_POST['tname'];
    $email=$_POST['email'];
    $mobnum=$_POST['mobilenumber'];
    $address=$_POST['address'];
    $quali=$_POST['qualifications'];
    $tsubjects=$_POST['tsubjects'];
    $tdate=$_POST['joiningdate'];
    $teachingexp=$_POST['teachingexp'];
    $description=$_POST['description'];
    $propic=$_FILES["propic"]["name"];
    //Checcking email

$query=$dbh->prepare("SELECT * from tblteacher where Email='$email' ||
MobileNumber='$mobnum'");
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
echo "<script>alert('This email or Contact Number already associated with another
account');</script>";
echo "<script>window.location.href='add-teacher.php'</script>";

```

```

    }else{
$extension = substr($propic,strlen($propic)-4,strlen($propic));
$allowed_extensions = array(".jpg","jpeg",".png",".gif");
if(!in_array($extension,$allowed_extensions))
{
echo "<script>alert('Profile Pics has Invalid format. Only jpg / jpeg/ png /gif
format allowed');</script>";
}
else
{

$propic=md5($propic).time().$extension;
move_uploaded_file($_FILES["propic"]["tmp_name"],"../teacher/images/".$propic);
$sql="insert into
tblteacher(Name,Picture,Email,MobileNumber,Qualifications,Address,TeacherSub,Join
ingDate,teachingExp,description)values(:tname,:tpics,:email,:mobilenumber,:qualif
ications,:address,:tsubjects,:joiningdate,:teachingexp,:description)";
$query=$dbh->prepare($sql);
$query->bindParam(':tname',$tname,PDO::PARAM_STR);
$query->bindParam(':tpics',$propic,PDO::PARAM_STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);
$query->bindParam(':qualifications',$quali,PDO::PARAM_STR);
$query->bindParam(':mobilenumber',$mobnum,PDO::PARAM_STR);
$query->bindParam(':address',$address,PDO::PARAM_STR);
$query->bindParam(':tsubjects',$tsubjects,PDO::PARAM_STR);
$query->bindParam(':joiningdate',$tdate,PDO::PARAM_STR);
$query->bindParam(':teachingexp',$teachingexp,PDO::PARAM_STR);
$query->bindParam(':description',$description,PDO::PARAM_STR);
$query->execute();
$LastInsertId=$dbh->lastInsertId();
if ($LastInsertId>0) {
echo '<script>alert("Teacher Detail has been added.")</script>';
echo "<script>window.location.href = 'manage-teacher.php'</script>";
}else{
echo '<script>alert("Something Went Wrong. Please try again")</script>';
}}
}
}
?>

<!doctype html>
<html class="no-js" lang="en">

<head>

```

```
<title>TRMS Add Teachers</title>

<link rel="apple-touch-icon" href="apple-icon.png">

<link rel="stylesheet"
href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
<link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
<link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">

<link rel="stylesheet" href="../../assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
  <!-- Left Panel -->

  <?php include_once('includes/sidebar.php');?>

  <div id="right-panel" class="right-panel">

    <!-- Header-->
    <?php include_once('includes/header.php');?>

    <div class="breadcrumbs">
      <div class="col-sm-4">
        <div class="page-header float-left">
          <div class="page-title">
            <h1>Teacher Details</h1>
          </div>
        </div>
      </div>
    </div>

  </div>
```



```

        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li><a href="dashboard.php">Dashboard</a></li>
                        <li><a href="add-teacher.php">Teacher
Details</a></li>
                        <li class="active">Add</li>
                    </ol>
                </div>
            </div>
        </div>

        <div class="content mt-3">
            <div class="animated fadeIn">

                <div class="row">

                    <!--/.col-->

                    <div class="col-lg-6">
                        <div class="card">
                            <div class="card-header"><strong>Teacher
</strong><small> Personal Details </small></div>
                            <form name="" method="post" action=""
enctype="multipart/form-data">

                                <div class="card-body card-block">

                                    <div class="form-group"><label for="company"
class=" form-control-label">Teacher Name</label><input type="text" name="tname"
value="" class="form-control" id="tname" required="true"></div>
                                    <div class="form-group"><label for="company"
class=" form-control-label">Teacher Pic</label><input type="file" name="propic"
value="" class="form-control" id="propic" required="true"></div>

                                    <div class="form-group"><label
for="street" class=" form-control-label">Teacher Email ID</label><input
type="text" name="email" value="" id="email" class="form-control"
required="true"></div>

```

```

        <div class="row form-group">
        <div class="col-12">
        <div class="form-
group"><label for="city" class=" form-control-label">Teacher Mobile
Number</label><input type="text" name="mobilenumber" id="mobilenumber" value=""
class="form-control" required="true" maxlength="10" pattern="[0-9]+"></div>
        </div>

        </div>
        <div class="row form-group">

        </div>
        <div class="row form-group">
        <div class="col-12">
        <div class="form-group"><label for="city" class=" form-control-label">Teacher
Address</label><textarea type="text" name="address" id="address" value=""
class="form-control" rows="4" cols="12" required="true"></textarea></div>
        </div>

        </div>
        </div>

        </div>
        </div>

        <!------->
        <div class="col-lg-6">
        <div class="card">
        <div class="card-header"><strong>Teacher
</strong><small> Proefessional Details</small></div>

        <div class="card-body card-block">

        <div class="row form-group">
        <div class="col-12">
        <div class="form-
group"><label for="city" class=" form-control-label">Teacher

```

```

Qualifications(Sepereted by comma)</label><input type="text"
name="qualifications" id="qualifications" value="" class="form-control"
required="true"></div>
</div>
</div>

<div class="row form-group">
<div class="col-12">
<div class="form-group">
<label for="city" class=" form-control-label">Teaching Experience (in
Years)</label>
<input type="text" name="teachingexp" id="teachingexp" pattern="[0-9]+"
title="only numbers" class="form-control" required="true">
</div>
</div>
</div>
<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Teacher
Subjects</label><select type="text" name="tsubjects" id="tsubjects" value=""
class="form-control" required="true">
<option value="">Choose Subjects</option>
<?php
$sql2 = "SELECT * from tblsubjects ";
$query2 = $dbh -> prepare($sql2);
$query2->execute();
$result2=$query2->fetchAll(PDO::FETCH_OBJ);
foreach($result2 as $row)
{
?>
<option value="<?php echo htmlentities($row->Subject);?>"><?php echo
htmlentities($row->Subject);?></option>
<?php } ?>
</select></div>
</div>
</div>
<div class="row form-group">
<div class="col-12">
<div class="form-group">
<label for="city" class=" form-control-label">Description (if Any)</label>
<textarea type="text" name="description" id="description" class="form-
control" rows="3" cols="12" required="true"></textarea></div>
</div>

```

```

        <div class="col-12">
            <div class="form-
group"><label for="city" class=" form-control-label">Joining Date</label><input
type="date" name="joiningdate" id="joiningdate" value="" class="form-control"
required="true"></div>

            </div>

        </div>
        <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">

            <i class="fa fa-dot-
circle-o"></i> Add

        </button></p>

        </div>
    </form>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

        <script
src="../../vendors/jquery/dist/jquery.min.js"></script>
        <script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
        <script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>
        <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>
        <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
        <script src="../../assets/js/main.js"></script>

</body>
</html>
<?php } ?>

```

Add Admin Profile:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
    if(isset($_POST['submit']))
    {
        $adminid=$_SESSION['trmsaid'];
        $AName=$_POST['adminname'];
        $mobno=$_POST['mobilenumber'];
        $email=$_POST['email'];
        $sql="update tbladmin set
AdminName=:adminname,MobileNumber=:mobilenumber,Email=:email where ID=:aid";
        $query = $dbh->prepare($sql);
        $query->bindParam(':adminname',$AName,PDO::PARAM_STR);
        $query->bindParam(':email',$email,PDO::PARAM_STR);
        $query->bindParam(':mobilenumber',$mobno,PDO::PARAM_STR);
        $query->bindParam(':aid',$adminid,PDO::PARAM_STR);
$query->execute();
if($query)
{
    echo '<script>alert("Your profile has been updated")</script>';
    echo "<script>>window.location.href='adminprofile.php'</script>";
}else{
    echo '<script>alert("Something Went Wrong. Please try again")</script>';
    echo "<script>>window.location.href='adminprofile.php'</script>";

}
}
?>

<!doctype html>
<html class="no-js" lang="en">

<head>

    <title>TRMS Admin Profile</title>

    <link rel="apple-touch-icon" href="apple-icon.png">
```

```
<link rel="stylesheet"
href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
<link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
<link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">
<link rel="stylesheet" href="../../assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">

        <!-- Header-->
        <?php include_once('includes/header.php');?>

        <div class="breadcrumbs">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Admin Profile</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                            <li><a href="adminprofile.php">Admin Profile</a></li>
```

```

        <li class="active">Update</li>
    </ol>
</div>
</div>
</div>
</div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <!-- .card -->

            </div>
            <!-- /.col -->

            <div class="col-lg-12">
                <div class="card">
                    <div class="card-
header"><strong>Admin</strong><small> Profile</small></div>
                    <form name="profile" method="post" action="">

                        <div class="card-body card-block">

<?php

$sql="SELECT * from tbladmin";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <div class="form-group"><label for="company"
class=" form-control-label">Admin Name</label><input type="text" name="adminname"
value="<?php echo $row->AdminName;?>" class="form-control"
required='true'></div>

        <div class="form-group"><label for="vat"
class=" form-control-label">User Name</label><input type="text" name="username"
value="<?php echo $row->UserName;?>" class="form-control" readonly=""></div>
    }
}

```

```

                <div class="form-group"><label
for="street" class=" form-control-label">Contact Number</label><input type="text"
name="mobilenumber" value="<?php echo $row->MobileNumber;?>" class="form-
control" maxlength='10' required='true'></div>
                <div class="row form-group">
                    <div class="col-12">
                        <div class="form-
group"><label for="city" class=" form-control-label">Email</label><input
type="email" name="email" value="<?php echo $row->Email;?>" class="form-control"
required='true'></div>
                        </div>
                        <div class="col-12">
                            <div class="form-
group"><label for="postal-code" class=" form-control-label">Admin Registration
Date</label><input type="text" name="" value="<?php echo $row->AdminRegdate;?>"
readonly="" class="form-control"></div>
                            </div>
                        </div>
                    </div>
                    <?php $cnt=$cnt+1;}} ?>
                    <div class="card-footer">
                        <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">
                            <i class="fa fa-dot-
circle-o"></i> Update
                        </button></p>
                    </div>
                </div>
            </div>
            </form>
        </div>
    </div>
</div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

<script
src="../../vendors/jquery/dist/jquery.min.js"></script>
<script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>

```



```
        <script src="../../vendors/jquery-validation/dist/jquery.validate.min.js"></script>
        <script src="../../vendors/jquery-validation-unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>
        <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
        <script src="../../assets/js/main.js"></script>

</body>
</html>
<?php }    ?>
```

bwdates-report-ds:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
error_reporting(0);
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

    ?>

<!doctype html>
<html class="no-js" lang="en">

<head>

    <title>TRMS Reports</title>

    <link rel="apple-touch-icon" href="apple-icon.png">

    <link rel="stylesheet"
href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
```

```
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">

<link rel="stylesheet" href="../../assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">

        <!-- Header-->
        <?php include_once('includes/header.php');?>

        <div class="breadcrumbs">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Between Dates Reports</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                            <li><a href="bwdates-report-ds.php">Between Dates
Reports</a></li>
                            <li class="active">Reports</li>
                        </ol>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```

<div class="content mt-3">
  <div class="animated fadeIn">

    <div class="row">
      <div class="col-lg-6">
        <!-- .card -->

      </div>
    <!--/.col-->

    <div class="col-lg-12">
      <div class="card">
        <div class="card-header"><strong>Between
Dates</strong><small> Reports</small></div>
        <form name="bwdatesreport" action="bwdates-reports-
details.php" method="post">
          <p style="font-size:16px; color:red"
align="center"> <?php if($msg){
            echo $msg;
          } ?> </p>

          <div class="card-body card-block">

            <div class="form-group"><label for="company"
class=" form-control-label">From Date</label><input type="date" name="fromdate"
id="fromdate" class="form-control" required="true"></div>
            <div class="form-group"><label for="vat"
class=" form-control-label">To Date</label><input type="date" name="todate"
class="form-control" required="true"></div>

          </div>
          <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">

            <i class="fa fa-dot-
circle-o"></i> Submit

          </button></p>

        </div>
      </form>
    </div>
  </div>

```

```
        </div>
    </div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

    <script
src="../../vendors/jquery/dist/jquery.min.js"></script>
    <script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>

    <script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>
    <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>

    <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
    <script src="../../assets/js/main.js"></script>
</body>
</html>
<?php }  ?>
```

bwdates-reports-details:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

    ?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS Reports</title>
```

```
<link rel="apple-touch-icon" href="apple-icon.png">

<link rel="stylesheet"
href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
<link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
<link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">

<link rel="stylesheet" href="../../assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
  <!-- Left Panel -->

  <?php include_once('includes/sidebar.php');?>

  <div id="right-panel" class="right-panel">

    <!-- Header-->
    <?php include_once('includes/header.php');?>
    <div class="breadcrumbs">
      <div class="col-sm-4">
        <div class="page-header float-left">
          <div class="page-title">
            <h1>Between Dates Reports</h1>
          </div>
        </div>
      </div>
      <div class="col-sm-8">
        <div class="page-header float-right">
          <div class="page-title">
            <ol class="breadcrumb text-right">
              <li><a href="dashboard.php">Dashboard</a></li>
            </ol>
          </div>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

```

        <li><a href="bwdates-report-ds.php">Between Dates
Reports</a></li>
        <li class="active">Teacher</li>
    </ol>
</div>
</div>
</div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">View Teacher Report
Details</strong>
                    </div>
                    <div class="card-body">
<h4 class="m-t-0 header-title">Between Dates Reports</h4>
                        <?php
$fdate=$_POST['fromdate'];
$tdate=$_POST['todate'];

?>
<h5 align="center" style="color:blue">Report from <?php echo $fdate?> to <?php
echo $tdate?></h5>

                        <table class="table">
                            <thead>
                                <tr>
                                    <tr>
                                        <th>S.NO</th>

                                        <th>Teacher Name</th>
                                        <th>Subject</th>
                                        <th>Registration Date</th>
                                        <th>Action</th>
                                    </tr>
                                </thead>
                                <?php
                                $sql="SELECT * from tblteacher where
date(RegDate) between '$fdate' and '$tdate'";

```

```

$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

        <tr>
            <td><?php echo htmlentities($cnt);?></td>
            <td><?php echo htmlentities($row->Name);?></td>
            <td><?php echo htmlentities($row->TeacherSub);?></td>
            <td><?php echo htmlentities($row->RegDate);?></td>
            <td><a href="edit-teacher-detail.php?tid=<?php echo
htmlentities ($row->ID);?>" class="btn btn-primary">Edit</a>
<a href="manage-teacher.php?delid=<?php echo htmlentities ($row->ID);?>"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>
<a href="queries.php?tid=<?php echo htmlentities ($row->ID);?>&&tname=<?php echo
htmlentities($row->Name);?> (<?php echo htmlentities($row->TeacherSub);?>)"
class="btn btn-primary">Queries</a>
</td>

        </tr>
        <?php

        $cnt=$cnt+1;
    } }?>

        </table>
    </div>
</div>
</div>

</div>
</div><!-- .animated -->
</div><!-- .content -->

</div><!-- /#right-panel -->

<!-- Right Panel -->

```

```
<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>

</body>

</html>
<?php }  ?>
```

Change image:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
    if(isset($_POST['submit']))
    {
        $eid=$_GET['tid'];
        $propic=$_FILES["newpic"]["name"];
        $extension = substr($propic,strlen($propic)-4,strlen($propic));
        $allowed_extensions = array(".jpg","jpeg",".png",".gif");
        if(!in_array($extension,$allowed_extensions))
        {
            echo "<script>alert('Profile Pics has Invalid format. Only jpg / jpeg/ png /gif
            format allowed');</script>";
        }
        else
        {
            $propic=md5($propic).time().$extension;
            move_uploaded_file($_FILES["newpic"]["tmp_name"],"../teacher/images/".$propic);

            $sql="update tblteacher set Picture=:pic where ID=:eid";

            $query = $dbh->prepare($sql);
            $query->bindParam(':pic',$propic,PDO::PARAM_STR);
```



```
$query->bindParam(':eid',$eid,PDO::PARAM_STR);
$query->execute();

echo '<script>alert("Image has been updated")</script>';
echo "<script>window.location.href = 'manage-teacher.php'</script>";

}
}
?>

<!doctype html>
<html class="no-js" lang="en">

<head>

    <title>TRMS|| Update Image</title>

    <link rel="apple-touch-icon" href="apple-icon.png">

    <link rel="stylesheet"
href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">

    <link rel="stylesheet" href="../../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>
```

```

<div id="right-panel" class="right-panel">

    <!-- Header-->
    <?php include_once('includes/header.php');?>

    <div class="breadcrumbs">
        <div class="col-sm-4">
            <div class="page-header float-left">
                <div class="page-title">
                    <h1>Update Image</h1>
                </div>
            </div>
        </div>
        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li><a href="dashboard.php">Dashboard</a></li>
                        <li><a href="manage-teacher.php">Update
Image</a></li>
                        <li class="active">Update</li>
                    </ol>
                </div>
            </div>
        </div>
    </div>

    <div class="content mt-3">
        <div class="animated fadeIn">

            <div class="row">
                <div class="col-lg-6">
                    <!-- .card -->

                </div>
                <!-- /.col-->

                <div class="col-lg-12">
                    <div class="card">
                        <div class="card-
header"><strong>Update</strong><small> Image</small></div>

```

```

        <form name="" method="post" action=""
enctype="multipart/form-data">

        <div class="card-body card-block">

            <?php
            $eid=$_GET['tid'];
            $sql="SELECT * from tblteacher where ID=$eid";
            $query = $dbh -> prepare($sql);
            $query->execute();
            $results=$query->fetchAll(PDO::FETCH_OBJ);
            $cnt=1;
            if($query->rowCount() > 0)
            {
            foreach($results as $row)
            {
                    <div class="form-group"><label for="company"
class=" form-control-label">Teaher Name</label><input type="text" name="subjects"
value="<?php echo $row->Name;?>" class="form-control" id="subjects"
readonly='true'></div>

                    <div class="form-group">
                        <label for="company" class=" form-control-
label">Profile Pic</label>

                        <?php if($row-
>Picture==''):?>

<?php else: ?>
Picture;?>">
<?php endif;?>

                        </div>
                        <div class="form-group"><label for="company"
class=" form-control-label">New Profile Pic</label><input type="file"
name="newpic" value="" class="form-control" id="newpic" required='true'></div>

                    </div>
                    <?php $cnt=$cnt+1;}} ?>
                    <div class="card-footer">
                        <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">

                            <i class="fa fa-dot-
circle-o"></i> Update

                        </button></p>

```

```

        </div>
    </div>
</form>
</div>

```

```

        </div>
    </div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

```

```

        <script
src="../../vendors/jquery/dist/jquery.min.js"></script>
        <script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
        <script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>
        <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>
        <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
        <script src="../../assets/js/main.js"></script>
</body>
</html>
<?php } ?>

```

change-password:

```

<?php
session_start();
//error_reporting(0);
include('includes/dbconnection.php');
error_reporting(0);
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
if(isset($_POST['submit']))
{
$adminid=$_SESSION['trmsaid'];

```

```
$cpassword=md5($_POST['currentpassword']);
$newpassword=md5($_POST['newpassword']);
$sql ="SELECT ID FROM tbladmin WHERE ID=:adminid and Password=:cpassword";
$query= $dbh -> prepare($sql);
$query-> bindParam(':adminid', $adminid, PDO::PARAM_STR);
$query-> bindParam(':cpassword', $cpassword, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);

if($query -> rowCount() > 0)
{
$con="update tbladmin set Password=:newpassword where ID=:adminid";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':adminid', $adminid, PDO::PARAM_STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();

echo '<script>alert("Your password successully changed")</script>';
} else {
echo '<script>alert("Your current password is wrong")</script>';

}

}

?>

<!doctype html>
<html class="no-js" lang="en">

<head>

<title>CCMS Change Password</title>

<link rel="apple-touch-icon" href="apple-icon.png">

<link rel="stylesheet"
href=" ../vendors/bootstrap/dist/css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
<link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">
<link rel="stylesheet" href="../../assets/css/style.css">
<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>
<script type="text/javascript">
function checkpass()
{
if(document.changepassword.newpassword.value!=document.changepassword.confirmpass
word.value)
{
alert('New Password and Confirm Password field does not match');
document.changepassword.confirmpassword.focus();
return false;
}
return true;
}

</script>

</head>

<body>
<!-- Left Panel -->
<?php include_once('includes/sidebar.php');?>
<div id="right-panel" class="right-panel">
<!-- Header-->
<?php include_once('includes/header.php');?>
<div class="breadcrumbs">
<div class="col-sm-4">
<div class="page-header float-left">
<div class="page-title">
<h1>Change Password</h1>
</div>
</div>
</div>
<div class="col-sm-8">
<div class="page-header float-right">
<div class="page-title">
<ol class="breadcrumb text-right">
```

```

        <li><a href="dashboard.php">Dashboard</a></li>
        <li><a href="change-password.php">Change
Password</a></li>
        <li class="active">Change</li>
    </ol>
</div>
</div>
</div>
</div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <!-- .card -->

            </div>
            <!-- /.col -->

            <div class="col-lg-12">
                <div class="card">
                    <div class="card-
header"><strong>Change</strong><small> Password</small></div>

                    <form name="changepassword" method="post"
onsubmit="return checkpass();" action="">

                        <div class="card-body card-block">

                            <div class="form-group"><label for="company"
class=" form-control-label">Current Password</label><input type="password"
name="currentpassword" id="currentpassword" class="form-control"
required=""></div>

                            <div class="form-group"><label for="vat"
class=" form-control-label">New Password</label><input type="password"
name="newpassword" class="form-control" required=""></div>

                            <div class="form-group"><label
for="street" class=" form-control-label">Confirm Password</label><input
type="password" name="confirmpassword" id="confirmpassword" value=""
class="form-control"></div>

```

```

        </div>

        <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">

        <i class="fa fa-dot-
circle-o"></i> Change

        </button></p>

    </div>
</form>
</div>

    </div>
</div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

    <script
src="../../vendors/jquery/dist/jquery.min.js"></script>
    <script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
    <script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>
    <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>
    <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
    <script src="../../assets/js/main.js"></script>

</body>
</html>
<?php } ?>

```

Dashboard:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');

```



```
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else {
    ?>

<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS Admin Dashboard</title>

    <link rel="apple-touch-icon" href="apple-icon.png">

    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="../vendors/jqvmap/dist/jqvmap.min.css">

    <link rel="stylesheet" href="../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">

        <?php include_once('includes/header.php');?>
        <!-- Header-->
```

```

    <div class="breadcrumbs">
        <div class="col-sm-4">
            <div class="page-header float-left">
                <div class="page-title">
                    <h1>Dashboard</h1>
                </div>
            </div>
        </div>
        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li class="active">Dashboard</li>
                    </ol>
                </div>
            </div>
        </div>
    </div>

    <div class="content mt-3">

<a href="manage-subjects.php">
    <div class="col-sm-6 col-lg-6">
        <div class="card text-white bg-flat-color-4">
            <div class="card-body pb-0">
                <div class="dropdown float-right">

                    </div>
                    <?php
$sql = "SELECT ID from tblsubjects ";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$sublist=$query->rowCount();
?>

                    <h2 class="mb-0">
                        <span class="count"><?php echo
htmlentities($sublist);?></span>
                    </h2>
                    <p class="text-light">Listed Subjects</p>

```

```

        <div class="chart-wrapper px-3" style="height:70px;"
height="70">
            <canvas id="widgetChart4"></canvas>
        </div>

    </div>
</div>
</div>
</a>
<!--/.col-->
<a href="manage-teacher.php">
    <div class="col-sm-6 col-lg-6">
        <div class="card text-white bg-flat-color-2">
            <div class="card-body pb-0">
                <div class="dropdown float-right">

                    </div>
                    <?php
$sql1 ="SELECT ID from tblteacher ";
$query1 = $dbh -> prepare($sql1);
$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH_OBJ);
$totalteacher=$query1->rowCount();
?>

                <h2 class="mb-0">
                    <span class="count"><?php echo
htmlentities($totalteacher);?></span>
                </h2>
                <p class="text-light">Total Registered Teachers</p>

                <div class="chart-wrapper px-0" style="height:70px;"
height="70">
                    <canvas id="widgetChart2"></canvas>
                </div>

            </div>
        </div>
    </div>
</a>

<a href="manage-notpublicprofileteacher.php">
    <div class="col-sm-6 col-lg-6">

```

```

        <div class="card text-white bg-flat-color-3">
            <div class="card-body pb-0">
                <div class="dropdown float-right">

                    </div>
                    <?php
$sql1 ="SELECT ID from tblteacher where isPublic is null || isPublic='0'";
$query1 = $dbh -> prepare($sql1);
$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH_OBJ);
$totalteacher=$query1->rowCount();
?>

                    <h2 class="mb-0">
                        <span class="count"><?php echo
htmlentities($totalteacher);?></span>
                    </h2>
                    <p class="text-light">Registered Teachers (Profile Not
Public)</p>

                    <div class="chart-wrapper px-0" style="height:70px;"
height="70">

                        <canvas id="widgetChart2"></canvas>
                    </div>

                </div>
            </div>
        </div>
    </a>

    <a href="manage-publicprofileteacher.php">
        <div class="col-sm-6 col-lg-6">
            <div class="card text-white bg-flat-color-5">
                <div class="card-body pb-0">
                    <div class="dropdown float-right">

                        </div>
                        <?php
$sql1 ="SELECT ID from tblteacher where isPublic='1'";
$query1 = $dbh -> prepare($sql1);
$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH_OBJ);
$totalteacher=$query1->rowCount();

```

```

?>
        <h2 class="mb-0">
            <span class="count"><?php echo
htmlentities($totalteacher);?></span>
        </h2>
        <p class="text-light">Registered Teachers(Profile
Public)</p>

        <div class="chart-wrapper px-0" style="height:70px;"
height="70">
            <canvas id="widgetChart2"></canvas>
        </div>

        </div>
    </div>
</div>
</a>

    </div> <!-- .content -->
</div><!-- /#right-panel -->

<!-- Right Panel -->

<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>
<script src="../../vendors/chart.js/dist/Chart.bundle.min.js"></script>
<script src="../../assets/js/dashboard.js"></script>
<script src="../../assets/js/widgets.js"></script>
<script src="../../vendors/jqvmap/dist/jquery.vmap.min.js"></script>
<script
src="../../vendors/jqvmap/examples/js/jquery.vmap.sampledata.js"></script>
<script src="../../vendors/jqvmap/dist/maps/jquery.vmap.world.js"></script>
<script>
    (function($) {
        "use strict";

        jQuery('#vmap').vectorMap({
            map: 'world_en',
            backgroundColor: null,
            color: '#ffffff',
            hoverOpacity: 0.7,

```

```
        selectedColor: '#1de9b6',
        enableZoom: true,
        showTooltip: true,
        values: sample_data,
        scaleColors: ['#1de9b6', '#03a9f5'],
        normalizeFunction: 'polynomial'
    });
})(jQuery);
</script>

</body>

</html>
<?php } ?>

edit-subjects-detail:
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

if(isset($_POST['submit']))
{
    $eid=$_GET['editid'];
    $subjects=$_POST['subjects'];
    $sql="update tblsubjects set Subject=:subjects where ID=:eid";
    $query = $dbh->prepare($sql);
    $query->bindParam(':subjects',$subjects,PDO::PARAM_STR);
    $query->bindParam(':eid',$eid,PDO::PARAM_STR);
    $query->execute();
    echo '<script>alert("Subject has been updated")</script>';
    echo "<script>>window.location.href ='manage-subjects.php'</script>";
}
?>

<!doctype html>
<html class="no-js" lang="en">
<head>
    <title>TRMS|| Update Subjects</title>
```

```
<link rel="apple-touch-icon" href="apple-icon.png">
<link rel="stylesheet"
href=" ../vendors/bootstrap/dist/css/bootstrap.min.css">
<link rel="stylesheet" href=" ../vendors/font-awesome/css/font-
awesome.min.css">
<link rel="stylesheet" href=" ../vendors/themify-icons/css/themify-icons.css">
<link rel="stylesheet" href=" ../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href=" ../vendors/selectFX/css/cs-skin-elastic.css">
<link rel="stylesheet" href=" ../assets/css/style.css">
<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>
```

```
</head>
```

```
<body>
```

```
<!-- Left Panel -->
```

```
<?php include_once('includes/sidebar.php');?>
```

```
<div id="right-panel" class="right-panel">
```

```
<!-- Header-->
```

```
<?php include_once('includes/header.php');?>
```

```
<div class="breadcrumbs">
```

```
<div class="col-sm-4">
```

```
<div class="page-header float-left">
```

```
<div class="page-title">
```

```
<h1>Edit Subject</h1>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-sm-8">
```

```
<div class="page-header float-right">
```

```
<div class="page-title">
```

```
<ol class="breadcrumb text-right">
```

```
<li><a href="dashboard.php">Dashboard</a></li>
```

```
<li><a href="manage-subjects.php">Subject</a></li>
```

```
<li class="active">Edit Subject</li>
```

```
</ol>
```

```

        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">

        <div class="row">
            <div class="col-lg-6">
                <!-- .card -->

            </div>
            <!--/.col-->

            <div class="col-lg-12">
                <div class="card">
                    <div class="card-
header"><strong>Subject</strong><small> Detail</small></div>
                    <form name="" method="post" action="">

                        <div class="card-body card-block">

                            <?php
$eid=$_GET['editid'];
$sql="SELECT * from tblsubjects where ID=$eid";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <div class="form-group"><label for="company"
class=" form-control-label">Subject Name</label><input type="text"
name="subjects" value="<?php echo $row->Subject;?>" class="form-control"
id="subjects" required="true"></div>

                                </div>

```



```

        <?php $cnt=$cnt+1;}} ?>
        <div class="card-footer">
            <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="submit"
id="submit">
                                <i class="fa fa-dot-
circle-o"></i> Update
                                </button></p>
        </div>
    </div>
</form>
</div>

```

```

        </div>
    </div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->
<!-- Right Panel -->

        <script
src="../../vendors/jquery/dist/jquery.min.js"></script>
        <script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
        <script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>
        <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>
        <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
        <script src="../../assets/js/main.js"></script>
</body>
</html>
<?php } ?>

```

edit-teacher-detail:

```

<?php session_start();
//error_reporting(0);

```

```
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
//Add Teacher Details
if(isset($_POST['submit']))
{
    $eid=$_GET['tid'];
    $tname=$_POST['tname'];
    $email=$_POST['email'];
    $mobnum=$_POST['mobilenumber'];
    $address=$_POST['address'];
    $quali=$_POST['qualifications'];
    $tsubjects=$_POST['tsubjects'];
    $tdate=$_POST['joiningdate'];
    $description=$_POST['description'];
    $teachexp=$_POST['teachingexp'];
    $status=$_POST['status'];
    $sql="update tblteacher set
    Name=:tname,Email=:email,MobileNumber=:mobilenumber,Qualifications=:qualification
    s,Address=:address,TeacherSub=
    :tsubjects,JoiningDate=:joiningdate,description=:description,teachingExp=:teachex
    p,isPublic=:status where ID=:eid";
    $query = $dbh->prepare($sql);
    $query->bindParam(':tname',$tname,PDO::PARAM_STR);
    $query->bindParam(':email',$email,PDO::PARAM_STR);
    $query->bindParam(':qualifications',$quali,PDO::PARAM_STR);
    $query->bindParam(':mobilenumber',$mobnum,PDO::PARAM_STR);
    $query->bindParam(':address',$address,PDO::PARAM_STR);
    $query->bindParam(':tsubjects',$tsubjects,PDO::PARAM_STR);
    $query->bindParam(':joiningdate',$tdate,PDO::PARAM_STR);
    $query->bindParam(':eid',$eid,PDO::PARAM_STR);
    $query->bindParam(':description',$description,PDO::PARAM_STR);
    $query->bindParam(':teachexp',$teachexp,PDO::PARAM_STR);
    $query->bindParam(':status',$status,PDO::PARAM_STR);
    $query->execute();
    echo '<script>alert("Your profile succesfull updated.")</script>';
    echo "<script>window.location.href='dashboard.php'</script>";

}
?>

<!doctype html>
<html class="no-js" lang="en">
```

```
<head>
```

```
    <title>TRMS|| Teacher Profile</title>
```

```
    <link rel="apple-touch-icon" href="apple-icon.png">
```

```
    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
```

```
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
```

```
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
```

```
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
```

```
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">
```

```
    <link rel="stylesheet" href="../assets/css/style.css">
```

```
    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>
```

```
</head>
```

```
<body>
```

```
    <!-- Left Panel -->
```

```
    <?php include_once('includes/sidebar.php');?>
```

```
    <div id="right-panel" class="right-panel">
```

```
        <!-- Header-->
```

```
        <?php include_once('includes/header.php');?>
```

```
        <div class="breadcrumbs">
```

```
            <div class="col-sm-4">
```

```
                <div class="page-header float-left">
```

```
                    <div class="page-title">
```

```
                        <h1>Update Teacher Detail</h1>
```

```
                    </div>
```

```

        </div>
    </div>
    <div class="col-sm-8">
        <div class="page-header float-right">
            <div class="page-title">
                <ol class="breadcrumb text-right">
                    <li><a href="dashboard.php">Dashboard</a></li>
                    <li><a href="manage-teacher.php">Update
Teacher</a></li>
                    <li class="active">Update</li>
                </ol>
            </div>
        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">

        <div class="row">

            <!--/.col-->

            <div class="col-lg-6" style="float:left:left !important">
                <div class="card">
                    <div class="card-
header"><strong>Teacher</strong><small> Personal Details</small></div>
                    <form name="" method="post" action=""
enctype="multipart/form-data">

                        <div class="card-body card-block">

                            <?php
                            $eid=$_GET['tid'];
                            $sql="SELECT * from tblteacher where ID=$eid";
                            $query = $dbh -> prepare($sql);
                            $query->execute();
                            $results=$query->fetchAll(PDO::FETCH_OBJ);
                            $cnt=1;
                            if($query->rowCount() > 0)
                            {
                                foreach($results as $row)
                                {
                                    ?>

```

```
<div class="form-group">
<label for="company" class=" form-control-label">Teacher Name</label>
<input type="text" name="tname" value="<?php echo $row->Name;?>" class="form-
control" id="tname" required="true">
</div>

<div class="form-group">
<label for="company" class=" form-control-label">Teacher Pic</label> &nbsp;  
<?php if($row->Picture==''):?>

<?php else: ?>
Picture;?>">
<?php endif;?>
<a href="changeimage.php?tid=<?php echo $row->ID;?>"> &nbsp;   Edit Image</a>
</div>

<div class="form-group">
<label for="street" class=" form-control-label">Teacher Email ID</label>
<input type="text" name="email" value="<?php echo $row->Email;?>" id="email"
class="form-control" required="true">
</div>

<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Teacher
Mobile Number</label><input type="text" name="mobilenumber" id="mobilenumber"
value="<?php echo $row->MobileNumber;?>" class="form-control" required="true"
maxlength="10" pattern="[0-9]+"></div>
</div>
</div>

<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Teacher
Address</label><textarea type="text" name="address" id="address" class="form-
control" rows="3" cols="12" required="true"><?php echo $row-
>Address;?></textarea></div>
</div>
</div>
```

```

<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Joining
Date</label><input type="date" name="joiningdate" id="joiningdate" value="<?php
echo $row->JoiningDate;?>" class="form-control" required="true"></div>
</div>
</div>
</div>

```

```

</div>

```

```

</div>

```

```

<!-------
----->

```

```

<div class="col-lg-6">
<div class="card">
<div class="card-
header"><strong>Teacher</strong><small> Professional Details</small></div>
<form name="" method="post" action=""
enctype="multipart/form-data">

```

```

<div class="card-body card-block">

```

```

<div class="row form-group">
<div class="col-12">
<div class="form-group">
<label for="city" class=" form-control-label">Teacher Qualifications(Sepereted by
comma)</label>
<input type="text" name="qualifications" id="qualifications" value="<?php echo
$row->Qualifications;?>" class="form-control" required="true">
</div>
</div>
</div>

```

```
<div class="row form-group">
<div class="col-12">
<div class="form-group">
<label for="city" class=" form-control-label">Teaching Experience (in
Years)</label>
<input type="text" name="teachingexp" id="teachingexp" pattern="[0-9]+"
title="only numbers" value="<?php echo $row->teachingExp;?>" class="form-
control" required="true">
</div>
</div>
</div>
```

```
<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Teacher
Subjects</label><select type="text" name="tsubjects" id="tsubjects" value=""
class="form-control" required="true">
<option value="<?php echo $row->TeacherSub;?>"><?php echo $row-
>TeacherSub;?></option>
<?php
$sql2 = "SELECT * from tblsubjects ";
$query2 = $dbh -> prepare($sql2);
$query2->execute();
$result2=$query2->fetchAll(PDO::FETCH_OBJ);
foreach($result2 as $row1)
{
?>
<option value="<?php echo htmlentities($row1->Subject);?>"><?php echo
htmlentities($row1->Subject);?></option>
<?php } ?>
</select></div>
</div>
</div>
```

```
<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Description
(if Any)</label><textarea type="text" name="description" id="description"
class="form-control" rows="3" cols="12" required="true"><?php echo $row-
>description;?></textarea></div>
</div>
</div>
```

```

<div class="row form-group">
<div class="col-12">
<div class="form-group"><label for="city" class=" form-control-label">Profile
Status <small style="color:red">(Public profile anybody can your details and not
public only you can view)</small></label>
    <select type="text" name="status" id="status" value="" class="form-control"
required="true">
        <?php if($row->isPublic=='1'):?>
<option value="1">Public</option>
<option value="0">Not public</option>
<?php else: ?>
<option value="0">Not public</option>
<option value="1">Public</option>
<?php endif;?>
</select></div>
</div>
</div>

</div>
<?php $cnt=$cnt+1;}} ?>

<p style="text-align: center;"><button type="submit" class="btn btn-primary btn-
sm" name="submit" id="submit"><i class="fa fa-dot-circle-o"></i>
Update</button></p>

                                </div>
                                </form>
                            </div>

                                </div>
                                </div><!-- .animated -->
                                </div><!-- .content -->
                            </div><!-- /#right-panel -->
                        <!-- Right Panel -->

                                <script
src="../vendors/jquery/dist/jquery.min.js"></script>

```



```
        <script
src="../../vendors/popper.js/dist/umd/popper.min.js"></script>

        <script src="../../vendors/jquery-
validation/dist/jquery.validate.min.js"></script>
        <script src="../../vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>

        <script
src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
        <script src="../../assets/js/main.js"></script>

</body>
</html>
<?php } ?>
```

Gruntfile:

```
module.exports = function(grunt) {

    const sass = require('node-sass');
    // Project configuration.
    grunt.initConfig({
        pkg: grunt.file.readJSON('package.json'),

        sass: {
            options: {
                implementation: sass,
                sourceMap: true
            },
            dist: {
                files: {
                    'assets/css/style.css': 'assets/scss/style.scss'
                }
            }
        },

        pleeease: {
            custom: {
                options: {
                    autoprefixer: {'browsers': ['last 4 versions', 'ios 6']},
                    filters: {'oldIE': true},
                    rem: ['12px'],
                    minifier: false,
                    import: {'path': "assets/css/" }
                },
            },
        },
    });
```

```
    files: {
      'assets/css/style.css': 'assets/css/style.css'
    }
  },

  lintspaces: {
    options: {
      editorconfig: '.editorconfig'
    },
    sass: {
      src: [
        'assets/scss/*.scss'
      ]
    },
    html: {
      src: [
        '*.html'
      ]
    }
  },

});

// Load the plugins
grunt.loadNpmTasks('grunt-sass');
grunt.loadNpmTasks('grunt-pleeease');
grunt.loadNpmTasks('grunt-lintspaces');

// Default task(s).
grunt.registerTask('default', ['lintspaces', 'sass', 'pleeease']);

};
```

Index:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');

if(isset($_POST['login']))
{
```

```
$username=$_POST['username'];
$password=md5($_POST['password']);
$sql ="SELECT ID FROM tbladmin WHERE UserName=:username and
Password=:password";
$query=$dbh->prepare($sql);
$query-> bindParam(':username', $username, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach ($results as $result) {
$_SESSION['trmsaid']=$result->ID;
}
$_SESSION['login']=$_POST['username'];
echo "<script type='text/javascript'> document.location ='dashboard.php';
</script>";
} else{
echo "<script>alert('Invalid Details');</script>";
}
}

?>

<!doctype html>
<html class="no-js" lang="en">
<head>

<title>TRMS Admin Login</title>

<link rel="apple-touch-icon" href="apple-icon.png">

<link rel="stylesheet"
href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
<link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
<link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
<link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
<link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">
```

```
<link rel="stylesheet" href="../../assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body class="bg-dark" style=" background-image: url('images/home-banner.jpg');">

    <div class="sufee-login d-flex align-content-center flex-wrap" >
        <div class="container">
            <div class="login-content">
                <div class="login-logo">
                    <h3 style="color:black">Teacher Records Management System
</h3>

                    <hr color="red"/>
                </div>
                <div class="login-form">
                    <form action="" method="post" name="login">

                        <div class="form-group">
                            <label>User Name</label>
                            <input type="text" class="form-control"
placeholder="User Name" required="true" name="username">
                        </div>
                        <div class="form-group">
                            <label>Password</label>
                            <input type="password" class="form-control"
placeholder="Password" name="password" required="true">
                        </div>
                        <div class="checkbox">
                            <label class="pull-left">
                                <a href="../../index.php">Back Home!!</a>
                                <label class="pull-right">
                                    <a href="forgot-password.php" style="padding-
left: 250px">Forgot Password?</a>
                                </label>
                            </div>

                    </div>
                </div>
            </div>
        </div>
    </div>
```

```
        <button type="submit" class="btn btn-success btn-  
flat m-b-30 m-t-30" name="login">Sign in</button>
```

```
        </form>  
    </div>  
</div>  
</div>  
</div>
```

```
<script src="../../vendors/jquery/dist/jquery.min.js"></script>  
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>  
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>  
<script src="../../assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

Logout:

```
<?php  
session_start();  
session_unset();  
session_destroy();  
header('location:index.php');
```

```
?>
```

manage-notpublicprofileteacher:

```
<?php  
session_start();  
error_reporting(0);  
include('includes/dbconnection.php');  
if (strlen($_SESSION['trmsaid']==0)) {  
    header('location:logout.php');  
} else{
```

```
//Code for Deletion
```

```
if($_GET['delid'])  
{  
$tid=$_GET['delid'];  
$query=$dbh->prepare("delete from tblteacher where ID=:tid");
```

```
$query->bindParam(':tid',$tid,PDO::PARAM_STR);
$query->execute();
echo '<script>alert("Teacher deleted")</script>';
echo "<script>window.location.href ='manage-teacher.php'</script>";
}

?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS || Manage Teacher (Public Profile)</title>

    <link rel="apple-touch-icon" href="apple-icon.png">

    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">

    <link rel="stylesheet" href="../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">
```

```

<!-- Header-->
<?php include_once('includes/header.php');?>
<div class="breadcrumbs">
    <div class="col-sm-4">
        <div class="page-header float-left">
            <div class="page-title">
                <h1>Manage Teachers (Profile not Public)</h1>
            </div>
        </div>
    </div>
    <div class="col-sm-8">
        <div class="page-header float-right">
            <div class="page-title">
                <ol class="breadcrumb text-right">
                    <li><a href="dashboard.php">Dashboard</a></li>
                    <li><a href="manage-teacher.php">Manage Teachers
(Profile not Public)</a></li>
                    <li class="active">Manage Teachers (Profile not
Public)</li>
                </ol>
            </div>
        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Manage Teachers
(Profile not Public)</strong>
                    </div>
                    <div class="card-body">
                        <table id="dtBasicExample" class="table table-
striped table-bordered">
                            <thead>
                                <tr>
                                    <tr>
                                        <th>S.NO</th>

                                        <th>Teacher Name</th>
                                        <th>Subject</th>

```

```

        <th>Profile Status</th>
        <th>Registration Date</th>
        <th>Action</th>
    </tr>
    </tr>
    </thead>
    <?php
$sql="SELECT * from tblteacher where isPublic is null || isPublic='0'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <tr>
            <td><?php echo htmlentities($cnt);?></td>
            <td><?php echo htmlentities($row->Name);?></td>
            <td><?php echo htmlentities($row->TeacherSub);?></td>
            <td><?php $status=$row->isPublic;
if($status=='1'):
echo "Public";
else:
echo "Not Public";
endif;
?></td>
            <td><?php echo htmlentities($row->RegDate);?></td>
            <td><a href="edit-teacher-detail.php?tid=<?php echo
htmlentities ($row->ID);?>" class="btn btn-primary">Edit</a>
<a href="manage-teacher.php?delid=<?php echo htmlentities ($row->ID);?>"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>
<a href="queries.php?tid=<?php echo htmlentities ($row->ID);?>&&tname=<?php echo
htmlentities($row->Name);?> (<?php echo htmlentities($row->TeacherSub);?>)"
class="btn btn-primary">Queries</a>
            </td>
        </tr>
    <?php $cnt=$cnt+1;}} ?>
    </table>
</div>
</div>

```



```

        </div>
    </div>
</div><!-- .animated -->
</div><!-- .content -->

</div><!-- /#right-panel -->

<!-- Right Panel -->
<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>
<script
src="https://cdn.datatables.net/1.11.5/js/dataTables.bootstrap.min.js"></script>
<script
src="https://cdn.datatables.net/1.11.5/js/jquery.dataTables.min.js"></script>
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.11.5/css/dataTables.bootstrap.min.css">
<script type="text/javascript">
    $(document).ready(function () {
    $('#dtBasicExample').DataTable();
    $('.dataTables_length').addClass('bs-select');
    });
</script>
</body>

</html>
<?php } ?>

```

manage-publicprofileteacher:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

//Code for Deletion
if($_GET['delid'])
{
$tid=$_GET['delid'];

```

```

$query=$dbh->prepare("delete from tblteacher where ID=:tid");
$query->bindParam(':tid',$tid,PDO::PARAM_STR);
$query->execute();
echo '<script>alert("Teacher deleted")</script>';
echo "<script>window.location.href = 'manage-teacher.php'</script>";
}

?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS || Manage Teacher (Public Profile)</title>
    <link rel="apple-touch-icon" href="apple-icon.png">
    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>
<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">
    <!-- Header-->
        <?php include_once('includes/header.php');?>
        <div class="breadcrumbs">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Manage Teachers (Public Profile)</h1>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li><a href="dashboard.php">Dashboard</a></li>
                        <li><a href="manage-teacher.php">Manage Teachers
(Public Profile)</a></li>
                        <li class="active">Manage Teachers (Public
Profile)</li>
                    </ol>
                </div>
            </div>
        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Manage Teachers
(Public Profile)</strong>
                    </div>
                    <div class="card-body">
                        <table id="dtBasicExample" class="table table-
striped table-bordered">
                            <thead>
                                <tr>
                                    <tr>
                                        <th>S.NO</th>
                                        <th>Teacher Name</th>
                                        <th>Subject</th>
                                        <th>Profile Status</th>
                                        <th>Registration Date</th>
                                        <th>Action</th>
                                    </tr>
                                </tr>
                            </thead>
                            <?php
$sql="SELECT * from tblteacher where isPublic='1'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

```

```

$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $row)
{
    ?>

        <tr>
            <td><?php echo htmlentities($cnt);?></td>
            <td><?php echo htmlentities($row->Name);?></td>
            <td><?php echo htmlentities($row->TeacherSub);?></td>
            <td><?php $status=$row->isPublic;
if($status=='1'):
echo "Public";
else:
echo "Not Public";
endif;

            ?></td>
            <td><?php echo htmlentities($row->RegDate);?></td>
            <td><a href="edit-teacher-detail.php?tid=<?php echo
htmlentities ($row->ID);?>" class="btn btn-primary">Edit</a>
<a href="manage-teacher.php?delid=<?php echo htmlentities ($row->ID);?>"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>
<a href="queries.php?tid=<?php echo htmlentities ($row->ID);?>&&tname=<?php echo
htmlentities($row->Name);?> (<?php echo htmlentities($row->TeacherSub);?>)"
class="btn btn-primary">Queries</a>
            </td>
        </tr>
    <?php $cnt=$cnt+1;}} ?>

    </table>
</div>
</div>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->

<!-- Right Panel -->
<script src="../vendors/jquery/dist/jquery.min.js"></script>
<script src="../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../vendors/bootstrap/dist/js/bootstrap.min.js"></script>

```

```

        <script src="./assets/js/main.js"></script>
        <script
src="https://cdn.datatables.net/1.11.5/js/dataTables.bootstrap.min.js"></script>
        <script
src="https://cdn.datatables.net/1.11.5/js/jquery.dataTables.min.js"></script>
        <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.11.5/css/dataTables.bootstrap.min.css">
<script type="text/javascript">
    $(document).ready(function () {
$( '#dtBasicExample' ).DataTable();
$( '.dataTables_length' ).addClass( 'bs-select' );
});
</script>
</body>

</html>
<?php } ?>

```

manage-subjects:

```

<?php session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
header('location:logout.php');
} else{

if($_GET['delid'])
{
$tid=$_GET['delid'];
$query=$dbh->prepare("delete from tblsubjects where ID=:tid");
$query->bindParam(':tid',$tid,PDO::PARAM_STR);
$query->execute();
echo '<script>alert("Subject deleted")</script>';
echo "<script>>window.location.href = 'manage-teacher.php'</script>";
}

?>
<!doctype html>
<html class="no-js" lang="en">
<head>

```

```

<title>TRMS || Manage Subject</title>

```

```

<link rel="apple-touch-icon" href="apple-icon.png">

```

```

    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">

    <link rel="stylesheet" href="../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">

        <!-- Header-->
        <?php include_once('includes/header.php');?>
        <div class="breadcrumbs">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Manage Subject</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                            <li><a href="manage-subjects.php">Manage
Subject</a></li>
                            <li class="active">Manage Subject</li>
                        </ol>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Manage
Subject</strong>

                    </div>
                    <div class="card-body">
                        <table class="table">
                            <thead>
                                <tr>
                                    <tr>

                                <th>S.NO</th>

                                <th>Subject Name</th>
                                <th>Creation Date</th>
                                <th>Action</th>
                            </tr>

                                </tr>
                            </thead>
                        <?php

$sql="SELECT * from tblsubjects";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

        <tr>
            <td><?php echo htmlentities($cnt);?></td>

            <td><?php echo htmlentities($row->Subject);?></td>
            <td><?php echo htmlentities($row->CreationDate);?></td>

```

```

                <td><a href="edit-subjects-detail.php?editid=?php echo
htmlentities ($row->ID);?" class="btn btn-primary">Edit</a>
<a href="manage-subjects.php?delid=?php echo htmlentities ($row->ID);?"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>
            </td>
        </tr>
    <?php $cnt=$cnt+1;}} ?>

        </table>
    </div>
</div>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->

<!-- Right Panel -->
<script src="../vendors/jquery/dist/jquery.min.js"></script>
<script src="../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../assets/js/main.js"></script>
</body>

</html>
<?php } ?>

```

manage-subjects:

```

<?php session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
header('location:logout.php');
} else{

if($_GET['delid'])
{
$tid=$_GET['delid'];
$query=$dbh->prepare("delete from tblsubjects where ID=:tid");
$query->bindParam(':tid',$tid,PDO::PARAM_STR);
$query->execute();
echo '<script>alert("Subject deleted")</script>';
echo "<script>window.location.href = 'manage-teacher.php'</script>";

```



```
}
?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS || Manage Subject</title>

    <link rel="apple-touch-icon" href="apple-icon.png">
    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="../assets/css/style.css">
    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->
    <?php include_once('includes/sidebar.php');?>
    <div id="right-panel" class="right-panel">

        <!-- Header-->
        <?php include_once('includes/header.php');?>
        <div class="breadcrumbs">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Manage Subject</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                        </ol>
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```

        <li><a href="manage-subjects.php">Manage
Subject</a></li>
        <li class="active">Manage Subject</li>
    </ol>
</div>
</div>
</div>
</div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Manage
Subject</strong>
                    </div>
                    <div class="card-body">
                        <table class="table">
                            <thead>
                                <tr>
                                    <tr>

                                <th>S.NO</th>

                                <th>Subject Name</th>
                                <th>Creation Date</th>
                                <th>Action</th>
                            </tr>

                                </tr>
                            </thead>
                        <?php

$sql="SELECT * from tblsubjects";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

        <tr>

```

```

        <td><?php echo htmlentities($cnt);?></td>

        <td><?php echo htmlentities($row->Subject);?></td>
        <td><?php echo htmlentities($row->CreationDate);?></td>
        <td><a href="edit-subjects-detail.php?editid=<?php echo
htmlentities ($row->ID);?>" class="btn btn-primary">Edit</a>
<a href="manage-subjects.php?delid=<?php echo htmlentities ($row->ID);?>"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>
        </td>
    </tr>
    <?php $cnt=$cnt+1;}} ?>

        </table>
    </div>
</div>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->

</div><!-- /#right-panel -->

<!-- Right Panel -->
<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>
</body>

</html>
<?php } ?>

```

manage-teacher:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

```

```

//Code for Deletion
if($_GET['delid'])
{
    $tid=$_GET['delid'];
    $query=$dbh->prepare("delete from tblteacher where ID=:tid");
    $query->bindParam(':tid',$tid,PDO::PARAM_STR);
    $query->execute();
    echo '<script>alert("Teacher deleted")</script>';
    echo "<script>window.location.href ='manage-teacher.php'</script>";
}

?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS || Manage Teacher</title>

    <link rel="apple-touch-icon" href="apple-icon.png">
    <link rel="stylesheet" href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="../../assets/css/style.css">
    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">

        <!-- Header-->
        <?php include_once('includes/header.php');?>
        <div class="breadcrumbs">
            <div class="col-sm-4">

```

```

        <div class="page-header float-left">
            <div class="page-title">
                <h1>Manage Teachers</h1>
            </div>
        </div>
    </div>
    <div class="col-sm-8">
        <div class="page-header float-right">
            <div class="page-title">
                <ol class="breadcrumb text-right">
                    <li><a href="dashboard.php">Dashboard</a></li>
                    <li><a href="manage-teacher.php">Manage
Teachers</a></li>
                    <li class="active">Manage Teachers</li>
                </ol>
            </div>
        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title">Manage
Teachers</strong>
                    </div>
                    <div class="card-body">
                        <table id="dtBasicExample" class="table table-
striped table-bordered">
                            <thead>
                                <tr>
                                    <tr>
                                        <th>S.NO</th>

                                        <th>Teacher Name</th>
                                        <th>Subject</th>
                                        <th>Registration Date</th>
                                        <th>Action</th>
                                    </tr>
                                </tr>
                            </thead>

```

```

                                <?php
$sql="SELECT * from tblteacher";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

        <tr>
            <td><?php echo htmlentities($cnt);?></td>
            <td><?php echo htmlentities($row->Name);?></td>
            <td><?php echo htmlentities($row->TeacherSub);?></td>
            <td><?php echo htmlentities($row->RegDate);?></td>
            <td><a href="edit-teacher-detail.php?tid=<?php echo
htmlentities ($row->ID);?>" class="btn btn-primary">Edit</a>
<a href="manage-teacher.php?delid=<?php echo htmlentities ($row->ID);?>"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>

<a href="queries.php?tid=<?php echo htmlentities ($row->ID);?>&&tname=<?php echo
htmlentities($row->Name);?> (<?php echo htmlentities($row->TeacherSub);?>)"
class="btn btn-primary">Queries</a>

        </td>
    </tr>
    <?php $cnt=$cnt+1;}} ?>

</table>
</div>
</div>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->

<!-- Right Panel -->
<script src="../vendors/jquery/dist/jquery.min.js"></script>
<script src="../vendors/popper.js/dist/umd/popper.min.js"></script>

```

```

    <script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
    <script src="../../assets/js/main.js"></script>
    <script
src="https://cdn.datatables.net/1.11.5/js/dataTables.bootstrap.min.js"></script>
    <script
src="https://cdn.datatables.net/1.11.5/js/jquery.dataTables.min.js"></script>
    <link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.11.5/css/dataTables.bootstrap.min.css">
<script type="text/javascript">
    $(document).ready(function () {
$( '#dtBasicExample' ).DataTable();
$( '.dataTables_length' ).addClass( 'bs-select' );
});
</script>
</body>

</html>
<?php } ?>

```

Package.js:

```

{
  "name": "sufee-admin-dashboard",
  "version": "1.0.0",
  "description": "Sufee Admin Dashboard",
  "main": "assets/js/main.js",
  "scripts": {
    "test": "test"
  },
  "repository": {
    "type": "git",
    "url": "git+git@github.com:sarangaem/sufee-admin-dashboard.git"
  },
  "keywords": [
    "html",
    "js",
    "css"
  ],
  "author": "Aigars Silkalns",
  "license": "MIT",
  "homepage": "https://colorlib.com/polygon/sufee/index.html",
  "devDependencies": {
    "grunt": "^1.0.3",
    "grunt-lintspaces": "^0.8.3",
    "grunt-pleeease": "^1.4.0",

```

```
    "grunt-sass": "^3.0.1",
    "node-sass": "^4.9.3"
  }
}
```

Queries:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{
    ?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS || Manage Queries</title>

    <link rel="apple-touch-icon" href="apple-icon.png">

    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">

    <link rel="stylesheet" href="../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
```



```

<!-- Left Panel -->

<?php include_once('includes/sidebar.php');?>

<div id="right-panel" class="right-panel">

    <!-- Header-->
    <?php include_once('includes/header.php');?>
    <div class="breadcrumbs">
        <div class="col-sm-4">
            <div class="page-header float-left">
                <div class="page-title">
                    <h1>Queries for <?php echo $_GET['tname'];?> </h1>
                </div>
            </div>
        </div>
        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li><a href="dashboard.php">Dashboard</a></li>
                        <li><a href="manage-teacher.php">Manage
Queries</a></li>
                        <li class="active">Manage Queries</li>
                    </ol>
                </div>
            </div>
        </div>
    </div>
    <div class="content mt-3">
        <div class="animated fadeIn">
            <div class="row">
                <div class="col-lg-12">
                    <div class="card">
                        <div class="card-header">
                            <strong class="card-title">Manage
Queries</strong>
                        </div>
                        <div class="card-body">
                            <table id="dtBasicExample" class="table table-
striped table-bordered">

                                <thead>
                                    <tr>

```

```

                <tr>
                    <th>S.NO</th>

                    <th>Name</th>
                    <th>Email</th>
                    <th>Mobile No</th>
                    <th> Date</th>
                    <th>Action</th>
                </tr>
            </tr>
        </thead>

<?php
$tid=$_GET['tid'];
$sql="SELECT * from tblquery where teacherId='$tid'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

        <tr>
            <td><?php echo htmlentities($cnt);?></td>
            <td><?php echo htmlentities($row->fName);?></td>
            <td><?php echo htmlentities($row->emailId);?></td>
            <td><?php echo htmlentities($row->mobileNumber);?></td>
            <td><?php echo htmlentities($row->queryDate);?></td>
            <td><a href="query-details.php?qid=<?php echo htmlentities
($row->id);?>" class="btn btn-primary">View</a>

            </td>
        </tr>
    <?php $cnt=$cnt+1;}} ?>

        </table>
    </div>
</div>
</div>
</div>
```

```

        </div>
    </div><!-- .animated -->
</div><!-- .content -->
</div><!-- /#right-panel -->

<!-- Right Panel -->
<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>
<script
src="https://cdn.datatables.net/1.11.5/js/dataTables.bootstrap.min.js"></script>
<script
src="https://cdn.datatables.net/1.11.5/js/jquery.dataTables.min.js"></script>
<link rel="stylesheet" type="text/css"
href="https://cdn.datatables.net/1.11.5/css/dataTables.bootstrap.min.css">
<script type="text/javascript">
    $(document).ready(function () {
    $('#dtBasicExample').DataTable();
    $('.dataTables_length').addClass('bs-select');
    });
</script>
</body>

</html>
<?php } ?>

```

query-details:

```

<?php
session_start();
//error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

```

```

?>
<!doctype html>

```

```

<html class="no-js" lang="en">
<head>

    <title>TRMS || Query Details</title>

    <link rel="apple-touch-icon" href="apple-icon.png">
    <link rel="stylesheet" href="../../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../../vendors/selectFX/css/cs-skin-elastic.css">
    <link rel="stylesheet" href="../../assets/css/style.css">
    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>
</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">
        <!-- Header-->
        <?php include_once('includes/header.php');?>
        <div class="breadcrumbs">
            <div class="col-sm-4">
                <div class="page-header float-left">
                    <div class="page-title">
                        <h1>Query Details</h1>
                    </div>
                </div>
            </div>
            <div class="col-sm-8">
                <div class="page-header float-right">
                    <div class="page-title">
                        <ol class="breadcrumb text-right">
                            <li><a href="dashboard.php">Dashboard</a></li>
                            <li><a href="manage-teacher.php"> Query
Details</a></li>
                            <li class="active"> Query Details</li>
                        </ol>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
</div>

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-title"> Query
Details</strong>
                    </div>
                    <div class="card-body">
                        <table id="dtBasicExample" class="table table-
striped table-bordered">
                            <thead>
                                </thead>
<?php
$qid=intval($_GET['qid']);
$sql="SELECT * from tblquery where id='$qid'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <tr>
            <th>Full Name</th>
            <td><?php echo htmlentities($row->fName);?></td>
            <th>Email Id</th>
            <td><?php echo htmlentities($row->emailId);?></td>
        </tr>
        <tr>
            <th>Mobile Number</th>
            <td><?php echo htmlentities($row->mobileNumber);?></td>
            <th>Query Date</th>
            <td><?php echo htmlentities($row->queryDate);?></td>
        </tr>
    </tr>
}
    </div>

```

```

        <th>Query</th>
        <td colspan="3"><?php echo htmlentities($row->Query);?></td>
    </tr>
    <tr>
        <th>Query</th>
        <td colspan="3"><?php echo htmlentities($row->teacherNote);?></td>
    </tr>

        </td>
    </tr>
    <?php $cnt=$cnt+1;}} ?>

        </table>
    </div>
</div>
</div>
</div>

</div><!-- .animated -->
</div><!-- .content -->

</div><!-- /#right-panel -->

<!-- Right Panel -->

<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>
</body>

</html>
<?php } ?>

```

Search:

```

<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');

```

```
if (strlen($_SESSION['trmsaid']==0)) {
    header('location:logout.php');
} else{

?>
<!doctype html>
<html class="no-js" lang="en">
<head>

    <title>TRMS Search</title>

    <link rel="apple-touch-icon" href="apple-icon.png">
    <link rel="shortcut icon" href="favicon.ico">

    <link rel="stylesheet"
href="../vendors/bootstrap/dist/css/bootstrap.min.css">
    <link rel="stylesheet" href="../vendors/font-awesome/css/font-
awesome.min.css">
    <link rel="stylesheet" href="../vendors/themify-icons/css/themify-icons.css">
    <link rel="stylesheet" href="../vendors/flag-icon-css/css/flag-icon.min.css">
    <link rel="stylesheet" href="../vendors/selectFX/css/cs-skin-elastic.css">

    <link rel="stylesheet" href="../assets/css/style.css">

    <link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>
    <!-- Left Panel -->

    <?php include_once('includes/sidebar.php');?>

    <div id="right-panel" class="right-panel">

        <!-- Header-->
        <?php include_once('includes/header.php');?>
        <div class="breadcrumbs">
```

```

        <div class="col-sm-4">
            <div class="page-header float-left">
                <div class="page-title">
                    <h1>Search Teacher</h1>
                </div>
            </div>
        </div>
        <div class="col-sm-8">
            <div class="page-header float-right">
                <div class="page-title">
                    <ol class="breadcrumb text-right">
                        <li><a href="dashboard.php">Dashboard</a></li>
                        <li><a href="search.php">Search Teacher</a></li>
                        <li class="active">Teacher</li>
                    </ol>
                </div>
            </div>
        </div>
    </div>

    <div class="content mt-3">
        <div class="animated fadeIn">
            <div class="row">
                <div class="col-lg-12">
                    <div class="card">
                        <div class="card-header">
                            <strong class="card-title">Search
Teacher</strong>
                        </div>

                        <form name="search" method="post" style="padding-top: 20px" >
                            <div class="row">
                                <div class="col-12">
                                    <div class="card-box">

                                        <div class="form-group row">
                                            <label class="col-4 col-
form-label" for="example-email" style="padding-left: 50px"><strong>Search by Name
or Subject</strong></label>

                                            <div class="col-6">
                                                <input
id="searchdata" type="text" name="searchdata" required="true" class="form-
control">

```



```

        </div>
    </div>
    <p style="text-align:
center;"><button type="submit" class="btn btn-primary btn-sm" name="search"
id="submit">
        <i class="fa fa-dot-
circle-o"></i> Search
    </button></p>

</div>

</form>
<?php
if(isset($_POST['search']))
{
    $sdata=$_POST['searchdata'];
    ?>
    <h4 align="center">Result against "<?php echo $sdata;?>" keyword </h4>

        <div class="card-body">
            <table class="table">
                <thead>
                    <tr>
                        <tr>
                            <th>S.NO</th>

                            <th>Teacher Name</th>
                            <th>Subject</th>
                            <th>Registration Date</th>
                            <th>Action</th>
                        </tr>
                    </thead>
                    <?php

    $sql="SELECT * from tblteacher where Name like '%$sdata%' || TeacherSub like
    '%$sdata%'";
    $query = $dbh -> prepare($sql);
    $query->execute();
    $results=$query->fetchAll(PDO::FETCH_OBJ);

```

```

$cnt=1;
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>

        <tr>
            <td><?php echo htmlentities($cnt);?></td>
            <td><?php echo htmlentities($row->Name);?></td>
            <td><?php echo htmlentities($row->TeacherSub);?></td>
            <td><?php echo htmlentities($row->RegDate);?></td>
            <td><a href="edit-teacher-detail.php?tid=<?php echo
htmlentities ($row->ID);?>" class="btn btn-primary">Edit</a>
<a href="manage-teacher.php?delid=<?php echo htmlentities ($row->ID);?>"
class="btn btn-danger" onclick="return confirm('Do you really want to
delete?');">Delete</a>
<a href="queries.php?tid=<?php echo htmlentities ($row->ID);?>&&tname=<?php echo
htmlentities($row->Name);?> (<?php echo htmlentities($row->TeacherSub);?>)"
class="btn btn-primary">Queries</a>
</td>

        </tr>
        <?php

$cnt=$cnt+1;
} } else { ?>
    <tr>
        <td colspan="8"> No record found against this search</td>

    </tr>

<?php } }?>

        </table>
    </div>
</div>
</div>
</div>
</div><!-- .animated -->
</div><!-- .content -->

</div><!-- /#right-panel -->

<!-- Right Panel -->

```

```
<script src="../../vendors/jquery/dist/jquery.min.js"></script>
<script src="../../vendors/popper.js/dist/umd/popper.min.js"></script>
<script src="../../vendors/bootstrap/dist/js/bootstrap.min.js"></script>
<script src="../../assets/js/main.js"></script>

</body>

</html>
<?php } ?>
```

About:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Modern Business - Start Bootstrap Template</title>
    <!-- Favicon-->
    <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
    <!-- Bootstrap icons-->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
    <!-- Core theme CSS (includes Bootstrap)-->
    <link href="css/styles.css" rel="stylesheet" />
  </head>
  <body class="d-flex flex-column">
    <main class="flex-shrink-0">
      <!-- Navigation-->
<?php include_once('includes/header.php');?>
      <!-- Header-->
      <!-- About section one-->
      <section class="py-5 bg-light" id="scroll-target">
        <div class="container px-5 my-5">
          <div class="row gx-5 align-items-center">
```

```

        <div class="col-lg-6"></div>
        <div class="col-lg-6">
            <h2 class="fw-bolder">About Us</h2>
            <p class="lead fw-normal text-muted mb-0">Lorem ipsum
dolor sit amet consectetur adipisicing elit. Iusto est, ut esse a labore aliquam
beatae expedita. Blanditiis impedit numquam libero molestiae et fugit cupiditate,
quibusdam expedita, maiores eaque quisquam.</p>
        </div>
    </div>
</div>
</section>

</main>
<!-- Footer-->
<?php include_once('includes/footer.php');?>
<!-- Bootstrap core JS-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
"></script>
    <!-- Core theme JS-->
    <script src="js/scripts.js"></script>
</body>
</html>

```

Contact:

```

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
        <meta name="description" content />
        <meta name="author" content />
        <title>Modern Business - Start Bootstrap Template</title>
        <!-- Favicon-->
        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
        <!-- Bootstrap icons-->
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
        <!-- Core theme CSS (includes Bootstrap)-->

```

```

        <link href="css/styles.css" rel="stylesheet" />
    </head>
    <body class="d-flex flex-column">
        <main class="flex-shrink-0">
            <?php include_once('includes/header.php');?>
            <!-- Page content-->
            <section class="py-5">
                <div class="container px-5">
                    <!-- Contact form-->
                    <div class="bg-light rounded-3 py-5 px-4 px-md-5 mb-5">
                        <div class="text-center mb-5">
                            <div class="feature bg-primary bg-gradient text-white
rounded-3 mb-3"><i class="bi bi-envelope"></i></div>
                            <h1 class="fw-bolder">Get in touch</h1>
                            <p class="lead fw-normal text-muted mb-0">We'd love
to hear from you</p>
                        </div>

                        <!-- Contact cards-->
                        <div class="row gx-5 row-cols-2 row-cols-lg-4 py-5">
                            <div class="col">
                                <div class="feature bg-primary bg-gradient text-white
rounded-3 mb-3"><i class="bi bi-chat-dots"></i></div>
                                <div class="h5 mb-2">Chat with us</div>
                                <p class="text-muted mb-0">Chat live with one of our
support specialists.</p>
                            </div>

                            <div class="col">
                                <div class="feature bg-primary bg-gradient text-white
rounded-3 mb-3"><i class="bi bi-telephone"></i></div>
                                <div class="h5">Call us</div>
                                <p class="text-muted mb-0">Call us during normal
business hours at (555) 892-9403.</p>
                            </div>
                        </div>
                    </div>
                </div>
            </section>
        </main>
        <!-- Footer-->
        <?php include_once('includes/footer.php');?>
    </footer>
    <!-- Bootstrap core JS-->

```

```

        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
"></script>
        <!-- Core theme JS-->
        <script src="js/scripts.js"></script>
        <script src="https://cdn.startbootstrap.com/sb-forms-latest.js"></script>
    </body>
</html>

```

Index:

```

<?php include_once('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
        <meta name="description" content="" />
        <meta name="author" content="" />
        <title>Teachers Record Management System</title>
        <!-- Favicon-->
        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
        <!-- Bootstrap icons-->
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
        <!-- Core theme CSS (includes Bootstrap)-->
        <link href="css/styles.css" rel="stylesheet" />
    </head>
    <body class="d-flex flex-column h-100">
        <main class="flex-shrink-0">
            <!-- Navigation-->
            <?php include_once('includes/header.php');?>
            <!-- Header-->
            <header class="bg-dark py-5">
                <div class="container px-5">
                    <div class="row gx-5 align-items-center justify-content-
center">
                        <div class="col-lg-8 col-xl-7 col-xxl-6">
                            <div class="my-5 text-center text-xl-start">
                                <h1 class="display-5 fw-bolder text-white mb-
2">Teachers Record Management System</h1>

```

```

        <div class="d-grid gap-3 d-sm-flex justify-
content-sm-center justify-content-xl-start" style="margin-top:5%;">
            <a class="btn btn-primary btn-lg px-4 me-sm-
3" href="teacher/signup.php">Teachers Signup/Registration</a>
            <a class="btn btn-outline-light btn-lg px-4"
href="teacher/index.php">Teachers Login</a>
        </div>
    </div>
</div>
<div class="col-xl-5 col-xxl-6 d-none d-xl-block text-
center"></div>
</div>
</div>
</header>

<!-- Blog preview section-->
<section class="py-5">
    <div class="container px-5 my-5">

        <form method="post" action="search-result.php">
            <aside class="bg-primary bg-gradient rounded-3 p-4 p-sm-5 mt-5">
                <div class="d-flex align-items-center justify-content-
between flex-column flex-xl-row text-center text-xl-start">
                    <div class="mb-4 mb-xl-0">
                        <div class="fs-3 fw-bold text-white">Search
Teacher by Name or Subject</div>
                    </div>
                    <div class="ms-xl-4">
                        <div class="input-group mb-2">
                            <input class="form-control" type="text"
placeholder="Search Teacher by Name or Subject" aria-label="Email address..."
aria-describedby="button-newsletter" name="searchinput" required
style="width:350px;" />
                            <button class="btn btn-outline-light"
id="button-newsletter" type="submit">Search</button>
                        </div>
                    </div>
                </div>
            </aside>
        </form>
        <hr />

```

```

        <div class="row gx-5 justify-content-center">
            <div class="col-lg-8 col-xl-6">
                <div class="text-center">
                    <h2 class="fw-bolder">Listed Teachers</h2>
<hr color="red" />
                </div>
            </div>
        </div>
        <div class="row gx-5">
            <?php
$sql="SELECT * from tblteacher where isPublic='1' limit 9";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        <div class="col-lg-4 mb-5">
            <div class="card h-100 shadow border-0">
                Name);?>" />
                <div class="card-body p-4">
                    <div class="badge bg-primary bg-gradient
rounded-pill mb-2"><?php echo htmlentities($row->TeacherSub);?></div>
                    <a class="text-decoration-none link-dark
stretched-link" href="teacher-details.php?tid=<?php echo $row->ID;?>"
target="_blank">
                        <h5 class="card-title mb-3"><?php echo
htmlentities($row->Name);?></h5></a>
                        <p class="card-text mb-0"><small>Registered
Since <?php echo htmlentities($row->RegDate);?></small></p>
                    </div>
                </div>
            </div>
        </div>
        <?php }} else{?>
        <h3 align="center" style="color:red;">Record not Found</h3>
        <?php } ?>
    </div>
</div>
</section>
</main>

```



```

        <!-- Footer-->
<?php include_once('includes/footer.php'); ?>
        <!-- Bootstrap core JS-->
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
"></script>
        <!-- Core theme JS-->
        <script src="js/scripts.js"></script>
    </body>
</html>

```

listed-teachers:

```

<?php include_once('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
        <meta name="description" content="" />
        <meta name="author" content="" />
        <title>Teachers Record Management System</title>
        <!-- Favicon-->
        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
        <!-- Bootstrap icons-->
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
        <!-- Core theme CSS (includes Bootstrap)-->
        <link href="css/styles.css" rel="stylesheet" />
    </head>
    <body class="d-flex flex-column h-100">
        <main class="flex-shrink-0">
            <!-- Navigation-->
            <?php include_once('includes/header.php'); ?>
            <!-- Header-->

            <!-- Blog preview section-->
            <section class="py-5">
                <div class="container px-5 my-5">
                    <form method="post" action="search-result.php">

```

```

<aside class="bg-primary bg-gradient rounded-3 p-4 p-sm-5 mt-5">
    <div class="d-flex align-items-center justify-content-
between flex-column flex-xl-row text-center text-xl-start">
        <div class="mb-4 mb-xl-0">
            <div class="fs-3 fw-bold text-white">Search
Teacher by Name or Subject</div>
        </div>
        <div class="ms-xl-4">
            <div class="input-group mb-2">
                <input class="form-control" type="text"
placeholder="Search Teacher by Name or Subject" aria-label="Email address..."
aria-describedby="button-newsletter" name="searchinput" required
style="width:350px;" />
                <button class="btn btn-outline-light"
id="button-newsletter" type="submit">Search</button>
            </div>
        </div>
    </div>
</aside>
</form>
<hr />
<div class="row gx-5 justify-content-center">
    <div class="col-lg-8 col-xl-6">
        <div class="text-center">
            <h2 class="fw-bolder">Listed Teachers</h2>
<hr color="red" />
        </div>
    </div>
</div>
<div class="row gx-5">
    <div class="col-lg-4 mb-5">
        <div class="card h-100 shadow border-0">
            <?php
$sql="SELECT * from tblteacher where isPublic='1'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
    foreach($results as $row)
    {
        ?>
    }
}
        </div>
    </div>
</div>

```

```

        Name);?>" />
        <div class="card-body p-4">
            <div class="badge bg-primary bg-gradient
rounded-pill mb-2"><?php echo htmlentities($row->TeacherSub);?></div>
            <a class="text-decoration-none link-dark
stretched-link" href="teacher-details.php?tid=<?php echo $row->ID;?>"
target="_blank">
                <h5 class="card-title mb-3"><?php echo
htmlentities($row->Name);?></h5></a>
                <p class="card-text mb-0"><small>Registered
Since <?php echo htmlentities($row->RegDate);?></small></p>
            </div>
        </div>
    </div>
<?php }} else{?>
<h3 align="center" style="color:red;">Record not Found</h3>
<?php } ?>

    </div>
    <!-- Call to action-->

    </div>
</section>
</main>
<!-- Footer-->
<?php include_once('includes/footer.php'); ?>
    <!-- Bootstrap core JS-->
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
"></script>
    <!-- Core theme JS-->
    <script src="js/scripts.js"></script>
</body>
</html>

```

search-result:

```

<?php include_once('includes/dbconnection.php');
?>
<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
  <meta name="description" content="" />
  <meta name="author" content="" />
  <title>Teachers Record Management System</title>
  <!-- Favicon-->
  <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
  <!-- Bootstrap icons-->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
  <!-- Core theme CSS (includes Bootstrap)-->
  <link href="css/styles.css" rel="stylesheet" />
</head>
<body class="d-flex flex-column h-100">
  <main class="flex-shrink-0">
    <!-- Navigation-->
    <?php include_once('includes/header.php');?>
    <!-- Header-->

    <!-- Blog preview section-->
    <section class="py-5">
      <div class="container px-5 my-5">
        <form method="post" action="search-result.php">
      <aside class="bg-primary bg-gradient rounded-3 p-4 p-sm-5 mt-5">
        <div class="d-flex align-items-center justify-content-
between flex-column flex-xl-row text-center text-xl-start">
          <div class="mb-4 mb-xl-0">
            <div class="fs-3 fw-bold text-white">Search
Teacher by Name or Subject</div>
          </div>
          <div class="ms-xl-4">
            <div class="input-group mb-2">
              <input class="form-control" type="text"
placeholder="Search Teacher by Name or Subject" aria-label="Email address..."
aria-describedby="button-newsletter" name="searchinput" required
style="width:350px;" />
              <button class="btn btn-outline-light"
id="button-newsletter" type="submit">Search</button>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </aside>
    </form>
    <hr />
    <div class="row gx-5 justify-content-center">
        <div class="col-lg-8 col-xl-6">
            <div class="text-center">
<?php    $searchdata=$_POST['searchinput'];?>

                <h2 class="fw-bolder">Search List Against <font
color="red">"<?php echo $searchdata;?>"</font></h2>
<hr color="red" />
            </div>
        </div>
    </div>
    <div class="row gx-5">
        <?php
$sql="SELECT * from tblteacher where (isPublic='1') and (Name like
'%"$searchdata%" || TeacherSub like '%"$searchdata%"')";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $row)
{
                <div class="col-lg-4 mb-5">
                    <div class="card h-100 shadow border-0">
                        Name);?>" />
                        <div class="card-body p-4">
                            <div class="badge bg-primary bg-gradient
rounded-pill mb-2"><?php echo htmlentities($row->TeacherSub);?></div>
                            <a class="text-decoration-none link-dark
stretched-link" href="teacher-details.php?tid=<?php echo $row->ID;?>"
target="_blank">
                                <h5 class="card-title mb-3"><?php echo
htmlentities($row->Name);?></h5></a>
                                <p class="card-text mb-0"><small>Registered
Since <?php echo htmlentities($row->RegDate);?></small></p>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
<?php }} else{?>
<h3 align="center" style="color:red;">Record not Found</h3>
<?php } ?>

        </div>
        <!-- Call to action-->

        </div>
    </section>
</main>
<!-- Footer-->
<?php include_once('includes/footer.php'); ?>
    <!-- Bootstrap core JS-->
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
"></script>
    <!-- Core theme JS-->
    <script src="js/scripts.js"></script>
</body>
</html>

```

teacher-details:

```

<?php include_once('includes/dbconnection.php');

//Coding For query
if(isset($_POST['submit']))
{
    $fname=$_POST['fname'];
    $emailid=$_POST['emailid'];
    $mobilenos=$_POST['mobilenos'];
    $querymsg=$_POST['query'];
    $teacherid=$_GET['tid'];
    $sql="insert into
tblquery(teacherId,fName,emailId,mobileNumber,Query)values(:teacherid,:fname,:ema
ilid,:mobilenos,:querymsg)";
    $query=$dbh->prepare($sql);
    $query->bindParam(':fname',$fname,PDO::PARAM_STR);
    $query->bindParam(':emailid',$emailid,PDO::PARAM_STR);
    $query->bindParam(':mobilenos',$mobilenos,PDO::PARAM_STR);
    $query->bindParam(':querymsg',$querymsg,PDO::PARAM_STR);
    $query->bindParam(':teacherid',$teacherid,PDO::PARAM_STR);

```

```

$query->execute();
$LastInsertId=$dbh->lastInsertId();
if ($LastInsertId>0) {
echo '<script>alert("Message Sent Successfully.")</script>';
echo "<script>window.location.href ='index.php'</script>";
}else{
    echo '<script>alert("Something Went Wrong. Please try again")</script>';
    }}
?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no" />
        <meta name="description" content="" />
        <meta name="author" content="" />
        <title>TRMS | Teachers Details</title>
        <!-- Favicon-->
        <link rel="icon" type="image/x-icon" href="assets/favicon.ico" />
        <!-- Bootstrap icons-->
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.5.0/font/bootstrap-icons.css" rel="stylesheet" />
        <!-- Core theme CSS (includes Bootstrap)-->
        <link href="css/styles.css" rel="stylesheet" />
    </head>
    <body class="d-flex flex-column h-100">
        <main class="flex-shrink-0">
            <!-- Navigation-->
            <?php include_once('includes/header.php'); ?>
            <!-- Page Content-->

            <?php
            $tid=intval($_GET['tid']);
            $sql="SELECT * from tblteacher where isPublic='1' and ID='$tid'";
            $query = $dbh -> prepare($sql);
            $query->execute();
            $results=$query->fetchAll(PDO::FETCH_OBJ);
            if($query->rowCount() > 0)
            {
            foreach($results as $row)
            {
                ?>
                <section class="py-5">
                    <div class="container px-5 my-5">

```

```

        <div class="text-center mb-5">
            <h1 class="fw-bolder"><?php echo htmlentities($row-
>Name);?'s Details</h1>
            <p class="lead fw-normal text-muted mb-0">Registered
Since <?php echo htmlentities($row->RegDate);?'</p>
        </div>
        <div class="row gx-5">
            <div class="col-xl-8">
                <!-- FAQ Accordion 1-->
                <!--
                <h2 class="fw-bolder mb-3">Persoanl Details
</h2> -->

                <div class="accordion mb-5" id="accordionExample">
                    <div class="accordion-item">
                        <h3 class="accordion-header"
id="headingOne"><button class="accordion-button" type="button" data-bs-
toggle="collapse" data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">Personal Details</button></h3>
                        <div class="accordion-collapse collapse show"
id="collapseOne" aria-labelledby="headingOne" data-bs-parent="#accordionExample">
                            <div class="accordion-body">
                                <table class="table table-bordered">

                                    <tr>

                                        <th></th>
                                        <td></td>
                                    </tr>
                                    <tr>
                                        <th>Teacher Name</th>
                                        <td><?php echo htmlentities($row->Name);?'</td>
                                    </tr>

                                    <tr>
                                        <th>Teacher Email ID</th>
                                        <td><?php echo htmlentities($row->Email);?'</td>
                                    </tr>

                                    <tr>
                                        <th>Teacher Mobile Number</th>
                                        <td><?php echo htmlentities($row->MobileNumber);?'</td>
                                    </tr>
                                    <tr>
                                        <th>Teacher Address</th>
                                        <td><?php echo htmlentities($row->Address);?'</td>

```



```

        </tr>
        <tr>
            <th>Registered Since</th>
            <td><?php echo htmlentities($row->RegDate);?></td>
        </tr>
    </table>

        </div>
    </div>
</div>

<!-- FAQ Accordion 2-->

<div class="accordion mb-5 mb-xl-0"
id="accordionExample2">
    <div class="accordion-item">
        <h3 class="accordion-header"
id="headingOne"><button class="accordion-button" type="button" data-bs-
toggle="collapse" data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">Professional Details</button></h3>
        <div class="accordion-collapse collapse show"
id="collapseOne" aria-labelledby="headingOne" data-bs-
parent="#accordionExample2">
            <div class="accordion-body">
                <table class="table table-bordered">

                    <tr>
                        <th>Teacher Qualifications</th>
                        <td><?php echo htmlentities($row->Qualifications);?></td>
                    </tr>

                    <tr>
                        <th>Teaching Experience (in Years)</th>
                        <td><?php echo htmlentities($row->teachingExp);?></td>
                    </tr>

                    <tr>
                        <th>Teacher Subject</th>
                        <td><?php echo htmlentities($row->TeacherSub);?></td>
                    </tr>
                </table>
            </div>
        </div>
    </div>

```

```

        <th>Description (if Any)</th>
        <td><?php echo htmlentities($row->description);?></td>
    </tr>

</table>

        </div>
    </div>
</div>

        <div class="col-xl-4">
            <div class="card border-0 bg-light mt-xl-5">
                <div class="card-body p-4 py-lg-5">
                    <div class="d-flex align-items-center
justify-content-center">

                        <div class="text-center">
                            <div class="h6 fw-bolder">Have more
questions?</div>

                            <p class="text-muted mb-4">
                                Contact me at
                                <br />
                                <a href="#"><?php echo
htmlentities($row->Email);?></a>

                            </p>
                            <h5>OR</h5>

                            <form method="post">
                                <p> <input type="text" name="fname" placeholder="Enter your fullname"
                                class="form-control" required></p>
                                <p><input type="email" name="emailid" placeholder="Enter your emailid"
                                class="form-control" required></p>
                                <p><input type="text" name="mobilen0" placeholder="Enter your mobile no"
                                class="form-control" pattern="[0-9]{10}" title="10 numeric characters only"
                                required></p>
                                <p><textarea class="form-control" name="query" placeholder="Query / Message"
                                required></textarea>
                                </p>
                                <input type="submit" class="btn btn-primary" name="submit">
                            </form>

                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```
        </div>
    </div>
</div>
</div>
</div>
</section>
<?php } } else{ ?>
<hr />
<h3 align="center" style="color:red;">Record not Found</h3>
    <?php } ?>
</main>
<!-- Footer-->
<?php include_once('includes/footer.php'); ?>
<!-- Bootstrap core JS-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js
"></script>
<!-- Core theme JS-->
<script src="js/scripts.js"></script>
</body>
</html>
```

9. Conclusion

This Application provides an online version of Teacher Record Management System which will benefit the school who want to maintain records of teacher and also help to person who search teacher according to his/her requirement. It makes entire process online and can generate reports. The Application was designed in such a way that future changes can be done easily. The following conclusions can be deduced from the development of the project.

- Automation of the entire system improves the productivity.
- It provides a friendly graphical user interface which proves to be better when compared to the existing system.
- It gives appropriate access to the authorized users depending on their permissions.
- It effectively overcomes the delay in communications.

- Updating of information becomes so easier.
- System security, data security and reliability are the striking features.
- The System has adequate scope for modification in future if it is necessary.

10. References

- <http://www.javapoint.com/>
- <http://www.phpgurukul.com/>
- <http://www.w3schools.com/>
- <http://www.javatpoint.com/>
- <http://www.mysql.com/>
- <https://www.lucidchart.com/dataflow/diagram/>