

Group - A

D:- 11.09.26

- 1) c) JVM component executes Java bytecode.
- 2) B) Java tool compiles Java source code.
- 3) B) int is a primitive type.
- 4) D) String is a reference type.
- 5) B) int to double is widening conversion.
- 6) c) && operator represents logical AND.
- 7) c) length() method returns the number of characters in a string.
- 8) B) equals() method compares String contents.
- 9) A) nextInt() Scanner method reads an integer.
- 10) c) printf() output method formats output using format specifiers.
- 11) B) switch statement is best suited for multiple fixed choices.
- 12) c) do-while which loop always executes at least once.
- 13) ~~Break~~ Break does B) Exits the loop / switch.
- 14) Continue does B) Skips current iteration.
- 15) Array.length represent B) Number of elements.

Group - B

- 16) Java is considered platform independent because of without changing source code of Java program it can run any operating system.

such as - Linux, Windows etc.

17) <u>Features</u>	<u>JDK</u>	<u>JRE</u>	<u>JVM</u>
i) Full form	Java Development Kit.	Java Runtime Environment.	Java virtual Machine.
ii) Main purpose	Used to develop & run Java programs.	Used to run Java programs.	Used to execute Java bytecode.
iii) Example	javac, java	java	converts byte-code into machine code.

25) Break purpose: - It is used to exit the loop.

26) Continue purpose: - It is used to skip current iteration.

18) main () method: - Without main () a Java program generally cannot start running.

Group-C

26) The Java compilation